

DAFTAR PUSTAKA

- Abbas, N., Riaz, M., & Does, R. J. M. M. (2013). Mixed exponentially weighted moving average-cumulative sum charts for process monitoring. *Quality and Reliability Engineering International*, 29(3), 345–356. <https://doi.org/10.1002/qre.1385>
- Abbas, Z., Nazir, H. Z., Akhtar, N., Riaz, M., & Abid, M. (2020). On developing an exponentially weighted moving average chart under progressive setup: An efficient approach to manufacturing processes. *Quality and Reliability Engineering International*, 36(7), 2569–2591. <https://doi.org/10.1002/qre.2716>
- Abid, M., Shabbir, A., Nazir, H. Z., Sherwani, R. A. K., & Riaz, M. (2020). A double homogeneously weighted moving average control chart for monitoring of the process mean. *Quality and Reliability Engineering International*, 36(5), 1513–1527. <https://doi.org/10.1002/qre.2641>
- Adeoti, O. A., & Koleoso, S. O. (2020). A hybrid homogeneously weighted moving average control chart for process monitoring. *Quality and Reliability Engineering International*, 36(6), 2170–2186. <https://doi.org/10.1002/qre.2690>
- Ait-El-Cadi, A., Gharbi, A., Dhouib, K., & Artiba, A. (2021). Integrated production, maintenance and quality control policy for unreliable manufacturing systems under dynamic inspection. *International Journal of Production Economics*, 236(April), 108140. <https://doi.org/10.1016/j.ijpe.2021.108140>
- Alevizakos, V., Chatterjee, K., & Koukouvinos, C. (2021). A triple exponentially weighted moving average control chart for monitoring time between events. *Quality and Reliability Engineering International*, 37(3), 1059–1079. <https://doi.org/10.1002/qre.2781>
- Alevizakos, V., & Koukouvinos, C. (2020). Computation A double exponentially weighted moving average chart for time between events. *Communications in Statistics - Simulation and Computation*, 49(10), 2765-2784. <https://doi.org/10.1080/03610918.2018.1532516>
- Alkahtani, S. S. (2013). Robustness of DEWMA versus EWMA control charts to non-normal processes. *Journal of Modern Applied Statistical Methods*, 12(1), 148–163. <https://doi.org/10.22237/jmasm/1367381820>
- Bataineh, A. M. F., Saeed, N., Obeidat, A. F. S., Kamal, S., & Abu-Shawiesh, M. O. A. (2022). Robust Point M-Scale Estimators for Monitoring the Mean of EWMA Control Chart under the Normal Process. *Ain Shams Engineering Journal*, 13(6). <https://doi.org/10.1016/j.asej.2022.101796>



in, S. (2020). Investigation of defective products and how to *Industrial Engineering and Supply Chain Management of ersity*.

raborti, S. (2021). A distribution-free Shewhart-type Mann–chart for monitoring finite horizon productions. *International Production Research*, 59(20), 6069–6086. [10.1080/00207543.2020.1802079](https://doi.org/10.1080/00207543.2020.1802079)

- Chaudhary, A. M., Sanaullah, A., Hanif, M., Almazah, M. M. A., Albasheir, N. A., & Al-duais, F. S. (2023). *Efficient Monitoring of a Parameter of Non-Normal Process Using a Robust Efficient Control Chart: A Comparative Study*.
- Chong, Z. L., Tan, K. L., Khoo, M. B. C., Teoh, W. L., & Castagliola, P. (2022). Optimal designs of the exponentially weighted moving average (EWMA) median chart for known and estimated parameters based on median run length. *Communications in Statistics: Simulation and Computation*, 51(7), 3660–3684. <https://doi.org/10.1080/03610918.2020.1721539>
- De Vargas, V. D. C. C., Lopes, L. F. D., & Souza, A. M. (2004). Comparative study of the performance of the CuSum and EWMA control charts. *Computers and Industrial Engineering*, 46(4 SPEC. ISS.), 707–724. <https://doi.org/10.1016/j.cie.2004.05.025>
- DEMİR, S. (2022). Comparison of Normality Tests in Terms of Sample Sizes under Different Skewness and Kurtosis Coefficients. *International Journal of Assessment Tools in Education*, 9(2), 397–409. <https://doi.org/10.21449/ijate.1101295>
- Dreyfus, P. A., Psarommatīs, F., May, G., & Kiritsīs, D. (2022). Virtual metrology as an approach for product quality estimation in Industry 4.0: a systematic review and integrative conceptual framework. *International Journal of Production Research*, 60(2), 742–765. <https://doi.org/10.1080/00207543.2021.1976433>
- Gould, H., & Gould, H. (2023). *From a 'good death' to a 'calm heart': Buddhist retailing meets self-care in contemporary Japan meets self-care in contemporary Japan*. <https://doi.org/10.1080/13537903.2023.2193502>
- Guleria, P., Pathania, A., Bhatti, H., Rojhe, K., & Mahto, D. (2021). Leveraging Lean Six Sigma: Reducing defects and rejections in filter manufacturing industry. *Materials Today: Proceedings*, 46(xxxx), 8532–8539. <https://doi.org/10.1016/j.matpr.2021.03.535>
- Hama Kareem, J. A., Mohammed, B. I., & Abdulwahab, S. A. (2022). Optimal Materials Handling Equipment and Defective Product Reduction Skills in Enhance Overall Production Efficiency. *SAGE Open*, 12(4). <https://doi.org/10.1177/21582440221128769>
- Haq, A., Ejaz, S., Lee, M. H., & Khan, M. (2021). A new double EWMA-t chart with auxiliary information for the process mean. *Quality and Reliability Engineering International*, 37(8), 3381–3394. <https://doi.org/10.1002/qre.2923>
- Haq, A., & Syed, E. A. (2021). New CUSUM and dual CUSUM mean charts. *Quality and Reliability Engineering International*, 37(4), 1355–1372. <https://doi.org/10.1002/qre.2799>
- L., & Wang, Z. (2022). A nonparametric CUSUM scheme for multivariate time-between-events-and-amplitude data with automobile painting. *International Journal of Production Research*, 60(18), 5432–5449. <https://doi.org/10.1080/00207543.2021.1959664>



- Hynek, M., Zvárová, J., Smetanová, D., Stejskal, D., & Kalina, J. (2021). Real-time quality control of nuchal translucency measurements using the exponentially weighted moving average chart. *Taiwanese Journal of Obstetrics and Gynecology*, 60(1), 84–89. <https://doi.org/10.1016/j.tjog.2020.11.012>
- Indah, A. B. R., Asmal, S., Mangnggenre, S., & Istiqa, T. N. (2020). Production scheduling using heuristic pour algorithm, branch and bound, and Nawaz Enscore and Ham (NEH) methods application in Butsudan industry. *IOP Conference Series: Earth and Environmental Science*, 575(1), 0–14. <https://doi.org/10.1088/1755-1315/575/1/012207>
- Javaid, A., Noor-ul-Amin, M., & Hanif, M. (2023). Performance of Max-EWMA control chart for joint monitoring of mean and variance with measurement error. *Communications in Statistics: Simulation and Computation*, 52(1), 1–26. <https://doi.org/10.1080/03610918.2020.1842886>
- Karoon, K., Areepong, Y., & Sukparungsee, S. (2023). Modification of ARL for detecting changes on the double EWMA chart in time series data with the autoregressive model. *Connection Science*, 35(1). <https://doi.org/10.1080/09540091.2023.2219040>
- Ke, C., Zhang, M., Zuo, Y., Xiang, F., Zhang, D., & Tao, F. (2022). Data-driven real-time control method for process equipment in flow shop towards product quality improvement. *Procedia CIRP*, 107(March), 908–913. <https://doi.org/10.1016/j.procir.2022.05.083>
- Kuiper, A., & Goedhart, R. (2024). Optimized control charts using indifference regions. *Quality Engineering*, 36(2), 371–389. <https://doi.org/10.1080/08982112.2023.2218904>
- Lario, J., Mateos, J., Psarommatis, F., & Ortiz, Á. (2024). A cost model for the investment feasibility of quality inspection technologies in the Zero Defect Manufacturing era. *International Journal of Production Research*. <https://doi.org/10.1080/00207543.2024.2383780>
- Letshedi, T. I., Malela-Majika, J. C., Castagliola, P., & Shongwe, S. C. (2021). Distribution-free triple EWMA control chart for monitoring the process location using the Wilcoxon rank-sum statistic with fast initial response feature. *Quality and Reliability Engineering International*, 37(5), 1996–2013. <https://doi.org/10.1002/qre.2842>
- Mohammadkhani, A., & Amiri, A. (2022). *Developing mixed EWMA-CUSUM and CUSUM-EWMA control charts based on MRSS and DRSS procedures*. 29, 2756–2771. <https://doi.org/10.24200/sci.2020.55632.4328>
- Montgomery, D.C. (2009) *Introduction to Statistical Quality Control* 6th Edition. *Wiley International*.
- Suppala, O., & Bergquist, B. (2023). Effect of measurement combined quality control charts. *Computers and Industrial Engineering*, 175(December 2022), 108900. <https://doi.org/10.1016/j.cie.2022.108900>



- charts under non-normal processes. *Journal of Applied Statistics*, 48(1), 4–40. <https://doi.org/10.1080/02664763.2019.1709809>
- Ningrum, C. P., Gozali, L., & Widodo, L. (2020). Application Of Quality Control Of Carton Box In Quality Control Department At PT Purinusa Ekapersada. In *IOP Conference Series: Materials Science and Engineering* (Vol. 852, No. 1, p. 012121). <https://doi.org/10.1088/1757-899X/852/1/012121>
- Noor, N. F. M., Abdul-Rahman, A., & Ali Atta, A. M. (2023). the Effectiveness of Robust Mixed Ewma-Cusum Control Chart on G-and-H Distribution. *Journal of Theoretical and Applied Information Technology*, 101(13), 5122–5129.
- Noor, S., Noor-ul-Amin, M., & Abbasi, S. A. (2021). Bayesian EWMA control charts based on Exponential and transformed Exponential distributions. *Quality and Reliability Engineering International*, 37(4), 1678–1698. <https://doi.org/10.1002/qre.2820>
- Page, E. S. (1954). Continuous Inspection Schemes. *Biometrika*, 41(1/2), 100. <https://doi.org/10.2307/2333009>
- Papavasileiou, A., Michalos, G., & Makris, S. (2024). Quality control in manufacturing—review and challenges on robotic applications. *International Journal of Computer Integrated Manufacturing*, 00(00), 1–37. <https://doi.org/10.1080/0951192X.2024.2314789>
- Psarommatis, F., Prouvost, S., May, G., & Kiritsis, D. (2020). Product Quality Improvement Policies in Industry 4.0: Characteristics, Enabling Factors, Barriers, and Evolution Toward Zero Defect Manufacturing. *Frontiers in Computer Science*, 2(August), 1–15. <https://doi.org/10.3389/fcomp.2020.00026>
- Razalee, A. S., ALI, N. M., KIEM, K., & ALI, N. (2021). A COMPARISON BETWEEN MODIFIED EWMA CONTROL CHARTS USING DIFFERENT ROBUST ESTIMATORS. *Advances in Mathematics: Scientific Journal*, 10(1), 1857-8365.
- Raza, S. M. M., & Siddiqi, A. F. (2017). EWMA and DEWMA control charts for Poisson-Exponential distribution: conditional median approach for censored data. *Quality and Reliability Engineering International*, 33(2), 387-399. <https://doi.org/10.1002/qre.2015>
- Roberts, S. W. (1959). Control chart tests based on geometric moving averages. *Technometrics*, 1(3), 239-250.
- Shamma, S. E., & Shamma, A. K. (1992). Development and Evaluation of Control Charts Using Double Exponentially Weighted Moving Averages. *International Journal of Quality & Reliability Management*, 9(6). <https://doi.org/10.1108/02656719210018570>
- 6). Quality Control Charts. *Bell System Technical Journal*, 5(4), <https://doi.org/10.1002/j.1538-7305.1926.tb00125.x>
- Bauernhansl, T. (2024). Interoperable information modelling at administration shell and large language model for quality zero defect manufacturing. *Journal of Manufacturing Systems*,



- 77(October), 678–696. <https://doi.org/10.1016/j.jmsy.2024.10.011>
- Siregar, K., & Elvira. (2020). Quality control analysis to reduce defect product and increase production speed using lean six sigma method. *IOP Conference Series: Materials Science and Engineering*, 801(1). <https://doi.org/10.1088/1757-899X/801/1/012104>
- Sukparungsee, S., Areepong, Y., & Taboran, R. (2020). Exponentially weighted moving average—Moving average charts for monitoring the process mean. *PLoS ONE*, 15(2), 1–24. <https://doi.org/10.1371/journal.pone.0228208>
- Supharakonsakun, Y., & Areepong, Y. (2023). *ARL Evaluation of a DEWMA Control Chart for Autocorrelated Data: A Case Study on Prices of Major Industrial Commodities*. 7(5), 1771–1786.
- Taboran, R., Sukparungsee, S., & Areepong, Y. (2021). Design of a New Tukey MA-DEWMA Control Chart to Monitor Process and its Applications. *IEEE Access*, 9(July), 102746–102757. <https://doi.org/10.1109/ACCESS.2021.3098172>
- Tsintotas, K. A., Kansizoglou, I., Konstantinidis, F. K., Mouroutsos, S. G., Syrakoulis, G. C., Psarommatis, F., Aloimonos, Y., & Gasteratos, A. (2024). Active vision: A promising technology for achieving zero-defect manufacturing. *Procedia Computer Science*, 232(2023), 2821–2830. <https://doi.org/10.1016/j.procs.2024.02.099>
- Wen, H., Liu, L., & Yan, X. (2021). Regression-adjusted Poisson EWMA control chart. *Quality and Reliability Engineering International*, 37(5), 1956–1964. <https://doi.org/10.1002/qre.2840>
- Zaman, B., Abbas, N., Riaz, M., & Lee, M. H. (2016). *Mixed CUSUM-EWMA chart for monitoring process dispersion*. <https://doi.org/10.1007/s00170-016-8411-0>
- Zaman, B., Riaz, M., Abbas, N., & Does, R. J. M. M. (2015). Mixed Cumulative Sum-Exponentially Weighted Moving Average Control Charts: An Efficient Way of Monitoring Process Location. *Quality and Reliability Engineering International*, 31(8), 1407–1421. <https://doi.org/10.1002/qre.1678>
- Zhang, L., Govindaraju, K., Lai, C. D., & Bebbington, M. S. (2003). Poisson DEWMA Control Chart. *Communications in Statistics Part B: Simulation and Computation*, 32(4), 1265–1283. <https://doi.org/10.1081/SAC-120023889>
- Zonnenshain, A., & Kenett, R. S. (2020). Quality 4.0—the challenging future of quality engineering. *Quality Engineering*, 32(4), 614–626. <https://doi.org/10.1080/08982112.2019.1706744>

