

## Referensi

1. Li, Lixi, et al. “Nowcasting and Forecasting Global Aging : Analysis of Data from the Globacan and Global Burden of Disease Study.” vol. 4, no. 3, 9 May 2024, pp. 223–232, <https://doi.org/10.1016/j.jncc.2024.05.002>
2. Badan Pusat Statistik, 2024, Statistik Penduduk Usia Lanjut 2024, Volume 21, ISSN 2086-1036
3. Söderström, Lisa, et al. “Malnutrition Is Associated with Increased Mortality in Older Adults regardless of the Cause of Death.” *British Journal of Nutrition*, vol. 117, no. 4, 1 Feb. 2017, pp. 532–540, <https://doi.org/10.1017/S0007114517000435>. Accessed 13 Apr. 2020
4. Delanaye, Pierre, et al. “CKD: A Call for an Age-Adapted Definition.” *Journal of the American Society of Nephrology*, vol. 30, no. 10, 1 Oct. 2019, pp. 1785–1805, [asnjournals.org/https://doi.org/10.1681/ASN.2019030238](https://doi.org/10.1681/ASN.2019030238)
5. Dutra, Marina Constante, et al. “Assessment of Kidney Function in the Elderly: A Population-Based Study.” *Jornal Brasileiro de Nefrologia*, vol. 36, no. 3, 2014, <https://doi.org/10.5935/0101-2800.20140043>.
6. Piccoli, Giordina Barbara, et al. “Nutritional Status and the Risk of Malnutrition in Older Adults with Chronic Kidney Disease – Implications for Low Protein Intake and Nutritional Care: A Critical Review Endorsed by ERN-ERA and ESPEN.” *Clinical Nutrition*, vol. 42, no. 4, Apr. 2023, pp. 443–457, <https://doi.org/10.1016/j.clnu.2023.01.018>.
7. Peng, Wei, et al. “The Association between Visceral Adiposity Index and Chronic Kidney Disease in the Elderly: A Cross-Sectional Analysis of 11–2018.” *Preventive Medicine Reports*, vol. 35, no. 2211-3355, 102306, <https://doi.org/10.1016/j.pmedr.2023.102306>. Accessed



8. Volkert D, Beck AM, Cederholm T, et al. ESPEN guideline on clinical nutrition and hydration in geriatrics. *Clin Nutr.* 2019;38(1):10–47.
9. Alam, Iftikhar, et al. “Relationship between Anthropometric Variables and Nutrient Intake in Apparently Healthy Male Elderly Individuals: A Study from Pakistan.” *Nutrition Journal*, vol. 10, no. 1, 12 Oct. 2011, <https://doi.org/10.1186/1475-2891-10-111>.
10. Irawan FS, Ludong M. Gambaran fungsi ginjal pada lansia Panti Wreda Salam Sejahtera berdasarkan estimated glomerular filtration rate (eGFR). *Tarumanagara Med J.* 2020;2(2):244-251. doi:10.24912/tmj.vi1.9724
11. Kidney Disease: Improving Global Outcomes (KDIGO) CKD Work Group. KDIGO 2012 Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease. *Kidney Int.(Suppl).* 2013; 3: 1–150
12. Michels WM, Grootendorst DC, Verduijn M, Elliot EG, et al. *Performance of the Cockcroft-Gault, MDRD, and New CKD-EPI Formulas in Relation to GFR, Age, and Body Size.* *Clin. J Am. Soc. Nephrol.* 2010;5:1003-1009.
13. Chung, Sungjin, et al. “Malnutrition in Patients with Chronic Kidney Disease.” *Journal of Internal Medicine*, vol. 02, no. 02, 2012, pp. 89–99, <https://doi.org/10.4236/ojim.2012.22018>
14. World Health Organization. What is malnutrition 2016. Available from: <http://www.who.int/features/qa/malnutrition/en/>
15. Konsensus Asuhan Gizi Pada Lansia dan Pasien Geriatri, 2017, Pengurus Besar Perhimpunan Gerontologi Medik Indonesia
16. Tannenden KA, Quatrara B, Parkhurst ML, et al. Critical role of nutrition in the quality of care: An interdisciplinary call to action to address adult malnutrition. *J Acad Nutr Diet.* 2013;113(9):1219–37.
17. D, and Adelin P. “Correlation between Anthropometric Variables and Kidney Function in the Elderly to Detection of Chronic



Kidney Disease.” *Indonesian Journal of Clinical Pathology and Medical Laboratory*,29/3,pp.245–249,<https://doi.org/10.24293/ijcpml.v29i3.2019>.

Accessed 10 Aug. 2023

18. Irawan FS, Ludong M. Gambaran fungsi ginjal pada lansia Panti Wreda Salam Sejahtera berdasarkan estimated glomerular filtration rate (eGFR). *Tarumanagara Med J*. 2020;2(2):244-251. doi:10.24912/tmj.v3i1.9724
19. Xi, Wei-zhen, et al. “Analysis of Malnutrition Factors for Inpatients with Chronic Kidney Disease.” *Frontiers in Nutrition*, vol. 9, 6 Jan. 2023, <https://doi.org/10.3389/fnut.2022.1002498>.
20. Guligowska, Agnieszka, et al. “Association between Kidney Function, Nutritional Status and Anthropometric Measures in Older People.” *BMC Geriatrics*, vol. 20, no. S1, Oct. 2020, <https://doi.org/10.1186/s12877-020-01699-1>.
21. Harris D, Haboubi N. Malnutrition screening in the elderly population. *J R Soc Med*. 2005;98(9):411–4.
22. Nurizky, Karina, et al. “Nutritional Status among Elderly in Ambulatory Care Setting.” *Althea Medical Journal*, vol. 4, no. 2, May 2017,
23. Dewiasty, Esthika, et al. “Malnutrition Prevalence and Nutrient Intakes of Indonesian Community-Dwelling Older Adults: A Systematic Review of Observational Studies.” *Frontiers in Nutrition*, vol. 9, 24 Feb. 2022, <https://doi.org/10.3389/fnut.2022.780003>.

