

DAFTAR PUSTAKA

Acevedo, C. A., Sánchez, E., Orellana, N., Morales, P., Olguin, Y., Brown, D. I., & Enrione, J. (2019). Re-epithelialization appraisal of skin wound in a porcine model using a salmon-gelatin based biomaterial as wound dressing. *Pharmaceutics*, *11*(5), 196. <https://doi.org/10.3390/pharmaceutics11050196>

Adeli-Sardou, M., Mehdi, M., Torkzadeh-Mahani, M., & Dodel, M. (2019). Controlled release of lawsone from polycaprolactone/gelatin electrospun nanofibers for skin tissue regeneration. *International Journal of Biological Macromolecules*, *124*, 478–491. <https://doi.org/10.1016/j.ijbiomac.2018.11.259>

Al-Nimry, S., Dayah, A. A., Hasan, I., & Daghmash, R. (2021). Cosmetic, Biomedical and Pharmaceutical Applications of Fish Gelatin/Hydrolysates. *Marine Drugs*, *19*(3)

Andriani, D. H. (2018). *Pengaruh Gelatin Patin (Pangasius djambal) terhadap Ekspresi Vascular Endothelial Growth Factor pada Luka Pasca Pencabutan Gigi Tikus Putih (Rattus norvegicus)* [Sarjana, Universitas Brawijaya].

Barber, S. (2008). A clinically relevant wound assessment method to monitor healing progression. *Ostomy/Wound Management*, *54*(3), 42–49.

Bakhsheshi-Rad, H., Ismail, A. F., Aziz, M., Akbari, M., Hadisi, Z., Daroonparvar, M., & Chen, X. B. (2019). Antibacterial activity and in vivo wound healing evaluation of polycaprolactone-gelatin methacryloyl-cephalexin electrospun nanofibrous. *Materials Letters*, *256*, 126618. <https://doi.org/10.1016/j.matlet.2019.126618>

Becchetti, A., & Arcangeli, A. (2010). Integrins and Ion Channels in Cell Migration: Implications for Neuronal Development, Wound Healing and Metastatic Spread. In A. Becchetti & A. Arcangeli (Eds.), *Integrins and Ion Channels* (Vol. 674, pp. 107–123). Springer New York

Bishop, A. (2008). Role of oxygen in wound healing. *Journal of Wound Care*, *17*(9), 399–402.



ao, Z., Zhao, D. (2024). Gelatin-based biomaterials and gelatin ionic wound repair. *Front. Pharmacol.* *15*, 1398939.

si, N., Kaur, A., & Gupta, N. (2017). Wound Healing Concepts in MFS. *Journal of Maxillofacial & Oral Surgery*, *16*(4), 403–423. 7/s12663-016-0880-z

Chen, H., Hou, K., Wu, Y., & Liu, Z. (2021). Use of adipose stem cells against hypertrophic scarring or keloid. *Frontiers in Cell and Developmental Biology*, 9, 823694. <https://doi.org/10.3389/fcell.2021.823694>

Chen, X., Zhang, Y., Yu, W., Zhang, W., Tang, H., & Yuan, W. E. (2023). In situ forming ROS-scavenging hybrid hydrogel loaded with polydopamine-modified fullerene nanocomposites for promoting skin wound healing. *Journal of Nanobiotechnology*, 21, 129. <https://doi.org/10.1186/s12951-023-01879-2>

Chin, G. A., Diegelmann, R. F., & Schultz, G. S. (2005). Cellular and Molecular Regulation of Wound Healing. In *Wound Healing*. CRC Press.

Deng, Z., Guo, Y., Zhao, X., Ma, P. X., & Guo, B. (2018). Multifunctional stimuli-responsive hydrogels with self-healing, high conductivity, and rapid recovery through host-guest interactions. *Chemistry of Materials*, 30(5), 1729–1742. <https://doi.org/10.1021/acs.chemmater.8b00008>

Dolibog, P. T., Dolibog, P., & Chmielewska, D. (2023). Determining the measurement accuracy in assessing the progress of wound healing. *Advances in Dermatology and Allergology/Postępy Dermatologii i Alergologii*, 40(4), 554–560. <https://doi.org/10.5114/ada.2023.129326>

Dogan, K. H. (2019). *Wound Healing—Current Perspectives*.

Eberlein, T., Haemmerle, G., Signer, M., Gruber-Moesenbacher, U., Traber, J., Mittlboeck, M., Abel, M., & Strohal, R. (2012). Comparison of PHMB-containing dressing and silver dressings in patients with critically colonized or locally infected wounds. *Journal of Wound Care*, 21(12), 14–16. <https://doi.org/10.12968/jowc.2012.21.Sup12.S1>

Falanga, V. (2005). Wound healing and its impairment in the diabetic foot. *The Lancet*, 366(9498), 1736–1743.

Firdessa, R., Good, L., Amstalden, M. C., Chindera, K., Kamaruzzaman, N. F., Schultheis, M., Röger, B., Hecht, N., Oelschlaeger, T. A., Meinel, L., Lühmann, T., & Moll, H. (2015). Pathogen- and Host-Directed Antileishmanial Effects Mediated by Polyhexanide (PHMB). *PLOS Neglected Tropical Diseases*, 9(10), e0004041.



el Food Bore Protein Hydrogel With Silver Ions for Promoting Healing. *Macromolecular Bioscience*, 24(6). 2/mabi.202300520

Gaspar-Pintilieșcu, A., Stanciu, A.-M., & Craciunescu, O. (2019). Natural composite dressings based on collagen, gelatin and plant bioactive compounds for wound healing: A review. *International Journal of Biological Macromolecules*, 138, 854–865.

Golebiewska, E. M., & Poole, A. W. (2015). Platelet secretion: From haemostasis to wound healing and beyond. *Blood Reviews*, 29(3), 153–162.

Guiomar, A.J., Urbano, A.M., 2022. Polyhexanide-Releasing Membranes for Antimicrobial Wound Dressings: A Critical Review. *Membranes* 12, 1281. <https://doi.org/10.3390/membranes12121281>

Guo, S., & DiPietro, L. A. (2010). Factors Affecting Wound Healing. *Journal of Dental Research*, 89(3), 219–229.

Gushiken, L. F. S., Beserra, F. P., Bastos, J. K., Jackson, C. J., & Pellizzon, C. H. (2021). Cutaneous Wound Healing: An Update from Physiopathology to Current Therapies. *Life*, 11(7)

Hsieh, C. F., Chen, C. H., Kao, H. H., Govindaraju, D. T., Dash, B. S., & Chen, J. P. (2022). PLGA/gelatin/hyaluronic acid fibrous membrane scaffold for therapeutic delivery of adipose-derived stem cells to promote wound healing. *Biomedicines*, 10(11), 2902. <https://doi.org/10.3390/biomedicines10112902>

Islam, M. S., Islam, J. M. M., Rahman, M. F., Rahman, M. M., & Khan, M. A. (2021). Gelatin-based instant gel-forming volatile spray for wound-dressing application. *Progress in Biomaterials*, 10, 235–243

Jaipan, P., Nguyen, A., Narayan, R.J., 2017. Gelatin-based hydrogels for biomedical applications. *MRS Communications* 7, 416–426.

Jin, J., Chen, Z. L., Xiang, Y., Tang, T., Zhou, H., Hong, X. D., Fan, H., Zhang, X. D., Luo, P. F., Ma, B., Wang, G. Y., & Xia, Z. F. (2020). Development of a PHMB hydrogel-modified wound scaffold dressing with antibacterial activity. *Wound Repair and Regeneration*, 28(4), 480–492. <https://doi.org/10.1111/wrr.12813>

Johnson, K. E., & Wilgus, T. A. (2014). Vascular endothelial growth factor and angiogenesis in the regulation of cutaneous wound repair. *Advances in Wound Care*, [://doi.org/10.1089/wound.2013.0517](https://doi.org/10.1089/wound.2013.0517)



an in-vitro model for comparing the efficiency of wound-rinsing *Wound Care*, 18(6), 229–236

K. M. (2021). Advances in gelatin-based hydrogels for wound *Journal of Materials Chemistry B*, 9(6), 1503–1520.

Kazemi, M., Mohammadifar, M., Aghadavoud, E., Vakili, Z., Aarabi, M. H., & Talaei, S. A. (2020). Deep skin wound healing potential of lavender essential oil and licorice extract in a nanoemulsion form: Biochemical, histopathological and gene expression evidences. *Journal of Tissue Viability*, 29(2), 116–124.

Kramer, A., Dissemond, J., Kim, S., Willy, C., Mayer, D., Papke, R., Tuchmann, F., & Assadian, O. (2018). Consensus on Wound Antisepsis: Update 2018. *Skin Pharmacology and Physiology*, 31(1), 28–58.

Kristianto, H., Paundralingga, O.T.K., Purwantiningrum, D.A., Maknun, L., Primasari, R.O., Waluyo, A. (2020). The Effect Of Frequency Of Dressing Replacement With 0.1% Betaine-Polyhexanide Solution On The Formation Of Collagen And Epithelial Tissue In Albino Wistar Rats With Grade Iia Burns. *Ann Burns Fire Disasters* 33, 121–133.

Lee, Y.-S., Wysocki, A., Warburton, D., & Tuan, T.-L. (2012). Wound Healing in Development. *Birth Defects Research. Part C, Embryo Today: Reviews*, 96(3), 213–222.

Li, T., Sun, M., & Wu, S. (2022). State-of-the-Art Review of Electrospun Gelatin-Based Nanofiber Dressings for Wound Healing Applications. *Nanomaterials*, 12(5), 784.

Liu, C., Zeng, H., Chen, Z., Ge, Z., Wang, B., Liu, B., & Fan, Z. (2022). Sprayable methacrylic anhydride-modified gelatin hydrogel combined with bionic neutrophils nanoparticles for scar-free wound healing of diabetes mellitus. *International Journal of Biological Macromolecules*, 202, 418–430.

López-Rojas, R., Fernández-Cuenca, F., Serrano-Rocha, L., & Pascual, Á. (2017). In vitro activity of a polyhexanide–betaine solution against high-risk clones of multidrug-resistant nosocomial pathogens. *Enfermedades Infecciosas y Microbiología Clínica*, 35(1), 12–19.

Lu, Y., Zhao, M., Peng, Y., He, S., Zhu, X., Hu, C., Xia, G., Zuo, T., Zhang, X., Yun, Y., & Shen, X. (2022). A physicochemical double-cross-linked gelatin hydrogel with enhanced antibacterial and anti-inflammatory capabilities for improving wound healing. *Journal of Biomedical Materials Research Part B: Applied Biomaterials*, 114(1), 1–12. <https://doi.org/10.1186/s12951-021-01010-1>



Li, P., Zhao, M., Lu, J., & Xia, G. (2022). A fucoidan-gelatin hydrogel accelerates wound healing by enhancing antibacterial and anti-inflammatory properties. *International Journal of Biological Macromolecules*, 223(Pt 1), 1–12. <https://doi.org/10.1016/j.ijbiomac.2022.10.255>

Monika, P., Chandrababha, M. N., Rangarajan, A., Waiker, P. V., & Chidambara Murthy, K. N. (2022). Challenges in Healing Wound: Role of Complementary and Alternative Medicine. *Frontiers in Nutrition*, 8, 791899. <https://doi.org/10.3389/fnut.2021.791899>

Mony, M. P., Shenoy, S. J., Raj, R., Geetha, C. S., Pratheesh, K. V., Nair, R. S., Purnima, C., & Anilkumar, T. V. (2021). Gelatin-Modified Cholecyst-Derived Scaffold Promotes Angiogenesis and Faster Healing of Diabetic Wounds. *Acs Applied Bio Materials*, 4(4), 3320–3331. <https://doi.org/10.1021/acsabm.0c01648>

Najafloo, R., Milan, P. B., Karimi, A., Bagher, Z., Kalmer, R. R., Ghasemian, M., & Faridi-Majidi, R. (2024). Crosslinking gelatin with robust inherent antibacterial natural polymer for wound healing. *International Journal of Biological Macromolecules*, 280(Pt 4), 136144. <https://doi.org/10.1016/j.ijbiomac.2024.136144>

Naomi, R., Bahari, H., Ridzuan, P. M., & Othman, F. (2021). Natural-Based Biomaterial for Skin Wound Healing (Gelatin vs. Collagen): Expert Review. *Polymers*, 13(14), Article 14.

Nikkhah, M., Akbari, M., Paul, A., Memic, A., Dolatshahi-Pirouz, A., & Khademhosseini, A. (2016). Gelatin-Based Biomaterials For Tissue Engineering And Stem Cell Bioengineering. In *Biomaterials from Nature for Advanced Devices and Therapies* (pp. 37–62). Wiley-Blackwell.

Nordin, N. N., Aziz, N. K., Naharudin, I., & Anuar, N. K. (2022). Effects of Drug-Free Pectin Hydrogel Films on Thermal Burn Wounds in Streptozotocin-Induced Diabetic Rats. *Polymers*, 14(14), 2873. <https://doi.org/10.3390/polym14142873>

Papazoglou, E. S., Zubkov, L., Mao, X., Neidrauer, M., Rannou, N., & Weingarten, M. S. (2010). Image analysis of chronic wounds for determining the surface area. *Wound Repair and Regeneration: Official Publication of the Wound Healing Society [and] the European Tissue Repair Society*, 18(4), 349–358.

Park, J., Hwang, S., Yoon, I.-S., 2017. Advanced Growth Factor Delivery Systems in Wound Management and Skin Regeneration. *Molecules* 22, 1259. <https://doi.org/10.3390/molecules22081259>



i, A., & Chandra, A. (2016). Biomarkers for wound healing and *Journal of Wound Care*, 25(1), 46–55.

B., Dehghanian, A., Heidarpour, M., Alavi Moghadam, R., Karladani, A. (2017). A Comparison of the Effects of Topical *Journal of Wound Care* (a Polyhexamethylene Biguanide-Based Wound Cleanser) and

Medihoney Ointment in a Rat Model of Cutaneous Wound. *Advances in Wound Care*, 6(12), 407–412.

Ren, Z., Duan, Z., Zhang, Z., Fu, R., Zhu, C., & Fan, D. (2023). Instantaneous self-healing and strongly adhesive self-adaptive hyaluronic acid-based hydrogel for controlled drug release to promote tendon wound healing. *International Journal of Biological Macromolecules*, 242, 125001. <https://doi.org/10.1016/j.ijbiomac.2023.125001>

Sachraswaty, S. (2020). Efek Penggunaan Kombinasi Platelete-Rich Plasma (PRP) dan Stromal Vascular Fraction (SVFs) Terhadap Kadar Serum FGF2 dan EGF pada Proses Re-epitelisasi Luka bakar Deep Dermal pada Model Tikus Wistar [Doctoral, Universitas Hasanuddin].

Salsabila, H. N. (n.d.). Uji Kandungan Faktor Pertumbuhan Epidermal Growth Factor (EGF) dan Fibroblas Growth Factor (FGF) dalam Sediaan Krim Sekretom Sel Punca Mesenkimal

Salsabillah, A. (2021). *Uji Efektivitas Sediaan Gel Kolagen Kulit Ikan Gabus (Channa striata Bloch, 1793) Terhadap Penyembuhan Luka Diabetes* [Diploma, Universitas Andalas].

Şelaru, A., Drăguşin, D.-M., Olăreţ, E., Serafim, A., Steinmüller-Nethl, D., Vasile, E., Iovu, H., Stancu, I.-C., Costache, M., & Dinescu, S. (2019). Fabrication and Biocompatibility Evaluation of Nanodiamonds-Gelatin Electrospun Materials Designed for Prospective Tissue Regeneration Applications. *Materials*, 12(18), 2933.

Shah, J. Mohd. Y., Omar, E., Pai, D. R., & Sood, S. (2012). Cellular events and biomarkers of wound healing. *Indian Journal of Plastic Surgery: Official Publication of the Association of Plastic Surgeons of India*, 45(2), 220–228.

Shiota, N., Nishikori, Y., & Kakizoe, E. (2010). Pathophysiological role of skin mast cells in wound healing after scald injury: Study with mast cell-deficient W/W(V) mice. *International Archives of Allergy and Immunology*, 151(1), 80. <https://doi.org/10.1159/000253283>

Shukla, S. K., Sharma, A. K., Gupta, V., & Yashavardhan, M. H. (2019). Role of inflammation in wound healing. *Journal of Tissue Viability*,



, J., Kirsner, R. S., Shah, V., Molyneaux, M., & Carter, M. J. : A review of their role in wound healing and their therapeutic phages in wound healing. *Wound Repair and Regeneration*,

Sulaiman, S., Chowdhury, S. R., Fauzi, M. B., Rani, R. A., Yahaya, N. H. M., Tabata, Y., Hiraoka, Y., Binti Haji Idrus, R., & Min Hwei, N. (2020). 3D Culture of MSCs on a Gelatin Microsphere in a Dynamic Culture System Enhances Chondrogenesis. *International Journal of Molecular Sciences*, 21(8), Article 8.

Sun, J., Lai, Y. C., Lin, Y. W., Fang, C. H., & Sun, J. S. (2024). Enhancing cutaneous wound healing: A study on the beneficial effects of nano-gelatin scaffold in rat models. *The International Journal of Artificial Organs*, 47(4), 280–289. <https://doi.org/10.1177/03913988241244661>

Sun, Y., Miao, T., Wang, Y., Wang, X., Lin, J., Zhao, N., et al. (2023). A natural polyphenol-functionalized chitosan/gelatin sponge for accelerating hemostasis and infected wound healing. *Biomaterials Sci.* 11, 2405–2418.

Sussman, G. (n.d.). An update on wound management. *Australian Prescriber*, 46(2), 29–35. <https://doi.org/10.18773/austprescr.2023.006>

Tanaka, A., Nagate, T., & Matsuda, H. (2005). Acceleration of Wound Healing by Gelatin Film Dressings with Epidermal Growth Factor. *Journal of Veterinary Medical Science*, 67(9), 909–913

Tomar, S., Pandey, R., Surya, P., Verma, R., Mathur, R., Gangenahalli, G., et al. (2023). Multifunctional, adhesive, and PDA-coated bioactive glass-reinforced composite hydrogel for regenerative wound healing. *ACS Biomaterials Science & Engineering*, 9(5), 1520–1540. <https://doi.org/10.1021/acsbiomaterials.2c01223>

Tort, S., Demiröz, F. T., Coşkun Cevher, Ş., Sarıbaş, S., Özoğul, C., & Acartürk, F. (2020). The effect of a new wound dressing on wound healing: Biochemical and histopathological evaluation. *Burns*, 46(1), 143–155

Tottoli, E. M., Dorati, R., Genta, I., Chiesa, E., Pisani, S., & Conti, B. (2020). Skin Wound Healing Process and New Emerging Technologies for Skin Wound Care and Regeneration. *Pharmaceutics*, 12(8), 735.

Tu, Y., Chen, N., Li, C., Liu, H., Zhu, R., Chen, S., et al. (2019). Advances in injectable self-healing biomedical hydrogels. *Acta biomater.* 90, 1–20.



hi, Z. B., Polat, O., Arican, F., & Sancakli, A. (2024). A gelatin-based nanofiber and sponge wound dressings. *Journal and Compatible Polymers*, 39(3), 145–161. 7/08839115241241297

Vachhrajani, V., & Khakhkhar, P. (2020). *Science of Wound Healing and Dressing Materials*. Springer Singapore.

Vaidyanathan, L. (2021). Growth Factors in Wound Healing – A Review. *Biomedical and Pharmacology Journal*, 14(3), 1469–1480

Venugopal, J. R., Subha, V., Pradeep, J., Salwe, K. J., Manimekalai, Dr. K., Rathinamala, R., Kumar, A., Rayvathy, B., & Kumar, S. R. (2023). Evaluation of Wound Healing Potential of the Essential Oil of *Ocimum Sanctum* L. (Thulasi/Basil) Containing Ointment in Female Wistar Albino Rats. *Journal of Pharmacognosy and Phytochemistry*, 12(1), 189–193. <https://doi.org/10.22271/phyto.2023.v12.i1c.14573>

Wang, H., Boerman, O. C., Sariibrahimoglu, K., Li, Y., Jansen, J. A., and Leeuwenburgh, S. C. G. (2012). Comparison of micro-vs. nanostructured colloidal gelatin gels for sustained delivery of osteogenic proteins: bone morphogenetic protein-2 and alkaline phosphatase. *Biomaterials* 33, 8695–8703

Wang, S., Long, Y., Xu, Z., Lin, X., Ge, L., Li, D., & Mu, C. (2021). Functionalization of an Electroactive Self-Healing Polypyrrole-Grafted Gelatin-Based Hydrogel by Incorporating a Polydopamine@AgNP Nanocomposite. *Acs Applied Bio Materials*, 4(7), 5797–5808. <https://doi.org/10.1021/acsabm.1c00548>

Wilkinson, H. N., & Hardman, M. J. (2020). Wound healing: Cellular mechanisms and pathological outcomes. *Open Biology*, 10(9), 200223. <https://doi.org/10.1098/rsob.200223>

Willenborg, S., Lucas, T., & van Loo, G. (2012). CCR2 recruits an inflammatory macrophage subpopulation critical for angiogenesis in tissue repair. *Blood*, 120(4), 613. <https://doi.org/10.1182/blood-2012-03-416556>

Wilgus, T. A., Ferreira, A. M., Oberyszyn, T. M., Bergdall, V. K., & Dipietro, L. A. (2008). Regulation of scar formation by vascular endothelial growth factor. *Laboratory Investigation*, 88(6), 579. <https://doi.org/10.1038/labinvest.2008.41>

Xu, L., Zhang, Z., Jorgensen, A. M., Yang, Y., Jin, Q., Zhang, G., et al. (2023). Bioprinting a skin patch with dual-crosslinked gelatin (GelMA) and silk fibroin (SilMA): An approach to accelerating cutaneous wound healing. *Materials Today Bio*, 18, [g/10.1016/j.mtbio.2023.100550](https://doi.org/10.1016/j.mtbio.2023.100550)



, N., Wang, M., Liang, B., Ullah, I., et al. (2017). Design and lysaccharide hemostatic materials and their hemostatic rials Sci. 5, 2357–2368.



Yao, H., Yuan, X., Wu, Z., Park, S., Zhang, W., Chong, H., Lin, L., & Piao, Y. (2023). Fabrication and Performance Evaluation of Gelatin/Sodium Alginate Hydrogel-Based Macrophage and MSC Cell-Encapsulated Paracrine System with Potential Application in Wound Healing. *International Journal of Molecular Sciences*, 24(2), Article 2.

Zeng, Y., Zhu, L., Han, Q., Liu, W., Mao, X., Li, Y., Yu, N., Feng, S., Fu, Q., Wang, X., Du, Y., & Zhao, R. C. (2015). Preformed gelatin microcryogels as injectable cell carriers for enhanced skin wound healing. *Acta Biomaterialia*, 25, 291–303.



LAMPIRAN

Lampiran 1. Persetujuan Etik

	KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET DAN TEKNOLOGI UNIVERSITAS HASANUDDIN FAKULTAS KEDOKTERAN KOMITE ETIK PENELITIAN UNIVERSITAS HASANUDDIN RSPTN UNIVERSITAS HASANUDDIN RSUP Dr. WAHIDIN SUDIROHUSOYO MAKASSAR Sekretariat : Lantai 2 Gedung Laboratorium Terpadu JL. PERINTIS KEMERDEKAAN KAMPUS TAMALANRUA KM 10 MAKASSAR 90245. Contact Person: dr. Agusalmi Bukhari, MMed, PhD, SpGK, Telp. 081241590858, 0411 5780103, Fax : 0411-591431	
---	--	--

REKOMENDASI PERSETUJUAN ETIK

Nomor : 437/UN4.6.4.5.31/ PP36/ 2024

Tanggal: 13 Juni 2024

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH24050322	No Sponsor	
Peneliti Utama	dr. Vannia Christianto Teng	Sponsor	
Judul Peneliti	Perbandingan Efektivitas Gelatin Spray dan Polyhexanide Betaine Gel Terhadap Penyembuhan Luka pada Tikus Wistar		
No Versi Protokol	2	Tanggal Versi	7 Juni 2024
No Versi PSP		Tanggal Versi	
Tempat Penelitian	Laboratorium Terpadu Kedokteran Hewan FK Universitas Hasanuddin Makassar		
Jenis Review	<input type="checkbox"/> Exempted	Masa Berlaku 13 Juni 2024 sampai 13 Juni 2025	Frekuensi review lanjutan
	<input checked="" type="checkbox"/> Expedited		
	<input type="checkbox"/> Fullboard Tanggal		
Ketua KEP Universitas Hasanuddin	Prof. dr. Muh Nasrum Massi, PhD, SpMK, Subsp. Bakt(K)	Tanda tangan	
Sekretaris KEP Universitas Hasanuddin	dr. Firdaus Hamid, PhD, SpMK(K)	Tanda tangan	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAR ke Komisi Etik dalam 24 Jam dan dilengkapi dalam 7 hari dan Laporan SUSAR dalam 72 Jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari protokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan



Lampiran 2. Surat Keterangan Sehat Hewan



PEMERINTAH KABUPATEN MAROS
DINAS PERTANIAN DAN KETAHANAN PANGAN
 Jalan Dr. Ratulangi No. 57 Maros Telp (0411)371478 Kode Pos 90511

SURAT KETERANGAN KESEHATAN HEWAN (SKKH)

Nomor **091/524-3/IV/2024/PTK**

Yang bertandatangan di bawah ini :

drh. Ujistiary Abidin,SKH

Dokter Hewan Pemerintah pada Dinas Pertanian dan ketahanan Pangan Kabupaten Maros yang membidangi fungsi Peternakan dan Kesehatan Hewan. Berdasarkan Undang-Undang No 41 Nomor 2014 tentang Peternakan dan Kesehatan Hewan menerangkan bahwa berdasarkan hasil pemeriksaan tanda klinis/pemeriksaan fisik/laboratorium pada tanggal 12, bulan Mei..... tahun 2024....., bahwa:

NO	JENIS TERNAK/HEWAN/BAH	JUMLAH (ekor)	TANDA-TANDA				PEMILIK/ALAMAT	KETERANGAN
			Jenis Kelamin	Umur	Warna	Ciri-Ciri Khusus		
	Tikus WISIR EKOR	100	JANTAN	10-12 BULAN	PUTIH	-	Petah Mandorai Kemp. THA R LABUO HVD B784N 7335	Uji Lab Tujuan: UNHAS

Dinyatakan:

1. Ternak/Hewan/Bahan Asal Hewan (BAH) tersebut pada saat pemeriksaan dalam keadaan sehat.
2. Ternak/Hewan/Bahan Asal Hewan (BAH) tersebut di atas aman dan tidak sebagai pembawa penyakit hewan menular/penyakit zoonosis
3. Surat Keterangan Kesehatan Hewan ini berlaku untuk 1 (satu) kali keperluan.

Demikian Surat Keterangan Kesehatan Hewan ini dibuat, untuk di penggunaan sebagaimana mestinya.

Maros - Mei - 2024
 Dokter Hewan yang Berwenang

 drh. Ujistiary Abidin, SKH
 NIP. 19821005 201001 2 022



Lampiran 3. Dokumentasi Penelitian

