

DAFTAR PUSTAKA

1. Kalanuria AA, Zai W, Mirski M. Ventilator-associated pneumonia in the ICU. *Crit Care*. 2014 Mar 18;18(2):208
2. Li HY, Wang HS, Wang YL, Wang J, Huo XC, Zhao Q. Management of Ventilator-Associated Pneumonia: Quality Assessment of Clinical Practice Guidelines and Variations in Recommendations on Drug Therapy for Prevention and Treatment. *Front Pharmacol*. 2022 May 20;13.
3. Roberts N, Moule P. Chlorhexidine and tooth-brushing as prevention strategies in reducing ventilator-associated pneumonia rates. *Nurs Crit Care*. 2011;16(6):295–302.
4. Gupta A, Gupta A, Singh T, Saxsena A. Role of oral care to prevent VAP in mechanically ventilated Intensive Care Unit patients. *Saudi J Anaesth*. 2016;10(1):95–7.
5. Dai W, Lin Y, Yang X, Huang P, Xia L, Ma J. Meta-analysis of the efficacy and safety of chlorhexidine for ventilator-associated pneumonia prevention in mechanically ventilated patients. *Evid Based Complement Altern Med*. 2022;30(7):1–10.
6. Kes D, Aydin Yildirim T, Kuru C, Pazarlioglu F, Ciftci T, Ozdemir M. Effect of 0.12% Chlorhexidine Use for Oral Care on Ventilator-Associated Respiratory Infections: A Randomized Controlled Trial. *Journal of Trauma Nursing*. 2021 Jul 1;28(4):228–34.
7. Singh, S 2010, *Pharmacology for Dentistry*, New Delhi: New Age International (P)Limited, Publisher
8. Silva PUJ, Paranhos LR, Meneses-Santos D, Blumenberg C, Macedo DR, Cardoso SV. Combination of toothbrushing and chlorhexidine compared with exclusive use of chlorhexidine to reduce the risk of ventilator-associated pneumonia: a systematic review with meta-analysis. *Clinics*. 2021;76(4):1–9.
9. Jorgensen V, Jakobsson U, Renvert S, Hallberg IR. Effects of a toothbrushing versus comprehensive oral care protocol among intubated



- neuroscience ICU patients: Results of a randomized controlled trial. *J Neurosci Nurs*. 2012;44(3):134–46.
10. Lile IE, Osseer G, Negru BM, Herlo JN, Lavinia O, Stana G, et al. The structures reactivity relationship on dental plaque and natural products. *Appl Sci*. 2023;13(8):1–12.
 11. Dewanti RI, Ciptaningtyas VR, Halleyantoro R, Wibobo GW. Comparison of antibacterial effectiveness of herbal toothpaste and fluoride on the growth of *Streptococcus Mutans*. *Diponegoro Med J*. 2022;11(5):253–6.
 12. Singh P, Arshad Z, Srivastava VK, Singh GP, Gangwar RS. Efficacy of oral care protocols in the prevention of ventilator-associated pneumonia in mechanically ventilated patients. *Cureus*. 2022;14(4):1–10.
 13. De Lacerda Vidal CF, Vidal AKDL, Monteiro JGDM, Cavalcanti A, Henriques APT, Oliveira M, et al. Impact of oral hygiene involving toothbrushing versus chlorhexidine in the prevention of ventilator-associated pneumonia: a randomized study. *BMC Infect Dis*. 2017;17(1):1–9.
 14. Estaji Z, Rad M, Rakhshani MH, MA MANM. The comparison between chlorhexidine solution and toothbrush in preventing oral lesions in patients hospitalized in intensive care unit. *Q J Sabzevar Univ Med Sci*. 2014;20(5):747–56.
 15. Chacko R, Rajan A, Lionel P, Thilagavathi M, Yadav B, Premkumar J. Oral decontamination techniques and ventilator-associated pneumonia. *Br J Nurs*. 2017;26(11):594–9.
 16. Soares EL, Aldrigue RHS, Gaspar MD da R, Franco GCN, Pochapski MT, Campagnoli EB, et al. Effects of chlorhexidine on the salivary anisms of patients in intensive care units. *Rev Enferm Ref*.):1–8.



I SR, Kidd EAM, Gilbert SC, Clark DT, Beighton D. Effect of al of fluoride-containing toothpaste on the interproximal

- plaque microflora. *Caries Res.* 2005;39(3):231–235.
18. Tran AS, Thinh Ngo HQ, Dong VK, Vo AH. Design, control, modeling, and simulation of mechanical ventilator for respiratory support. *Math Probl Eng.* 2021;1(11):1–15.
 19. Owodolu T, Bolu CA, Azeta J, Okokpujie IP, O. Kilanko S. Mechanical ventilator for respiratory impaired persons: a review. *Mater Sci Eng.* 2021;1107(1):1–18.
 20. Mora C AL, Mora J. Ventilator management. In: StatPearls Publishing LLC. Treasure Island (FL); 2022. p. 1–24.
 21. Sood S, Ganatra HA, Perez Marques F, Langner TR. Complications during mechanical ventilation: a pediatric intensive care perspective. *Front Med.* 2023;10(2):1–7.
 22. Khan W, Safi A, Muneeb M, Mooghal M, Aftab A, Ahmed J. Complications of invasive mechanical ventilation in critically ill Covid-19 patients - A narrative review. *Ann Med Surg.* 2022;80(6):201–11.
 23. Papazian L, Klompas M, Luyt CE. Ventilator-associated pneumonia in adults: a narrative review. *Intensive Care Med.* 2020;46(5):888–906.
 24. Ballinger MN, Standiford TJ. Innate immune responses in ventilator-associated pneumonia. In: *Mucosal immunology of acute bacterial pneumonia.* London: Springer; 2013. p. 185–204.
 25. Azab SFA, Sherbiny HS, Saleh SH, Elsaeed WF, Elshafiey MM, Siam AG, et al. Reducing ventilator-associated pneumonia in neonatal intensive care unit using VAP prevention bundle: a cohort study. *BMC Infect Dis.* 2015;15(1):1–7.
 26. Kharel S, Bist A, Mishra SK. Ventilator-associated pneumonia among ICU patients in WHO Southeast Asian region: a systematic review. *e.* 2021;16(3):1–13.



Tomaszek L, Mazurek H, Mędrzycka-Dąbrowska W. Risk and protective factors against ventilator-associated pneumonia, a single-center mixed prospective and retrospective

- cohort study. *J Pers Med.* 2022;12(4):1–14.
28. Wu D, Wu C, Zhang S, Zhong Y. Risk factors of ventilator-associated pneumonia in critically ill patients. *Front Pharmacol.* 2019;10(5):1–7.
 29. Cotoia A, Spadaro S, Gambetti G, Kourenti D, Cinnella G. Pathogenesis-targeted preventive strategies for multidrug resistant ventilator-associated pneumonia: a narrative review. *Microorganisms.* 2020;8(6):1–18.
 30. Nasia Safdar, Christopher J Crnich, Dennis G Maki. The pathogenesis of ventilator-associated pneumonia: its relevance to developing effective strategies for prevention. *Respir Care.* 2005;50(6):739–41.
 31. Brookes ZLS, Belfield LA, Ashworth A, Casas-Agustench P, Raja M, Pollard AJ, et al. Effects of chlorhexidine mouthwash on the oral microbiome. *J Dent.* 2021;113(July).
 32. Peng X, Cheng L, You Y, Tang C, Ren B, Li Y, et al. Oral microbiota in human systematic diseases. *Int J Oral Sci.* 2022;14(1):1–11.
 33. Choi YH, Kim SH, Yu Y, Lee SY, Jung YJ, Kim DY, et al. Oral Microbiota Change in Intubated Patients under Mechanical Ventilation. *J Bacteriol Virol.* 2022;51(4):163–71.
 34. Rathbun KP, Bourgault AM, Sole M Lou. Oral Microbes in Hospital-Acquired Pneumonia: Practice and Research Implications. *Crit Care Nurse.* 2022;42(3):47–55.
 35. Takahama A, de Sousa VI, Tanaka EE, Ono E, Ito FAN, Costa PP, et al. Analysis of oral risk factors for ventilator-associated pneumonia in critically ill patients. *Clin Oral Investig.* 2021;25(3):1217–22.
 36. Gershonovitch R, Yarom N, Findler M. Preventing ventilator-associated pneumonia in intensive care unit by improved oral care: a randomized control trials. *Compr Clin Med.* 2020;2(6):727–
- M, Truwit JD. Ventilator-associated pneumonia: diagnosis, and prevention. *Clin Microbiol Rev.* 2006;19(4):637–57.



38. Martinez-Reviejo R, Tejada S, Jansson M, Ruiz-Spinelli A, Ramirez-Estrada S, Ege D, et al. Prevention of ventilator-associated pneumonia through care bundles: a systematic review and meta-analysis. *J Intensive Med.* 2023;20(4):271.
39. Musdalipah M, Syam Y, Tahir T. Risk prevention of ventilator-associated pneumonia thorough oral hygiene: a literature review. *J Exp Life Sci.* 2021;11(1):21–5.
40. Causey C, El Karim I, Blackwood B, McAuley DF, Lundy FT. Quantitative oral health assessments in mechanically ventilated patients: a scoping review. *Nurs Crit Care.* 2023;28(5):756–72.
41. Haghighi A, Shafipour V, Bagheri-Nesami M, Gholipour Baradari A, Yazdani Charati J. The impact of oral care on oral health status and prevention of ventilator-associated pneumonia in critically ill patients. *Aust Crit Care.* 2017;30(2):69–73.
42. Ames NJ, Sulima P, Yates JM, McCullagh L, Gollins SL, Soeken K, et al. Effects of systematic oral care in critically ill patients: a multicenter study. *Am J Crit Care.* 2011;20(5).
43. Prabowo RK, Irmawati ND. The Effectiveness Of Toothbrushing Using Chlorhexidine Gluconate 0.2% On Ventilator Associated Pneumonia (Vap). *Midwifery Nurs Res.* 2022;4(2):53–7.
44. Siriyanyongwong P, Teanpaisan R, Pahumunto N, Uppanisakorn S, Vattanavanit V. Efficacy of Moraceae with chlorhexidine mouthwash on the microbial flora of critically ill intubated patients: a randomized controlled pilot study. *Sci Rep.* 2022;12(1):1–10.
45. Sari NRG, Utami RS. Kajian Literatur: Perawatan Mulut sebagai Intervensi Pencegahan Ventilator-Associated Pneumonia pada Pasien Kritis. *Holist Nurs Heal Sci.* 2020;3(2):1–11.



. Chlorhexidine gel use in the oral district: a systematic
 iels. 2019;5(2):1–16.

ZLS, Bescos R, Belfield LA, Ali K, Roberts A. Current uses
 exidine for management of oral disease: a narrative review.

- J Dent. 2020;103(1):1–9.
48. Deus PF, Ouanounou A. Chlorhexidine in dentistry: pharmacology, uses, and adverse effects. *Int Dent J.* 2022;72(3):269–77.
 49. Tartaglia GM, Tadakamadla SK, Connelly ST, Sforza C, Martín C. Adverse events associated with home use of mouthrinses: a systematic review. *Ther Adv Drug Saf.* 2019;10(1):1–16.
 50. Lachenmeier DW. Antiseptic Drugs and Disinfectants. In: *Side Effects of Drugs Annual.* 1st ed. Elsevier B.V.; 2017. p. 209–15.
 51. Pongoh S, Makiyah SNN. Effectiveness of oral hygiene with chlorhexidine in the prevention of vap: literature review. *J Ilmu Kesehatan.* 2022;7(2):253–62.
 52. Fu LS, Zhu LM, Yang YP, Lin L, Yao LQ. Impact of oral care modalities on the incidence of ventilator-associated pneumonia in the intensive care unit: a meta-analysis. *Medicine (Baltimore).* 2023;102(13):1–6.
 53. Kes D, Aydin Yildirim T, Kuru C, Pazarlioglu F, Ciftci T, Ozdemir M. Effect of 0.12% chlorhexidine use for oral care on ventilator-associated respiratory infections: a randomized controlled trial. *J Trauma Nurs.* 2021;28(4):228–34.
 54. Chen YC, Ku EN, Tsai PF, Ng CM, Wang JL, Lin CW, et al. Effect of 0.12% Chlorhexidine Oral Rinse on Preventing Hospital-Acquired Pneumonia in Nonventilator Inpatients. *J Nurs Res.* 2022;30(6):E248.
 55. Sharma SK, Kaur J. Randomized control trial on efficacy of chlorhexidine mouth care in prevention of ventilator associated pneumonia (VAP). *Nurs midwifery Res J.* 2012;8(2):169–78.
 56. Kusahara DM, Peterlini MAS, Pedreira MLG. Oral care with 0.12% chlorhexidine for the prevention of ventilator-associated pneumonia in



Il children: Randomised, controlled and double blind trial. *Int J Nurs Stud.* 2012;49(11):1354–63.

MM, Wahba Y, El-Bayoumi MA. Pre versus post application of 0.12% chlorhexidine based oral hygiene protocol in an Egyptian

- pediatric intensive care unit: practice and effects. *Egypt J Crit Care Med.* 2017;5(3):87–91.
58. Vranić E, Lacević A, Mehmedagić A, Uzunović A. Formulation ingredients for toothpastes and mouthwashes. *Bosn J basic Med Sci.* 2004;4(4):51–8.
 59. Gkekas A, Varenne B, Stauf N, Benzian H, Listl S. Affordability of essential medicines: the case of fluoride toothpaste in 78 countries. *PLoS One.* 2022;17(10):1–15.
 60. Hadi S, Julfani OA, Sugito BH. The effectiveness of the use of fluoridated toothpaste on reduction of plaque score: a systematic literature review. *Aloha Int J Heal Adv.* 2019;2(4):76–9.
 61. Jairoun AA, Al-Hemyari SS, Shahwan M, Jairoun O, Zyoud SH. Analysis of fluoride concentration in toothpastes in the United Arab Emirates: closing the gap between local regulation and practice. *Cosmetics.* 2021;8(4):1–12.
 62. FDI World Dental Federation. Promoting oral health through fluoride toothpaste. *Int Dent J.* 2019;69(1):17–8.
 63. Kangesan I, Millinchamp F, Williams J, Burrows L. Survey on the use of chlorhexidine and toothpaste as part of oral care in UK ICUs. *Crit Care.* 2014;18(1):1.
 64. Munro CL, Grap MJ, Jones DJ. Chlorhexidine, toothbrushing, and preventing ventilator associated pneumonia in critically ill adults. *Am J Crit Care.* 2009;18(5):428–38.
 65. Lorente L, Lecuona M, Jiménez A, Palmero S, Pastor E, Lafuente N, et al. Ventilator-associated pneumonia with or without toothbrushing: A randomized controlled trial. *Eur J Clin Microbiol Infect Dis.* 2012;31(10):2621–9.
 66. Pobo A, Lisboa T, Rodriguez A, Sole R, Magret M, Trefler S, et al. A randomized trial of dental brushing for preventing ventilator-associated pneumonia. *Chest.* 2009;136(2):433–9.
 67. Arzehi F, Rahat Dahmardeh A, Nasiodin Tabatabaei SM, Aminia F. Effects of a comprehensive oral care program and a



- combined toothbrush and mouthwash program with 0.2% chlorhexidine on oral health in mechanically ventilated intubated patients: a clinical trial. *Med Surg Nurs J.* 2021;9(4):1–9.
68. Fitri Hapsari Dewi, Jati Listyanto, Ery Leksana, Perbedaan Jumlah Bakteri Trakhea pada Tindakan Oral Hygiene Menggunakan Chlorhexidine dan Povidone Iodine pada Penderita dengan Ventilator Mekanik. *Jurnal Anestesiologi Indonesi.* 2012
69. Joel V, Chua MD, Eleanor A, Dominguez MD, Cherrie M, Sisson MD, et al. The efficacy of povidone-iodine oral rinse in preventing ventilator-associated pneumonia: A randomized double-blind, placebo-controlled (VAPOR) trial: preliminary report . *J mikrobiol infect dis* 2004;33(4):153-161. Available from : [http // www.psmid.org.ph/vol33/ vol33num4topic153.pdf](http://www.psmid.org.ph/vol33/vol33num4topic153.pdf)



Optimized using
trial version
www.balesio.com