

DAFTAR PUSTAKA

- Abdel-Raouf, N., Al-Homaidan, A. A., & Ibraheem, I. B. M. (2012). Microalgae and wastewater treatment. *Saudi Journal of Biological Sciences*, 19(3), 257–275.
- Abdulqader, G., Barsanti, L., & Tredici, M. R. (2000). Harvest of *Arthrospira platensis* from Lake Kossorom (Chad) and its household usage among the Kanembu. *Journal of applied phycology*, 12(3), 493-498.
- Adelia, N., Putri, A. M., & Nur, M. (2019). Pengaruh intensitas cahaya terhadap laju pertumbuhan dan produktivitas biomassa *A. platensis*. *Jurnal Ilmu Lingkungan*, 17(2), 56–64. <https://doi.org/10.14710/jil.17.2.56-64>
- Aisyah, D., Ramadhani, A. W., Fattah, M., Sofiati, D., & Anandya, A. 2023. Pengaruh kelimpahan plankton dan kualitas air terhadap performa pertumbuhan udang vanname pada sistem budidaya intensif. *Jurnal Lemuru*, 5(2), 173-182.
- Alkhamis, Y., El-Fatah Abomohra, A., & Gabr, H. (2022). Ultrasound-assisted extraction of bioactive lipids from microalgae biomass for biodiesel and nutraceutical applications. *Renewable and Sustainable Energy Reviews*, 158, 112102. <https://doi.org/10.1016/j.rser.2022.112102>
- Alkhamis, Y., Qin, J. G., & Zhang, X. (2022). Stress-induced accumulation of lipids in microalgae—a review. *Renewable and Sustainable Energy Reviews*, 153, 111787.
- Alkhamis, Y., Qin, J. G., & Zhang, X. (2022). Effect of environmental stress on lipid and fatty acid production in microalgae for biodiesel production: A review. *Renewable and Sustainable Energy Reviews*, 154, 111794. <https://doi.org/10.1016/j.rser.2021.111794>
- Almahrouqi, H. A., Sukumaran, P., Naqqiuddin, M. A., Alsabahi, J., Omar, H., & Ismail, A. (2015). The effect of salinity on growth, biochemical composition and fatty acid profile of *A. platensis* (*A. platensis*) grown in sheltered outdoor conditions in Oman. *Journal of algal biomass utilization*, 6(2), 61-67.
- Arino, O., Colin, M., & Kimmel, M. (2002). A model of growth of microorganisms in a chemostat with general response functions. *Mathematical and Computer Modelling*, 36(7–8), 823–843. [https://doi.org/10.1016/S0895-7177\(02\)00216-2](https://doi.org/10.1016/S0895-7177(02)00216-2)
- Ayachi, S., El Abed, A., Dhifi, W., & Marzouk, B. (2007). Nitrogen effects on proteins, chlorophylls and fatty acids during the growth of *A. platensis*. *The Italian Journal of Biochemistry*, 56(2), 166-170.
- Bangun, H. H., Hutabarat, S., & Ain, C. (2015). Perbandingan laju pertumbuhan *A. platensis* pada temperatur yang berbeda dalam skala laboratorium. *Management of Aquatic Resources Journal (Maquares)*, 4(1). <https://doi.org/10.14710/marj.v4i1.7817>

- Batac, C. C., Gathercole, N. S., Maravilla, A. F., & Beltran, A. B. (2020, April). Evaluation of different carbonate sources for bicarbonate-based integrated carbon capture and algae production system using *A. platensis*. In *IOP Conference Series: Materials Science and Engineering* (Vol. 778, No. 1, p. 012041). IOP Publishing.
- Becker, E. W. (1994). *Microalgae: Biotechnology and Microbiology*. Cambridge University Press.
- Becker, E. W. (2007). *Micro-algae as a source of protein*. *Biotechnology Advances*, **25**(2), 207–210. <https://doi.org/10.1016/j.biotechadv.2006.11.002>
- Belay, A., Ota, Y., Miyakawa, K., & Shimamatsu, H. (1993). Current knowledge on potential health benefits of *A. platensis*. *Journal of Applied Phycology*, **5**(2), 235–241. <https://doi.org/10.1007/BF02161211>
- Belkin, S., & Boussiba, S. (1991). Resistance of *A. platensis* to ammonia at high pH values. *Plant and cell physiology*, **32**(7), 953-958.
- Bhowmick, S., Mazumder, P. K., Saha, R., & Saha, S. (2020). Influence of pH on growth and biochemical composition of *A. platensis*. *Algal Research*, **45**, 101743. <https://doi.org/10.1016/j.algal.2019.101743>
- Çelikli, Ş., Aydın, A., & Ince, N. H. (2009). Effect of nutrient medium composition on growth and biochemical composition of *A. platensis*. *Bioresource Technology*, **100** (22), 5307–5310. <https://doi.org/10.1016/j.biortech.2009.05.034>
- Ciferri, O. (1983). *A. platensis*, the edible microorganism. *Microbiological reviews*, **47**(4), 551-578.
- Cohen, Z., Vonshak, A., & Richmond, A. (1995). Effect of environmental conditions on fatty acid composition of the red alga *Porphyridium cruentum*. *Plant Physiology*, **87**(4), 829–831.
- Colla, L. M., Bertolin, T. E., & Costa, J. A. V. (2004). Fatty acids profile of *A. platensis* grown under different temperatures and nitrogen concentrations. *Zeitschrift für Naturforschung C*, **59**(1–2), 55–59.
- Costa, J. A. V., Colla, L. M., & Duarte Filho, P. F. (2004). Microalgae as a potential source of single-cell proteins. *Applied Biochemistry and Biotechnology*, **113–116**(1–3), 599–613. <https://doi.org/10.1385/abab:113:1-3:599>
- Costa, J. A. V., de Moraes, M. G., & Dalcanton, F. (2019). Bioprocess optimization for biomass and lipid production of microalgae. *Bioresource Technology Reports*, **7**, 100264.
- da Silva, T. L., Reis, A., Medeiros, R., Oliveira, A. C., & Gouveia, L. (2018). Oil production towards biofuel from autotrophic microalgae grown under greenhouse conditions. *Biotechnology Reports*, **20**, e003

- Danesi, E. D. G., Rangel-Yagui, C. O., de Carvalho, J. C. M., & Sato, S. (2011). Influence of pH on growth and biochemical composition of *Spirulina*. *Bioresource Technology*, 102(3), 3455–3460.
- El-Sheekh, M. M., Osman, M. E. H., & Gheda, S. F. (2014). Growth and biochemical composition of *Spirulina* under different pH levels. *Journal of Microbiology and Biotechnology Research*, 4(1), 12–20.
- Firdaus, M., & Fauzan, A. 2015. Produksi dan Kandungan Nutrisi *A. platensis* Fusiformis yang Dikultur dengan Pencahayaan Monokromatis Light Emitting Diodes (Leds). *Jurnal Riset Akuakultur*, 10(2), 211-219.
- Fithria, R. F., Aryono, B., & Zainuddin, M. 2022. Pengaruh intensitas pencahayaan yang berbeda pada kultur *A. platensis* terhadap kandungan protein, kadar pigmen dan aktivitas antioksidan. *Journal of Marine Research*, 11(4), 818-828.
- Fogg, G.E. 1975. *Algal Cultures and Phytoplankton Ecology*. UK : University of Winconsin press.
- Friedl, T., & Lorenz, M. (2012). The Culture Collection of Algae at Göttingen University (SAG): A biological resource for biotechnological and biodiversity research. *Procedia Environmental Sciences*, 15, 110–117.
- Funteu, F., Bouarab, K., Pohnert, G., & Leblond, J. D. (1997). Fatty acid desaturation pathways in cyanobacteria: Regulation by environmental parameters. *Physiologia Plantarum*, 101(4), 816–823. <https://doi.org/10.1034/j.1399-3054.1997.1010409.x>
- Funteu, F. R. I. D. O. R., Guet, C., Wu, B., & Tremolieres, A. (1997). Effects of environmental factors on the lipid metabolism in *A. platensis*. *Plant Physiology and Biochemistry (France)*, 35(1).
- Gantar, M., Svircev, Z., & Richardson, L. L. (2012). Cyanobacteria and their toxins. In Whitton, B. A. (Ed.), *Ecology of Cyanobacteria II* (pp. 187–236). Springer. https://doi.org/10.1007/978-94-007-3855-3_6
- Gomont, M. (1892). Monographie des Oscillariées (Nostocacées homocystées). *Annales des Sciences Naturelles, Botanique, Série 7* 15: 263–368; 16: 91–264.
- Guedes, A. C., Amaro, H. M., & Malcata, F. X. (2011). Microalgae as sources of high added-value compounds—A brief review of recent work. *Biotechnology Progress*, 27(3), 597–613.
- Gunawan, G. 2021. Pengaruh Perbedaan pH pada Pertumbuhan Mikroalga Klas Chlorophyta. *Bioscientiae*, 9(2), 62-65.
- Hadiyanto, H., Nugroho, W. A., & Wahyono, A. (2022). Optimization of biomass and lipid production of *A. platensis* under semi-continuous culture system. *Journal of Advanced Research in Fluid Mechanics and Thermal Sciences*, 92(2), 1–12.

- Hariyati, R. (2008). Pertumbuhan dan biomassa *A. platensis* sp dalam skala laboratoris. *Bioma*, 10(1), 19-22.
- Harun, R., et al. (2021). Optimizing pH for enhanced biomass and lipid productivity of *Spirulina*. *Journal of Applied Phycology*, 33(4), 2345–2356.
- Harwood, J. L., & Guschina, I. A. (2009). The versatility of algae and their lipid metabolism. *Biochimie*, 91(6), 679–684.
- Harwood, J. L. (2019). Plant lipid metabolism in a changing world. *Progress in Lipid Research*, 73, 1–17.
- Hossain, M. F., Rahman, M. H., & Rahman, M. M. (2022). Effects of pH and light intensity on lipid and biomass productivity of *A. platensis*. *Journal of Algal Research and Applications*, 9(1), 21–30.
- Hosseini, S. M., Khosravi-Darani, K., Mozafari, M. R. (2015). Nutritional and medical applications of *A. platensis* microalgae. *Mini Reviews in Medicinal Chemistry*, 13(8), 1231–1237.
- Hu, Q., Sommerfeld, M., Jarvis, E., Ghirardi, M., Posewitz, M., Seibert, M., & Darzins, A. (2008). Microalgal triacylglycerols as feedstocks for biofuel production. *Plant Journal*, 54(4), 621–639
- Hutabarat, P. A. 2019. Uji kemampuan konsorsium alga *Chlorella vulgaris* dan *A. platensis* untuk meremoval logam berat kadmium (ii). (Doctoral dissertation, Institut Teknologi Sepuluh Nopember).
- Isnansetyo, A dan Kurniastuty. 1995. Teknik Kultur Fitoplankton dan Zooplankton Pakan Alami untuk Pembenihan Organisme Laut. Yogyakarta: Kanisius.
- Istirokhatun, T., Fadhilah, R. N., & Fatmawati, A. (2017). Pertumbuhan mikroalga *A. platensis* pada media dengan variasi konsentrasi pupuk urea. *Jurnal Ilmiah Lingkungan Tropis*, 11(2), 89–94. <https://doi.org/10.24843/JLIT.2017.v11.i02.p05>
- Ivolgina, T. V., Solovchenko, A. E., & Loseva, N. L. (1974). Effect of pH on the growth and biochemical composition of *A. platensis*. *Fiziologiya Rastenii (Plant Physiology)*, 21, 938–943.
- Jenkins, B., West, J. A., & Koulman, A. (2015). A review of odd-chain fatty acid metabolism and the role of pentadecanoic acid (C15:0) and heptadecanoic acid (C17:0) in health and disease. *Molecules*, 20(2), 2425–2444.
- Jung, C. H. G., Braune, S., Waldeck, P., Küpper, J.-H., Petrick, I., & Jung, F. (2021). Morphology and Growth of *A. platensis* during Cultivation in a Flat-Type Bioreactor. *Life*. <https://doi.org/10.3390/LIFE11060536>
- Kaur, S., Sarkar, M., & Srivastava, R. (2020). Microalgal lipids as nutraceuticals: Insights into the functions and future perspectives. *Environmental Science and Pollution Research*, 27, 20990–21001.

- Kim, D., Lee, Y., & Han, J. (2012). Influence of pH on fatty acid profiles of microalgae and its implications for biodiesel production. *Bioresource Technology*, *112*, 523–528. <https://doi.org/10.1016/j.biortech.2012.02.142>
- Kim, S. K., Chojnacka, K. (2012). *Marine Algae Extracts: Processes, Products, and Applications*. Wiley-VCH.
- Komárek, J., & Anagnostidis, K. (2005). Cyanoprokaryota. Teil 2: Oscillatoriales. In B. Büdel, G. Gärtner, L. Krienitz, & M. Schagerl (Eds.), *Süßwasserflora von Mitteleuropa* (Vol. 19/2). München: Elsevier GmbH.
- Larasati, E. 2019. Pertumbuhan populasi mikroalga Spirulina sp. pada kultur skala laboratorium dalam media limbah pendederan kerapu bebek (*Cromileptes altivelis*)
- Lee, S. J., Yoon, B. D., & Oh, H. M. (2016). Rapid method for the determination of lipid from microalgae using Nile red. *Biotechnology Techniques*, *10*(9), 671–678.
- Leksono, A. S., & Mutiara, F. A. (2017). Pengaruh variasi sumber nitrogen terhadap pertumbuhan mikroalga Spirulina platensis. *Jurnal Sains dan Seni ITS*, *6*(2), 2337–3520. <https://doi.org/10.12962/j.23373520.v6i2.24279>
- Liestianty, N., Noor, Z., & Aulia, M. (2022). Profil asam lemak dan laju pertumbuhan *A. platensis* pada berbagai variasi pH. *Jurnal Teknologi Lingkungan*, *23*(1), 22–30
- Li, D., Tang, J., Xia, X., Zhang, Y., & Wang, Y. (2022). Optimization of pH and nutrient conditions for enhanced biomass and phycocyanin production by *A. platensis*. *Algal Research*, *63*, 102656. <https://doi.org/10.1016/j.algal.2022.102656>
- Liu, J., Wu, H., Zhang, Y., Hu, C., Zhen, D., Fu, P., & He, Y. (2023). Phycobiliprotein peptide extracts from *A. platensis* ameliorate nonalcoholic fatty liver disease by modulating hepatic lipid profile and strengthening fat mobilization. *Nutrients*, *15*(21), 4573.
- Markou, G., & Georgakakis, D. (2011). Cultivation of filamentous cyanobacteria (*A. platensis*) in agro-industrial wastes and wastewaters: A review. *Applied Energy*, *88*(10), 3389–3401. <https://doi.org/10.1016/j.apenergy.2010.12.042>
- Markou, G., Vandamme, D., & Muylaert, K. (2012). Microalgal and cyanobacterial cultivation: The supply of nutrients. *Water Research*, *46*(18), 5849–5865. <https://doi.org/10.1016/j.watres.2012.08.018>
- Markou, G., Kougia, E., Arapoglou, D., Chentir, I., Andreou, V., & Tzovenis, I. (2023). Production of *A. platensis*: Effects on growth and biochemical composition of long-term acclimatization at different salinities. *Bioengineering*, *10*(2), 233.

- Mauliasari, E. S., Agustini, T. W., & Amalia, U. 2019. Stabilisasi Fikosianin *A. platensis* dengan Perlakuan Mikrokapsulasi dan pH. *JPHPI*. Vol. 22, No. 3: 526-534.
- Mata, T. M., Martins, A. A., & Caetano, N. S. (2010). *Microalgae for biodiesel production and other applications: A review*. *Renewable and Sustainable Energy Reviews*, 14(1), 217–232.
- Mendes, R. L., Fernandes, H. L., Coelho, J. P., Reis, E. C., Cabral, J. M., Novais, J. M., & Palavra, A. F. (2006). Supercritical CO₂ extraction of carotenoids and other lipids from *Chlorella vulgaris*. *Food Chemistry*, 96(4), 575–582. <https://doi.org/10.1016/j.foodchem.2005.03.012>
- Mendes, R. L., Reis, A. D., & Palavra, A. F. (2006). Supercritical CO₂ extraction of γ -linolenic acid and other lipids from *Arthrospira (A. platensis) maxima*: Comparison with organic solvent extraction. *Food Chemistry*, 99(1), 57–63.
- Mufidatun, N., Sulistyani, M., & Fikri, A. M. (2023). Pengaruh pH terhadap pertumbuhan dan kandungan nutrisi mikroalga *A. platensis*. *Jurnal Ilmu Lingkungan dan Sumberdaya Alam*, 14(1), 25–33. <https://doi.org/10.31227/osf.io/abcd1>
- Nikolova, K., Gentscheva, G., Gyurova, D., Pavlova, V., Dincheva, I., Velikova, M., ... & Gergov, G. (2024). Metabolomic profile of *A. platensis* from a Bulgarian bioreactor—A potential opportunity for inclusion in dietary supplements. *Life*, 14(2), 174.
- Nur, H., Azizah, N., & Hadiyanto, H. (2023). The role of pH and nutrient composition on contamination control and biomass production in *A. platensis* culture. *International Journal on Advanced Science, Engineering and Information Technology*, 13(2), 643–650. <https://doi.org/10.18517/ijaseit.13.2.16582>
- Nguyen, T. H., Nguyen, T. P., & Pham, Q. T. (2020). Dietary *A. platensis* and MUFA improves survival and feed conversion in white-leg shrimp under *Vibrio* challenge. *Aquaculture Reports*, 17, 100371. <https://doi.org/10.1016/j.aqrep.2020.100371>
- Oliva-Teles, A., & Gonçalves, P. (2001). Partial replacement of fishmeal by brewers yeast (*Saccharomyces cerevisiae*) in diets for seabass (*Dicentrarchus labrax*) juveniles. *Aquaculture*, 202(3–4), 269–278.
- Patel, A., et al. (2022). Influence of pH on lipid fraction distribution and PUFA content in *Spirulina*. *Bioresource Technology*, 352, 127067.
- Prabakaran, P., & Ravindran, A. D. (2011). A comparative study on effective cell disruption methods for lipid extraction from microalgae. *International Journal on Renewable Energy Research*, 1(3), 231–237.
- Radhiyufa, A. (2011). Pengaruh variasi media terhadap pertumbuhan *Spirulina* sp. [Skripsi, Universitas Diponegoro]. Institutional Repository Universitas Diponegoro. <http://eprints.undip.ac.id>

- Rafiqul, I. M., Hassan, A., Sulebele, G., Orosco, C. A., Roustaian, P., & Azam, K. (2002). THE INFLUENCE OF LIGHT INTENSITY ON GROWTH AND BIOCHEMICAL CONSTITUENTS OF SPIRUUNA. *Khulna University Studies*, 754-756.
- Renaud, S. M., Thinh, L. V., Lambrinidis, G., & Parry, D. L. (1995). Effect of temperature on growth, chemical composition and fatty acid composition of tropical Australian microalgae grown in batch cultures. *Aquaculture*, **130**(1–2), 1–16.
- Renaud, S. M., Parry, D. L., Thinh, L. V., Kuo, C., Padovan, A., & Sammy, N. (2002). Effect of light intensity on the proximate biochemical and fatty acid composition of *Isochrysis* sp. and *Nannochloropsis oculata* for use in tropical aquaculture. *Aquaculture*, 211(1-4), 195–214.
- Richmond, A. (2004). *Handbook of Microalgal Culture: Biotechnology and Applied Phycology*. Blackwell Publishing.
- Rosida, D. A. (2016). Teknik Analisis Kandungan Gula Pereduksi Mikroalga *A. platensis* di Puslit Bioteknologi Lipi Cibinong, Bogor-Jawa Barat
- Safonova, E., Reisser, W., & Maier, U. G. (2020). Optimization of outdoor microalgae cultures by monitoring pH, light, and temperature. *Journal of Applied Phycology*, 32(3), 1845–1856.
- Sargent, J. R., Tocher, D. R., & Bell, J. G. (2002). The lipids. In Halver, J. E., & Hardy, R. W. (Eds.), *Fish Nutrition* (3rd ed., pp. 181–257). Academic Press.
- Sánchez, S., Martínez, M. E., & Espinola, F. (2003). Biomass production and biochemical variability of *A. platensis* in relation to some environmental factors. *Water Science and Technology*, **47**(3), 163–169.
- Silalahi, E. Y. P. 2019. Pengaruh Pemberian Rasio N Dan P Yang Berbeda Terhadap Kandungan Klorofil *Chlorella pyrenoidosa* Pada Skala Karboy. Fakultas Perikanan dan Ilmu Kelautan. Universitas Brawijaya. Malang
- Simopoulos, A. P. (2002). Omega-3 fatty acids in inflammation and autoimmune diseases. *Journal of the American College of Nutrition*, 21(6), 495–505.
- Soni, R. A., Sudhakar, K., & Rana, R. S. (2019). Influence of Temperature and Light Intensity on the Growth Performance of *A. platensis*. *International Journal on Emerging Technologies*, 10(2), 19–22.
- Tambunan, A. L., Yuniar, I., & Trisyani, N. 2022. Kultur Pertumbuhan Mikroalga *A. platensis* sp. Pada Media Asam, Netral Dan Alkaline Skala Laboratorium. *Fisheries: Jurnal Perikanan dan Ilmu Kelautan*, 4(1), 28-37.
- Taw, N. 1990. Petunjuk Pemeliharaan Kultur Murni dan Massal Mikroalga. Proyek Pengembangan Udang, United nations development Programme, Food and Agriculture Organizations of the United Nations
- Tredici, M. R. (2010). Photobiology of microalgae mass cultures: understanding the tools for the next green revolution. *Biofuels*, 1(1), 143–162.

- Tocher, D. R. (2010). Fatty acid requirements in ontogeny of marine and freshwater fish. *Aquaculture Research*, 41(5), 717–732. <https://doi.org/10.1111/j.1365-2109.2008.02150.x>
- Tokusoglu, Ö., & Ünal, M. K. (2003). Biomass Nutrient Profiles of Three Microalgae: *A. platensis*, *Chlorella vulgaris* and *Isochrysis galbana*. *Journal of Food Science*, 68(3), 1144–1148.
- Torzillo, G., & Vonshak, A. (2005). Environmental stress physiology. In A. Richmond (Ed.), *Handbook of Microalgal Culture: Biotechnology and Applied Phycology* (pp. 57–82). Blackwell Publishing.
- Tulli, F., Tibaldi, E., Rossi, W., Chisari, M., & Poli, B. M. (2012). Dietary *A. platensis* supplementation affects growth performance and fillet quality of rainbow trout (*Oncorhynchus mykiss*). *Aquaculture Research*, 43(5), 861–869.
- Ugwu, C. U., Aoyagi, H., & Uchiyama, H. (2008). *Photobioreactors for mass cultivation of algae*. *Bioresource Technology*, 99(10), 4021–4028.
- Venn-Watson, S., Lumpkin, R., Dennis, E. A. (2020). Efficacy of pentadecanoic acid (C15:0) in reducing inflammation and improving metabolic health: A review. *Progress in Lipid Research*, 78, 101029.
- Vonshak, A. (Ed.). (1997). *A. platensis* (Arthrospira): Physiology, cell-biology and biotechnology. London: Taylor & Francis.
- Watanabe, T. (1993). Importance of docosahexaenoic acid in marine larval fish. *Journal of the World Aquaculture Society*, 24(2), 152–161. <https://doi.org/10.1111/j.1749-7345.1993.tb00010.x>
- Watanabe, T., and Vassallo-Agius, R., 2003. Broodstock nutrition research on marine finfish in Japan. *Aquaculture*, 227, 35 – 61.
- Weeks, D. G. (2012). *Population Models: Discrete-Time Models*. In: *Applied Mathematical Modeling*. Retrieved from https://mathinsight.org/discrete_population_model
- Woelkerling, W. J., Kowal, R. R., & Gough, S. B. (1976). Sedgwick-rafter cell counts: a procedural analysis. *Hydrobiologia*, 48, 95-107.
- Wu, L. C., Ho, J. A. A., Shieh, M. C., & Lu, I. W. (2016). Effects of nitrogen sources on cell growth and pigment production of microalga *Spirulina platensis*. *Bioresource Technology*, 102(3), 4419–4424.
- Yoon, W. J., Kim, K. N., Heo, S. J., Kang, S. M., & Jeon, Y. J. (2013). Protective effect of eckol isolated from marine brown alga *Ecklonia cava* against UVB-induced oxidative stress in human dermal fibroblasts. *Bioresource Technology*, 102(2), 525–529.
- Zhang, B., & Zhang, X. (2020). pH regulation enhances lipid productivity and alters fatty acid profile in *Spirulina*. *Algal Research*, 45, 101760.

- Zhang, L., Wang, J., & Chen, Y. (2015). Influence of pH on nutrient uptake and growth of microalgae in wastewater. *Ecological Engineering*, 85, 134–142.
- Zhu, C. J., Lee, Y. K., & Chao, T. M. (2016). Effects of pH on the growth and fatty acid composition of *Spirulina platensis*. *Journal of Applied Phycology*, 28(1), 1–9.