

## DAFTAR PUSTAKA

- Azizah, N. N., Siregar, V. P., & Agus, S. B. (2015). Analisis reflektansi spektral lamun menggunakan spektrometer di Pulau Tunda Serang Banten. *Jurnal Teknologi Perikanan dan Kelautan*, 6(2), 199-208.
- Azkab, M. H. (2000). Struktur dan fungsi pada komunitas lamun. *Oseana*, 25(3), 9-17.
- Budhiman, S., Winarso, G., & Wikanti, A. (2013). Pengaruh Pengambilan Training Sample Substrat Dasar Berbeda Pada Koreksi Kolom Air Menggunakan Data Penginderaan Jauh (*Effect of Training Sample of Different Bottom Substrates on Water Column Correction Using Remote Sensing Data*). *Jurnal Penginderaan Jauh Dan Pengolahan Data Citra Digital*, 10(2), 83-91.
- Devi, A. P., Agustini, T. W., & Anggo, A. D. (2013). Ekstraksi klorofil dan karotenoid sebagai pigmen dari lamun (*Thalassia hemprichii*) dari perairan yang berbeda. *Jurnal Pengolahan dan Bioteknologi Hasil Perikanan*, 2(3), 182–191. <https://ejournal3.undip.ac.id/index.php/jpbph/article/view/3005>
- Durako, M. J. (2007). *Leaf optical properties and photosynthetic leaf absorptances in several Australian seagrasses*. *Aquatic Botany*, 87(1), 83-89.
- Hadi, F. N., Rauf, A., & Yunus, M. (2024). Analisis Perubahan Tutupan Lamun Dengan Menggunakan Data Citra Satelit Di Pulau Barrang Lompo Kota Makassar. *Jurnal Ilmiah Wahana Laut Lestari (Jiwall)*, 2(1), 22-33.
- Hartoni, Siregar, V. P., Wouthuyzen, S., & Agus, S. B. (2022). Karakteristik reflektansi spektral lamun menggunakan data spektrometer di perairan Kepulauan Seribu. *Jurnal Ilmu dan Teknologi Kelautan Tropis*, 14(1), 1–12.
- Hedley, J. D., Roelfsema, C. M., Koetz, B., & Phinn, S. (2012). *Capability of the Sentinel 2 mission for tropical coral reef mapping and coral bleaching detection*. *Remote Sensing of Environment*, 120, 145–155.
- Helmi, M., As-syakur, A. R., & Arthana, I. W. (2012). Pengaruh kolom air terhadap akurasi citra satelit dalam identifikasi lamun. *Jurnal Ilmu dan Teknologi Kelautan Tropis*, 4(1), 8–16.
- Hochberg EJ, Atkinson MJ, Fouet SA. 2003. *Spectral reflectance of coral reef bottom types worldwide and implications for coral reef remote sensing*. *Remote Sensing of Environment*. (85):159-173
- Hwang, C., Chang, C. H., Burch, M., Fernandes, M., & Kildea, T. (2019). *Effects of epiphytes and depth on seagrass spectral profiles: case study of Gulf St. Vincent, South Australia*. *International Journal of Environmental Research and Public Health*, 16(15), 2701. DOI: <https://doi.org/10.3390/ijerph16152701> in: *proceedings of International Conference on Natural and Environment Science*. 2009;77-83.

- Jalaluddin, M., Octaviyani, I. N., Putri, A. N. P., Octaviyani, W., & Aldiansyah, I. (2020). Padang lamun sebagai ekosistem penunjang kehidupan biota laut di Pulau Pramuka, Kepulauan Seribu, Indonesia. *Jurnal Geografi Gea*, 20(1), 44–54.
- Johnson, M. R., & Wootton, L. R. (2011). *Field-based hyperspectral remote sensing of submerged aquatic vegetation*. *Journal of Coastal Research*, 27(1), 59–69
- Kutser, T., Miller, I., & Jupp, D. L. B. (2006). *Mapping coral reef benthic substrates using hyperspectral space-borne images and spectral libraries*. *Estuarine, Coastal and Shelf Science*, 70(3), 449–460.
- Lisdayanti, E., Rappe, R. A., Asriani, N., Handayani, N. T., & Limbong, S. R. (2024). *Seagrass growth at different turbidity levels*. *Depik*, 13(1), 123-128.
- Lobban, C. S., & Harrison, P. J. (1997). *Seaweed Ecology and Physiology*. Cambridge University Press.
- Lyons, M. B., Phinn, S. R., & Roelfsema, C. M. (2011). *Long term land cover and seagrass mapping using remote sensing: A case study of Moreton Bay, Australia*. *Marine Pollution Bulletin*, 62(3), 528–538
- Mathews, J. H., & Fink, K. D. (2004). *Numerical methods using matlab*. Prentice hall : Upper Saddle River.
- Mattjik., A. A., & Sumertajaya, I. M. (2011). Sidik perubahan ganda dengan menggunakan SAS. Institut Pertanian Bogor : IPB Press.
- Murtagh, F., & Legendre, P. (2014). *Ward's hierarchical agglomerative clustering method: Which algorithms implement Ward's criterion?*. *Journal of Classification*, 31(3), 274–295
- Nurdin N, Chair R. (2009) *Optical properties of soft coral species in tropical marine waters, in: proceedings of International Conference on Natural and Environment Science*. 77-83.
- Nurdin N, Teruhisa K, Chair R, Gulam A, Awaludin N (2012). *Hyperspectral Response: Key for Mapping Coral Rubber, Live and Dead Corals*. *Journal of Shipping and Ocean Engineering*. 2012;2:182-190.
- Nurdin, N., Komatsu, T., Yamano, H., Arafat, G., Rani, C., & Akbar, M. A. S. (2014). *Spectral clustering of coral reefs on the small islands, Spermonde Archipelago, Indonesia*. *Physical Science International Journal*, 5(4), 306–319.
- O'Neill, J. D., Costa, M., & Sharma, T. (2011). *Remote sensing of shallow coastal benthic substrates: in situ spectra and mapping of eelgrass (Zostera marina) in the Gulf Islands National Park Reserve of Canada*. *Remote Sensing*, 3(5), 975-1005.
- Ocean Optic. 2009. *Spectra suite spectrometer operating software*. USA: Ocean Optics, Inc. World Headquarters.

- Phinn, S. R., Roelfsema, C. M., & Dekker, A. G. (2008). *Mapping seagrass species, cover and biomass in shallow waters: An assessment of satellite multi-spectral and airborne hyperspectral imaging systems in Moreton Bay (Australia)*. *Remote Sensing of Environment*, 112(8), 3413–3425.
- Pu, R., Bell, S., Baggett, L., Meyer, C., & Zhao Y. (2012). *Discrimination of seagrass species and cover classes with in situ hyperspectral data*. *Journal of Coastal Research*, 28(6), 1330-1344.
- Roelfsema, C., Phinn, S., & Joyce, K. (2016). *Spectral reflectance library of algal, seagrass and substrate types in Moreton Bay, Australia*.
- Rosang, C. I., & Wagey, B. T. (2016). Penentuan kandungan pigmen klorofil pada lamun jenis *Halophila ovalis* di perairan Malalayang (Determination of Chlorophyll Pigment Content on *Halophila ovalis* Seagrass in Malalayang Waters). *Jurnal Pesisir dan Laut Tropis*, 1(1), 29–34.
- Thorhaug, A., Richardson, A. D., & Berlyn, G. P. (2007). *Spectral reflectance of the seagrasses: *Thalassia testudinum*, *Halodule wrightii*, *Syringodium filiforme* and five marine algae*. *International Journal of Remote Sensing*, 28(7), 1487-1501.
- Vahtmäe, E., & Kutser, T. (2007). *Mapping bottom type and water depth in shallow coastal waters with hyperspectral space-borne data*. *International Journal of Remote Sensing*, 28(24), 5315–5329.
- Vahtmäe, E., Kutser, T., Martin, G., & Kotta, J. (2006). *Feasibility of hyperspectral remote sensing for mapping benthic macroalgal cover in turbid coastal waters – A Baltic Sea case study*. *Remote Sensing of Environment*, 101(3), 342–351.
- Wicaksono, P., & Kamal, M. (2017). *Spectral response of healthy and damaged leaves of tropical seagrass *Enhalus acoroides*, *Thalassia hemprichii*, and *Cymodocea rotundata**. *Proceedings SPIE 10421, Remote Sensing for Agriculture, Ecosystems, and Hydrology XIX, 104210L*. Warsaw-Polandia : SPIE Remote Sensing.
- Wicaksono, P., Fauzan, M.A., Kumara, I. S. W., Yogyantoro, R. N., Lazuardi, W., & Zhafarina, Z. (2019). *Analysis of reflectance spectra of tropical seagrass species and their value for mapping using multispectral satellite images*. *International Journal of Remote Sensing*, 40, 8955-8978.
- Zimmerman, R. C. (2003). *A biooptical model of irradiance distribution and photosynthesis in seagrass canopies*. *Limnology and Oceanography*, 48(1), 568–585.