

Daftar Pustaka 1

- Bal, M. A., Shaver, R. D., Jirovec, A. G., Shinnors, K. J., & Coors, J. G. (2000). Crop processing and chop length of corn silage: Effects on intake, digestion, and milk production by dairy cows. *Journal of Dairy Science*, 83(6), 1264–1273. [https://doi.org/10.3168/jds.S0022-0302\(00\)74993-9](https://doi.org/10.3168/jds.S0022-0302(00)74993-9)
- BMKG. (2023). *Data online*. <https://dataonline.bmkg.go.id/dataonline-home>
- Bolsen, K. K., Ashbell, G., & Wilkinson, J. M. (2007). Silage additives. In R. J. Wallace & A. Chesson (Eds.), *Biotechnology in Animal Feeds and Animal Feeding* (pp. 1–358). VCH Verlagsgesellschaft. <https://doi.org/10.1002/9783527615353>
- BPS. (2011). Luas Lahan Menurut Penggunaan 2010. Badan Pusat Statistik.
- BPS. (2016). Luas Lahan Menurut Penggunaan 2015. Badan Pusat Statistik.
- BPS. (2017). *Statistik Indonesia 2017 (Statistical Yearbook of Indonesia 2017)*. Badan Pusat Statistik.
- BPS. (2022). *Statistik Indonesia 2022 (Statistical Yearbook of Indonesia 2022)*. Badan Pusat Statistik.
- Brüning, D., Gerlach, K., Weiß, K., & Südekum, K. H. (2018). Effect of compaction, delayed sealing and aerobic exposure on maize silage quality and on formation of volatile organic compounds. *Grass and Forage Science*, 73(1), 53–66. <https://doi.org/10.1111/gfs.12288>
- Canizares, G. L. L., Gonçalves, H. C., Costa, C., Rodrigues, L., de Menezes, J. J. L., Gomes, H. F. B., Marques, R. O., & Branco, R. H. (2011). Use of high moisture corn silage replacing dry corn on intake, apparent digestibility, production and composition of milk of dairy goats. *Revista Brasileira de Zootecnia*, 40(4), 860–865. <https://doi.org/10.1590/S1516-35982011000400021>
- Cusicanqui, J. A., & Lauer, J. G. (1999). Plant density and hybrid influence on corn forage yield and quality. *Agronomy Journal*, 91(6), 911–915. <https://doi.org/10.2134/agronj1999.916911x>
- Despal, Hidayah, & Lubis, A. D. (2017). *Kualitas Silage Jagung di Dataran Rendah Tropis pada Berbagai Umur Panen Untuk Sapi Perah*. 104(3), 119.
- El Hag, M. G., Vetter, R. L., & Kenealy, M. D. (1982). Effects of Silage Additives on Fermentation Characteristics of Corn Silage and Performance of Feedlot Heifers. *Journal of Dairy Science*, 65(2), 259–266. [https://doi.org/10.3168/jds.S0022-0302\(82\)82185-1](https://doi.org/10.3168/jds.S0022-0302(82)82185-1)
- Eze, C. E., Akinwale, R. O., Michel, S., & Bürstmayr, H. (2020). Grain yield and stability of tropical maize hybrids developed from elite cultivars in contrasting environments under a rainforest agro-ecology. *Euphytica*, 216(6). <https://doi.org/10.1007/s10681-020-02620-y>
- Ferreira, G., Alfonso, M., Depino, S., & Alessandri, E. (2014). Effect of planting density on nutritional quality of green-chopped corn for silage. *Journal of Dairy Science*, 97(9), 5918–5921. <https://doi.org/10.3168/jds.2014-8094>
- Ferreira, G., & Brown, A. N. (2016). Environmental factors affecting corn quality for silage production. In T. Da Silva & E. M. Santos (Eds.), *Advances in silage production and utilization* (Issue November). InTech. <https://doi.org/10.5772/64381>
- Franco, A. A. N., Filho, P. S. V., Scapim, C. A., Okumura, R. S., Marques, O. J., & Numoto, A. Y. (2016). Effect of sowing time on the growth and yield of sweet corn (*Zea mays* L.) cultivated during fall-winter period in Subtropical climate. *Australian Journal of Crop Science*, 10(6), 831–841. <https://doi.org/10.21475/ajcs.2016.10.06.p7460>
- Garantjang, S., Ako, A., Syawal, S., Yuliaty, F. N., Hatta, M., & Talib, C. (2020). Body weight and morphometrics of Bali cattle at people breeding station and non breeding station areas. *The 2nd International Conference of Animal Science and Technology*, 492(1). <https://doi.org/10.1088/1755-1315/492/1/012037>
- García-Chávez, I., Meraz-Romero, E., Castelán-Ortega, O., Zaragoza-Esparza, J., Osorio-Avalos, J., Robles-Jiménez, L. E., & González-Ronquillo, M. (2022). Corn silage: A systematic review of the quality and yield in different regions around the world. *Cienc. Tecnol. Agropecuaria*, 23(3). https://doi.org/10.21930/rcta.vol23_num3_art:2547
- Irawan, A., Sofyan, A., Ridwan, R., Hassim, H. A., Respati, A. N., Wardani, W. W., Sadarman, Astuti, W. D., & Jayanegara, A. (2021). Effects of different lactic acid bacteria groups and fibrolytic enzymes as additives on silage quality: A meta-analysis. *Bioresource Technology Reports*, 14(February). <https://doi.org/10.1016/j.biteb.2021.100654>
- Jakaria, J., Sutikno, Ulum, M. F., & Priyanto, R. (2019). Live body weight assessment based on body measurements in Bali cattle (*Bos javanicus*) at extensive rearing system. *Pakistan Journal of Life and Social Sciences*, 17(1), 17–23.
- Johnson, L. M., Harrison, J. H., Davidson, D., Mahanna, W. C., & Shinnors, K. (2003). Corn silage management: Effects of hybrid, chop length, and mechanical processing on digestion and energy content. *Journal of Dairy Science*, 86(1), 208–231. [https://doi.org/10.3168/jds.S0022-0302\(03\)73601-7](https://doi.org/10.3168/jds.S0022-0302(03)73601-7)

- Juniper, D. T., Browne, E. M., Fisher, A. V., Bryant, M. J., Nute, G. R., & Beever, D. E. (2005). Intake, growth and meat quality of steers given diets based on varying proportions of maize silage and grass silage. *Animal Science*, *81*(1), 159–170. <https://doi.org/10.1079/ASC41340159>
- Juradi, M. A., Heni, S. P., Suwitra, I. K., Fahmi, F. N., Negara, A., Ardjanhar, A., & Abid, M. (2021). Adaptation test of various dry-land composite corn varieties in Sigi regency, Central Sulawesi. *IOP Conference Series: Earth and Environmental Science*, *759*(1). <https://doi.org/10.1088/1755-1315/759/1/012035>
- Kaleri, R. R., Bhuptani, D. K., Mangi, R., Sciences, A., & Rajput, N. (2023). *Research Article Effect of Silage Feeding on the Growth Performance and Body Confirmation of Tapri Goats under Intensive Management System*. June. <https://doi.org/10.17582/journal.jis/2023/9.1.51.55>
- Khaing, K. T., Loh, T. C., Ghizan, S. H. R. A., & Samsudin, A. A. (2015). Feed intake, growth performance and digestibility in goats fed whole corn plant silage and Napier grass. *Mal. J. Anim. Sci.*, *18*(1), 87–98.
- Krüger, A. M. P., Lima, P. D. M. T., Filho, A. L. A., Moro, J. D. G., De Carvalho, Q., Abdalla, A. L., & Jobim, C. C. (2020). Bahan Kering concentration and corn silage density: Effects on forage quality. *Tropical Grasslands-Forrajés Tropicales*, *8*(1), 20–27. [https://doi.org/10.17138/TGFT\(8\)20-27](https://doi.org/10.17138/TGFT(8)20-27)
- Kung, L., Smith, M. L., Benjamim da Silva, E., Windle, M. C., da Silva, T. C., & Polukis, S. A. (2018). An evaluation of the effectiveness of a chemical additive based on sodium benzoate, potassium sorbate, and sodium nitrite on the fermentation and aerobic stability of corn silage. *Journal of Dairy Science*, *101*(7), 5949–5960. <https://doi.org/10.3168/jds.2017-14006>
- Lajús, C. R., Sebben, C., Pasqualotto, D. L., Spode, M. R., Sabadini, P. B., Dalcanton, F., Luz, G. L. da, Onofre, S. becker, Cericato, A., & Batiston, T. F. T. P. (2020). Production and nutritive value of silage corn in different reproductive stages. *International Journal of Advanced Engineering Research and Science*, *7*(2), 130–136. <https://doi.org/10.22161/ijaers.72.18>
- Manu, A. E. (2014). Produktivitas Padang Pengembalaan Sabana Timor Barat. *Pastura: Journal of Tropical Forage Science*, *3*(1), 25–29. <https://doi.org/10.24843/Pastura.2013.v03.i01.p07>
- McDonald, P., Edwards, R. A., Greenhalgh, J. F. D., Morgan, C. A., Sinclair, L. A., & Wilkinson, R. G. (2011). Animal nutrition. In *Nature* (7th ed.). Pearson. <https://doi.org/10.1038/111651a0>
- Mendonca, V. Z. De, Mello, L. M. M. De, Pereira, F. C. B. L., Silva, J. O. D. R., & Yano, É. H. (2014). Corn Production for Silage Intercropped with Forage in the Farming-Cattle Breeding Integration. *Eng. Agric., Jaboticabal*, *34*(4), 738–745.
- Miguel, M. F., Delagarde, R., & Ribeiro-Filho, H. M. N. (2019). Corn silage supplementation for dairy cows grazing annual ryegrass at two pasture allowances. *Arquivo Brasileiro de Medicina Veterinaria e Zootecnia*, *71*(3), 1037–1046. <https://doi.org/10.1590/1678-4162-9795>
- Millner, J. P., Aver, R. V., & Hardacre, A. K. (2005). The yield and nutritive value of maize hybrids grown for silage. *New Zealand Journal of Agricultural Research*, *48*(1), 101–108. <https://doi.org/10.1080/00288233.2005.9513637>
- Misran. (2013). Studi Komposit Potensi Jagung pada Lahan Sawah Tadah Hujan Setelah Pertanaman Padi Composite Study of Potential Corn The Land After Rice Rainfed. *Jurnal Penelitian Pertanian Terapan*, *13*(2), 103–107.
- Moran, J. (2019). Tropical Dairy Farming. *Tropical Dairy Farming*. <https://doi.org/10.1071/9780643093133>
- Muck, R. E., & Holmes, B. J. (2000). Factors affecting bunker silo densities. *Applied Engineering in Agriculture*, *16*(6), 613–619.
- Muck, R. E., Nadeau, E. M. G., McAllister, T. A., Contreras-Govea, F. E., Santos, M. C., & Kung, L. (2018). Silage review: Recent advances and future uses of silage additives. *Journal of Dairy Science*, *101*(5), 3980–4000. <https://doi.org/10.3168/jds.2017-13839>
- Mujiadi, Dwi Rizaldi Hatmoko, & Agus Fahmi. (2023). Penanganan Pasca Panen Komoditas Jagung Di Kecamatan Trowulan Kabupaten Mojokerto. *Jurnal Ilmu Pertanian Dan Perkebunan*, *5*, 01–06.
- Nave, R. L. G., & Corbin, M. D. (2018). Forage warm-season legumes and grasses intercropped with corn as an alternative for corn silage production. *Agronomy*, *8*(10). <https://doi.org/10.3390/agronomy8100199>
- Nazli, M. H., Halim, R. A., Abdullah, A. M., Hussin, G., & Samsudin, A. A. (2018). Potential of feeding beef cattle with whole corn crop silage and rice straw in Malaysia. *Tropical Animal Health and Production*, *50*(5), 1119–1124. <https://doi.org/10.1007/s11250-018-1538-2>
- Nazli, M. H., Halim, R. A., Abdullah, A. M., Hussin, G., & Samsudin, A. A. (2019). Potential of four corn varieties at different harvest stages for silage production in Malaysia. *Asian-Australasian Journal of Animal Sciences*, *32*(2), 224–232. <https://doi.org/10.5713/ajas.18.0175>
- Pariz, C. M., Costa, C., Crusciol, C. A. C., Meirelles, P. R. de L., de Castilhos, A. M., Andreotti, M., Costa, N. R., & Martello, J. M. (2017). Silage production of corn intercropped with tropical forages

- in an integrated crop-livestock system with lambs. *Pesquisa Agropecuaria Brasileira*, 52(1), 54–62. <https://doi.org/10.1590/S0100-204X2017000100007>
- Phipps, R. H., Sutton, J. D., & Jones, B. A. (1995). Forage mixtures for dairy cows: The effect on dry-matter intake and milk production of incorporating either fermented or urea-treated whole-crop wheat, brewers' grains, fodder beet or maize silage into diets based on grass silage. *Animal Science*, 61(3), 491–496. <https://doi.org/10.1017/S1357729800014053>
- Rattanapichai, W. (2013). Development of Maize Cultivation After Rice in Small Community Farms in Khao Wong District, Kalasin Province, Thailand in Small Community Farms in Khao Wong District. *Mendelnet*, 152–156.
- Rinduwati. (2017). *Studi Potensi Padang Penggembalaan Dengan Pendekatan Spasial Di Kabupaten Gowa, Sulawesi Selatan (the Use of Spatial Approach in Studying the Potential of Grazing Land in Gowa District, South Sulawesi)*. Universitas Hasanuddin.
- Romdon, A. S., Urniyati, E., Bahri, S., & Pramono, J. (2014). Kumpulan Deskripsi Varietas Padi. In *Bptp Jawa Tengah*. BPTP Jawa Tengah.
- Rotz, C. A., Ford, S. A., & Buckmaster, D. R. (2003). Silages in farming systems. In D. R. Buxton, R. E. Muck, & J. H. Harrison (Eds.), *Silage Science and Technology*. Agronomy Monograph. <https://doi.org/10.2134/agronmonogr42.c11>
- Sariubang, M., & Herniwati. (2011). Sistem Pertanian dan Produksi Biomas Jagung Sebagai Pakan Ternak. *Seminar Nasional Serealia, c*.
- Schwab, E. C., Shaver, R. D., Shinnors, K. J., Lauer, J. G., & Coors, J. G. (2002). Processing and chop length effects in brown-midrib corn silage on intake, digestion, and milk production by dairy cows. *Journal of Dairy Science*, 85(3), 613–623. [https://doi.org/10.3168/jds.S0022-0302\(02\)74115-5](https://doi.org/10.3168/jds.S0022-0302(02)74115-5)
- Semenčenko, V., Terzić, D., Radosavljević, M., Milašinović-Šeremešić, M., Pajić, Z., Todorović, G., & Filipović, M. (2014). Suitability of maize hybrids biomass for animal feed production. *XVI International Symposium "Feed Technology," October*, 198–203. <https://doi.org/10.13140/2.1.1802.0808>
- Sheperd, A. C., & Kung, L. (1996). An Enzyme Additive for Corn Silage: Effects on Silage Composition and Animal Performance. *Journal of Dairy Science*, 79(10), 1760–1766. [https://doi.org/10.3168/jds.S0022-0302\(96\)76543-8](https://doi.org/10.3168/jds.S0022-0302(96)76543-8)
- Singh, D., Kumar, B., Kumar, P., & Rakshit, S. (2023). Evaluation of maize hybrids and composites for fodder yield and ensiling quality. *RMA*, 44(02), 344–352. <https://doi.org/10.59515/rma.2023.v44.i2.17>
- Sucu, E., Kalkan, H., Canbolat, O., & Filya, I. (2016). Effects of ensiling density on nutritive value of maize and sorghum silages. *Revista Brasileira de Zootecnia*, 45(10), 596–603. <https://doi.org/10.1590/S1806-92902016001000003>
- Sudaryanto, B., & Priyanto, D. (2010). Degradasi Padang Penggembalaan. In K. Suradisastra, S. M. Pasaribu, B. Sayaka, A. Dariah, I. Las, Haryono, & E. Pasandaran (Eds.), *Membalik Kecenderungan Degradasi Sumber Daya Lahan dan Air* (pp. 97–112). PT Penerbit IPB Press.
- Sudika, I. W., Sukartono, Kisman, & Muktasam. (2020). Demplot tanaman jagung varietas komposit dan hibrida di lahan kering kabupaten lombok utara. *Seminar Nasional Pengabdian Kepada Masyarakat Tahun, 2*, 2020.
- Takandjandji, M., & Sawitri, R. (2015). UKURAN MORFOMETRIK BANTENG (*Bos javanicus* d'Alton, 1823) UNTUK MENDUGA BOBOT BADAN. *Jurnal Penelitian Hutan Dan Konservasi Alam*, 12(1), 59–73. <https://doi.org/10.20886/jphka.2015.12.1.59-73>
- Tayyab, U., Wilkinson, R. G., Charlton, G. L., Reynolds, C. K., & Sinclair, L. A. (2019). Grass silage particle size when fed with or without maize silage alters performance, reticular pH and metabolism of Holstein-Friesian dairy cows. *Animal*, 13(3), 524–532. <https://doi.org/10.1017/S1751731118001568>
- Tobing, J. C. L., Suwanto, & Zaman, S. (2022). Optimum nitrogen fertilizer dosage for composite and hybrid varieties of Maize. *J. Agron. Indonesia*, 50(2), 139–146. <https://doi.org/10.24831/jai.v50i2.40199>
- Widiastuti, E., Tri Ratna, B. E., & Agustini, N. (2019). PENGKAJIAN BUDIDAYA JAGUNG UNTUK PRODUKSI BIOMASS DAN BIJI DI NUSA TENGGARA BARAT. *Jurnal Pengkajian Dan Pengembangan Teknologi Pertanian*, 2(1), 39–51.
- Xu, R., Zhao, H., You, Y., Wu, R., Liu, G., Sun, Z., Bademuqiqige, & Zhang, Y. (2022). Effects of Intercropping, Nitrogen Fertilization and Corn Plant Density on Yield, Protein Kasar Accumulation and Ensiling Characteristics of Silage Corn Interseeded into Alfalfa Stand. *Agriculture (Switzerland)*, 12(3). <https://doi.org/10.3390/agriculture12030357>
- Yitbarek, M. B., & Tamir, B. (2014). Silage Additives: Review. *Open Journal of Applied Sciences*, 04(05), 258–274. <https://doi.org/10.4236/ojapps.2014.45026>

Zhang, H., Zhang, L., Xue, X., Zhang, X., Wang, H., Gao, T., & Phillips, C. (2022). Effect of feeding a diet comprised of various corn silages inclusion with peanut vine or wheat straw on performance, digestion, serum parameters and meat nutrients in finishing beef cattle. *Animal Bioscience*, 35(1), 29–38. <https://doi.org/10.5713/ab.21.0088>

Daftar Pustaka 2

- Amah, U. A. R., Hambakodu, M., and Ina, Y. T. 2022. Produksi, komposisi botani, dan kapasitas tampung padang penggembalaan desa maubokul, kecamatan pandawai, pada musim kemarau. *J. Trop. Forage Sci.*, 11(2), 116. <https://doi.org/10.24843/pastura.2022.v11.i02.p09>
- AOAC. 2012. *Official Methods of Analysis of AOAC International* (W. Horwitz and G. W. JR. Latimer, Eds.; 19th ed.). Association of Official Analytical Chemists.
- Aslam, M., Maqbool, M. A., and Cengiz, R. 2015. *Drought stress in maize (Zea mays L.)*. Springer International Publishing. <https://doi.org/10.1007/978-3-319-25442-5>
- Badan Litbang Pertanian. 2018. Teknologi budidaya jagung (*Zea maize*) tanpa olah tanah (TOT) pada lahan sawah tadah hujan. In *Loka Pengkajian Teknologi Pertanian Sulawesi*. BPTP Sulawesi Selatan.
- Bolsen, K. K., Ashbell, G., and Wilkinson, J. M. 2007. Silage additives. In R. J. Wallace and A. Chesson (Eds.), *Biotechnology in animal feeds and animal feeding* (pp. 1–358). VCH Verlagsgesellschaft. <https://doi.org/10.1002/9783527615353>
- Burken, D. B., Harding, J. L., Mcgee, A. L., Hoegemeyer, T. C., Klopfenstein, T. J., and Erickson, G. E. 2013. *Effects of corn hybrid, plant density, and harvest time on yield and quality of corn plants*. <https://beef.unl.edu/1a52c02a-784b-4318-996b-6777a3f6c78b.pdf>
- Canizares, G. I. L., Gonçalves, H. C., Costa, C., Rodrigues, L., Menezes, J. J. L., Gomes, H. F. B., Marques, R. O., and Branco, R. H. 2011. Use of high moisture corn silage replacing dry corn on intake, apparent digestibility, production and composition of milk of dairy goats. *R. Bras. Zootec*, 40(4), 860–865. <https://doi.org/10.1590/S1516-35982011000400021>
- Colombini, S., Galassi, G., Crovetto, G. M., and Rapetti, L. 2012. Milk production, nitrogen balance, and fiber digestibility prediction of corn, whole plant grain sorghum, and forage sorghum silages in the dairy cow. *J. Dairy Sci.*, 95(8), 4457–4467. <https://doi.org/10.3168/jds.2011-4444>
- Cusicanqui, J. A., and Lauer, J. G. 1999. Plant density and hybrid influence on corn forage yield and quality. *Agron. J.*, 91(6), 911–915. <https://doi.org/10.2134/agronj1999.916911x>
- Der Bedrosian, M. C., Nestor, K. E., and Kung, L. 2012. The effects of hybrid, maturity, and length of storage on the composition and nutritive value of corn silage. *J. Dairy Sci.*, 95(9), 5115–5126. <https://doi.org/10.3168/jds.2011-4833>
- Eze, C. E., Akinwale, R. O., Michel, S., and Bürstmayr, H. 2020. Grain yield and stability of tropical maize hybrids developed from elite cultivars in contrasting environments under a rainforest agroecology. *Euphytica*, 216(6). <https://doi.org/10.1007/s10681-020-02620-y>
- Ferreira, G., Alfonso, M., Depino, S., and Alessandri, E. 2014. Effect of planting density on nutritional quality of green-chopped corn for silage. *J. Dairy Sci.*, 97(9), 5918–5921. <https://doi.org/10.3168/jds.2014-8094>
- Ferreira, G., and Brown, A. N. 2016. Environmental factors affecting corn quality for silage production. In T. Da Silva and E. M. Santos (Eds.), *Advances in silage production and utilization* (Issue November). InTech. <https://doi.org/10.5772/64381>
- García-Chávez, I., Meraz-Romero, E., Castelán-Ortega, O., Zaragoza-Esparza, J., Osorio-Avalos, J., Robles-Jiménez, L. E., and González-Ronquillo, M. 2022. Corn silage: A systematic review of the quality and yield in different regions around the world. *Cienc. Tecnol. Agropecuaria*, 23(3). https://doi.org/10.21930/rcta.vol23_num3_art:2547
- Gunawas, I., Kurniawan, W., and Bain, A. 2023. Evaluasi kapasitas tampung padang penggembalaan Site Padangbila PT. Cakra Bombana Sejahtera, Kabupaten Bombana Sulawesi Tenggara. *JIPHO*, 5(1), 1. <https://doi.org/10.56625/jipho.v5i1.28795>
- Handayanta, E., Rahayu, E. T., and Wibowo, M. A. 2015. Aksesibilitas sumber pakan ternak ruminansia pada musim kemarau di daerah pertanian lahan kering. *JSP*, 13(2), 105. <https://doi.org/10.20961/sainspet.v13i2.11486>
- Indriani, N. P., Yuwariah, Y., and Ruswandi, D. 2021. The genotype and crop age effect on nutritive value of corn forage. *IJARe*, 55(3), 374–378. <https://doi.org/10.18805/IJARe.A-604>
- Jara Galeano, E. S., Costa, C. M., Orrico Junior, M. A. P., Fernandes, T., Retore, M., Silva, M. S. J., Orrico, A. C. A., Lopes, L. S., Garcia, R. A., and MacHado, L. A. Z. 2021. Agronomic aspects, chemical composition and digestibility of forage from corn-crotalaria intercropping. *JAS*, 159(7–8), 580–588. <https://doi.org/10.1017/S0021859621000848>

- Juniper, D. T., Browne, E. M., Fisher, A. V., Bryant, M. J., Nute, G. R., and Beever, D. E. 2005. Intake, growth and meat quality of steers given diets based on varying proportions of maize silage and grass silage. *Anim. Sci.*, *81*(1), 159–170. <https://doi.org/10.1079/ASC41340159>
- Juradi, M. A., Heni, S. P., Suwitra, I. K., Fahmi, F. N., Negara, A., Ardjanhar, A., and Abid, M. 2021. Adaptation test of various dry-land composite corn varieties in Sigi regency, Central Sulawesi. *IOP Conference Series: Earth and Environmental Science*, *759*(1). <https://doi.org/10.1088/1755-1315/759/1/012035>
- Kamara, A. Y., Menkir, A., Badu-Apraku, B., and Ibikunle, O. 2003. The influence of drought stress on growth, yield and yield components of selected maize genotypes. *Journal of Agricultural Science*, *141*(1), 43–50. <https://doi.org/10.1017/S0021859603003423>
- Kenimer, R. C., Shine, P. W., Mertz, D., Lee, C., and Sciences, S. 2023. *Kentucky corn silage hybrid performance report, 2023*. <https://publications.ca.uky.edu/files/PR834.pdf>
- Khaing, K. T., Loh, T. C., Ghizan, S. H. R. A., and Samsudin, A. A. 2015. Feed intake, growth performance and digestibility in goats fed whole corn plant silage and Napier grass. *Mal. J. Anim. Sci.*, *18*(1), 87–98.
- Kumar, B., Brar, N. S., Verma, H. K., Kumar, A., and Singh, R. 2019. Nutritious feed for farm animals during lean period: silage and hay-A Review. *Forage Res.*, *45*(July), 10–22.
- Lajús, C. R., Sebben, C., Pasqualotto, D. L., Spode, M. R., Sabadini, P. B., Dalcanton, F., Luz, G. L. da, Onofre, S. becker, Cericato, A., and Batiston, T. F. T. P. 2020. Production and nutritive value of silage corn in different reproductive stages. *IJAERS*, *7*(2), 130–136. <https://doi.org/10.22161/ijaers.72.18>
- Lalman, D., and Holder, A. 2024. *Nutrient requirements of beef cattle*. Oklahoma State University.
- Mahama, S., and Doka, F. L. 2019. Effects of Water Deficiency on Physiological Traits, Grain Nutrition Quality and Yield of three Maize (*Zea mays* L) Genotypes. *IJEAB*, *4*(5), 1373–1376. <https://doi.org/10.22161/ijeab.45.12>
- Manu, A. E. 2014. Produktivitas Padang Penggembalaan Sabana Timor Barat. *J. Trop. Forage Sci.*, *3*(1), 25–29. <https://doi.org/10.24843/Pastura.2013.v03.i01.p07>
- Masoero, F., Rossi, F., Pulimeno, A. M., & Francesco, M. (2006). Chemical composition and in vitro digestibility of stalks, leaves and cobs of four corn hybrids at different phenological stages. In *ITAL.J.ANIM.SCI* (Vol. 5). <https://doi.org/https://doi.org/10.4081/ijas.2006.215>
- McDonald, P., Edwards, R. A., Greenhalgh, J. F. D., Morgan, C. A., Sinclair, L. A., and Wilkinson, R. G. 2011. Animal nutrition. In *Nature* (7th ed.). Pearson. <https://doi.org/10.1038/111651a0>
- Mclennan, S., Mclean, I., and Paton, C. 2020. *Re-defining the animal unit equivalence (AE) for grazing ruminants and its application for determining forage intake, with particular relevance to the northern Australian grazing industries*. https://era.dpi.qld.gov.au/id/eprint/7964/1/B.GBP.0036_Final_Report.pdf
- Mendonca, V. Z. De, Mello, L. M. M. De, Pereira, F. C. B. L., Silva, J. O. D. R., and Yano, É. H. 2014. Corn Production for Silage Intercropped with Forage in the Farming-Cattle Breeding Integration. *Eng. Agríc., Jaboticabal*, *34*(4), 738–745. <https://doi.org/10.1590/S0100-69162014000400013>
- Miguel, M. F., Delagarde, R., and Ribeiro-Filho, H. M. N. 2019. Corn silage supplementation for dairy cows grazing annual ryegrass at two pasture allowances. *Arq. Bras. Med. Vet. Zootec*, *71*(3), 1037–1046. <https://doi.org/10.1590/1678-4162-9795>
- Millner, J. P., Aver, R. V., and Hardacre, A. K. 2005. The yield and nutritive value of maize hybrids grown for silage. *NZJAR*, *48*(1), 101–108. <https://doi.org/10.1080/00288233.2005.9513637>
- Moran, J. 2005. Tropical Dairy Farming: Feeding Management for Small Holder Dairy Farmers in the Humid Tropics. In *Tropical Dairy Farming*. CSIRO Publishing. <https://doi.org/10.1071/9780643093133>
- Muck, R. E., Kung, L., and Collins, M. 2020. Silage Production. In Kenneth J. Moore, Michael Collins, C. Jerry Nelson, and Daren D. Redfearn (Eds.), *Forages: The Science of Grassland Agriculture* (7th ed., Issue August, pp. 767–787). Wiley. <https://doi.org/10.1002/9781119436669.ch42>
- Nave, R. L. G., and Corbin, M. D. 2018. Forage warm-season legumes and grasses intercropped with corn as an alternative for corn silage production. *Agronomy*, *8*(10). <https://doi.org/10.3390/agronomy8100199>
- Nazli, M. H., Halim, R. A., Abdullah, A. M., Hussin, G., and Samsudin, A. A. 2018. Potential of feeding beef cattle with whole corn crop silage and rice straw in Malaysia. *Trop Anim Health Prod.*, *50*(5), 1119–1124. <https://doi.org/10.1007/s11250-018-1538-2>
- Nazli, M. H., Halim, R. A., Abdullah, A. M., Hussin, G., and Samsudin, A. A. 2019. Potential of four corn varieties at different harvest stages for silage production in Malaysia. *AJAS*, *32*(2), 224–232. <https://doi.org/10.5713/ajas.18.0175>

- Neumann, M., Horst, E. H., Cristo, F. B., Souza, A. M., Plodoviski, D. C., and Costa, L. 2021. Evaluation of corn hybrids for silage grown in different locations. *Arq. Bras. Med. Vet. Zootec.*, 73(5), 1171–1179. <https://doi.org/10.1590/1678-4162-12373>
- Phipps, R. H., Sutton, J. D., and Jones, B. A. 1995. Forage mixtures for dairy cows: The effect on dry-matter intake and milk production of incorporating either fermented or urea-treated whole-crop wheat, brewers' grains, fodder beet or maize silage into diets based on grass silage. *Animal Science*, 61(3), 491–496. <https://doi.org/10.1017/S1357729800014053>
- Poudel, R. 2023. Effects of drought stress on growth and yield parameters of *Zea mays*- A Comprehensive Review. *AMDN*, 1(2), 67–70. <https://doi.org/10.26480/amdn.02.2023.67.70>
- Rinduwati. 2017. *Studi potensi padang penggembalaan dengan pendekatan spasial di Kabupaten Gowa, Sulawesi Selatan (The use of spatial approach in studying the potential of grazing land in Gowa District, South Sulawesi)* [Disertasi]. Universitas Hasanuddin.
- Rotz, C. A., Ford, S. A., and Buckmaster, D. R. 2003. Silages in farming systems. In D. R. Buxton, R. E. Muck, and J. H. Harrison (Eds.), *Silage science and technology*. Agronomy Monograph. <https://doi.org/10.2134/agronmonogr42.c11>
- Rouillé, B., Jost, J., Fança, B., Bluet, B., Jacquerooud, M. P., Seegers, J., Charroin, T., and Le Cozler, Y. 2023. Evaluating net energy and protein feed conversion efficiency for dairy ruminant systems in France. *Liv Sci.*, 269. <https://doi.org/10.1016/j.livsci.2023.105170>
- Semenčenko, V., Terzić, D., Radosavljević, M., Milašinović-Šeremešić, M., Pajić, Z., Todorović, G., and Filipović, M. 2014. Suitability of maize hybrids biomass for animal feed production. *XVI International Symposium "Feed Technology," October*, 198–203. <https://doi.org/10.13140/2.1.1802.0808>
- Sievert, S. J., and Shaver, R. D. 1993. Effect of nonfiber carbohydrate level and *Aspergillus oryzae* fermentation extract on intake, digestion, and milk production in lactating dairy cows. *J. Anim. Sci.*, 71(4), 1032–1040. <https://doi.org/10.2527/1993.7141032x>
- Singh, D., Kumar, B., Kumar, P., and Rakshit, S. 2023. Evaluation of maize hybrids and composites for fodder yield and ensiling quality. *RMA*, 44(02), 344–352. <https://doi.org/10.59515/rma.2023.v44.i2.17>
- Sudaryanto, B., and Priyanto, D. 2010. Degradasi padang penggembalaan. In K. Suradisastra, S. M. Pasaribu, B. Sayaka, A. Dariah, I. Las, Haryono, and E. Pasandaran (Eds.), *Membalik kecenderungan degradasi sumber daya lahan dan air* (pp. 97–112). PT Penerbit IPB Press. <http://new.litbang.pertanian.go.id/buku/membalik-kecenderungan-degrad/BAB-III-5.pdf>
- Syahrudin, K., Suwardi, S., Priyanto, S. B., Efendi, R., Herawati, H., Fattah, A., Rahman, R., Hasbi, H., Aminah, A., Fatmawati, F., Santoso, S. B., Bidhari, L. A., and Abid, M. 2023. Adaptation of several hybrid maize in West Nusa Tenggara drylands using modified plant spacing for optimal seed and biomass productions. *Kultivasi*, 22(3). <https://doi.org/10.24198/kultivasi.v22i3.48558>
- Syamsu, J. A., Sofyan, L. A., Mudikdjo, K., and Sa'id, E. G. 2003. Daya dukung limbah pertanian sebagai sumber pakan ternak ruminansia di Indonesia. *Wartazoa*, 13(1), 30–37.
- Tayyab, U., Wilkinson, R. G., Charlton, G. L., Reynolds, C. K., and Sinclair, L. A. 2019. Grass silage particle size when fed with or without maize silage alters performance, reticular pH and metabolism of Holstein-Friesian dairy cows. *Animal*, 13(3), 524–532. <https://doi.org/10.1017/S1751731118001568>
- Tobing, J. C. L., Suwanto, and Zaman, S. 2022. Optimum nitrogen fertilizer dosage for composite and hybrid varieties of Maize. *J. Agron. Indonesia*, 50(2), 139–146. <https://doi.org/10.24831/jai.v50i2.40199>
- Xu, R., Zhao, H., You, Y., Wu, R., Liu, G., Sun, Z., Bademuqiqige, and Zhang, Y. 2022. Effects of Intercropping, Nitrogen Fertilization and Corn Plant Density on Yield, Protein Kasar Accumulation and Ensiling Characteristics of Silage Corn Interseeded into Alfalfa Stand. *Agriculture*, 12(3). <https://doi.org/10.3390/agriculture12030357>
- Yan, S., Weng, B., Jing, L., and Bi, W. 2023. Effects of drought stress on water content and biomass distribution in summer maize (*Zea mays* L.). *Front. Plant Sci.*, 14. <https://doi.org/10.3389/fpls.2023.1118131>
- YE, Y. xiu, WEN, Z. rong, YANG, H., LU, W. ping, and LU, D. lei. 2020. Effects of post-silking water deficit on the leaf photosynthesis and senescence of waxy maize. *J. Integr. Agric.*, 19(9), 2216–2228. [https://doi.org/10.1016/S2095-3119\(20\)63158-6](https://doi.org/10.1016/S2095-3119(20)63158-6)
- Yin, L., Xu, J., Zhang, L., Liu, D., Zhang, C., Liu, T., Wang, S., and Deng, X. 2024. Altered fatty acid composition confers improved drought acclimation in maize. *Plant Physiol. Biochem.*, 206. <https://doi.org/10.1016/j.plaphy.2023.108274>
- Zhang, H., Zhang, L., Xue, X., Zhang, X., Wang, H., Gao, T., and Phillips, C. 2022. Effect of feeding a diet comprised of various corn silages inclusion with peanut vine or wheat straw on performance,

- digestion, serum parameters and meat nutrients in finishing beef cattle. *Anim. Biosci.*, 35(1), 29–38. <https://doi.org/10.5713/ab.21.0088>
- Zhang, X., Wang, H., You, W., Zhao, H., Wei, C., Jin, Q., Liu, X., Liu, G., Tan, X., Wang, X., Wan, F., and Sun, X. 2020. In vitro degradability of corn silage and *Leymus chinensis* silage and evaluation of their mixed ratios on performance, digestion and serum parameters in beef cattle. *J. Anim. Physiol. Anim. Nutr.*, 104(6), 1628–1636. <https://doi.org/10.1111/jpn.13392>
- Zia, R., Nawaz, M. S., Siddique, M. J., Hakim, S., and Imran, A. 2021. Plant survival under drought stress: Implications, adaptive responses, and integrated rhizosphere management strategy for stress mitigation. In *Microbiol. Res.* (Vol. 242). Elsevier GmbH. <https://doi.org/10.1016/j.micres.2020.126626>

Daftar Pustaka 3

- AOAC International. (2012). *Official Methods of Analysis of AOAC INTERNATIONAL* (W. Horwitz & G. W. JR. Latimer, Eds.; 19 ed).
- Asquieri, E. R., de Moura e Silva, A. G., Mendes, D. de C. S., & Batista Dias, R. (2019). Comparison of titulometric and spectrophotometric approaches towards the determination of total soluble and insoluble carbohydrates in foodstuff. *Carpathian Journal of Food Science and Technology*, 11(3), 69–79. <https://doi.org/10.34302/crpfjst/2019.11.3.6>
- Bal, M. A., Shaver, R. D., Coors, J. G., & Lauer, J. G. (2000). Corn Silage Hybrid Effects on Intake, Digestion, and Milk Production by Dairy Cows. *Journal of Dairy Science*, 83(12), 2849–2858. [https://doi.org/10.3168/jds.S0022-0302\(00\)75185-X](https://doi.org/10.3168/jds.S0022-0302(00)75185-X)
- Banakar, P. S., Kumar, A., Shashank, C. G., & Lakhani, N. (2018). Physically effective fibre in ruminant nutrition: A review. *Article in Journal of Pharmacognosy and Phytochemistry*, 18(4), 303–308. <https://www.researchgate.net/publication/349097299>
- Bolsen, K. K., Ashbell, G., & Wilkinson, J. M. (2007). Silage additives. In R. J. Wallace & A. Chesson (Eds.), *Biotechnology in animal feeds and animal feeding* (pp. 1–358). VCH Verlagsgesellschaft. <https://doi.org/10.1002/9783527615353>
- Borreani, G., Tabacco, E., Schmidt, R. J., Holmes, B. J., & Muck, R. E. (2018). Silage review: Factors affecting dry matter and quality losses in silages. *Journal of Dairy Science*, 101(5), 3952–3979. <https://doi.org/10.3168/jds.2017-13837>
- Brüning, D., Gerlach, K., Weiß, K., & Südekum, K. H. (2018). Effect of compaction, delayed sealing and aerobic exposure on maize silage quality and on formation of volatile organic compounds. *Grass and Forage Science*, 73(1), 53–66. <https://doi.org/10.1111/gfs.12288>
- Conway, E. J., & O'Malley, E. (1942). Microdiffusion methods. Ammonia and urea using buffered absorbents (revised methods for ranges greater than 10µg. N). *Biochemical Journal*, 36(7–9), 655–661. <https://doi.org/10.1042/bj0360655>
- Cusicanqui, J. A., & Lauer, J. G. (1999). Plant density and hybrid influence on corn forage yield and quality. *Agron. J.*, 91(6), 911–915. <https://doi.org/10.2134/agronj1999.916911x>
- da Silva, M. S. J., Jobim, C. C., Poppi, E. C., Tres, T. T., & Osmari, M. P. (2015). Production technology and quality of corn silage for feeding dairy cattle in Southern Brazil. *Revista Brasileira de Zootecnia*, 44(9), 303–313. <https://doi.org/10.1590/S1806-92902015000900001>
- Del Valle, T. A., dos Santos, R. M., Azevedo, E. B. de, Cantoia, R., Faleiro, E. A., Facco, F. B., Campana, M., & de Moraes, J. P. G. (2022). Effect of rice bran and microorganism as additives in pearl millet silage. *New Zealand Journal of Agricultural Research*, 0(0), 1–14. <https://doi.org/10.1080/00288233.2022.2104328>
- Der Bedrosian, M. C., Nestor, K. E., & Kung, L. (2012). The effects of hybrid, maturity, and length of storage on the composition and nutritive value of corn silage. *J. Dairy Sci.*, 95(9), 5115–5126. <https://doi.org/10.3168/jds.2011-4833>
- El Hag, M. G., Vetter, R. L., & Kenealy, M. D. (1982a). Effects of Silage Additives on Fermentation Characteristics of Corn Silage and Performance of Feedlot Heifers. *Journal of Dairy Science*, 65(2), 259–266. [https://doi.org/10.3168/jds.S0022-0302\(82\)82185-1](https://doi.org/10.3168/jds.S0022-0302(82)82185-1)
- El Hag, M. G., Vetter, R. L., & Kenealy, M. D. (1982b). Effects of Silage Additives on Fermentation Characteristics of Corn Silage and Performance of Feedlot Heifers. *Journal of Dairy Science*, 65(2), 259–266. [https://doi.org/10.3168/jds.S0022-0302\(82\)82185-1](https://doi.org/10.3168/jds.S0022-0302(82)82185-1)
- Fallah, R. (2019). Effects of adding whey and molasses on corn silage quality, growth performance and health of Simmental fattening calves. *Journal of Livestock Science*, 10(2). <https://doi.org/10.33259/jlivestsci.2019.91-96>
- Huisden, C. M., Adesogan, A. T., Kim, S. C., & Ososanya, T. (2009). Effect of applying molasses or inoculants containing homofermentative or heterofermentative bacteria at two rates on the

- fermentation and aerobic stability of corn silage. *Journal of Dairy Science*, 92(2), 690–697. <https://doi.org/10.3168/jds.2008-1546>
- Irawan, A., Sofyan, A., Ridwan, R., Hassim, H. A., Respati, A. N., Wardani, W. W., Sadarman, Astuti, W. D., & Jayanegara, A. (2021). Effects of different lactic acid bacteria groups and fibrolytic enzymes as additives on silage quality: A meta-analysis. *Bioresource Technology Reports*, 14(February). <https://doi.org/10.1016/j.biteb.2021.100654>
- Johnson, L. M., Harrison, J. H., Davidson, D., Mahanna, W. C., & Shinnors, K. (2003). Corn silage management: Effects of hybrid, chop length, and mechanical processing on digestion and energy content. *Journal of Dairy Science*, 86(1), 208–231. [https://doi.org/10.3168/jds.S0022-0302\(03\)73601-7](https://doi.org/10.3168/jds.S0022-0302(03)73601-7)
- Krüger, A. M. P., Lima, P. D. M. T., Filho, A. L. A., Moro, J. D. G., De Carvalho, Q., Abdalla, A. L., & Jobim, C. C. (2020). Dry matter concentration and corn silage density: Effects on forage quality. *Tropical Grasslands-Forrajes Tropicales*, 8(1), 20–27. [https://doi.org/10.17138/TGFT\(8\)20-27](https://doi.org/10.17138/TGFT(8)20-27)
- Kung, L., Smith, M. L., Benjamim da Silva, E., Windle, M. C., da Silva, T. C., & Polukis, S. A. (2018). An evaluation of the effectiveness of a chemical additive based on sodium benzoate, potassium sorbate, and sodium nitrite on the fermentation and aerobic stability of corn silage. *Journal of Dairy Science*, 101(7), 5949–5960. <https://doi.org/10.3168/jds.2017-14006>
- Lalman, D., & Holder, A. (2024). *Nutrient requirements of beef cattle*. Oklahoma State University.
- Madrid, J., Martínez-Teruel, A., Hernández, F., & Megías, M. D. (1999). A comparative study on the determination of lactic acid in silage juice by colorimetric, high-performance liquid chromatography and enzymatic methods. *Journal of the Science of Food and Agriculture*, 79, 1722–1726.
- McDonald, P., Edwards, R. A., Greenhalgh, J. F. D., Morgan, C. A., Sinclair, L. A., & Wilkinson, R. G. (2011). Animal nutrition. In *Nature* (7th ed.). Pearson. <https://doi.org/10.1038/111651a0>
- Millar, R. L. (1966). Appendix: General Laboratory Procedures. *The American Biology Teacher*, 28(6), 492–502. <https://doi.org/10.2307/4441395>
- Moran, J. (2005). Tropical Dairy Farming: Feeding Management for Small Holder Dairy Farmers in the Humid Tropics. In *Tropical Dairy Farming*. CSIRO Publishing. <https://doi.org/10.1071/9780643093133>
- Muck, R. E., & Holmes, B. J. (2000). Factors affecting bunker silo densities. *Applied Engineering in Agriculture*, 16(6), 613–619.
- Muck, R. E., Nadeau, E. M. G., McAllister, T. A., Contreras-Govea, F. E., Santos, M. C., & Kung, L. (2018). Silage review: Recent advances and future uses of silage additives. *Journal of Dairy Science*, 101(5), 3980–4000. <https://doi.org/10.3168/jds.2017-13839>
- Nazli, M. H., Halim, R. A., Abdullah, A. M., Hussin, G., & Samsudin, A. A. (2019). Potential of four corn varieties at different harvest stages for silage production in Malaysia. *AJAS*, 32(2), 224–232. <https://doi.org/10.5713/ajas.18.0175>
- Neumann, M., Horst, E. H., Cristo, F. B., Souza, A. M., Plodoviski, D. C., & Costa, L. (2021). Evaluation of corn hybrids for silage grown in different locations. *Arq. Bras. Med. Vet. Zootec.*, 73(5), 1171–1179. <https://doi.org/10.1590/1678-4162-12373>
- Queiroz, O. C. M., Arriola, K. G., Daniel, J. L. P., & Adesogan, A. T. (2013). Effects of 8 chemical and bacterial additives on the quality of corn silage. *Journal of Dairy Science*, 96(9), 5836–5843. <https://doi.org/10.3168/jds.2013-6691>
- Rotz, C. A., Ford, S. A., & Buckmaster, D. R. (2003). Silages in farming systems. In D. R. Buxton, R. E. Muck, & J. H. Harrison (Eds.), *Silage science and technology*. Agronomy Monograph. <https://doi.org/10.2134/agronmonogr42.c11>
- Schwab, E. C., Shaver, R. D., Shinnors, K. J., Lauer, J. G., & Coors, J. G. (2002). Processing and chop length effects in brown-midrib corn silage on intake, digestion, and milk production by dairy cows. *Journal of Dairy Science*, 85(3), 613–623. [https://doi.org/10.3168/jds.S0022-0302\(02\)74115-5](https://doi.org/10.3168/jds.S0022-0302(02)74115-5)
- Sheperd, A. C., & Kung, L. (1996). An Enzyme Additive for Corn Silage: Effects on Silage Composition and Animal Performance. *Journal of Dairy Science*, 79(10), 1760–1766. [https://doi.org/10.3168/jds.S0022-0302\(96\)76543-8](https://doi.org/10.3168/jds.S0022-0302(96)76543-8)
- Sucu, E., Kalkan, H., Canbolat, O., & Filya, I. (2016). Effects of ensiling density on nutritive value of maize and sorghum silages. *Revista Brasileira de Zootecnia*, 45(10), 596–603. <https://doi.org/10.1590/S1806-92902016001000003>
- Tharangani, R. M. H., Yakun, C., Zhao, L. S., Ma, L., Liu, H. L., Su, S. L., Shan, L., Yang, Z. N., Kononoff, P. J., Weiss, W. P., & Bu, D. P. (2021). Corn silage quality index: An index combining milk yield, silage nutritional and fermentation parameters. *Animal Feed Science and Technology*, 273(2). <https://doi.org/10.1016/j.anifeedsci.2021.114817>

- Van Soest, P. J., Robertson, J. B., & Lewis, B. A. (1991). Methods for Dietary Fiber, Neutral Detergent Fiber, and Nonstarch Polysaccharides in Relation to Animal Nutrition. *Journal of Dairy Science*, *74*(10), 3583–3597. [https://doi.org/10.3168/jds.S0022-0302\(91\)78551-2](https://doi.org/10.3168/jds.S0022-0302(91)78551-2)
- Windle, M. C., Walker, N., & Kung, L. (2014). Effects of an exogenous protease on the fermentation and nutritive value of corn silage harvested at different dry matter contents and ensiled for various lengths of time. *Journal of Dairy Science*, *97*(5), 3053–3060. <https://doi.org/10.3168/jds.2013-7586>
- Yitbarek, M. B., & Tamir, B. (2014). Silage Additives: Review. *Open Journal of Applied Sciences*, *04*(05), 258–274. <https://doi.org/10.4236/ojapps.2014.45026>
- Young, K. M., Lim, J. M., Der Bedrosian, M. C., & Kung, L. (2012). Effect of exogenous protease enzymes on the fermentation and nutritive value of corn silage. *Journal of Dairy Science*, *95*(11), 6687–6694. <https://doi.org/10.3168/jds.2012-5628>
- Zhang, H., Zhang, L., Xue, X., Zhang, X., Wang, H., Gao, T., & Phillips, C. (2022). Effect of feeding a diet comprised of various corn silages inclusion with peanut vine or wheat straw on performance, digestion, serum parameters and meat nutrients in finishing beef cattle. *Animal Bioscience*, *35*(1), 29–38. <https://doi.org/10.5713/ab.21.0088>
- Zhang, L., Li, X., Wang, S., Zhao, J., Dong, Z., Zhao, Q., Xu, Y., Pan, X., & Shao, T. (2022). Effect of Sorbic Acid, Ethanol, Molasses, Previously Fermented Juice and Combined Additives on Ensiling Characteristics and Nutritive Value of Napiergrass (*Pennisetum purpureum*) Silage. *Fermentation*, *8*(10), 1–9. <https://doi.org/10.3390/fermentation8100528>

Daftar Pustaka 4

- Agle, M., Hristov, A, N., Zaman, S., Schneider, C., Ndegwa, P., & Vaddella, V, K, (2010), The effects of ruminally degraded protein on rumen fermentation and ammonia losses from manure in dairy cows, *Journal of Dairy Science*, *93*(4), 1625–1637, <https://doi.org/10.3168/jds.2009-2579>
- AOAC, (2012), *Official Methods of Analysis of AOAC International* (W, Horwitz & G, W, JR, Latimer, Eds.; 19th ed.), Association of Official Analytical Chemists,
- Bal, M, A., Shaver, R, D., Coors, J, G., & Lauer, J, G, (2000), Corn Silage Hybrid Effects on Intake , Digestion , and Milk Production by Dairy Cows, *Journal of Dairy Science*, *83*(12), 2849–2858, [https://doi.org/10.3168/jds.S0022-0302\(00\)75185-X](https://doi.org/10.3168/jds.S0022-0302(00)75185-X)
- Bal, M, A., Shaver, R, D., Jirovec, A, G., Shinnors, K, J., & Coors, J, G, (2000), Crop processing and chop length of corn silage: Effects on intake, digestion, and milk production by dairy cows, *Journal of Dairy Science*, *83*(6), 1264–1273, [https://doi.org/10.3168/jds.S0022-0302\(00\)74993-9](https://doi.org/10.3168/jds.S0022-0302(00)74993-9)
- Baxter, H, D., Montgomery, M, J., & Owen, J, R, (1980), Digestibility and Feeding Value of Corn Silage Fed with Boot Stage Wheat Silage and Alfalfa Silage, *Journal of Dairy Science*, *63*(2), 255–261, [https://doi.org/10.3168/jds.S0022-0302\(80\)82922-5](https://doi.org/10.3168/jds.S0022-0302(80)82922-5)
- Bayne, J, E., & Edmondson, M, A, (2021), Diseases of the gastrointestinal system, In *Sheep, Goat, and Cervid Medicine* (pp, 63–96), Elsevier, <https://doi.org/10.1016/B978-0-323-62463-3,00014-1>
- Beauchemin, K, A, (1991), Effects of Dietary Neutral Detergent Fiber Concentration and Alfalfa Hay Quality on Chewing, Rumen Function, and Milk Production of Dairy Cows, *Journal of Dairy Science*, *74*(9), 3140–3151, [https://doi.org/10.3168/jds.S0022-0302\(91\)78499-3](https://doi.org/10.3168/jds.S0022-0302(91)78499-3)
- Bolsen, K, K., Ashbell, G., & Wilkinson, J, M, (2007), Silage additives, In R, J, Wallace & A, Chesson (Eds.), *Biotechnology in animal feeds and animal feeding* (pp, 1–358), VCH Verlagsgesellschaft, <https://doi.org/10.1002/9783527615353>
- Canizares, G, I, L., Gonçalves, H, C., Costa, C., Rodrigues, L., Menezes, J, J, L., Gomes, H, F, B., Marques, R, O., & Branco, R, H, (2011), Use of high moisture corn silage replacing dry corn on intake, apparent digestibility, production and composition of milk of dairy goats, *R, Bras, Zootec*, *40*(4), 860–865, <https://doi.org/10.1590/S1516-35982011000400021>
- Colombini, S., Galassi, G., Crovetto, G, M., & Rapetti, L, (2012), Milk production, nitrogen balance, and fiber digestibility prediction of corn, whole plant grain sorghum, and forage sorghum silages in the dairy cow, *J, Dairy Sci.*, *95*(8), 4457–4467, <https://doi.org/10.3168/jds.2011-4444>
- Conway, E, J., & O'Malley, E, (1942), Microdiffusion methods, Ammonia and urea using buffered absorbents (revised methods for ranges greater than 10µg, N), *Biochemical Journal*, *36*(7–9), 655–661, <https://doi.org/10.1042/bj0360655>
- de Souza, A, M., Neumann, M., Bumbieris Junior, V, H., Manchur, A, D., Pontarolo, G, B., Heker Junior, J, C., Gavlak, T, F., & Plodoviski, D, C, (2021), Effect of advancing maturity stages of corn for silage on chemical characterization, digestibility and production costs, *Semina: Ciências Agrárias*, *42*(1), 283–300, <https://doi.org/10.5433/1679-0359,2021v42n1p283>

- Di Marco, O., Aello, M., Arias, S., & Marco, D. (2005). Digestibility and ruminal digestion kinetics of corn silage [Digestibilidade e cinética da digestão no rúmen de silagem de milho], In *Arq, Bras, Med, Vet, Zootec.*, v (Vol, 57, Issue 2),
- Faverdin, P. (1999). The effect of nutrients on feed intake in ruminants, *Proceedings of the Nutrition Society*, 58(3), 523–531, <https://doi.org/10.1017/S0029665199000695>
- Febrina, D., Zumarni, Febriyanti, R., Juliantoni, J., Yendraliza, Mirdhayati, I., Elfawati, Rifai, M., Khan, I., & Prasiyo, R. (2021). Digestibility of Nutrient and Performance of Kacang Goats which are Given Fermented Oil Palm Fronds Extract, *Advances in Animal and Veterinary Sciences*, 9(3), 422–428, <https://doi.org/10.17582/journal.aavs/2021/9,3,422,428>
- Ferraretto, L. F., Fonseca, A. C., Sniffen, C. J., Formigoni, A., & Shaver, R. D. (2015). Effect of corn silage hybrids differing in starch and neutral detergent fiber digestibility on lactation performance and total-tract nutrient digestibility by dairy cows, *Journal of Dairy Science*, 98(1), 395–405, <https://doi.org/10.3168/jds.2014-8232>
- Ferraretto, L. F., & Shaver, R. D. (2015). Effects of whole-plant corn silage hybrid type on intake, digestion, ruminal fermentation, and lactation performance by dairy cows through a meta-analysis, *Journal of Dairy Science*, 98(4), 2662–2675, <https://doi.org/10.3168/jds.2014-9045>
- García-Chávez, I., Meraz-Romero, E., Castelán-Ortega, O., Zaragoza-Esparza, J., Osorio-Avalos, J., Robles-Jiménez, L. E., & González-Ronquillo, M. (2022). Corn silage: A systematic review of the quality and yield in different regions around the world, *Cienc, Technol, Agropecuaria*, 23(3), https://doi.org/10.21930/rcta.vol23_num3_art:2547
- Irawan, A., Hartatik, T., Bintara, S., Astuti, A., & Kustantinah. (2024). Nutrient Digestibility, N Balance, Performance, and Blood Parameters of Kacang Goats Differing in GDF9 Genotype Fed Different Sources of Dietary Fiber, *Tropical Animal Science Journal*, 47(1), 33–41, <https://doi.org/10.5398/tasj.2024.47.1.33>
- Ismartoyo, I., Islamiyati, R., & Rusdy, M. (2024). Rumen Fermentation of Local Grasses Feed to Native Goat, *Hasanuddin Journal of Animal Science (HAJAS)*, 5(1), 28–35, <https://doi.org/10.20956/hajas.v5i1.24777>
- Jiao, J., Ma, S., Jiao, T., Shi, S., Gao, Y., Zhang, X., Zhao, S., & Degen, A. A. (2025). Effects of corn variety in whole-plant corn silage on Bahan Kering intake, average daily gain and gastrointestinal tract bacteria and metabolites in Hu lambs, *Frontiers in Microbiology*, 16, <https://doi.org/10.3389/fmicb.2025.1465078>
- Johnson, L. M., Harrison, J. H., Davidson, D., Mahanna, W. C., & Shinnors, K. (2003). Corn silage management: Effects of hybrid, chop length, and mechanical processing on digestion and energy content, *Journal of Dairy Science*, 86(1), 208–231, [https://doi.org/10.3168/jds.S0022-0302\(03\)73601-7](https://doi.org/10.3168/jds.S0022-0302(03)73601-7)
- Juniper, D. T., Browne, E. M., Fisher, A. V., Bryant, M. J., Nute, G. R., & Beever, D. E. (2005). Intake, growth and meat quality of steers given diets based on varying proportions of maize silage and grass silage, *Anim, Sci.*, 81(1), 159–170, <https://doi.org/10.1079/ASC41340159>
- Kassa Zewdie, A. (2019). The Different Methods of Measuring Feed Digestibility: A Review, *Ec Nutrition*, 68–74,
- Kebede, E., & Hundessa, F. (1970). Effect of replacing grass hay with maize silage as a basal diet on milk yield and composition of dairy cows, *Ethiopian Journal of Science and Technology*, 12(2), 155–166, <https://doi.org/10.4314/ejst.v12i2.4>
- Kendall, C., Leonardi, C., Hoffman, P. C., & Combs, D. K. (2009). Intake and milk production of cows fed diets that differed in dietary neutral detergent fiber and neutral detergent fiber digestibility, *Journal of Dairy Science*, 92(1), 313–323, <https://doi.org/10.3168/jds.2008-1482>
- Khaing, K. T., Loh, T. C., Ghizan, S. H. R. A., & Samsudin, A. A. (2015). Feed intake, growth performance and digestibility in goats fed whole corn plant silage and Napier grass, *Mal, J, Anim, Sci.*, 18(1), 87–98,
- Kim, J. H., & Ko, Y. D. (1995). Body weight gain, feed conversion and feed cost of Koreannative goats fed corn-manure silage, *AJAS*, 8(5), 427–431,
- Li, J., Yan, H., Chen, J., Duan, C., Guo, Y., Liu, Y., Zhang, Y., & Ji, S. (2022). Correlation of Ruminal Fermentation Parameters and Rumen Bacterial Community by Comparing Those of the Goat, Sheep, and Cow In Vitro, *Fermentation*, 8(9), <https://doi.org/10.3390/fermentation8090427>
- Ma, T., Tu, Y., Zhang, N. F., Deng, K. D., & Diao, Q. Y. (2015). Effect of the ratio of non-fibrous carbohydrates to neutral detergent fiber and protein structure on intake, digestibility, rumen fermentation, and nitrogen metabolism in lambs, *Asian-Australasian Journal of Animal Sciences*, 28(10), 1419–1426, <https://doi.org/10.5713/ajas.15.0025>
- Malik, M. I., Sun, X., Rashid, M. A., Sohail, M. A., Yousaf, M. S., Rehman, H. U., Mohsin, I., & Li, J. (2023). Feed intake, feeding behavior, growth performance, nutrient digestibility, and carcass

- characteristics of goats fed pelleted total mixed rations with varying Rhodes hay levels, *Small Ruminant Research*, 225, <https://doi.org/10.1016/j.smallrumres.2023.107014>
- Manu, A, E, (2014), Produktivitas Padang Penggembalaan Sabana Timor Barat, *J, Trop, Forage Sci*, 3(1), 25–29, <https://doi.org/10.24843/Pastura,2013,v03,i01,p07>
- McDonald, P., Edwards, R, A., Greenhalgh, J, F, D., Morgan, C, A., Sinclair, L, A., & Wilkinson, R, G, (2011), Animal nutrition, In *Nature* (7th ed.), Pearson, <https://doi.org/10.1038/111651a0>
- Miguel, M, F., Delagarde, R., & Ribeiro-Filho, H, M, N, (2019), Corn silage supplementation for dairy cows grazing annual ryegrass at two pasture allowances, *Arq, Bras, Med, Vet, Zootec*, 71(3), 1037–1046, <https://doi.org/10.1590/1678-4162-9795>
- Millar, R, L, (1966), Appendix: General Laboratory Procedures, *The American Biology Teacher*, 28(6), 492–502, <https://doi.org/10.2307/4441395>
- Millner, J, P., Aver, R, V., & Hardacre, A, K, (2005), The yield and nutritive value of maize hybrids grown for silage, *NZJAR*, 48(1), 101–108, <https://doi.org/10.1080/00288233.2005.9513637>
- Morais, M, J., Sevilla, C, C., Dizon, J, T., Manulat, G, L., Abes, E, E, C., & Angelesa, A, A, (2018), Growth performance and ruminal metabolic variables of goats fed rain tree (*Samanea saman*) pods, *Tropical Animal Science Journal*, 41(1), 22–28, <https://doi.org/10.5398/tasj.2018.41.1.22>
- Moran, J, (2005), Tropical Dairy Farming: Feeding Management for Small Holder Dairy Farmers in the Humid Tropics, In *Tropical Dairy Farming*, CSIRO Publishing, <https://doi.org/10.1071/9780643093133>
- Muktiani, A., Kusumanti, E., Harjanti, D, W., & Achmadi, J, (2020), Feed efficiency and income over feed cost of Ettawa crossbred goats fed different quality of dry complete feed supplemented with mineral, *IOP Conference Series: Earth and Environmental Science*, 518(1), 16–22, <https://doi.org/10.1088/1755-1315/518/1/012080>
- Nazli, M, H., Halim, R, A., Abdullah, A, M., Hussin, G., & Samsudin, A, A, (2018), Potential of feeding beef cattle with whole corn crop silage and rice straw in Malaysia, *Trop Anim Health Prod*, 50(5), 1119–1124, <https://doi.org/10.1007/s11250-018-1538-2>
- Nazli, M, H., Halim, R, A., Abdullah, A, M., Hussin, G., & Samsudin, A, A, (2019), Potential of four corn varieties at different harvest stages for silage production in Malaysia, *AJAS*, 32(2), 224–232, <https://doi.org/10.5713/ajas.18.0175>
- Neumann, M., Horst, E, H., Cristo, F, B., Souza, A, M., Plodoviski, D, C., & Costa, L, (2021), Evaluation of corn hybrids for silage grown in different locations, *Arq, Bras, Med, Vet, Zootec*, 73(5), 1171–1179, <https://doi.org/10.1590/1678-4162-12373>
- Phesatcha, B., Phesatcha, K., Viennaxay, B., Thao, N, T., & Wanapat, M, (2021), Feed Intake and Nutrient Digestibility, Rumen Fermentation Profiles, Milk Yield and Compositions of Lactating Dairy Cows Supplemented by *Flemingia macrophylla* Pellet, *Tropical Animal Science Journal*, 44(3), 288–296, <https://doi.org/10.5398/tasj.2021.44.3.288>
- Phipps, R, H., Sutton, J, D., & Jones, B, A, (1995), Forage mixtures for dairy cows: The effect on dry-matter intake and milk production of incorporating either fermented or urea-treated whole-crop wheat, brewers' grains, fodder beet or maize silage into diets based on grass silage, *Animal Science*, 61(3), 491–496, <https://doi.org/10.1017/S1357729800014053>
- Preston, T, R., & Leng, R, A, (1987), *Matching Ruminant Production Systems with Available Resources in the Tropics and Sub-Tropics*, Penambul Books,
- Purnomo, N., Natsir, A., Ako, A., & Ismartoyo, (2025), Nutritional Content and Fermentation Profile of Whole-Plant Corn Silage Cultivated in Rice Fields during the Dry Season from Various Varieties and Additives, *Proceedings of the 5th International Conference on Environmentally Sustainable Animal Industry (ICESAI 2024)*, 252–263, https://doi.org/10.2991/978-94-6463-670-3_26
- Rinduwati, (2017), *Studi potensi padang penggembalaan dengan pendekatan spasial di Kabupaten Gowa, Sulawesi Selatan (The use of spatial approach in studying the potential of grazing land in Gowa District, South Sulawesi)* [Disertasi], Universitas Hasanuddin,
- Rotz, C, A., Ford, S, A., & Buckmaster, D, R, (2003), Silages in farming systems, In D, R, Buxton, R, E, Muck, & J, H, Harrison (Eds.), *Silage science and technology*, Agronomy Monograph, <https://doi.org/10.2134/agronmonogr42.c11>
- Sahoo, A., Karim, S., & Koroma, E, B, (2010), SHEEP AND GOAT NUTRITION: NEWER CONCEPTS AND EMERGING CHALLENGES Nutrition-parasite Interaction View project Maximizing nutrient output through bio-fortification of forages for augmenting sheep production View project, In *Article in Indian Journal of Small Ruminants*, <https://www.researchgate.net/publication/348371244>
- Sampelayo, M, R, S., Allegretti, L., Mariscal, I, R., Extremera, F, G., & Boza, J, (1995), Dietary factors affecting the maximum feed intake and the body composition of pre-ruminant kid goats of the Granadina breed, *British Journal of Nutrition*, 74(3), 335–345, <https://doi.org/10.1079/bjn19950139>

- Sayuti, Muh., Syahrudin, S., Sahara, L., Rachman, A, B., Metaragakusuma, A, P., & Febrisiantosa, A, (2024), Evaluating complete silage for goat feeding in Gorontalo, Indonesia, *Current Research on Biosciences and Biotechnology*, 5(2), 17–21, <https://doi.org/10.5614/crbb,2024,5,2/NEHZ10BA>
- Semenčenko, V., Terzić, D., Radosavljević, M., Milašinović-Šeremešić, M., Pajić, Z., Todorović, G., & Filipović, M, (2014), Suitability of maize hybrids biomass for animal feed production, *XVI International Symposium "Feed Technology," October*, 198–203, <https://doi.org/10.13140/2.1.1802.0808>
- Srivastava, S, N, L., & Sharma, K, (1998), Feed intake, nutrient utilization and growth rate of Jamunapari goats fed sundried *Leucaena leucocephala*, *Asian-Australasian Journal of Animal Sciences*, 11(4), 337–343, <https://doi.org/10.5713/ajas,1998,337>
- Stern, M, O., Santos, K, A., & Satter, L, D, (1985), Protein Degradation in Rumen and Amino Acid Absorption in Small Intestine of Lactating Dairy Cattle Fed Heat-Treated Whole Soybeans, *Journal of Dairy Science*, 68(1), 45–56, [https://doi.org/10.3168/jds.S0022-0302\(85\)80796-7](https://doi.org/10.3168/jds.S0022-0302(85)80796-7)
- Sucu, E., Kalkan, H., Canbolat, O., & Filya, I, (2016), Effects of ensiling density on nutritive value of maize and sorghum silages, *Revista Brasileira de Zootecnia*, 45(10), 596–603, <https://doi.org/10.1590/S1806-92902016001000003>
- Sudaryanto, B., & Priyanto, D, (2010), Degradasi padang penggembalaan, In K, Suradisastra, S, M, Pasaribu, B, Sayaka, A, Dariah, I, Las, Haryono, & E, Pasandaran (Eds.), *Membalik kecenderungan degradasi sumber daya lahan dan air* (pp, 97–112), PT Penerbit IPB Press, <http://new.litbang.pertanian.go.id/buku/membalik-kecenderungan-degrad/BAB-III-5.pdf>
- Sudweeks, E, M., Ely, L, O., & Sisk, L, R, (1979), Effect of Particle Size of Corn Silage on Digestibility and Rumen Fermentation, *Journal of Dairy Science*, 62(2), 292–296, [https://doi.org/10.3168/jds.S0022-0302\(79\)83238-5](https://doi.org/10.3168/jds.S0022-0302(79)83238-5)
- Syawal, S., Garantjang, S., Natsir, A., & Ako, A, (2020), The effect of katuk (*Sauropus androgynus*) and gamal (*Gliricidia sepium*) supplementation on the Bahan Kering digestibility, Bahan Organik digestibility, and milk quality of Friesian Holstein, *IOP Conference Series: Earth and Environmental Science*, 012017, <https://doi.org/10.1088/1755-1315/492/1/012017>
- Tahuk, P, K., & Bira, G, F, (2022), Konsumsi dan pencernaan nutrien, serta kinerja pertumbuhan kambing Kacang muda dilihat dari perbedaan jenis kelamin dan perlakuan kastrasi, *Livestock and Animal Research*, 20(2), 130, <https://doi.org/10.20961/lar.v20i2.56052>
- Tahuk, P, K., Frans Bira, G., Ronal Mude Lopi, K., Bosharry Nenabu, A., & Kolo, N, (2021), Nutrient Intake, Digestibility and Performance of Male Kacang Goats Fattened by Complete Silage, *Advances in Animal and Veterinary Sciences*, 9(12), 527–534, <https://doi.org/10.17582/journal.aavs/2021/9,12,2147,2156>
- Tarverdi Sarabi, S., Fattah, A., Papi, N., & Ebrahimi Mahmoudabad, S, R, (2023), Impact of corn silage substitution for dry alfalfa on milk fatty acid profile, nitrogen utilization, plasma biochemical markers, rumen fermentation, and antioxidant capacity in Mahabadi lactating goats, *Veterinary and Animal Science*, 22, <https://doi.org/10.1016/j.vas.2023.100323>
- Tayyab, U., Wilkinson, R, G., Charlton, G, L., Reynolds, C, K., & Sinclair, L, A, (2019), Grass silage particle size when fed with or without maize silage alters performance, reticular pH and metabolism of Holstein-Friesian dairy cows, *Animal*, 13(3), 524–532, <https://doi.org/10.1017/S1751731118001568>
- Van Soest, P, J., Robertson, J, B., & Lewis, B, A, (1991), Methods for Dietary Fiber, Neutral Detergent Fiber, and Nonstarch Polysaccharides in Relation to Animal Nutrition, *Journal of Dairy Science*, 74(10), 3583–3597, [https://doi.org/10.3168/jds.S0022-0302\(91\)78551-2](https://doi.org/10.3168/jds.S0022-0302(91)78551-2)
- Weiss, W, P., & Wyatt, D, J, (2002), Effects of feeding diets based on silage from corn hybrids that differed in concentration and in vitro digestibility of neutral detergent fiber to dairy cows, *Journal of Dairy Science*, 85(12), 3462–3469, [https://doi.org/10.3168/jds.S0022-0302\(02\)74434-2](https://doi.org/10.3168/jds.S0022-0302(02)74434-2)
- Win Muang, E, E., & San, K, M, (2020), Effects of Different Percentages of Sorghum Silage and Napier Grass on Nutrient Intake and Growth Performance of Goats, *IJERD-International Journal of Environmental and Rural Development*, 11–12,
- Zhang, H., Zhang, L., Xue, X., Zhang, X., Wang, H., Gao, T., & Phillips, C, (2022), Effect of feeding a diet comprised of various corn silages inclusion with peanut vine or wheat straw on performance, digestion, serum parameters and meat nutrients in finishing beef cattle, *Anim, Biosci.*, 35(1), 29–38, <https://doi.org/10.5713/ab,21,0088>
- Zhang, X., Wang, H, C., & Muhaiden, M, H, (2021), Effect of Replacing Corn Silage with Various Forage Silages in the Diet on Carcass Parameters, Meat Quality, Fatty Acid Profile and Amino Acid Composition of Beef Cattle, *International Journal of Agriculture and Biology*, 25(4), 895–903, <https://doi.org/10.17957/IJAB/15,1744>

Daftar Pustaka 5

- Amah, U, A, R., Hambakodu, M., & Ina, Y, T, (2022), Produksi, komposisi botani, dan kapasitas tampung padang penggembalaan desa maubokul, kecamatan pandawai, pada musim kemarau, *J, Trop, Forage Sci.*, 11(2), 116, <https://doi.org/10.24843/pastura.2022.v11.i02.p09>
- Bal, M, A., Shaver, R, D., Jirovec, A, G., Shinnors, K, J., & Coors, J, G, (2000), Crop processing and chop length of corn silage: Effects on intake, digestion, and milk production by dairy cows, *Journal of Dairy Science*, 83(6), 1264–1273, [https://doi.org/10.3168/jds.S0022-0302\(00\)74993-9](https://doi.org/10.3168/jds.S0022-0302(00)74993-9)
- Bolsen, K, K., Ashbell, G., & Wilkinson, J, M, (2007), Silage additives, In R, J, Wallace & A, Chesson (Eds.), *Biotechnology in animal feeds and animal feeding* (pp, 1–358), VCH Verlagsgesellschaft, <https://doi.org/10.1002/9783527615353>
- Colombini, S., Galassi, G., Crovetto, G, M., & Rapetti, L, (2012), Milk production, nitrogen balance, and fiber digestibility prediction of corn, whole plant grain sorghum, and forage sorghum silages in the dairy cow, *J, Dairy Sci.*, 95(8), 4457–4467, <https://doi.org/10.3168/jds.2011-4444>
- Del Valle, T, A., dos Santos, R, M., Azevedo, E, B, de, Cantoia, R., Faleiro, E, A., Facco, F, B., Campana, M., & de Moraes, J, P, G, (2022), Effect of rice bran and microorganism as additives in pearl millet silage, *New Zealand Journal of Agricultural Research*, 0(0), 1–14, <https://doi.org/10.1080/00288233.2022.2104328>
- El Hag, M, G., Vetter, R, L., & Kenealy, M, D, (1982), Effects of Silage Additives on Fermentation Characteristics of Corn Silage and Performance of Feedlot Heifers., *Journal of Dairy Science*, 65(2), 259–266, [https://doi.org/10.3168/jds.S0022-0302\(82\)82185-1](https://doi.org/10.3168/jds.S0022-0302(82)82185-1)
- Fallah, R, (2019), Effects of adding whey and molasses on corn silage quality, growth performance and health of Simmental fattening calves, *Journal of Livestock Science*, 10(2), <https://doi.org/10.33259/jlivestsci.2019.91-96>
- Ferraretto, L, F., Fonseca, A, C., Sniffen, C, J., Formigoni, A., & Shaver, R, D, (2015), Effect of corn silage hybrids differing in starch and neutral detergent fiber digestibility on lactation performance and total-tract nutrient digestibility by dairy cows, *Journal of Dairy Science*, 98(1), 395–405, <https://doi.org/10.3168/jds.2014-8232>
- García-Chávez, I., Meraz-Romero, E., Castelán-Ortega, O., Zaragoza-Esparza, J., Osorio-Avalos, J., Robles-Jiménez, L, E., & González-Ronquillo, M, (2022), Corn silage: A systematic review of the quality and yield in different regions around the world, *Cienc, Tecnol, Agropecuaria*, 23(3), https://doi.org/10.21930/rcta.vol23_num3_art:2547
- Gunawas, I., Kurniawan, W., & Bain, A, (2023), Evaluasi kapasitas tampung padang penggembalaan Site Padangbila PT, Cakra Bombana Sejahtera, Kabupaten Bombana Sulawesi Tenggara, *JIPHO*, 5(1), 1, <https://doi.org/10.56625/jipho.v5i1.28795>
- Irawan, A., Hartatik, T., Bintara, S., Astuti, A., & Kustantinah, (2024), Nutrient Digestibility, N Balance, Performance, and Blood Parameters of Kacang Goats Differing in GDF9 Genotype Fed Different Sources of Dietary Fiber, *Tropical Animal Science Journal*, 47(1), 33–41, <https://doi.org/10.5398/tasj.2024.47.1.33>
- Irawan, A., Sofyan, A., Ridwan, R., Hassim, H, A., Respati, A, N., Wardani, W, W., Sadarman, Astuti, W, D., & Jayanegara, A, (2021), Effects of different lactic acid bacteria groups and fibrolytic enzymes as additives on silage quality: A meta-analysis, *Bioresource Technology Reports*, 14(February), <https://doi.org/10.1016/j.biteb.2021.100654>
- Jiao, J., Ma, S., Jiao, T., Shi, S., Gao, Y., Zhang, X., Zhao, S., & Degen, A, A, (2025), Effects of corn variety in whole-plant corn silage on dry matter intake, average daily gain and gastrointestinal tract bacteria and metabolites in Hu lambs, *Frontiers in Microbiology*, 16, <https://doi.org/10.3389/fmicb.2025.1465078>
- Kamara, A, Y., Menkir, A., Badu-Apraku, B., & Ibikunle, O, (2003), The influence of drought stress on growth, yield and yield components of selected maize genotypes, *Journal of Agricultural Science*, 141(1), 43–50, <https://doi.org/10.1017/S0021859603003423>
- Khaing, K, T., Loh, T, C., Ghizan, S, H, R, A., & Samsudin, A, A, (2015), Feed intake, growth performance and digestibility in goats fed whole corn plant silage and Napier grass, *Mal, J, Anim, Sci.*, 18(1), 87–98,
- Kim, J, H., & Ko, Y, D, (1995), Body weight gain, feed conversion and feed cost of Koreannative goats fed corn-manure silage, *AJAS*, 8(5), 427–431,
- Lalman, D., & Holder, A, (2024), *Nutrient requirements of beef cattle*, Oklahoma State University,
- McDonald, P., Edwards, R, A., Greenhalgh, J, F, D., Morgan, C, A., Sinclair, L, A., & Wilkinson, R, G, (2011), Animal nutrition, In *Nature* (7th ed.), Pearson, <https://doi.org/10.1038/111651a0>
- Moran, J, (2005), Tropical Dairy Farming: Feeding Management for Small Holder Dairy Farmers in the Humid Tropics, In *Tropical Dairy Farming*, CSIRO Publishing, <https://doi.org/10.1071/9780643093133>

- Muktiani, A., Kusumanti, E., Harjanti, D, W., & Achmadi, J, (2020), Feed efficiency and income over feed cost of Ettawa crossbred goats fed different quality of dry complete feed supplemented with mineral, *IOP Conference Series: Earth and Environmental Science*, 518(1), 16–22, <https://doi.org/10.1088/1755-1315/518/1/012080>
- Poudel, R, (2023), Effects of drought stress on growth and yield parameters of Zea mays- A Comprehensive Review, *AMDN*, 1(2), 67–70, <https://doi.org/10.26480/amdn.02.2023.67.70>
- Rinduwati, (2017), *Studi potensi padang penggembalaan dengan pendekatan spasial di Kabupaten Gowa, Sulawesi Selatan (The use of spatial approach in studying the potential of grazing land in Gowa District, South Sulawesi)* [Disertasi], Universitas Hasanuddin,
- Sayuti, Muh., Syahrudin, S., Sahara, L., Rachman, A, B., Metaragakusuma, A, P., & Febrisiantosa, A, (2024), Evaluating complete silage for goat feeding in Gorontalo, Indonesia, *Current Research on Biosciences and Biotechnology*, 5(2), 17–21, <https://doi.org/10.5614/crbb.2024.5.2/NEHZ10BA>
- Syamsu, J, A., Sofyan, L, A., Mudikdjo, K., & Sa'id, E, G, (2003), Daya dukung limbah pertanian sebagai sumber pakan ternak ruminansia di Indonesia, *Wartazoa*, 13(1), 30–37,
- Tahuk, P, K., Frans Bira, G., Ronal Mude Lopi, K., Bosharry Nenabu, A., & Kolo, N, (2021), Nutrient Intake, Digestibility and Performance of Male Kacang Goats Fattened by Complete Silage, *Advances in Animal and Veterinary Sciences*, 9(12), 527–534, <https://doi.org/10.17582/journal.aavs/2021/9.12.2147.2156>
- Tan, Z., Pang, H., & Cai, Y, (2025), Principle of Silage Fermentation, In *Cultural History and Modern Production Technology of Silage* (pp, 45–54), Springer Nature Singapore, https://doi.org/10.1007/978-981-96-5787-2_3
- Wang, S., Guo, F., Wang, Y., Dong, M., Wang, J., & Xiao, G, (2025), Effects of Substituting Sweet Sorghum for Corn Silage in the Diet on the Growth Performance, Meat Quality, and Rumen Microorganisms of Boer Goats in China, *Animals*, 15(10), 1492, <https://doi.org/10.3390/ani15101492>
- Weiss, W, P., & Wyatt, D, J, (2002), Effects of feeding diets based on silage from corn hybrids that differed in concentration and in vitro digestibility of neutral detergent fiber to dairy cows, *Journal of Dairy Science*, 85(12), 3462–3469, [https://doi.org/10.3168/jds.S0022-0302\(02\)74434-2](https://doi.org/10.3168/jds.S0022-0302(02)74434-2)
- Zhang, X., Wang, H, C., & Muhaiden, M, H, (2021), Effect of Replacing Corn Silage with Various Forage Silages in the Diet on Carcass Parameters, Meat Quality, Fatty Acid Profile and Amino Acid Composition of Beef Cattle, *International Journal of Agriculture and Biology*, 25(4), 895–903, <https://doi.org/10.17957/IJAB/15.1744>
- Zhang, X., Wang, H., You, W., Zhao, H., Wei, C., Jin, Q., Liu, X., Liu, G., Tan, X., Wang, X., Wan, F., & Sun, X, (2020), In vitro degradability of corn silage and *Leymus chinensis* silage and evaluation of their mixed ratios on performance, digestion and serum parameters in beef cattle, *J, Anim, Physiol, Anim, Nutr*, 104(6), 1628–1636, <https://doi.org/10.1111/jpn.13392>