

DAFTAR PUSTAKA

- Akintunde, A. O., Kolu, P., Akintunde, I. A., Adewole, S. A., Akinboye, O. E., Afodu, O. J., ... & Shobo, B. A. (2022). Evaluation of the nutritive values of Carica papaya fruit peels as a potential ingredient in livestock nutrition. *Animal Production*, 24(2), 104-113.
- Anam, C. (2019). Mengungkap senyawa pada nata de coco sebagai pangan fungsional. *Jurnal Ilmu Pangan dan Hasil Pertanian*, 3(1), 42-53.
- Anderson, J.W., Baird, P., Davis, R.H., Ferreri, S., Knudtson, M., Koraym, A., Waters, V., & Williams, C.L. 2009. Health benefits of dietary fiber. Internasional Life Scienes Institute. 67(4), 188-205.
- Ariandi. (2016). Pengenalan enzim amilase (alpha-amylase) dan reaksi enzimatisnya menghidrolisis amilosa pati menjadi glukosa. *Jurnal Dinamika*, 07(1), 74–82.
- Ariska, Y., Handayani, T. W., & Tandi, J. (2021). Uji Efek Antidiabetes Ekstrak Etanol Kulit Buah Pepaya Pada Tikus Putih Jantan Yang Diinduksi Streptozotocin. Farmakologika: *Jurnal Farmasi*, 18(1), 84-93
- Brockman, D. A., Chen, X., & Gallaher, D. D. (2012). Hydroxypropyl methylcellulose, a viscous soluble fiber, reduces insulin resistance and decreases fatty liver in Zucker Diabetic Fatty rats. *Nutrition & Metabolism*, 9(1), 100.
- Cahyawardani, C., Sulistyowati, E., & Widajati, E. (2023). Carbohydrate and Fiber Intake on Fasting Blood Glucose Levels in Patients with Type 2 Diabetes Mellitus after Intervention of Brown Rice Diet. *Indonesian Journal of Human Nutrition*, 10(1), 1-11.
- Cho, N. H., Shaw, J. E., Karuranga, S., Huang, Y., da Rocha Fernandes, J. D., Ohlrogge, A. W., & Malanda, B. I. D. F. (2018). IDF Diabetes Atlas: Global estimates of diabetes prevalence for 2017 and projections for 2045. *Diabetes research and clinical practice*, 138, 271-281.
- Fitriana, N., Yustisia, I., Kadir, S., Azis, I., & Hardjo, M. (2025). Effect of Papaya Peel Nata Oral Administration on the Blood Glucose Level in Male Rats with Streptozotocin-Induced Diabetic Mellitus. *Tropical Journal of Natural Product Research*, 9(3).
- Gong, L., Feng, D., Wang, T., Ren, Y., Liu, Y., & Wang, J. (2020). Inhibitors of α -amylase and α -glucosidase: Potential linkage for whole cereal foods on prevention of hyperglycemia. *Food science & nutrition*, 8(12), 6320-6337.
- Goyal, R., Singhal, M., & Jialal, I. (2023). Type 2 diabetes. *StatPearls [Internet]*.
- Hamad, A., Hidayah, B. I., Sholekhah, A., & Septhea, A. G. (2017). Potensi kulit nanas sebagai substrat dalam pembuatan nata de pina. *JRST (Jurnal Riset Sains dan Teknologi)*, 1(1), 09-14.

- Hidayah, N., Pratama, K. J., & Raharjo, D. (2023). Aktivitas Penghambatan Enzim Alfa-Amilase Ekstrak Dan Fraksidaun Nipah (*Nypa Fruticans* Wurmb). *Jurnal Ilmiah Wahana Pendidikan*, 9(25), 677-684.
- International Diabetes Federation. 2019. Diabetes Atlas. *Ninth Edition*. USA.
- Islam, M. S., & Wilson, R. D. (2012). Experimentally induced rodent models of type 2 diabetes. In *Animal models in diabetes research* (pp. 161-174). Totowa, NJ: Humana Press.
- Komariah, K., & Rahayu, S. (2020). Hubungan usia, jenis kelamin dan indeks massa tubuh dengan kadar gula darah puasa pada pasien diabetes melitus tipe 2 di klinik pratama rawat jalan proklamasi, Depok, Jawa Barat. *Jurnal Kesehatan Kusuma Husada*, 41-50.
- Kaur, N., Kumar, V., Nayak, S. K., Wadhwa, P., Kaur, P., & Sahu, S. K. (2021). Alpha-amylase as molecular target for treatment of diabetes mellitus: A comprehensive review. *Chemical biology & drug design*, 98(4), 539-560.
- Liu, Y., Fan, C., Tian, M., Yang, Z., Liu, F., & Pan, S. (2017). Effect of drying methods on physicochemical properties and in vitro hypoglycemic effects of orange peel dietary fiber. *Journal of Food Processing and Preservation*, 41(6), e13292.
- Loway, D. O. A., Suryanto, E., & Fatimah, F. (2023). Karakterisasi Serat Pangan, Penghambatan Enzim α -Amilase dan Aktivitas Antioksidan dari Daun Kubis (*Brassica Oleracea* L.).
- Mahardikaningrum, S., & Yuanita, L. (2012). Aktivitas Enzim Amilase *Rattus norvegicus* pada Diet Tinggi Serat Pangan: Varasi pH dan Lama Perebusan. *Unesa Journal of Chemistry*, 1(1), 100-107.
- Masoa, G. G., Lidya Irma, & Edi Suryanto. (2023). Aktivitas Penghambatan Enzim α -Amilase dan Penyerapan Kolesterol Dari Serat Pangan Alga *Euclima spinosum*. *Chemistry Progress*, 16(1), 41–52
- Meldrum, O. W., & Yakubov, G. E. (2024). Journey of dietary fiber along the gastrointestinal tract: role of physical interactions, mucus, and biochemical transformations. *Critical Reviews in Food Science and Nutrition*, 1-29.
- Muritala, H. F., Akolade, J. O., Akande, S. A., Abdulazeez, A. T., Aladodo, R. A., & Bello, A. B. (2018). Antioxidant and alpha-amylase inhibitory potentials of *Cocos nucifera* husk. *Food science & nutrition*, 6(6), 1676-1683.
- Mogoş, T., Dondo, C., & Iacobini, A. E. (2017). A review of dietary fiber in the diabetic diet. *Romanian Journal of Diabetes Nutrition and Metabolic Diseases*, 24(2), 161-164.
- Nauck, M. A., & Müller, T. D. (2023). Incretin hormones and type 2 diabetes. *Diabetologia*, 66(10), 1780-1795.

- Nishida, C., et al. (2004). The Joint WHO/FAO Expert Consultation on Diet, Nutrition and the Prevention of Chronic Diseases: Process, Product and Policy Implications. *Public Health Nutrition*. Vol. 7 (1A): 245-250
- Nuralifah, N., Parawansah, P., & Trisetya, M. (2022). Histopatologi Organ Pankreas Tikus DM tipe 2 yang diberi Ekstrak Etanol Daun Gedi Merah (*Abelmoscus manihot* L. Medik). *Journal Syifa Sciences and Clinical Research (JSSCR)*, 4(1).
- Oboh, G., Olabiyi, A. A., Akinyemi, A. J., & Ademiluyi, A. O. (2014). Inhibition of key enzymes linked to type 2 diabetes and sodium nitroprusside-induced lipid peroxidation in rat pancreas by water-extractable phytochemicals from unripe pawpaw fruit (*Carica papaya*). *Journal of Basic and Clinical Physiology and Pharmacology*, 25(1), 21-34.
- Oktafani, L. A., & Suwandi, J. F. (2019). Potensi tanaman pepaya (*Carica papaya*) sebagai antihelmintik. *Majority*, 246-250.
- Paat, A., Sarajar, C. L., Leke, J. R., & Sompie, F. N. (2020). Pemanfaatan tepung kulit pepaya (*carica papaya* L) dalam ransum terhadap kualitas internal telur. *Zootec*, 40(2), 418-427.
- Pavithra, C. S., Devi, S. S., Suneetha, W. J., & Rani, C. V. D. (2017). Nutritional properties of papaya peel. *The Pharma Innovation Journal*, 6(7), 170-173.
- Putri, O., Wanda, N. P., Kusuma, D., & Gusti, A. (2020). Gambaran Tingkat Konsumsi Serat Dan Kadar Glukosa Darah Kasus Dm Tipe 2 Poli Penyakit Dalam Di Rsud Wangaya Denpasar. *J. Chem. Inf. Model*, 53(9), 1689-1699.
- Putri, S. N. Y., Syaharani, W. F., Utami, C. V. B., Safitri, D. R., Arum, Z. N., Prihastari, Z. S., & Sari, A. R. (2021). Pengaruh mikroorganisme, bahan baku, dan waktu inkubasi pada karakter nata. *Jurnal Teknologi Hasil Pertanian*, 14(1), 62-74.
- Qin, X., Yuan, Y., Fei, S., Lin, X., Shi, S., Wang, X., ... & Liu, S. (2024). Exploring the biotic and abiotic drivers influencing nata de coco production by *Komagataeibacter nataicola* in pre-fermented coconut water. *International Journal of Food Microbiology*, 414, 110620.
- Rachmawati, N. A., Haryati, S., & Munandar, A. (2017). Characteristic of Nata de Seaweed with Different Concentrations of Bacteria *Acetobacter xylinum*. *Journal of Fisheries and Marine Sciences*, 7(2), 112-124.
- Rose, D., Ardiningsih, P., Idiawati, N., 2018. Characteristics of Nata de jackfruit (*Artocarpus heterophyllus*) with variations in concentration of *Acetobacter xylinum* starter. *Journal of Equator Chemistry* 7: 1-7.
- Salihu, R., Ansari, M. N. M., Abd Razak, S. I., Ahmad Zawawi, N., Shahir, S., Sani, M. H., ... & Nayan, N. H. M. (2021). *Catalyst-Free Crosslinking Modification of Nata-de-Coco-Based Bacterial Cellulose Nanofibres Using Citric Acid for*

Biomedical Applications. Polymers 2021, 13, 2966.

- Skyler, J. S., Bakris, G. L., Bonifacio, E., Darsow, T., Eckel, R. H., Groop, L., ... & Ratner, R. E. (2017). Differentiation of diabetes by pathophysiology, natural history, and prognosis. *Diabetes*, 66(2), 241-255.
- Sundarram, A., & Murthy, T. P. K. (2014). α -amylase production and applications: a review. *Journal of Applied & Environmental Microbiology*, 2(4), 166-175.
- Wang, K., Li, M., Han, Q., Fu, R., & Ni, Y. (2021). Inhibition of α -amylase activity by insoluble and soluble dietary fibers from kiwifruit (*Actinidia deliciosa*). *Food Bioscience*, 42, 101057.
- Wang, K., Wang, Y., Chen, S., Gu, J., & Ni, Y. (2022). Insoluble and soluble dietary fibers from kiwifruit (*Actinidia deliciosa*) modify gut microbiota to alleviate high-fat diet and streptozotocin-induced TYPE 2 diabetes in rats. *Nutrients*, 14(16), 3369
- Wang, P. Y., Fang, J. C., Gao, Z. H., Zhang, C., & Xie, S. Y. (2016). Higher intake of fruits, vegetables or their fiber reduces the risk of type 2 diabetes: A meta-analysis. *Journal of diabetes investigation*, 7(1), 56-69.
- Wu, Y., Ding, Y., Tanaka, Y., & Zhang, W. (2014). Risk factors contributing to type 2 diabetes and recent advances in the treatment and prevention. *International journal of medical sciences*, 11(11), 1185.
- Yan, L. J. (2022). The nicotinamide/streptozotocin rodent model of type 2 diabetes: renal pathophysiology and redox imbalance features. *Biomolecules*, 12(9), 1225.
- Yuanita, L., & Maulidah, E. Y. (2022). Pengaruh Pemberian Sirup Prebiotik Umbi Yakon Terhadap Aktivitas Enzim Pencernaan Pada Duodenum *Rattus norvegicus*. *Unesa Journal of Chemistry*, 11(1), 1-8.
- Yuniastuti, A., Susanti, R., & Iswari, R. S. (2018). Efek Infusa Umbi Garut (*Marantha arundinaceae* L) Terhadap Kadar Glukosa dan Insulin Plasma Tikus yang Diinduksi Streptozotocyn. *Indonesian Journal of Mathematics and Natural Sciences*, 41(1), 34-39.