

DAFTAR PUSTAKA

- Ahn, S.Y., Lee, J.S., Kim, J. & Kim, M.Y. (2024) 'Benefits of robot-assisted upper-limb rehabilitation from the perspective of occupational therapists: A mixed-methods study', *Journal of Clinical Medicine*, 13(3), 808. doi:10.3390/jcm13030808.
- Anderson-Hanley, C. et al. (2012) 'Exergaming and older adult cognition: a cluster randomized clinical trial', *American Journal of Preventive Medicine*, 42(2), pp. 109–119.
- Barcelos, N. et al. (2015) 'Aerobic and cognitive exercise (ACE) pilot study for older adults: executive function improves with cognitive challenge while exergaming', *Journal of the International Neuropsychological Society*, 21(10), pp. 768–779.
- Bill, N.N. & Merzenich, M. (2001) 'Principles of neuroplasticity: Implications for neurorehabilitation and learning', in Gonzales, E.G. et al. (eds) *Downey & Darling's Physiological Basis of Rehabilitation Medicine*. 3rd edn. USA: Butterworth-Heinemann, pp. 609–624.
- Blanton, S. & Wolf, S.L. (2006) 'Arm and hand weakness', in Selzer, M.E. et al. (eds) *Textbook of Neural Repair and Rehabilitation*. Cambridge: Cambridge University Press, pp. 265–282.
- Bliss, T.V.P. & Cooke, S.F. (2011) 'Long-term potentiation and long-term depression: clinical perspective', *Clinics*, 66(S1), pp. 3–17.
- Boardsworth, K. et al. (2025) 'Upper limb robotic rehabilitation following stroke: a systematic review and meta-analysis', *Journal of NeuroEngineering and Rehabilitation*, 22(1), 36. doi:10.1186/s12984-025-01662-4.
- Bruno-Petrina, A.B. (2010) *Motor Recovery in Stroke* (online). Available at: <http://illemedicine.medscape.com/article/324386-overview> (accessed n.d.).
- Cameirão, M.S., Badia, S.B.I., Oller, E.D. & Verschure, P.F.M.J. (2011) 'Virtual reality-based rehabilitation speeds up functional recovery of the upper extremities after stroke: a randomized controlled pilot study', *Restorative Neurology and Neuroscience*, 29(5), pp. 287–298. doi:10.3233/RNN-2011-0599.
- Carey, L.M. et al. (2013) 'Beyond the lesion: Neuroimaging foundations for post-stroke recovery', *Future Neurology*, 8(5), pp. 507–527. doi:10.2217/fnl.13.39.
- Castillo, J.F.V. et al. (2024) 'Design of virtual reality exergames for upper limb stroke rehabilitation: Usability study', *JMIR Serious Games*, 12, e48900. doi:10.2196/48900.
- CDC (Centers for Disease Control and Prevention) (2018) *Underlying Cause of Death, 1999–2018*. CDC WONDER Online Database. (Accessed 12

March 2020).

- Chelluboina, B. et al. (2022) 'Tenascin-C induction exacerbates post-stroke brain damage', *Journal of Cerebral Blood Flow & Metabolism*, 42(2), pp. 253–263. doi:10.1177/0271678X211056392.
- Chen, G. et al. (2023) 'Biomarkers associated with functional improvement after rehabilitation in stroke: A systematic review and meta-analysis', *Frontiers in Neurology*, 14, 1241521. doi:10.3389/fneur.2023.1241521.
- Chen, J. et al. (2015) 'Telerehabilitation approaches for stroke patients: Systematic review and meta-analysis of randomized controlled trials', *Journal of Stroke and Cerebrovascular Diseases*, 24(12), pp. 2660–2668. doi:10.1016/j.jstrokecerebrovasdis.2015.09.014.
- Choi, Y.H. et al. (2016) 'Mobile game-based virtual reality rehabilitation program for upper limb dysfunction after ischemic stroke', *Restorative Neurology and Neuroscience*, 34, pp. 455–463. doi:10.3233/RNN-150626.
- ClinicalTrials.gov (2023). *Efficacy and Acceptability of the Luna EMG Rehabilitation Robot on Motor Recovery of the Upper Limb in the Chronic Phase of Stroke*. Identifier: NCT05902910.
- Cooke, S.F. & Bliss, T.V.P. (2006) 'Plasticity in the human central nervous system', *Brain*, 129(7), pp. 1659–1673. doi:10.1093/brain/awl082.
- Cuccurullo, S.J. (2010) *Physical Medicine and Rehabilitation Board Review*. 2nd edn. New York: Demos Medical.
- Dobkin, B.H. (2004) 'Strategies for stroke rehabilitation', *The Lancet Neurology*, 3, pp. 528–536.
- Engstad, T., Engstad, T.T., Viitanen, M. & Ellekjær, H. (2012) 'Epidemiology of stroke in the elderly in the Nordic countries', *Norwegian Journal of Epidemiology*, 22, pp. 121–126. doi:10.5324/nje.v22i2.1557.
- European Stroke Organisation (ESO) (2021) 'European Stroke Organisation guidelines on stroke rehabilitation and recovery 2021', *European Stroke Journal*, 6(3), pp.
- Faissner, A. & Reinhard, J. (2015) 'The extracellular matrix compartment of neural stem and glial progenitor cells', *Glia*, 63(8), pp. 1330–1349.
- Faria, A.L., Andrade, A., Soares, L. & Bermúdez i Badia, S. (2016) 'Benefits of virtual reality-based cognitive rehabilitation through simulated ADL: A randomized controlled trial with stroke patients', *Journal of NeuroEngineering and Rehabilitation*, 13, 96. doi:10.1186/s12984-016-0204-z.
- Fernandes, C. S., Magalhaes, B., Gonçalves, F., Lima, A., Silva, M., Moreira, M. T., Santos, C., & Ferreira, S. (2025). Exergames for rehabilitation in stroke survivors: Umbrella review of meta-analyses. *Journal of Stroke and Cerebrovascular Diseases*, *34*, 108161. <https://doi.org/10.1016/j.jstrokecerebrovasdis.2024.108161>
- Finco, M.D. & Maass, R.W. (2014) 'The history of exergame: Promotion of exercise and active living through body interaction', in *2014 IEEE 3rd International Conference on Serious Games and Applications for Health*

- (SeGAH), pp. 1–6.
- Fujimoto, M. et al. (2013) 'Tenascin-C induces prolonged constriction of cerebral arteries via TLR4/JNK/p38 pathway', *Journal of Cerebral Blood Flow & Metabolism*, 33(2), pp. 235–243. doi:[10.1177/0271678X211056392](https://doi.org/10.1177/0271678X211056392)
- Gates, M.A. et al. (1995) 'Cell and molecular analysis of the developing and adult mouse subventricular zone', *Journal of Comparative Neurology*, 361(2), pp. 249–266. doi:10.1002/cne.903610205.
- Gjelsvik, B. (2008) *The Bobath Concept in Adult Neurology*. New York: Thieme.
- Groot, M.H. de, Phillips, S.J. & Eskes, G.A. (2003) 'Fatigue associated with stroke and other neurologic conditions: Implications for stroke rehabilitation', *Archives of Physical Medicine and Rehabilitation*, 84(11), pp. 1714–1720.
- Harvey, R.L., Roth, E.J. & Yu, D. (2007) 'Rehabilitation in stroke syndromes', in Braddom, R.L. (ed.) *Physical Medicine & Rehabilitation*. 3rd edn. Philadelphia: Saunders Elsevier, pp. 1175–1212.
- Hebb, D.O. (1949) *The Organization of Behavior: A Neuropsychological Theory*. New York: Wiley.
- Hu ZQ, Ma R, Sun JQ, Peng M, Yuan J, Lai N, Liu J, Xia D. Tenascin-C Facilitates Microglial Polarization via TLR4/MyD88/NF-κB Pathway Following Subarachnoid Hemorrhage. *J Inflamm Res*. 2025 Mar 10;18:3555-3570. doi: 10.2147/JIR.S511378. PMID: 40093948; PMCID: PMC11908393.
- Hummel, F. et al. (2005) 'Effects of non-invasive cortical stimulation on skilled motor function in chronic stroke', *Brain*, 128, pp. 490–499.
- Ikbali Afsar, S. et al. (2018) 'Virtual reality in upper extremity rehabilitation of stroke patients: A randomized controlled trial', *Journal of Stroke and Cerebrovascular Diseases*, 27(12), pp. 3473–3478. doi:10.1016/j.jstrokecerebrovasdis.2018.08.007.
- Imanaka-Yoshida, K. & Yoshida, T. (2014) 'Tenascin-C in development and disease of blood vessels', *The Anatomical Record*, 297(11), pp. 1747–1757. doi:10.1002/ar.22985.
- Johansen-Berg, H. et al. (2002) 'Correlation between motor improvements and altered fMRI activity after rehabilitative therapy', *Brain*, 125(12), pp. 2731–2742. doi:10.1093/brain/awf282.
- Joester, A. & Faissner, A. (2001) 'The structure and function of tenascins in the nervous system', *Matrix Biology*, 20(1), pp. 13–22. DOI: [10.1016/s0945-053x\(00\)00136-0](https://doi.org/10.1016/s0945-053x(00)00136-0)
- Kang, D., Park, J. & Eun, S.D. (2023) 'Home-based virtual reality exergame program after stroke rehabilitation: Study protocol for an RCT', *Life*, 13(12), 2256. doi:10.3390/life13122256.
- Karema, W. (2001) 'Diagnosis dan klasifikasi stroke', in Siwi-Kotambunan, R.C. et al. *Stroke Update*. Manado, pp. 10–19.
- Kemenkes RI (2018) *Hasil Riset Kesehatan Dasar (Riskesdas) 2018*. Jakarta:

- Badan Litbangkes.
Kemenkes RI (2021) *Profil Kesehatan Indonesia Tahun 2020*. Jakarta: Pusdatin. Available at: [https://pusdatin.kemkes.go.id/...](https://pusdatin.kemkes.go.id/) (accessed n.d.).
- Kooiman, B.J. & Sheehan, D.P. (2015) 'Interacting with the past, present, and future of exergame', *Loisir et Société/Society and Leisure*, 38(1), pp. 55–73.
- Konsensus Nasional Rehabilitasi Stroke (Perdosri) (2012) *Konsensus Nasional Rehabilitasi Stroke*. Jakarta: Perdosri.
- Kutlubaevev, M.A. et al. (2013) 'CT and clinical predictors of fatigue at one month after stroke', *Cerebrovascular Diseases Extra*, 3(1), pp. 26–34.
- Lang, C.E. et al. (2006) 'Recovery of grasp versus reach in people with hemiparesis post stroke', *Neurorehabilitation and Neural Repair*, 20(4), pp. 444–454.
- Laver, K.E. et al. (2017; updated 2021) 'Virtual reality for stroke rehabilitation', *Cochrane Database of Systematic Reviews*, (11), CD008349. doi:10.1002/14651858.CD008349.pub4.
- Lee, G. (2013) 'Effects of training using video games on muscle strength, tone and ADL of chronic stroke patients', *Journal of Physical Therapy Science*, 25(5), pp. 595–597. doi:10.1589/jpts.25.595.
- Leszczak, J., Pniak, B., Drużbicki, M., Poświata, A., Rokseła, A. & Guzik, A. (2024). *Assessment of inter-rater and intra-rater reliability of the Luna EMG robot as a tool for assessing upper limb proprioception in patients with stroke: a prospective observational study*. *PeerJ*, 12:e17903. doi:10.7717/peerj.17903.
- Lewandowska-Sroka, P. et al. (2021). *The Influence of EMG-Triggered Robotic Movement on Walking, Muscle Force, and Spasticity After an Ischemic Stroke*. *Medicina*, 57(3):227. doi:10.3390/medicina57030227.
- Li, R., Wu, J., Liu, J. & Gao, Y. (2023) 'Tenascin-C: A key regulator in neuroinflammation and CNS repair', *International Journal of Molecular Sciences*, 24(15), 12345. PMID: 36421704; PMCID: PMC9687801.
- Lo, A.C. et al. (2010) 'Robot-assisted therapy for long-term upper-limb impairment after stroke', *New England Journal of Medicine*, 362(19), pp. 1772–1783. doi:10.1056/NEJMoa0911341.
- Mandliya, A. et al. (2016) 'Post-stroke fatigue is an independent predictor of disability and burden of care: A path analysis study', *Topics in Stroke Rehabilitation*, 23(1), pp. 1–7.
- Maroni, N.S. (2016) *Exergaming in older adults: Use, experiences, and game elements vs movement*. NTNU.
- Mehrholz, J., Thomas, S. & Elsner, B. (2018) 'Electromechanical and robot-assisted arm training after stroke', *Cochrane Database of Systematic Reviews*, (9), CD006876. doi:10.1002/14651858.CD006876.pub5.
- Midwood, K.S. & Orend, G. (2009) 'The role of tenascin-C in tissue injury and tumorigenesis', *Journal of Cell Communication and Signaling*, 3(3–4), pp. 287–310. doi:10.1007/s12079-009-0075-1.

- Monteiro-Junior, R.S. et al. (2016) 'Exergame: Neuroplastic hypothesis about cognitive improvement', *Neural Regeneration Research*, 11(2), pp. 201–204.
- Mura, G. et al. (2017) 'Active exergame to improve cognitive functioning in neurological disabilities', *European Journal of Physical and Rehabilitation Medicine*, 54(3), pp. 450–462.
- Murie-Fernández, M. et al. (2010) 'Neuro-rehabilitation after stroke', *Neurologia*, 25(3), pp. 189–196.
- Murphy, T.H. & Corbett, D. (2009) 'Plasticity during stroke recovery: From synapse to behaviour', *Nature Reviews Neuroscience*, 10(12), pp. 861–872. doi:10.1038/nrn2735.
- Nouchi, R. & Kawashima, R. (2014) 'Improving cognitive function from children to old age', *Advances in Neuroscience*, 2014, Article ID ... (n.d.).
- Nudo, R.J. (2013) 'Recovery after brain injury: Mechanisms and principles', *Frontiers in Human Neuroscience*, 7, 887. doi:10.3389/fnhum.2013.00887.
- Nurkkala, V.M., Kalermo, J. & Järvillehto, T. (2014) 'Development of exergaming simulator for rehab', *Journal of Communication and Computer*, 11, pp. 403–411.
- Okada, T. & Suzuki, H. (2021) 'The role of Tenascin-C in tissue injury and repair after stroke', *Frontiers in Immunology*, 11, 607587. doi:10.3389/fimmu.2020.607587.
- Oleksy, Ł., Królikowska, A., Mika, A., Reichert, P., Kentel, M., Kentel, M., Poświata, A., Rokseła, A., Guzik, A. (2022). *Reliability of active and passive knee joint position sense assessment using the Luna EMG rehabilitation robot. International Journal of Environmental Research and Public Health*, 19(23):15885. doi:10.3390/ijerph192315885. (Sebagai referensi tambahan dari publikasi EGZOTech)
- Ozanne J, Lewis M, Schwenzer A, Kurian D, Brady J, Pritchard D, McLachlan G, Farquharson C, Midwood KS. Extracellular matrix complexity in biomarker studies: a novel assay detecting total serum tenascin-C reveals different distribution to isoform-specific assays. *Front Immunol*. 2023 Nov 22;14:1275361. doi: 10.3389/fimmu.2023.1275361. PMID: 38077374; PMCID: PMC10703424.Parks, N.E. et al. (2012) 'Fatigue Impact Scale demonstrates greater fatigue in younger stroke survivors', *Canadian Journal of Neurological Sciences*, 39(5), pp. 619–625.
- Perdosri (2012) *Konsensus Nasional Rehabilitasi Stroke*. Jakarta: Perdosri.
- Ploughman, M. et al. (2015) 'The effects of post-stroke aerobic exercise on neuroplasticity: A systematic review', *Translational Stroke Research*, 6(1), pp. 13–28. doi:10.1007/s12975-014-0357-7.
- Ploughman, M. (2002) 'A review of brain neuroplasticity and implications for the physiotherapeutic management of stroke', *Physiotherapy Canada*, 54(3), pp. 164–173.
- Rigato, F. et al. (2002) 'Tenascin-C promotes neurite outgrowth through FNIII D domain', *Journal of Neuroscience*, 22(14), pp. 6596–6609.

- doi:10.1523/JNEUROSCI.22-15-06596.2002.
- Riset Kesehatan Dasar (Riskesdas) (2008) *Laporan Nasional 2007*. Jakarta: Badan Litbangkes.
- Rodgers, H. et al. (2019) 'Robot assisted training for the upper limb after stroke (RATULS): A multicentre randomized controlled trial', *The Lancet*, 394(10192), pp. 51–62. doi:10.1016/S0140-6736(19)31055-4.
- Roth, E.J. (2008) 'Stroke', in O'Young, B.J., Young, M.A. & Stiens, S.A. *Physical Medicine and Rehabilitation Secrets*. pp. 25.
- Saposnik, G. & Levin, M. (2011) 'Virtual reality in stroke rehabilitation: A meta-analysis', *Stroke*, 42(5), pp. 1380–1386. doi:10.1161/STROKEAHA.110.605451.
- Saposnik, G. et al. (2010) 'Effectiveness of VR using Wii in stroke rehabilitation: A pilot RCT', *Stroke*, 41, pp. 1477–1484.
- Saposnik, G. et al. (2016) 'Efficacy and safety of non-immersive VR in stroke rehabilitation (EVREST): A randomized, multicentre, single-blind trial', *The Lancet Neurology*, 15(10), pp. 1019–1027. doi:10.1016/S1474-4422(16)30121-1.
- Saunders, D.H. et al. (2020) 'Physical fitness training for stroke patients', *Cochrane Database of Systematic Reviews*, (3), CD003316. doi:10.1002/14651858.CD003316.pub7.
- Siwi, R.C. (2001) 'Epidemiologi stroke', in *Stroke Update*. Manado: Perdossi, pp. 1–7.
- SISKOHAT (n.d.) *Waiting list haji*. Available at: [https://haji.kemenag.go.id/...](https://haji.kemenag.go.id/) (accessed n.d.).
- Slijper, A. et al. (2014) 'Computer game-based upper extremity training at home after stroke: A single subject design', *Journal of NeuroEngineering and Rehabilitation*, 11, 35. doi:10.1186/1743-0003-11-35.
- van Santen J, Dröes RM, Holstege M, Henkemans OB, van Rijn A, de Vries R, van Straten A, Meiland F. Effects of Exergaming in People with Dementia: Results of a Systematic Literature Review. *J Alzheimers Dis*. 2018;63(2):741-760. doi: 10.3233/JAD-170667. PMID: 29689716; PMCID: PMC5929299.
- Steindler, D.A. et al. (1995) 'Tenascin knockout mice: Barrels, boundary molecules, and glial scars', *Journal of Neuroscience*, 15, pp. 1971–1983.
- Stoykov, M.E. & Corcos, D.M. (2009) 'A review of bilateral training for upper extremity hemiparesis', *Occupational Therapy International*, 16(3–4), pp. 190–203.
- Suzuki, H., Nishikawa, H. & Kawakita, F. (2018) 'Matricellular proteins as possible biomarkers for early brain injury after aSAH', *Neural Regeneration Research*, 13(7), pp. 1175–1178. doi:10.4103/1673-5374.235022.
- Takebayashi, T. et al. (2022) 'Robot-assisted training as self-training for upper-limb motor function in chronic stroke: A randomized controlled trial', *Stroke*, 53(3), pp. 956–964. doi:10.1161/STROKEAHA.121.037260.

- Takeuchi, N. & Izumi, S. (2013) 'Rehabilitation with post-stroke motor recovery: A review with a focus on neural plasticity', *Stroke Research and Treatment*, 2013, 128641. doi:10.1155/2013/128641.
- Teasell, R. & Hussein, N. (2014) 'Brain reorganization, recovery and organized care', *Stroke Rehabilitation Clinician Handbook*. ESRBR.
- Torre, M.M. & Temprado, J.-J. (2021) 'A review of combined training studies in older adults', *Frontiers in Aging Neuroscience*, 13.
- Tsao, C.W. et al. (2022) 'Heart disease and stroke statistics—2022 update', *Circulation*, 145(8), e153–e639.
- Tucić, M., Stamenković, V. & Andjus, P. (2021) 'The extracellular matrix glycoprotein tenascin-C and adult neurogenesis', *Frontiers in Cell and Developmental Biology*, 9, 674199. doi:10.3389/fcell.2021.674199.
- Tyrrell, P.J. (2006) 'Fatigue after stroke', *Future Drugs*, 2(6), pp. 865–869.
- Wang LG, A. et al. (2016) 'Tenascin-C expression after stroke in humans and mice: A biomarker of disease severity and outcomes', *Stroke*, 47(6), pp. 1520–1528. DOI: [10.5551/jat.42887](https://doi.org/10.5551/jat.42887)
- Ward, N.S. & Cohen, L.G. (2004) 'Mechanisms underlying recovery of motor function after stroke', *Archives of Neurology*, 61(12), pp. 1844–1848.
- WHO (World Health Organization) (2019) *Rehabilitation in Health Systems*. Geneva: WHO. ISBN 978-92-4-151598-6.
- WHO EMRO (2022) *Stroke (cerebrovascular accident)*. Available at: <http://www.emro.who.int/health-topics/stroke-cerebrovascular-accident/index.html>.
- Wiemann, S. et al. (2021) 'Knock-out of Tenascin-C ameliorates ischemia-induced brain/retinal damage and dysfunction', *Frontiers in Neuroscience*, 15, 642176. doi:10.3389/fnins.2021.642176.
- Winstein, C.J. et al. (2016) 'Guidelines for adult stroke rehabilitation and recovery', *Stroke*, 47(6), pp. e98–e169. doi:10.1161/STR.0000000000000098.
- Wyss-Coray, T. (2016) 'Ageing, neurodegeneration and brain rejuvenation', *Nature*, 539, pp. 180–186. doi:10.1038/nature20411.
- Xavier-Rocha, T. et al. (2020) 'The Xbox/Kinect use in post-stroke rehabilitation settings: A systematic review', *Arquivos de Neuro-Psiquiatria*, 78(6), pp. 361–369. doi:10.1590/0004-282X20200012.
- Yavuzer, G. et al. (2008) 'Mirror therapy improves hand function in subacute stroke: A randomized controlled trial', *Archives of Physical Medicine and Rehabilitation*, 89, pp. 393–398.
- Yokosaki, Y. et al. (1994) 'The integrin $\alpha\beta 1$ mediates cell adhesion to a non-RGD site in the third FNIII repeat of tenascin-C', *Journal of Biological Chemistry*, DOI:10.1016/S0021-9258(18)47074-3
- Zachariassen M, Thomsen MM, Hillig T, Trier-Petersen P, Jensen AV, Friis-Hansen LJ, Brandt CT. Tenascin-C in patients with central nervous system infections. *J Neuroimmunol*. 2024 Jul 15;392:578373. doi: 10.1016/j.jneuroim.2024.578373. Epub 2024 May 15. PMID: 38776710.

Zeiler, S.R. & Krakauer, J.W. (2013) 'The interaction between training and plasticity in the post-stroke brain', *Current Opinion in Neurology*, 26, pp. 609–616.

