

## Daftar Pustaka

American College of Obstetricians and Gynecologists. (2023). Screening and diagnosis of mental health conditions during pregnancy and postpartum (Clinical Practice Guideline No. 4). <https://www.acog.org/clinical/clinical-guidance/clinical-practice-guideline/articles/2023/06/screening-and-diagnosis-of-mental-health-conditions-during-pregnancy-and-postpartum>  
ACOG

Akib, A. (2017). *Pengaruh intervensi pijat payudara dan pijat stimulasi oksitosin terhadap kadar hormon prolaktin ibu postpartum di RSKDIA Siti Fatimah dan Puskesmas Batua Makassar* (Tesis, Sekolah Pascasarjana Universitas Hasanuddin, Makassar).

Almida, N. E., Dahlia, Y., Ronanarasafa, S., & Shammakh, A. A. (2023). Hubungan usia dan paritas terhadap kejadian baby blues syndrome pada ibu postpartum di Kecamatan Sambelia, Lombok Timur. *Nusantara Hasana Journal*, 2(11), 30-36.

Anggorowati, A., Susilowati, D., & Zubaidah. (2018). Effects of engineered stimulation of oxytocin on hormonal status of postpartum women. *Hiroshima Journal of Medical Sciences*.

Anita, N., et al. (2020). Potency of back massage and acupressure on increasing prolactin hormone levels in primipara postpartum: Consideration for midwifery care. *Enfermería Clínica*.

Armini, N. W., Sriasih, N. G. K., & Marhaeni, G. A. (2020). *Asuhan Kebidanan Neonatus, Bayi, Balita & Anak Prasekolah*. Yogyakarta: ANDI.

Arun Paul, A., & Weiss, M. H. (2003). Pituitary anatomy and physiology. *Neurosurgery Clinics of North America*, 13(1), 11-23.

Azriani, D., & Handayani, S. (2016). The effect of oxytocin massage on breast milk production. *Dama International Journal of Research*, 1, 47-50.

Badan Pusat Statistik. (2024). Persentase bayi usia kurang dari 6 bulan yang mendapatkan ASI eksklusif di Sulawesi Selatan. Jakarta: BPS.

Bahiyatun. (2009). *Buku Ajar Asuhan Kebidanan Nifas Normal*. Jakarta: EGC.

Bashiri, A., & Abedzadeh-Kalahroudi, M. (2019). Postpartum care: A review of its significance and components. *Journal of Family & Reproductive Health*, 13(3), 118-123.

Baston, V., & Hall, K. (2016). *Antenatal* (Vol. 2). Jakarta: EGC.

Beck, C. (1999). The lived experience of postpartum depression: A phenomenological study. *Nursing Research*, 48(4), 166-170.

Behrman, R. E. (2015). *Nelson Ilmu Kesehatan Anak* (15th ed.). Jakarta: EGC.

Bloch, M., Daly, R. C., & Rubinow, D. R. (2003). Endocrine factors in the etiology of postpartum depression. *Psychiatric Division, Rambam Medical Centre, Haifa, Israel*.

Bloch, M., Schmidt, P. J., Danaceau, M. A., Murphy, J., Nieman, L., & Rubinow, D. R. (2000). Effects of gonadal steroids in women with a history of postpartum depression: A pilot study. *Psychoneuroendocrinology*, 25(7), 821-838.

Bobak, I. M., Lowdermilk, D. L., & Jansen, P. S. E. (2005). *Buku Ajar Keperawatan Maternitas* (4th ed.). Jakarta: EGC.

Bolman, M., Saju, L., Oganessian, K., Kondrashova, T., & Witt, A. M. (2013). Recapturing the art of infant feeding: Rethinking the use of artificial nipples in breastfeeding infants. *Journal of Human Lactation*, 29(3), 328-334.

Boron, W. F., & Boulpaep, E. L. (2017). Fertilization, pregnancy and lactation. In S. Mesiano & E. E. Jones (Eds.), *Medical Physiology* (3rd ed., pp. 1147-1158). Elsevier.

Boutet, C., Vercueil, L., Schelstraete, C., & Legros, J. J. (2006). Oxytocin and maternal stress during the post-partum period. *Annales d'Endocrinologie*.

Boyce, P., & Todd, K. (1992). Increased risk of postnatal depression after emergency caesarean section. *The Medical Journal of Australia*, 157(August 3), 128-130.

Brooke L, Zelalem , Ying ,Andrea, Brett, 2020., on behalf of the Depression Screening Data (DEPRESSD) EPDS Group Accuracy of the Edinburgh Postnatal Depression Scale (EPDS) for screening to detect major depression among pregnant and postpartum women: systematic review and meta-analysis of individual participant data; the bmj | BMJ 2020;371:m4022 | doi: 10.1136/bmj.m4022

Chabrol, H., & Callahan, S. (2007). Prevention and treatment of postnatal depression. *Expert Review of Neurotherapeutics*, 7(5), 557-576.

Chen, D. C., Nommsen-Rivers, L., Dewey, K. G., & Lonnerdal, B. (2022). Stress during labor and delivery and early lactation performance. *American Journal of Clinical Nutrition*, 68(2), 335-344.

Chen, C. H., Kuo, S. F., Chou, Y. H., & Chen, M. J. (2016). Postpartum mood disorders and their association with mode of delivery and other birth-related factors: A systematic review and meta-analysis. *Archives of Women's Mental Health*, 19(4), 503-511.

Chen, Q., Zhuang, J., Zuo, R., & Wang, Z. (2022). Exploring associations between postpartum depression and oxytocin levels in cerebrospinal fluid, plasma, and saliva. *Journal of Affective Disorders*, 306, 56-64. <https://doi.org/10.1016/j.jad.2022.04.098>

Cohen, L. S., & Nonacs, R. M. (2005). Postpartum mood disorder. In *Mood and Anxiety Disorder During Pregnancy and Postpartum* (Review of Psychiatry, vol. 24, pp. 77-96). Arlington: American Psychiatric Publishing.

Corwin, E. J. (2009). *Buku Saku Patofisiologi* (3rd ed.). Jakarta: Penerbit Buku Kedokteran EGC.

Cox, J. L., Holden, J. M., & Sagovsky, R. (1987). Detection of postnatal depression: Development of the 10-item Edinburgh Postnatal Depression Scale. *The British Journal of Psychiatry*, 150(6), 782-786. <https://doi.org/10.1192/bjp.150.6.782>

Cummings, B. (2001). *Human Anatomy and Physiology* (5th ed.). New York: Benjamin Cummings/Pearson Education.

Cunningham, F., Leveno, K., Dashe, J., Hoffman, B., Spong, C., & Casey, B. (2022). *Williams Obstetrics* (26th ed., pp. 26-27). New York: McGraw-Hill Education.

Cury, A. F. (2008). Maternity Blues: Prevalence and risk factors. *The Spanish Journal of Psychology*, 11(2), 593-599.

Cury, A. F. (2018). Type of delivery is not associated with maternal depression. *Archives of Women's Mental Health*. <https://doi.org/10.1007/s00737-018-0923-1>

Dağlı, E., & Çelik, N. (2022). The effect of oxytocin massage and music on breast milk production and anxiety level of the mothers of premature infants

who are in the neonatal intensive care unit: A self-controlled trial. *Health Care for Women International*.

Dahlan, S. (2020). *Besar Sampel dalam Penelitian Kedokteran dan Kesehatan* (Edisi 5, Cetakan 2). Jakarta: Epidemiologi Indonesia.

Dennis, A., Ponsin, M., & Callahan, S. (2012). The relationship between maternal self-esteem, maternal competence, infant temperament, and postpartum blues. *Journal of Reproductive and Infant Psychology*, 30(4), 388-397.

Devi, A. (2019). The effect of oxytocin massage on breast milk production. *Dama Academic Scholarly Journal Of Researchers*. <https://doi.org/10.15373/22501991>

Dewi, R., Mariati, & Wahyuni, E. (2012). Hubungan pemberian ASI bayi umur < 10 hari dengan gejala postpartum blues di Kota Bengkulu tahun 2011. *Buletin Penelitian Sistem Kesehatan*, 15(2), 193-202.

Diniyah, K. (2019). Overview of Postpartum Depression in Rskia Sadewa. *Health Science Media*, 6(2), 162-167.

Donadon, M. F., Martin-Santos, R., & Osório, F. L. (2021). The role of oxytocin in the etiopathogenesis of postpartum depression: A systematic review. *Archives of Women's Mental Health*, 24(4), 531-546.

Edward. (2017). *Metode Penelitian Kebidanan dan Teknik Analisis Data*. Jakarta: Salemba Medika.

Eka, B. (2017). Pengaruh endorphen massage terhadap peningkatan produksi ASI pada ibu yang terdeteksi postpartum blues dengan skrining EPDS di Puskesmas wilayah kerja Sekota Mataram. *Jurnal Kesehatan Prima*, 11(1), 36-42.

Ermiami, A., Wahyuni, S., & Nurdianti, D. S. (2023). Oxytocin massage increases breast milk production in postpartum mothers. *Journal of Midwifery and Reproductive Health*, 11(1), 45-52.

Emilda, E., & Juliastuti, J. (2020). The effectiveness of oxytocin and marmet massage on increased prolactin hormone for smooth breastfeeding in postpartum mothers in Langsa City Health Office. *Open Access Macedonian Journal of Medical Sciences*, 8(E), 578-581. <https://doi.org/10.3889/oamjms.2020.4739>

Erickson, E. N., Carter, C. S., & Emeis, C. L. (2020). Oxytocin, vasopressin, and prolactin in new breastfeeding mothers: Relationship to clinical characteristics and infant weight loss. *Journal of Human Lactation*.

Eva, Y. (2020). Postpartum blues, sebuah tinjauan literatur. *Wellness and Healthy Magazine*, 2(2), 303-307.

Faisal-Cury, A., Menezes, P. R., Tedesco, J. J. A., Kahalle, S., & Zugaib, M. (2008). Maternity "Blues": Prevalence and risk factors. *The Spanish Journal of Psychology*, 11(2), 593-599.

Farida, S., et al. (2021). Oxytocin massage increases milk production during breastfeeding. *2nd International Conference of Health, Science and Technology*.

Fernandez-Vaz, A., & Gonzalez-Sanz, J. D. (2022). Cortisol, maternal stress, and breastfeeding rate at hospital discharge: A systematic review. *Breastfeeding Medicine*. <https://doi.org/10.1089/bfm.2022.0165>

Field, T. (2010). Postpartum depression effects on early interactions, parenting, and safety practices: A review. *Infant Behavior and Development*, 33(1), 1-6. <https://doi.org/10.1016/j.infbeh.2009.10.005>

Field, T., Hernandez-Reif, M., Diego, M., Schanberg, S., & Kuhn, C. (2005). Cortisol decreases and serotonin and dopamine increase following massage therapy. *International Journal of Neuroscience*, 115(10), 1397-1413.

Firtiana. (2011). Usia dan paritas dengan postpartum blues di RSUD Bangil Pasuruan. *Jurnal Nasional*. Retrieved from <http://jurnalnasional.ump.ac.id/index.php/medisains/article/view/1056>

Flaherty, S. C., & Sadler, L. S. (2011). A review of attachment theory in the context of adolescent parenting. *Journal of Pediatric Health Care*, 25(2), 114-121. <https://doi.org/10.1016/j.pedhc.2010.02.005>

Garfield, L., Duncan, L., & Gutierrez, S. (2018). The role of emotional stress on lactation hormones in postpartum women. *Journal of Maternal Health*, 15(2), 73-82.

Ganong, W. F. (2015). *Buku Ajar Fisiologi Kedokteran* (Edisi 24). Jakarta: EGC.

Gondo, H. K. (2011). Skrining Edinburgh Postnatal Depression Scale (EPDS) pada postpartum blues. *Bagian Obstetri & Ginekologi Fakultas Kedokteran Universitas Wijayakusuma Surabaya*.

Glover, V. (2011). Prenatal stress and the origins of postnatal mental health problems. *Psychological Medicine*, 41(2), 339-348.

Gunnar, M. R., & Donzella, B. (2002). Social buffering and stress in early development. *Psychological Science*, 13(3), 270-274.  
<https://doi.org/10.1111/1467-9280.00447>

Guyton, A. C., & Hall, J. E. (2012). *Textbook of Physiology Medicine* (Edisi ke-12). Jakarta: EGC.

Hanach, N., de Vries, N., Radwan, H., & Bissani, N. (2021). The effectiveness of telemedicine interventions, delivered exclusively during the postnatal period, on postpartum depression in mothers without history or existing mental disorders: A systematic review and meta-analysis. *Jurnal Keperawatan Pediomaternal*, 8(1).  
<https://doi.org/10.20473/pmnpj.v8i1.27649>

Hairunisyah, R., Fatimah, S., & Retnosari, E. (2025). Efektivitas Pijat Oketani dan Pijat Oksitosin terhadap Produksi ASI pada Ibu Postpartum di PMB Azahwa Muara Enim. *Journal Health & Science: Gorontalo Journal Health and Science Community*, 9(1).  
<https://ejurnal.ung.ac.id/index.php/gojhes/article/view/28803>

Harris AD, *et al.* (2006) The use and interpretation of quasi-experimental studies in medical informatics. *J Am Med Inform Assoc.*;13(1):16-23.

Hasma. (2011). Faktor Risiko Baby Blues Syndrome di BPS Lusia Sandaden Kelurahan Sudiang Raya Kecamatan Biringkanaya Kota Makassar, Sulawesi Selatan. Skripsi. Program Studi Epidemiologi Fakultas Kesehatan Masyarakat Universitas Hasanuddin, Makassar.

Haque, A. (2017). *Asuhan Kebidanan Masa Nifas*. Yogyakarta: Pustaka Rihama.

Hendriyani, F., Suryaningsih, & Suharto, A. (2019). Effectiveness of oxytocin massage and breast care treatment on breast milk production. *Indian Journal of Forensic Medicine & Toxicology*, 13(4).

Herdian, & Frilya. (2022). How to cope with baby blues: A case report. *Journal of Psychiatry Psychology and Behavioral Research*, 3(1), March.

Hesti, K. Y., *et al.* (2017). Effect of combination of oxytocin massage techniques effleurage and lavender aromatherapy on increasing breast milk production of postpartum mothers. *Jurnal Aplikasi Teknologi Pangan*, 5(2), 123-133.

Husna Ali, R. N. H., Katili, D. N. O., & Umar, S. (2020). Types of delivery on the incidence of postpartum blues in RSUD Dr. MM. Dunda Limboto. *Journal of Professional Nursing*, 1(1), 38-43.

Hutauruk, I. S. (2012). Indonesian version of the Edinburgh Postnatal Depression Scale: Cross-cultural adaptation and validation. *Jurnal Ilmiah Psikologi*, Fakultas Psikologi, Universitas Indonesia.

Ikatan Dokter Anak Indonesia (IDAI). (2013). ASI sebagai pencegah malnutrisi pada bayi. Retrieved from <https://www.idai.or.id/artikel/klinik/asi/asi-sebagai-pencegah-malnutrisi-pada-bayi>

Izzati, S. S. (2025). Speech delay: Efek tersembunyi baby blues yang perlu diwaspadai. Retrieved from <https://lensaish.com/speech-delay-efek-tersembunyi-baby-blues-yang-perlu-diwaspadai/edukasi/>

Jamilah, et al. (2013). Efektivitas kombinasi pijat oksitosin teknik effleurage dan aromaterapi rose terhadap kadar prolaktin postpartum normal di Puskesmas Dawe Kudus. *Jurnal Ilmiah Bidan*.

Jonas, W., Johansson, L. M., Nissen, E., & Uvnäs-Moberg, K. (2009). Effects of intrapartum oxytocin administration and epidural analgesia on the concentration of plasma oxytocin and prolactin, in response to suckling during the second day postpartum. *Breastfeeding Medicine*.

Kammerer, M., Taylor, A., & Glover, V. (2006). The HPA axis and perinatal depression: A hypothesis. *Archives of Women's Mental Health*, 9(4), 187-196.

Kasdu, D. (2005). *Mengenal Depresi Pasca Melahirkan: Penyebab, Gejala, dan Penanganannya*. Jakarta: Penerbit Buku Kedokteran EGC.

Kementerian Kesehatan Republik Indonesia. (2018). *Panduan Pelayanan Kesehatan Ibu dan Anak: Pijat Oksitosin*. Jakarta: Kementerian Kesehatan Republik Indonesia.

Kementerian Kesehatan Republik Indonesia. (2002). *Pedoman Pelayanan Kesehatan Ibu dan Anak: Teknik Menyusui yang Benar*. Jakarta: Kementerian Kesehatan Republik Indonesia.

Kim, S., Soeken, T. A., Cromer, S. J., & Strathearn, L. (2014). Oxytocin and postpartum depression: Delivering on what's known and what's not. *Brain Research*.

Koenarso, D. A. P. (2024). Pengaruh Baby Blues pada Interaksi Ibu dan Kesejahteraan Emosional Anak. *Mu'adalah: Jurnal Studi Gender dan Anak*, 12(2), 115-128. <https://doi.org/10.18592/muadalah.v12i2.13974>

Kurniawati, D., Hardiani, R. S., & Rahmawati, I. (2020). *Buku Saku: Air Susu Ibu*. Jakarta: KHD Production.

Kumalasari, I., & Hendawati, H. (2019). Risk factors for postpartum blues in Palembang City. *JPP (Journal of Health Poltekkes Palembang)*, 14(2), 91-95.

Kurniawati, D., & Septiono, E. A. (2021). Determinan postpartum blues di Indonesia. *Jurnal Keperawatan Peditomaternal*, 8(1). Retrieved from <https://ejournal.unair.ac.id/PMNJ/http://dx.doi.org/10.20473/pmnj.v8i1.27649>

Laili, U., Nisa, F., Windarti, Y., & Amalia, R. (2024). Levels of oxytocin hormone during breastfeeding. *South Eastern European Journal of Public Health*. <https://doi.org/10.26719/seejph.2024.123>

Lara-Cinisomo, S., McKenney, K. M., Di Florio, A., & Meltzer-Brody, S. (2014). The perinatal depression treatment cascade: Understanding women's experiences with the initial steps in seeking help. *Annals of Clinical Psychiatry*, 26(3), 220-227.

Lawrence, R. M., & Lawrence, R. A. (2011). Breastfeeding: More than just good nutrition. *Pediatrics in Review*, 32(7), 267-280. <https://doi.org/10.1542/pir.32-7-267>

Lestari, S., Pujilestari, L., & Ratnasari, D. (2018). Pengaruh pijat oksitosin terhadap produksi ASI pada ibu menyusui. *Jurnal Kesehatan Masyarakat*, 13(2), 163-170.

Levis, B., Sun, Y., He, C., Krishnan, A., Neupane, D., Bhandari, P. M., ... Thombs, B. D. (2020). Accuracy of the Edinburgh Postnatal Depression Scale (EPDS) for screening to detect major depression among pregnant and postpartum women: Systematic review and meta-analysis of individual participant data. *BMJ*, 371, m4022. <https://doi.org/10.1136/bmj.m4022>

Lindley Baron-Cohen, K., Feldman, R., Fearon, P., & Fonagy, P. (2022). Intranasal oxytocin administration improves mood in new mothers with moderate low mood but not in mothers with elevated symptoms of postnatal depression: A randomised controlled trial. *Journal of Affective Disorders*, 300, 358-365.

- Litter. (2017). *Perawatan Kebidanan*. Jakarta: Bhratara Niaga Media.
- Lowdermilk, D. L., Perry, S. E., & Bobak, I. M. (2000). *Maternity Women's Health Care* (7th ed.). St. Louis: Mosby, Inc.
- Machmudah. (2012). Persalinan komplikasi dan kemungkinan terjadinya postpartum blues. *FIK Universitas Indonesia Jakarta*.
- Magdalena, A., Auliya, & Idayanti. (2020). Pengaruh pijat oksitosin terhadap produksi ASI ibu menyusui di wilayah kerja Puskesmas Sidomulyo Rawat Jalan Pekanbaru. *Jurnal Ilmiah Universitas Batanghari Jambi*, 20(2), 344-348. <https://doi.org/10.33087/jiubj.v20i2.939>
- Manuaba. (2016). *Ilmu Kebidanan dan Penyakit Kandungan*. EGC.
- Mao, F., Sun, Y., Wang, J., Huang, Y., Lu, Y., & Cao, F. (2021). Sensitivity to change and minimal clinically important difference of Edinburgh Postnatal Depression Scale. *Asian Journal of Psychiatry*, 66, 102873. <https://doi.org/10.1016/j.ajp.2021.102873>
- Marieb, E. N. (2020). *Human Anatomy & Physiology* (11th ed.). New York: Pearson.
- Marmot, M., & Wilkinson, R. G. (2006). *Social Determinants of Health*. Oxford University Press.
- Matthey, S. (2004). Calculating clinically significant change in postnatal depression studies using the Edinburgh Postnatal Depression Scale. *Journal of Affective Disorders*, 78(3), 269-272. [https://doi.org/10.1016/S0165-0327\(02\)00313-0](https://doi.org/10.1016/S0165-0327(02)00313-0)
- Mercer, R. T. (2004). Becoming a mother versus maternal role attainment. *Journal of Nursing Scholarship*, 36(3), 226-232. <https://doi.org/10.1111/j.1547-5069.2004.04042.x>
- Morhenn, V., Beavin, L. E., & Zak, P. J. (2012). Massage increases oxytocin and reduces adrenocorticotropin hormone in humans. *Alternative Therapies*, 18(6), Nov/Dec.
- Morhenn, V., Beavin, L. E., & Zak, P. J. (2012). Massage increases oxytocin and reduces adrenocorticotropin hormone in humans. *Alternative Therapies*, 18(6), Nov/Dec.

Moura, D., Canavarro, M. C., & Figueiredo-Braga, M. (2016). Oxytocin and depression in the perinatal period—a systematic review. *Archives of Women's Mental Health*.

Murray, L., & Cooper, P. (2003). Postpartum depression and child development. *Psychological Medicine*, 33(2), 257-266. <https://doi.org/10.1017/S0033291702007035>

Musselman, D. L., Evans, D. L., & Nemeroff, C. B. (1998). The relationship of depression to cardiovascular disease: Epidemiology, biology, and treatment. *Archives of General Psychiatry*, 55, 580-592. <https://doi.org/10.1001/archpsyc.55.7.580>

Namirah, Yunus, P., Nurdin, A., Najamuddin, & Galib, M. (2023). Faktor-faktor yang mempengaruhi terjadinya sindrom baby blues pada ibu pasca melahirkan. *Jurnal Kedokteran: Media Informasi Ilmu Kedokteran dan Kesehatan*, 8(2), 54-63.

Nagel, E. M., Howland, M. A., Pando, C., & Demerath, E. W. (2022). Maternal psychological distress and lactation and breastfeeding outcomes: A narrative review. *Clinical Therapeutics*.

Najib, et al. (2021). Demographic Characteristics Related to First Married Age in Indonesia. *Jurnal Kesehatan Masyarakat*. pISSN 1858-1196 eISSN 2355-3596.

Nindy. (2019). Pengaruh perawatan payudara dan pijat oksitosin terhadap kelancaran pengeluaran ASI pada ibu postpartum di BPM Nanik Gresik. *Jurnal Kebidanan dan Kesehatan Masyarakat*.

Niwayama, R., Nishitani, S., Takamura, T., & Araki-Nagahashi, M. (2017). Oxytocin mediates a calming effect on postpartum mood in primiparous mothers. *Breastfeeding Medicine*.

Nurhanifah, F. (2013). Perbedaan efektivitas massage punggung dan kompres hangat payudara terhadap peningkatan kelancaran produksi ASI di Desa Majang Tengah wilayah kerja Puskesmas Pamotan Dampit Malang. *Jurnal Keperawatan*.

Nursalam. (2016). *Metodologi Penelitian Ilmu Keperawatan Pendekatan Praktis*. Jakarta: Salemba Medika.

O'Connor, T. G., et al. (2002). Maternal antenatal anxiety and behavioural/emotional problems in children: A test of a programming hypothesis. *Journal of Child Psychology and Psychiatry*, 43(6), 693-706.

Olii, N., et al. (2023). Literature review: Determinants of postpartum blues. *Jurnal Aisyah: Jurnal Ilmu Kesehatan*, 8(S1), 57-62.

O'Keane, V., Lightman, S., Marsh, M., Pawlby, S., Papadopoulos, A. S., Taylor, A., & Moore, R. (2011). Increased pituitary-adrenal activation and shortened gestation in a sample of depressed pregnant women: A pilot study. *Journal of Affective Disorders*, 130(1-2), 300-305.

Patel, R. R., Murphy, D. J., & Peters. (2005). Operative delivery and postnatal depression: A cohort study. *BMJ*.

Paus, C. J., & Mazmanian, D. (2016). Menyusui dan depresi pascamelahirkan: Gambaran umum dan rekomendasi metodologis untuk penelitian masa depan. *Penelitian dan Pengobatan Depresi*. <https://doi.org/10.1155/2016/4765310>

Perfetti, J., Clark, R., Fillmore, C. M., & Sorokin, Y. (2004). The relationship between Edinburgh Postnatal Depression Scale scores in the immediate postpartum period and postpartum depression at six weeks postpartum. *Journal of Reproductive Medicine*, 49(9), 739-744.

Perry, S. E., et al. (2018). *Maternal Child Nursing Care*. St. Louis: Elsevier.

Plumer. (2017). *Teknik dan Prosedur Keperawatan Buku Pegangan Instruktur*. Jakarta: EGC.

Pratama, D. (2019). Pengaruh pijat oksitosin pada produksi ASI ibu menyusui. *Jurnal Keperawatan Indonesia*, 12(1), 45-52.

Pratiwi, S. V., & Mualifah, L. (2022). Pijat oksitosin meningkatkan produksi ASI pada ibu postpartum primipara di Kota Singkawang. *Seri: Jurnal Vokasi Kesehatan*, 2(2). <https://ejournal.poltekkes-pontianak.ac.id/index.php/JVK/article/view/227>

Pratiwi, S. V., & Mualifah, L. (2022). Penerapan pijat oksitosin dalam menstimulasi produksi ASI pada ibu post sectio caesarea. *Jurnal Kesehatan Karya Husada*, 11(2). <https://doi.org/10.36577/jkhh.v11i2,%20Juni.638>

Puspita, E. (2009). *Anatomi dan Fisiologi Payudara*. Jakarta: Penerbit Kesehatan Indonesia.

Qiu, X., Wu, Y., Sun, Y., Levis, B., Tian, J., Boruff, J. T., ... Thombs, B. D. (2023). Individual participant data meta-analysis to compare EPDS accuracy to detect major depression with and without the self-harm item. *Scientific Reports*, 13, 4026. <https://doi.org/10.1038/s41598-023-29114-w>

Quevedo, L. A., Silva, R. A., Godoy, R., Jansen, K., Matos, M. B., Tavares Pinheiro, K. A., Pinheiro, R. T. (2012). The impact of maternal postpartum depression on the language development of children at 12 months. *Child Care Health Dev*, 38, 420-424.

Rahayu, D. (2015). The difference in breastmilk production between acupressure point for lactation and... *Jurnal Ners*, 10(1), 9-19.

Rahayu, T., Setiyawan, Y., & Suhardjono. (2016). Pengaruh aromaterapi mawar dan oksitosin pada pengeluaran ASI ibu menyusui. *Jurnal Kesehatan Masyarakat*, 10(1), 77-85.

Rahayu, U., et al. (2020). Efektifitas asuhan sayang bayi dengan pijat oksitosin untuk meningkatkan produksi ASI pada ibu postpartum. *Jurnal Bidan Indonesia*, 9(1), 13-22.

Righetti-Veltema, M., Conne-Perreard, E., Bousquet, C., & Manzano, J. (2002). Impact of maternal postnatal depression on infants' development. *The British Journal of Psychiatry*, 180(2), 138-143.

Rini, D. (2017). *Faktor-Faktor yang Mempengaruhi Produksi ASI*. Jakarta: Penerbit Kesehatan Indonesia.

Riordan, J., & Wambach, K. (2014). *Breastfeeding and Human Lactation* (5th ed.). Burlington, MA: Jones & Bartlett Learning.

Ross, G., Murray, G., & Steiner, M. (2005). Sleep and perinatal mood disorders: A critical review. *Journal of Psychiatry and Neuroscience*, 30(4), 247-256.

Sahabat, L. M. (2003). *Terapi Pijat: Manfaat dan Efek Fisiologis pada Tubuh*. Jakarta: Penerbit Buku Kesehatan.

Savitri, A. I., et al. (2020). Baby blues syndrome: Etiology, prevalence, and management. *Majalah Kedokteran Nusantara*, 53(1), 55-64.

Schlotz, W., et al. (2011). Prenatal stress and the development of the fetus: Effects of cortisol on the developing brain. *Neuroscience & Biobehavioral Reviews*, 35(1), 6-17.

Scott, J. A. (2008). Identifying and treating postpartum depression. *Journal of Obstetric, Gynecologic & Neonatal Nursing*, 37(6), 659-667.

Shiraishi, M. (2015). Neuroanatomy of oxytocin and vasopressin pathways in relation to anxiety and depression. *Journal of Psychiatric Research*, 68(1), 168-179.

Shukri, N. H. M., Wells, J., Mukhtar, F., & Fewtrell, M. (2017). Study protocol: An investigation of mother-infant signalling during breastfeeding using a randomized trial to test the effectiveness of breastfeeding relaxation therapy on maternal psychological state, breast milk production and infant behavior and growth. *International Breastfeeding Journal*.

Siallagan, et al. (2022). Hubungan dukungan keluarga dengan kejadian baby blues pada ibu postpartum di Desa Pulau Terap Tahun 2022. *Jumantik*, 7(4). <https://doi.org/10.30829/jumantik.v7i4.11746>

Skrundz, M., Bolten, M., Nast, I., & Meinlschmidt, G. (2011). Plasma oxytocin concentration during pregnancy is associated with the development of postpartum depression. *Neuropsychopharmacology*, 36(9), 1886-1892. <https://doi.org/10.1038/npp.2011.81>

Stamoulos, J. (2017). Massage and the oxytocin connection. *Somatic Massage Therapy Center*.

Steiner, M. (2002). Perinatal mood disorders: Position paper. *The Canadian Psychiatric Association*.

Steiner, M., & Yonkers, K. A. (2011). Depresi postpartum: Peran hormon. *The Journal of Clinical Psychiatry*, 72(8), 1082-1090.

Stone, S. D., & Menken, A. E. (2008). Perinatal Mood Disorder: An introduction. In *Perinatal and Postpartum Mood Disorder: Perspectives and Treatment Guide for Health Care Practitioner* (pp. 1-6). Springer Publishing Company.

Sugeng, I. L. (2013). Oxytocin level and breast engorgement in primipara mother with postpartum blues. *Jurnal Ners*, 8(1), 1-8.

Sugiyono. (2021). *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. Bandung: Alfabeta.

Sulaeman, E. S., et al. (2016). The effect of oxytocin massage on the postpartum mother on breast milk production in Surakarta, Indonesia. *International Conference on Health and Well-Being (ICHWB)*.

Suresh K. (2011) An overview of randomization techniques: *An unbiased assessment of outcome in clinical research*. *J Hum Reprod Sci*;4(1):8-11.

Suryani, W. (2021). Pengaruh teknik pijat oksitosin terhadap produksi ASI pada ibu menyusui. *Jurnal Kesehatan Ibu dan Anak*, 15(2), 131-140.

Stuebe, A. M., Grewen, K., & Meltzer-Brody, S. (2013). Association between maternal mood and oxytocin response to breastfeeding. *Journal of Women's Health, 22*(4), 352-361.

Takahashi, Y., Tamakoshi, K., & Sato, Y. (2023). Factors associated with postpartum depression in Japanese mothers: Role of husbands' support and communication. *BMC Women's Health, 23*, Article 314. <https://doi.org/10.1186/s12905-023-02558-0>

Triansyah, A., Stang, Indar, et al. (2021). The effect of oxytocin massage and breast care on the increased production of breast milk of breastfeeding mothers in the working area of the public health center of Lawanga of Poso District. *Gac Sanit., 35*(S2), S168-S170.

Undang-Undang Nomor 36 Tahun 2009 tentang Kesehatan.

Ulfa, M., Monica, L. P., & Wibisono, W. (2022). The Familiarization of Post-Partum Blues Syndrome to Pregnant Women Through Health Promotion. *JCSH Journal Of Community Service For Health*. Available at: <http://juda.phb.ac.id/index.php/jcsh>.

Uvnäs-Moberg, K., Arn, I., & Magnusson, D. (2020). Maternal plasma levels of oxytocin during breastfeeding: A systematic review. *PLOS ONE, 15*(8), 1-38. doi: 10.1371/journal.pone.0235806.

Valentino, M., D'Agostino, A., Monti, M. R., & Starace, F. (2023). Maternity Blues: A Narrative Review. *Journal of Personalized Medicine, 13*(1), 154.

Varney, H. (2010). *Buku Ajar Asuhan Kebidanan* (4th ed.). Jakarta: EGC.

Wang, L., Wu, T., Anderson, J. L., & Florence, J. E. (2011). Prevalensi dan faktor risiko depresi ibu selama tiga tahun pertama membesarkan anak. *Jurnal Kesehatan Wanita, 20*(5), 71. <https://doi.org/10.1089/jwh.2010.2232>

Walter, M. H., Abele, H., & Plappert, C. F. (2021). The role of oxytocin and the effect of stress during childbirth: Neurobiological basics and implications for mother and child. *Frontiers in Endocrinology*.

White-Traut, R. C., Watanabe, K., & Heininger, M. (2000). Relation of plasma oxytocin and prolactin concentrations to milk yield in women. *Journal of Clinical Endocrinology & Metabolism, 85*(10), 3661-3668.

Wisner, K. L., Parry, B. L., & Piontek, C. M. (2002). Postpartum depression. *The New England Journal of Medicine, 347*(3), 194-199.

World Health Organization. (2021). *Postnatal Care for Mothers and Newborns: Highlights from the World Health Organization 2013 Guidelines*. World Health Organization.

Xiang, Y., Bi, X., & Yang, X. (2020). Effects of postpartum care on maternal psychological well-being. *Journal of Maternal Health*, 9(3), 215-223.

Xie, R. H., He, G., & Yang, J. (2013). Prenatal family support, postnatal family support and postpartum depression. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, 53(4), 327-331.

Yamashita, H., Yoshida, K., Nakano, K., & Tashiro, K. (2000). Postnatal depression in Japanese women: Detecting the early onset of postnatal depression by closely monitoring the postpartum mood. *Journal of Affective Disorders*, 58, 145-154.

Yang, S. Y., & Park, S. H. (2016). Impact of breastfeeding education and support on postpartum depression. *Korean Journal of Women Health Nursing*, 22(3), 179-187.

Yang, Y., & Liu, J. (2021). The role of social support in reducing postpartum depression. *Journal of Affective Disorders*, 278(2), 270-275.

Yokoyama, Y., Ueda, T., Irahara, M., & Aono, T. (1994). Releases of oxytocin and prolactin during breast massage and suckling in puerperal women. *European Journal of Obstetrics, Gynecology, and Reproductive Biology*, 53(1), 17-20. doi: 10.1016/0028-2243(94)90131-7

Yulianti, H. (2017). Baby blues syndrome: Penyebab dan pencegahannya. *Jurnal Kebidanan*, 6(2), 103-110.

Zhou, X., Sun, Y., & Li, Q. (2019). The impact of perinatal mood disorders on breastfeeding. *International Journal of Nursing Studies*, 89(2), 120-128.

Zubaran, C., Schumacher, M., Roxo, M. R., & Foresti, K. (2010). Screening tools for postpartum depression: Validity and cultural dimensions. *African Journal of Psychiatry*, 13(5), 357-365.