

## DAFTAR PUSTAKA

- Andrikou, I., Tsioufis, C., Konstantinidis, D., Kasiakogias, A., Dimitriadis, K., Leontsinis, I., ... & Tousoulis, D. (2018). Renal resistive index in hypertensive patients. *The Journal of Clinical Hypertension*, 20(12), 1739-1744.
- Baidya, D. K., Rajaraman, B., Darlong, V., Soni, K. D., Aggarwal, R., & Devasenathipathy, K. (2024). Renal Doppler ultrasound on admission to predict acute kidney injury in patients with acute circulatory failure. *Journal of Critical Care*, 81, 154572.
- Boddi, M., Bonizzoli, M., Chiostrì, M., Begliomini, D., Molinaro, A., Tadini Buoninsegni, L., ... & Peris, A. (2016). Renal Resistive Index and mortality in critical patients with acute kidney injury. *European journal of clinical investigation*, 46(3), 242-251.
- Cruz, E. G., Broca Garcia, B. E., Sandoval, D. M., Gopar-Nieto, R., Gonzalez Ruiz, F. J., Gallardo, L. D., ... & Vasquez Jimenez, E. (2022). Renal resistive index as a predictor of acute kidney injury and mortality in COVID-19 critically ill patients. *Blood purification*, 51(4), 309-316.
- Darabont, R., Mihalcea, D., & Vinereanu, D. (2023). Current insights into the significance of the renal resistive index in kidney and cardiovascular disease. *Diagnostics*, 13(10), 1687.
- Das, P. K., Maurya, S. K., Nath, S. S., Kumar, T., Rao, N., & Shrivastava, N. (2023). Furosemide Stress Test and Renal Resistive Index for Prediction of Severity of Acute Kidney Injury in Sepsis. *Cureus*, 15(8).
- Dawood, H. F., Fouad, H. A., El-Shafei, M. M., Hussein, H. W., & Abdel Razek, A. (2022). Renal Restrictive Index (RRI) Versus Urinary Neutrophil Gelatinase-Associated Lipocalin (uNGAL) for early prediction of acute kidney injury (AKI) in adults undergoing elective cardiac surgeries with cardiopulmonary bypass: A prospective randomized observational study. *Egyptian Journal of Anaesthesia*, 38(1), 166-173.
- Di Nicolò, P., Tavazzi, G., Nannoni, L., & Corradi, F. (2023). Inferior vena cava ultrasonography for volume status evaluation: an intriguing promise never fulfilled. *Journal of Clinical Medicine*, 12(6),
- Echeverry, E. J. C., Flórez, M. A., Bernal, A. E., García, F. J. V., Ospina, C. E. G., & Martínez, J. W. (2025). Inferior vena cava ultrasonography could predict acute kidney injury in critically ill patients. *Revista Colombiana de Nefrología*, 12(1).
- Frisianto, R. T., & Sari, D. (2015). Korelasi Nilai Central Venous Pressure (CVP) dengan Inferior Vena Cava Distensibility Index (IVC-DI) pada Pasien ICU RSUP Dr. Sardjito. *Jurnal Komplikasi Anestesi*, 3(1), 7-12.
- Fu, Y., He, C., Jia, L., Ge, C., Long, L., Bai, Y., ... & Zhao, H. (2022). Performance of the renal resistive index and usual clinical indicators in predicting persistent GGA. *Renal Failure*, 44(1), 2038-2048.

- Gameiro, J., Fonseca, J. A., Outerelo, C., & Lopes, J. A. (2020). Acute kidney injury: from diagnosis to prevention and treatment strategies. *Journal of clinical medicine*, 9(6), 1704.
- Goyal, A., Daneshpajouhnejad, P., Hashmi, M. F., Bashir, K., & John, B. K. (2023). Acute kidney injury (nursing). In *StatPearls [Internet]*. StatPearls Publishing.
- Haitsma Mulier, J. L., Rozemeijer, S., Röttgering, J. G., Spoelstra-de Man, A. M., Elbers, P. W., Tuinman, P. R., ... & Oudemans-van Straaten, H. M. (2018). Renal resistive index as an early predictor and discriminator of acute kidney injury in critically ill patients; A prospective observational cohort study. *PloS one*, 13(6), e0197967.
- Handayani, B. U., Lubis, B., & Tanjung, Q. F. (2024). Korelasi Renal Resistive Index dengan Kejadian Gangguan Ginjal Akut. *Majalah Anestesia & Critical Care*, 42(1), 33-39.
- Haitsma Mulier, J. L., Rozemeijer, S., Röttgering, J. G., Spoelstra-de Man, A. M., Elbers, P. W., Tuinman, P. R., ... & Oudemans-van Straaten, H. M. (2018). Renal resistive index as an early predictor and discriminator of acute kidney injury in critically ill patients; A prospective observational cohort study. *PloS one*, 13(6), e0197967.
- Hoste, E. A., Kellum, J. A., Selby, N. M., Zarbock, A., Palevsky, P. M., Bagshaw, S. M., ... & Chawla, L. S. (2018). Global epidemiology and outcomes of acute kidney injury. *Nature Reviews Nephrology*, 14(10), 607-625.
- Ismail, M. T., El-Iraky, A. A., Ibrahim, E. E. D. A., Kammash, T. H. E., & Abou-Zied, A. E. (2022). Comparison of inferior vena cava collapsibility and central venous pressure in assessing volume status in shocked patients. *African Journal of Emergency Medicine*, 12(3), 165-171.
- Jambeih, R., Keddissi, J. I., & Youness, H. A. (2017). IVC measurements in critically ill patients with acute renal failure. *Critical care research and practice*, 2017(1), 3598392.
- Jiayi Chen., Shuhao Que., (2024). Influence of Time to Intitial Central Venous Pressure Monitoring Post-ICU Admission on Acute Kidney Injury Incidence in Severe Septic Shock Patients: A Regression Analysis Utilizing MIMIC-IV Database
- Joana Gameiro, Jose Agapito Fonseca, Sofia Jorge (2018). Gangguan Ginjal Akut Defenition and Diagnosis: A Narrative Review.
- Ju, S., Lee, T. W., Yoo, J. W., Lee, S. J., Cho, Y. J., Jeong, Y. Y., ... & Kim, H. C. (2018). Body mass index as a predictor of acute kidney injury in critically ill patients: a retrospective single-center study. *Tuberculosis and Respiratory Diseases*, 81(4), 311-318.
- Kalantari, K., Chang, J. N., Ronco, C., & Rosner, M. H. (2013). Assessment of intravascular volume status and volume responsiveness in critically ill patients. *Kidney international*, 83(6), 1017-1028.

- Kaptein EM, Kaptein MJ. Inferior vena cava ultrasound and other techniques for assessment of intravascular and extravascular volume: an update. *Clin Kidney J* [Internet]. 2023;16(11):1861–77. Tersedia pada: <https://doi.org/10.1093/ckj/sfad156>
- Kellum, J. A., & Prowle, J. R. (2018). Paradigms of acute kidney injury in the intensive care setting. *Nature Reviews Nephrology*, 14(4), 217-230.
- Kulkarni, A. P., & Bhosale, S. J. (2020). Epidemiology and pathogenesis of acute kidney injury in the critically ill patients. *Indian journal of critical care medicine: peer-reviewed, official publication of Indian Society of Critical Care Medicine*, 24(Suppl 3), S84.
- Legrand, M., Dupuis, C., Simon, C., Gayat, E., Mateo, J., Lukaszewicz, A. C., & Payen, D. (2013). Association between systemic hemodynamics and septic acute kidney injury in critically ill patients: a retrospective observational study. *Critical care*, 17, 1-8.
- Li-wei, H. L., Feng, M., Yang, Y., & Mark, R. G. (2016). Blood Pressure and the Risk of Acute Kidney Injury in the ICU: Case-Control Versus Case-Crossover Designs. *Secondary Analysis of Electronic Health Records [Internet]*.
- Mohsenin, V. (2017). Practical approach to detection and management of acute kidney injury in critically ill patient. *Journal of intensive care*, 5, 1-8.
- Moses, A. A., & Fernandez, H. E. (2022). Ultrasonography in acute kidney injury. *POCUS journal*, 7(Kidney), 35.
- Mo, S., Bjelland, T. W., Nilsen, T. I., & Klepstad, P. (2022). Acute kidney injury in intensive care patients: Incidence, time course, and risk factors. *Acta Anaesthesiologica Scandinavica*, 66(8), 961-968.
- Muqsith MKAS, Hisbullah, Adil A, Arif SK, Nurdin H, Palinrungi AS. PCO<sub>2</sub> gap is a good marker to predict cardiac surgery associated-acute kidney injury (CSA-AKI). *Crit Care Shock*. 2025;28(3):121–134.
- Panji, P. A. S., Widnyana, I. M. G., Suranadi, I. W., EM, T. A., Sucandra, I. M. A. K., Wiryana, M., & Senapathi, T. G. A. (2024). Renal Resistive Index (Rri) Guided By Ultrasound (Usg) As A Diagnostic Predictor Of Gangguan Ginjal Akut In Sepsis Patients. Prepotif: *Jurnal Kesehatan Masyarakat*, 8(1), 2482-2491.
- Parenti N Sangiorgi D, Pigna A, Coniglio C, Cancellieri F, Gordini G, et al. Distensibility index of inferior vena cava diameter in ventilated septic and trauma patients with shock. *Crit Care*. 2010;14(1):P1
- Pereira, M., Rodrigues, N., Godinho, I., Gameiro, J., Neves, M., Gouveia, J., ... & Lopes, J. A. (2017). Acute kidney injury in patients with severe sepsis or septic shock: a comparison between the 'Risk, Injury, Failure, Loss of kidney function, End-stage kidney disease'(RIFLE), Gangguan Ginjal Akut Network (AKIN) and Kidney

- Disease: Improving Global Outcomes (KDIGO) classifications. *Clinical kidney journal*, 10(3), 332-340.
- Peng, J., Tang, R., Yu, Q., Wang, D., & Qi, D. (2022). No sex differences in the incidence, risk factors and clinical impact of acute kidney injury in critically ill patients with sepsis. *Frontiers in Immunology*, 13, 895018.
- Pickkers, P., Darmon, M., Hoste, E., Joannidis, M., Legrand, M., Ostermann, M., ... & Schetz, M. (2021). Acute kidney injury in the critically ill: an updated review on pathophysiology and management. *Intensive care medicine*, 47(8), 835-850.
- Prowle, J. R., & Bellomo, R. (2010). Fluid administration and the kidney. *Current opinion in critical care*, 16(4), 332-336.
- Slattery, L., & Flood, L. (2023). Acute kidney injury in the critically unwell patient. *Anaesthesia & Intensive Care Medicine*.
- Sun, R., Guo, Q., Wang, J., Zou, Y., Chen, Z., Wang, J., & Zhang, Y. (2022). Central venous pressure and acute kidney injury in critically ill patients with multiple comorbidities: a large retrospective cohort study. *BMC nephrology*, 23(1), 83.
- Shen, H., Na, W., Li, Y., & Qu, D. (2023). The clinical significance of renal resistance index (RRI) and renal oxygen saturation (RrSO<sub>2</sub>) in critically ill children with AKI: a prospective cohort study. *BMC pediatrics*, 23(1), 224.
- Viazzi, F., Leoncini, G., Derchi, L. E., & Pontremoli, R. (2014). Ultrasound Doppler renal resistive index: a useful tool for the management of the hypertensive patient. *Journal of hypertension*, 32(1), 149-153.
- Wira, M. A., Hanafie, A., Lubis, A., & Lubis, B. (2021). The relationship of renal resistive index and central venous pressure as predictors of acute kidney injury in critically ill patients of intensive care unit adam malik general hospital medan. *Solo Journal of Anesthesi, Pain and Critical Care (SOJA)*, 2(2), 80-6.
- Yokota, L. G., Sampaio, B. M., Rocha, E. P., Balbi, A. L., Sousa Prado, I. R., & Ponce, D. (2018). Acute kidney injury in elderly patients: narrative review on incidence, risk factors, and mortality. *International journal of nephrology and renovascular disease*, 217-224.
- Yokota, L. G., Sampaio, B. M., Rocha, E., Balbi, A. L., & Ponce, D. (2017). Acute kidney injury in elderly intensive care patients from a developing country: clinical features and outcome. *International Journal of Nephrology and Renovascular Disease*, 27-33.
- Zhang, D., Li, L., Huang, W., Hu, C., Zhu, W., Hu, B., & Li, J. (2024). Vasoactive-Inotropic Score as a Promising Predictor of Acute Kidney Injury in Adult Patients Requiring Extracorporeal Membrane Oxygenation. *Asaio Journal*, 70(7), 586-593.

- Zaitoun, T., Megahed, M., Elghoneimy, H., Emara, D. M., Elsayed, I., & Ahmed, I. (2024). Renal arterial resistive index versus novel biomarkers for the early prediction of sepsis-associated acute kidney injury. *Internal and Emergency Medicine*, 1-11.
- Zhu, J., Zhang, Y., Li, X., Li, Q., & Luo, Y. (2021). Doppler-based renal resistive index for prediction of acute kidney injury in critically ill patients: a systematic review and meta-analysis. *Advanced ultrasound in diagnosis and therapy*, 5(3)

