



## DAFTAR PUSTAKA

- Alinejad-Naeini, M., Heidari-Beni, F., Mohagheghi, P., Haghani, S., & Gasemzadeh, F. (2024). Effect of gentle human touch and oral sucrose on distress relief in preterm neonates: A randomized crossover controlled trial. *Journal of Neonatal Nursing*, 30(6), 718–724. <https://doi.org/https://doi.org/10.1016/j.jnn.2024.06.003>
- Alligood, M. R. (2014). *Nursing Theorists and Their Work* (8th ed.). Elsevier Mosby. <https://doi.org/10.1016/C2011-0-05477-7>
- Aloustani, S., Parsai, M., Siyasari, A. R., Sharifi Rizi, M., Papi, S., & Zafarramazanian, F. (2026). Applications of Kolcaba's Comfort Theory to improve nursing practice: A narrative review. *Journal of Nursing Reports in Clinical Practice*, 4(2), 110–115. <https://doi.org/10.32598/JNRCP.2505.1186>
- Apaydin Cirik, V., & Efe, E. (2020). The effect of expressed breast milk, swaddling and facilitated tucking methods in reducing the pain caused by orogastric tube insertion in preterm infants: A randomized controlled trial. *International Journal of Nursing Studies*, 104, 103532. <https://doi.org/10.1016/j.ijnurstu.2020.103532>
- Apaydin Cirik, V., Turkmen, A. S., Derin, E., & Yilmaz, N. (2024). Effectiveness of an atraumatic orogastric tube insertion protocol for the combined use of swaddling, facilitated tucking, breast milk and sucrose. *International Journal of Nursing Practice*. <https://doi.org/10.1111/ijn.13293>
- Avery, & Macdonald. (2021). *Neonatology: Pathophysiology and Management of the Newborn* (A. Groves, J. Boardman, & J. Ramasethu, Eds.). Lippincott Williams & Wilkins.
- Ayyıldız, T. K., Tanriverdi, E., Tank, D. Y., Akkoç, B., & Topan, A. (2023). The effect of swaddling method applied to preterm infants during the aspiration procedure on pain. *Journal of Pediatric Nursing*, 70, 61–67. <https://doi.org/10.1016/j.pedn.2022.05.025>
- Badan Pengembangan dan Pembinaan Bahasa. (n.d.). *Bedong*. Kamus Besar Bahasa Indonesia (KBBI). Retrieved March 7, 2025, from <https://kbbi.kemdikbud.go.id/entri/bedong>
- Behura, S. S., Dhanawat, A., Nayak, B., & Panda, S. K. (2022). Comparison between oral melatonin and 24% sucrose for pain management during retinopathy of prematurity screening: a randomized controlled trial. *Turkish Journal of Pediatrics*, 64(6), 1013–1020. <https://doi.org/10.24953/turkjped.2022.115>
- Bektas, İ., Oktay, S. Ş., Köylü, P., Ulu, H., & Akdeniz Kudubeş, A. (2024). The Effect of Breastfeeding on the Newborn's Comfort and Pain Levels During Heel Blood Collection. *Comprehensive Child and Adolescent Nursing*, 47(1), 20–30. <https://doi.org/10.1080/24694193.2023.2259991>
- Belpınar, A., & Yayan, E. H. (2023). Effect of Yakson touch and mother's voice on pain and comfort level during nasal CPAP application in Turkey: A randomized controlled study. *Explore*, 19(5), 743–748. <https://doi.org/10.1016/j.explore.2023.02.010>
- Benbrook, K., Manworren, R. C. B., Zuravel, R., Entler, A., Riendeau, K., Myler, C., & Ricca, P. (2023). Agreement of the Neonatal Pain, Agitation, and Sedation Scale (N-PASS) With NICU Nurses' Assessments. *Advances in Neonatal Care: Official Journal of the National Association of Neonatal Nurses*, 23(2), 173–181. <https://doi.org/10.1097/ANC.0000000000000968>
- Braden, P. M., Misener, R., Latimer, M., & Campbell-Yeo, M. (2017). Breast-Feeding Infants. *Journal of Perinatal & Neonatal Nursing*, 31(2), 145–159. <https://doi.org/10.1097/JPN.0000000000000253>
- Chen, J., Lanrique Pons, M., Grau Alcón, L., Martinez-Momblan, M. A., & Alonso (2020). Reduction of visual and auditory stimuli to reduce pain during



- venipuncture in premature infants. Study protocol for a randomized controlled trial. *Journal of Advanced Nursing*, 76(4), 1077–1081. <https://doi.org/10.1111/jan.14300>
- Britto, C. D., Suman Rao, P. N., Nesargi, S., Nair, S., Rao, S., Thilagavathy, T., Ramesh, A., & Bhat, S. (2014). Pain-perception and assessment of painful procedures in the NICU. *Journal of Tropical Pediatrics*, 60(6), 422–427. <https://doi.org/10.1093/TROPEJ/FMU039>
- Bucea, O., & Pillai Riddell, R. (2019). Non-pharmacological pain management in the neonatal intensive care unit: Managing neonatal pain without drugs. *Seminars in Fetal and Neonatal Medicine*, 24(4), 101017. <https://doi.org/10.1016/J.SINY.2019.05.009>
- Bueno, M. (2021). Combined non-pharmacological interventions minimise pain during orogastric tube insertion in preterm neonates. *Evidence Based Nursing*, 24(3), 108–108. <https://doi.org/10.1136/ebnurs-2020-103267>
- Bueno, M., Rao, M., Aujla, P., Victor, C., & Stevens, B. (2024). A scoping review of the epidemiology and treatment of painful procedures in hospitalized neonates: What has changed in the past three decades? *European Journal of Pain*, 28(9), 1468–1485. <https://doi.org/10.1002/ejp.2294>
- Campbell-Yeo, M., Eriksson, M., & Benoit, B. (2022). Assessment and Management of Pain in Preterm Infants: A Practice Update. *Children*, 9(2), 244. <https://doi.org/10.3390/children9020244>
- Çamur, Z., & Erdoğan, Ç. (2022). The Effects of Breastfeeding and Breast Milk Taste or Smell on Mitigating Painful Procedures in Newborns: Systematic Review and Meta-Analysis of Randomized Controlled Trials. *Breastfeeding Medicine*. <https://doi.org/10.1089/bfm.2022.0134>
- Chen, Y., Li, Y., Sun, J., Han, D., Feng, S., & Zhang, X. (2021). The Effect of Maternal Voice on Venipuncture Induced Pain in Neonates: A Randomized Study. *Pain Management Nursing*, 22(5), 668–673. <https://doi.org/10.1016/j.pmn.2021.01.002>
- Collados-Gómez, L., Ferrera-Camacho, P., Fernandez-Serrano, E., Camacho-Vicente, V., Flores-Herrero, C., García-Pozo, A., & Jiménez-García, R. (2018). Randomised crossover trial showed that using breast milk or sucrose provided the same analgesic effect in preterm infants of at least 28 weeks. *Acta Paediatrica*, 107(3), 436–441. <https://doi.org/10.1111/apa.14151>
- Cruz, M. D., Fernandes, A. M., & Oliveira, C. R. (2016). Epidemiology of painful procedures performed in neonates: A systematic review of observational studies. *European Journal of Pain (United Kingdom)*, 20(4), 489–498. <https://doi.org/10.1002/EJP.757>
- Cutland, C. L., Lackritz, E. M., Mallett-Moore, T., Bardaji, A., Chandrasekaran, R., Lahariya, C., Nisar, M. I., Tapia, M. D., Pathirana, J., Kochhar, S., & Muñoz, F. M. (2017). Low birth weight: Case definition & guidelines for data collection, analysis, and presentation of maternal immunization safety data. *Vaccine*, 35(48), 6492–6500. <https://doi.org/10.1016/j.vaccine.2017.01.049>
- Dahlan, M. S. (2016). *Besar sampel dalam penelitian kedokteran dan kesehatan* (Seri 2). EGC.
- Day, L. R. (2015). The history, benefits and risks of swaddling babies. <https://doi.org/10.12968/Johv.2015.3.4.202>, 3(4), 202–208. <https://doi.org/10.12968/JOHV.2015.3.4.202>
- Dewi, R. (2021). Tumbuh Kembang Neonatus Risiko Tinggi. In *Buku Ajar Neonatologi Anak* (2nd ed.). Ikatan Dokter Anak Indonesia.
- Dharmasetiawani, N. (2021). Asfiksia dan Resusitasi Bayi Baru Lahir. In *Buku Ajar Neonatologi dan Perawatan Dokter Anak Indonesia*.
- 1 nsi Sulawesi Selatan. (2023). *Laporan kesehatan ibu dan anak tahun 2023*. [elprov.go.id/](http://elprov.go.id/)
- 1 Ş. (2017). Effect of Nonpharmacologic Pain Control During Examination of Prematurity. *Journal of Obstetric, Gynecologic & Neonatal Nursing*, 46(5), [doi.org/10.1016/j.jogn.2017.06.008](https://doi.org/10.1016/j.jogn.2017.06.008)

- Düken, M. E., Yayan, E. H., & Arslan, Z. (2024). The effects of massage and white noise on physiological parameters of preterm infants: A randomized controlled research. *Journal of Neonatal Nursing*, 30(4), 360–367. <https://doi.org/10.1016/j.jnn.2023.11.008>
- Fatollahzade, M., Parvizi, S., Kashaki, M., Haghani, H., & Alinejad-Naeni, M. (2022). The effect of gentle human touch during endotracheal suctioning on procedural pain response in preterm infant admitted to neonatal intensive care units: a randomized controlled crossover study. *Journal of Maternal-Fetal and Neonatal Medicine*, 35(7), 1370–1376. <https://doi.org/10.1080/14767058.2020.1755649>
- Febriani, A. D. B. (2021). Nyeri pada neonatus. In *Buku Ajar Neonatologi Anak* (2nd ed., pp. 260–266). Ikatan Dokter Anak Indonesia.
- Field, T. (2017). Preterm newborn pain research review. *Infant Behavior and Development*, 49, 141–150. <https://doi.org/10.1016/j.infbeh.2017.09.002>
- Garcia, A. A., Koperniku, A., Ferreira, J. C. B., & Mochly-Rosen, D. (2021). Treatment strategies for glucose-6-phosphate dehydrogenase deficiency: past and future perspectives. In *Trends in Pharmacological Sciences* (Vol. 42, Number 10, pp. 829–844). Elsevier Ltd. <https://doi.org/10.1016/j.tips.2021.07.002>
- García-Valdivieso, I., Yáñez-Araque, B., Moncunill-Martínez, E., Bocos-Reglero, M. J., & Gómez-Cantarino, S. (2023). Effect of Non-Pharmacological Methods in the Reduction of Neonatal Pain: Systematic Review and Meta-Analysis. *International Journal of Environmental Research and Public Health*, 20(4), 3226. <https://doi.org/10.3390/ijerph20043226>
- Ghaemmaghami, P., Nasri, N., Razavinejad, S. M., Edraki, M., Sen, E., Manav, G., Qiu, J., Zhang, J., Lu, K., Cheng, R., Chen, X., Yang, Y., Sun, Y., Yang, C.-Y., Yin, H.-C., Cheng, S.-W., Chiu, Y.-W., Weng, Y.-H., Johnston, C., ... Cools, F. (2024). Effect of Kangaroo Care and Oral Sucrose on Pain in Premature Infants: A Randomized Controlled Trial. *Journal of Neonatal Nursing*, 30(6), 1–8. <https://doi.org/10.1016/j.jpmn.2020.05.003>
- Goto, Tatenobu, Inoue, T., Kamiya, C., Kawabe, H., Higuchi, M., Suyama, M., Goto, Tomoki, Koide, W., Maki, K., Ushijima, K., Ban, K., & Yamada, Y. (2020). Neonatal pain response to automatic lancet versus needle heel-prick blood sampling: A prospective randomized controlled clinical trial. *Pediatrics International*, 62(3), 357–362. <https://doi.org/10.1111/ped.14142>
- Gursul, D., Hartley, C., & Slater, R. (2019). Nociception and the neonatal brain. *Seminars in Fetal and Neonatal Medicine*, 24(4). <https://doi.org/10.1016/j.siny.2019.05.008>
- Guyton, A. C., & Hall, J. E. (2018). *Buku Ajar Fisiologi Kedokteran* (I. W. M. D. T. A. Ermita; Ilyas, Tran.; 13th Indonesian). Elsevier Singapore Pte Ltd.
- Hariati, S. (2018). *Asuhan keperawatan bayi risiko tinggi; dilengkapi soal uji kompetensi*. Sagung Seto.
- Hariati, S., Febriani, A. D. B., Sutomo, R., Lusmilasari, L., & McKenna, L. (2022). Exploring Indonesian nurses' perspectives on preparing parents of preterm infants for hospital discharge: A qualitative study. *Journal of Neonatal Nursing*, 28(1), 59–66. <https://doi.org/10.1016/j.jnn.2021.07.002>
- Hariati, S., McKenna, L., Sutomo, R., Lusmilasari, L., & Febriani, A. D. B. (2023). Indonesian mothers of premature infants' experiences in achieving initial motherhood independence in the neonatal unit: A qualitative study. *Journal of Neonatal Nursing*, 29(2), 283–289. <https://doi.org/10.1016/j.jnn.2022.07.001>
- Hariati, S., McKenna, L., Reisenhofer, S., Lusmilasari, L., & Febriani, A. D. B. (2021). Indonesian nurses' beliefs on caring practices at home for preterm babies after hospital discharge: A qualitative study. *Journal for Specialists in Pediatric Nursing*, 26(3), 111–123. <https://doi.org/10.1111/jspn.12330>
- Hariati, S., Obaidat, H. M., Khamaiseh, A., Obieat, H. D. A., Harb, E., & Al Momany, M. (2023). The effect of facilitated tucking position on pain and comfort during heel stick in



- newborns. *Journal of Neonatal Nursing*, 30(5), 492–497. <https://doi.org/10.1016/j.jnn.2024.02.002>
- Héon, M., Aita, M., Lavallée, A., De Clifford-Faugère, G., Laporte, G., Boisvert, A., & Feeley, N. (2022). Comprehensive mapping of NICU developmental care nursing interventions and related sensitive outcome indicators: a scoping review protocol. *BMJ Open*, 12(1), e046807. <https://doi.org/10.1136/bmjopen-2020-046807>
- Hill, R. R., Hines, M., Martens, A., Pados, B. F., & Zimmerman, E. (2022). A pilot study of non-nutritive suck measures immediately pre- and post-frenotomy in full term infants with problematic feeding. *Journal of Neonatal Nursing*, 28(6), 413–419. <https://doi.org/https://doi.org/10.1016/j.jnn.2021.10.009>
- Karadede, H., & Mutlu, B. (2024). The Effect of Swaddling and Oropharyngeal Colostrum During Endotracheal Suctioning on Procedural Pain and Comfort in Premature Neonates A Randomized Controlled Trial. *Advances in Neonatal Care*, 24(5), 466–474. <https://doi.org/10.1097/ANC.0000000000001190>
- Kelly, B. A., Irigoyen, M. M., Pomerantz, S. C., Mondesir, M., & Isaza-Brando, N. (2017). Swaddling and Infant Sleeping Practices. *Journal of Community Health*, 42(1), 10–14. <https://doi.org/10.1007/S10900-016-0219-1>
- Kementerian Kesehatan Republik Indonesia. (2014). *Peraturan Menteri Kesehatan Republik Indonesia Nomor 78 Tahun 2014 tentang Skrining Hipotiroid Kongenital*.
- Kementerian Kesehatan Republik Indonesia. (2023). *Survei kesehatan Indonesia (SKI) tahun 2023*. <https://www.badankebijakan.kemkes.go.id/ski-2023-dalam-angka/>
- Kementerian Kesehatan Republik Indonesia. (2025). *Keputusan Menteri Kesehatan Republik Indonesia Nomor HK.01.07/Menkes/33/2025 tentang Petunjuk Teknis Pemeriksaan Kesehatan Gratis Hari Ulang Tahun*.
- Kirli, C., Kisacik, Ö. G., & Gürel, S. (2024a). The effects of white noise and swaddling methods on orogastric tube insertion-related pain in preterm infants: A randomized controlled trial. *International Journal of Nursing Practice*, 30(6). <https://doi.org/10.1111/ijn.13275>
- Kolcaba Katharine. (2003). *Comfort Theory and Practice: A Vision for Holistic Health Care and Research*. Springer Publishing Company, Inc.
- Küçük Alemdar, D., & Güdücü Tüfekçi, F. (2018). Effects of maternal heart sounds on pain and comfort during aspiration in preterm infants. *Japan Journal of Nursing Science*, 15(4), 330–339. <https://doi.org/10.1111/jjns.12202>
- Kucukoglu, S., Kurt, S., & Aytakin, A. (2015). The effect of the facilitated tucking position in reducing vaccination-induced pain in newborns. *Italian Journal of Pediatrics*, 41(1), 1–7. <https://doi.org/10.1186/s13052-015-0168-9>
- Lago, P., Cavicchiolo, M. E., Mion, T., Dal Cengio, V., Allegro, A., Daverio, M., & Frigo, A. C. (2020). Repeating a dose of sucrose for heel prick procedure in preterms is not effective in reducing pain: a randomised controlled trial. *European Journal of Pediatrics*, 179(2), 293–301. <https://doi.org/10.1007/s00431-019-03509-2>
- Lan, H.-Y., Yang, L., Lin, C.-H., Hsieh, K.-H., Chang, Y.-C., & Yin, T. (2021). Breastmilk as a Multisensory Intervention for Relieving Pain during Newborn Screening Procedures: A Randomized Control Trial. *International Journal of Environmental Research and Public Health*, 18(24), 13023. <https://doi.org/10.3390/ijerph182413023>
- Lawrence, J., Alcock, D., McGrath, P., Kay, J., MacMurray, S. B., & Dulberg, C. (1991). The tool to assess neonatal pain. *Journal of Pain and Symptom Management*, [doi.org/10.1016/0885-3924\(91\)91127-U](https://doi.org/10.1016/0885-3924(91)91127-U)
- S. (2017). Prevention and management of procedural pain in the neonate: An Academy of Pediatrics, 2016. *Archives of Disease in Childhood: Education*, 102(5), 254–256. <https://doi.org/10.1136/archdischild-2016-311066>





- Perry, M., Tan, Z., Chen, J., Weidig, T., Xu, W., & Cong, X. S. (2018). Neonatal pain. *Critical Care Nursing Clinics of North America*, 30(4), 549–561. <https://doi.org/10.1016/j.cnc.2018.07.013>
- Pirlotte, S., Beeckman, K., Ooms, I., & Cools, F. (2024). Non-pharmacological interventions for the prevention of pain during endotracheal suctioning in ventilated neonates. *Cochrane Database of Systematic Reviews*, 2024(1). <https://doi.org/10.1002/14651858.CD013353.pub2>
- Qiu, J., Zhang, J., Lu, K., Cheng, R., Chen, X., Yang, Y., & Sun, Y. (2020). Effectiveness of Gentle Human Touch for Pain Control During Examination for Retinopathy of Pre-maturity: A Randomized Controlled Trial. *Frontiers in Pediatrics*, 8. <https://doi.org/10.3389/fped.2020.608378>
- Raja, S. N., Carr, D. B., Cohen, M., Finnerup, N. B., Flor, H., Gibson, S., Keefe, F. J., Mogil, J. S., Ringkamp, M., Sluka, K. A., Song, X.-J., Stevens, B., Sullivan, M. D., Tutelman, P. R., Ushida, T., & Vader, K. (2020). The revised International Association for the Study of Pain definition of pain: concepts, challenges, and compromises. *Pain*, 161(9), 1976–1982. <https://doi.org/10.1097/j.pain.0000000000001939>
- Sangadji, I., Khatibi, A., Shari, N. B., S, J. T., & Windiyaningsih, C. (2023). Midline swaddling and traditional swaddling position and their influence on physical and autonomic sign on newborn babies. *International Journal of Paediatrics and Geriatrics*, 6(1), 31–42. <https://doi.org/10.33545/26643685.2023.v6.i1a.198>
- Sarkaria, E., & Gruszfeld, D. (2022). Assessing Neonatal Pain with NIPS and COMFORT-B: Evaluation of NICU's Staff Competences. *Pain Research and Management*, 2022, 1–9. <https://doi.org/10.1155/2022/8545372>
- Sezer Efe, Y., Erdem, E., Caner, N., & Güneş, T. (2022). The effect of gentle human touch on pain, comfort and physiological parameters in preterm infants during heel lancing. *Complementary Therapies in Clinical Practice*, 48, 101622. <https://doi.org/10.1016/j.ctcp.2022.101622>
- Sharara-Chami, R., El-Hout, Y., Lakissian, Z., Hafez, B., Abi-Gerges, C., Fayad, J., Charafeddine, L., Tazian, V., Tamim, H., & Zaghafal, A. (2022). Music as an adjunct to combination analgesia for neonatal circumcision: A randomized controlled trial. *Journal of Pediatric Urology*, 18(2), 184.e1-184.e6. <https://doi.org/10.1016/j.jpuro.2021.12.011>
- Shen, M., & El-Chaar, G. (2015). Reducing pain from heel lances in neonates following education on oral sucrose. *International Journal of Clinical Pharmacy*, 37(3), 529–536. <https://doi.org/10.1007/s11096-015-0090-7>
- Shen, Q., Huang, Z., Leng, H., Luo, X., & Zheng, X. (2022). Efficacy and safety of non-pharmacological interventions for neonatal pain: an overview of systematic reviews. *BMJ Open*, 12(9). <https://doi.org/10.1136/BMJOPEN-2022-062296>
- Soni, R., & Tscherning, C. (2021). Family-centred and developmental care on the neonatal unit. *Paediatrics and Child Health*, 31(1), 18–23. <https://doi.org/10.1016/j.paed.2020.10.003>
- Sugiyono. (2018). *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. Alfabeta.
- Talebi, M., Amiri, S. R. J., Roshan, P. A., Zabihi, A., Zahedpasha, Y., & Chehrazi, M. (2022). The effect of concurrent use of swaddle and sucrose on the intensity of pain during venous blood sampling in neonate: a clinical trial study. *BMC Pediatrics*, 22(1), 1–8. <https://doi.org/10.1186/s12887-022-03323-0>
- Tavlar, M., & Karakoc, A. (2022). The effect of breastfeeding, breast milk odour and mother's heartbeat sound on pain level in newborns: A randomized trial. *International Journal of Nursing Practice*, 28(6). <https://doi.org/10.1111/ijn.13067>
- Armenteros-López, A. I., Fernández-Rosales, N., Díez-Delgado, J., Salagre, ez, R., Martín-González, M., & Bonillo-Perales, A. (2025). Classification of eight infants as small for gestational age: International vs. national standards. <https://doi.org/10.1371/journal.pone.0323470>
- Goyal, K., Das, R. R., Javadekar, B., Aiyer, S., & Panigrahi, S. K. (2016). compare the efficacy of combined sucrose and non-nutritive sucking for



- analgesia in newborns undergoing minor painful procedure: A randomized controlled trial. *Journal of Perinatology*, 36(1), 67–70. <https://doi.org/10.1038/jp.2015.122>
- The Lullaby Trust. (2020). *Swaddling your baby and using slings*. <https://www.lullabytrust.org.uk/safer-sleep-advice/product-information/swaddling-slings/>
- Tucker, M. H., Tiwari, P., & Carter, B. S. (2023). The physiology, assessment, and treatment of neonatal pain. *Seminars in Fetal and Neonatal Medicine*, 28(4), 101465. <https://doi.org/10.1016/j.siny.2023.101465>
- Ugucu, G., Yigit, R., & Celik, Y. (2024). Effect of combining oral glucose solutions with supportive positions on pain during heel puncture blood sampling in premature infants: A randomized quadruple-blinded experimental study. *Journal of Pediatric Nursing*, 77, e108–e116. <https://doi.org/10.1016/j.pedn.2024.03.038>
- Ullsten, A., Andreasson, M., & Eriksson, M. (2021). State of the Art in Parent-Delivered Pain-Relieving Interventions in Neonatal Care: A Scoping Review. *Frontiers in Pediatrics*, 9. <https://doi.org/10.3389/FPED.2021.651846>
- Van den Hoogen, N. J., de Kort, A. R., Allegaert, K. M., Joosten, E. A., Simons, S. H. P., Tibboel, D., & van den Bosch, G. E. (2019). Developmental neurobiology as a guide for pharmacological management of pain in neonates. *Seminars in Fetal and Neonatal Medicine*, 24(4). <https://doi.org/10.1016/j.siny.2019.05.004>
- Van Trotsenburg, P., Stoupa, A., Léger, J., Rohrer, T., Peters, C., Fugazzola, L., Cassio, A., Heinrichs, C., Beauloye, V., Pohlenz, J., Rodien, P., Coutant, R., Szinnai, G., Murray, P., Bartés, B., Luton, D., Salerno, M., De Sanctis, L., Vigone, M., ... Polak, M. (2021). Congenital Hypothyroidism: A 2020-2021 Consensus Guidelines Update - An ENDO-European Reference Network Initiative Endorsed by the European Society for Pediatric Endocrinology and the European Society for Endocrinology. In *Thyroid* (Vol. 31, Number 3, pp. 387–419). Mary Ann Liebert Inc. <https://doi.org/10.1089/thy.2020.0333>
- Velasco Arias, J. M., Peres, A. M., Escandell Rico, F. M., Solano-Ruiz, M. C., Gil-Guillen, V. F., & Noreña-Peña, A. (2025). Developmental-Centered Care in Preterm Newborns: Scoping Review. *Children*, 12(6), 783. <https://doi.org/10.3390/children12060783>
- Velumula, P. K., Elbakoush, F., Tabb, C., Farooqi, A., Lulic-Botica, M., Jani, S., Natarajan, G., & Bajaj, M. (2022). Breast milk vs 24% sucrose for procedural pain relief in preterm neonates: a non-inferiority randomized controlled trial. *Journal of Perinatology*, 42(7), 914–919. <https://doi.org/https://doi.org/10.1038/s41372-022-01352-2>
- Vinall, J., & Grunau, R. E. (2014). Impact of repeated procedural pain-related stress in infants born very preterm. *Pediatric Research*, 75(5), 584–587. <https://doi.org/10.1038/PR.2014.16>
- Walker, S. M. (2014). Neonatal pain. *Pediatric Anesthesia*, 24(1), 39–48. <https://doi.org/10.1111/pan.12293>
- Walker, S. M. (2019). Long-term effects of neonatal pain. *Seminars in Fetal and Neonatal Medicine*, 24(4), 101005. <https://doi.org/10.1016/j.siny.2019.04.005>
- Williams, M. D., & Lascelles, B. D. X. (2020). Early Neonatal Pain—A Review of Clinical and Experimental Implications on Painful Conditions Later in Life. *Frontiers in Pediatrics*, 8. <https://doi.org/10.3389/fped.2020.00030>
- Williams, N., MacLean, K., Guan, L., Collet, J. P., & Holsti, L. (2019). Pilot Testing a Robot for Reducing Pain in Hospitalized Preterm Infants. *OTJR Occupation, Participation and Health*, 39(2), 108–115. <https://doi.org/10.1177/1539449218825436>
- World Health Organization. (2010). *WHO Guidelines on Drawing Blood: Best Practices in Health Care*. WHO Press. <https://www.ncbi.nlm.nih.gov/books/NBK138654/>
- World Health Organization. (2022). *Newborn Health*. WHO. [https://www.who.int/westernpacific/health-topics/newborn-health#tab=tab\\_3](https://www.who.int/westernpacific/health-topics/newborn-health#tab=tab_3)



- World Health Organization. (2024). *Newborn health in the Western Pacific*. World Health Organization. [https://www.who.int/westernpacific/health-topics/newborn-health/430#tab=tab\\_1](https://www.who.int/westernpacific/health-topics/newborn-health/430#tab=tab_1)
- Wu, H. P., Yin, T., Hsieh, K. H., Lan, H. Y., Feng, R. C., Chang, Y. C., & Liaw, J. J. (2020). Integration of Different Sensory Interventions From Mother's Breast Milk for Preterm Infant Pain During Peripheral Venipuncture Procedures: A Prospective Randomized Controlled Trial. *Journal of Nursing Scholarship*, 52(1), 75–84. <https://doi.org/10.1111/jnu.12530>

