

DAFTAR PUSTAKA

- Afroughsabet, V., Geng, G., Lin, A., Biolzi, L., Ostertag, C. P., & Monteiro, P. J. M. (2019). The influence of expansive cement on the mechanical, physical, and microstructural properties of hybrid-fiber-reinforced concrete. *Cement and Concrete Composites*, 96, 21–32. <https://doi.org/10.1016/j.cemconcomp.2018.11.012>
- Akgül, M. (2024). Effect of curing conditions on cement based self-compacting mortar produced with mortar waste aggregate. *Heliyon*, 10(16), e36423. <https://doi.org/10.1016/j.heliyon.2024.e36423>
- Ali, S., Iqbal, S., Room, S., Ali, A., & Ur Rahman, Z. (2021). Value added usage of granular steel slag and milled glass in concrete production. *Journal of Engineering Research (Kuwait)*, 9(1), 73–85. <https://doi.org/10.36909/JER.V9I1.8214>
- ASTM C618. (2021). ASTM C618 fly ash specification: Comparison with other specifications, shortcomings, and solutions. *ACI Materials Journal*, 118(1), 157–167. <https://doi.org/10.14359/51725994>
- Bendimerad, A. Z., Delsaute, B., Rozière, E., Staquet, S., & Loukili, A. (2020). Advanced techniques for the study of shrinkage-induced cracking of concrete with recycled aggregates at early age. *Construction and Building Materials*, 233, 117340. <https://doi.org/10.1016/j.conbuildmat.2019.117340>
- Bentz, D. P., Ferraris, C. F., Jones, S. Z., Lootens, D., & Zunino, F. (2017). Limestone and silica powder replacements for cement: Early-age performance. *Cement and Concrete Composites*, 78, 43–56. <https://doi.org/10.1016/j.cemconcomp.2017.01.001>
- Cerqueira, N. A., Marvila, M. T., de Azevedo, A. R. G., Alexandre, J., Xavier, G. C., & de Souza, V. B. (2020). Analysis of deformability modulus by linear and nonlinear elastic methods in ceramic structural masonry and mortars. *Ceramica*, 66(379), 229–235. <https://doi.org/10.1590/0366-69132020663792845>
- Cheng, X., Liu, S., Wen, J., Feng, T., Chen, G., & Tan, Y. (2023). Effects of recycled mortar powder on the properties and microstructure of magnesium potassium phosphate cement. *Construction and Building Materials*, 403(May), 133144. <https://doi.org/10.1016/j.conbuildmat.2023.133144>
- Dacić, A., Fenyvesi, O., & Kopeckó, K. (2023). Investigation of Waste Perlite and Recycled Concrete Powders as Supplementary Cementitious Materials. *Periodica Polytechnica Civil Engineering*, 67(3), 683–694. <https://doi.org/10.3311/PPci.21593>
- Delsaute, B., & Staquet, S. (2020). Impact of recycled sand and gravels in concrete on volume change. *Construction and Building Materials*, 232, 117279. <https://doi.org/10.1016/j.conbuildmat.2019.117279>
- Oliveira, M. (2017). Mitigation of the negative effects of recycled waste water absorption in concrete technology. *Construction and Building Materials*, 133, 416–424. <https://doi.org/10.1016/j.conbuildmat.2016.12.132>
- L., & de Brito, J. (2010). Durability performance of concrete made with fine recycled concrete aggregates. *Cement and Concrete Composites*, 32(1), 9–14.



<https://doi.org/10.1016/j.cemconcomp.2009.09.005>

- Evangelista, L., Guedes, M., De Brito, J., Ferro, A. C., & Pereira, M. F. (2015). Physical, chemical and mineralogical properties of fine recycled aggregates made from concrete waste. *Construction and Building Materials*, 86, 178–188. <https://doi.org/10.1016/j.conbuildmat.2015.03.112>
- Hu, X., Lu, Q., Xu, Z., Zhang, W., & Cheng, S. (2018). Compressive stress-strain relation of recycled aggregate concrete under cyclic loading. *Construction and Building Materials*, 193, 72–83. <https://doi.org/10.1016/j.conbuildmat.2018.10.137>
- Ince, C., Carter, M. A., Wilson, M. A., El-Turki, A., Ball, R. J., Allen, G. C., & Collier, N. C. (2010). Analysis of the abstraction of water from freshly mixed jointing mortars in masonry construction. *Materials and Structures/Materiaux et Constructions*, 43(7), 985–992. <https://doi.org/10.1617/s11527-009-9560-5>
- Jebli, M., Jamin, F., Malachanne, E., Garcia-Diaz, E., & El Youssofi, M. S. (2018). Experimental characterization of mechanical properties of the cement-aggregate interface in concrete. *Construction and Building Materials*, 161, 16–25. <https://doi.org/10.1016/j.conbuildmat.2017.11.100>
- Kępiak, M., Woyciechowski, P., & Franus, W. (2021). Transition zone enhancement with waste limestone powder as a reason for concrete compressive strength increase. *Materials*, 14(23). <https://doi.org/10.3390/ma14237254>
- Le, M. T., Tribout, C., & Escadeillas, G. (2019). Durability of mortars with leftover recycled sand. *Construction and Building Materials*, 215, 391–400. <https://doi.org/10.1016/j.conbuildmat.2019.04.179>
- Li, L., Zhan, B. J., Lu, J., & Poon, C. S. (2019). Systematic evaluation of the effect of replacing river sand by different particle size ranges of fine recycled concrete aggregates (FRCA) in cement mortars. *Construction and Building Materials*, 209, 147–155. <https://doi.org/10.1016/j.conbuildmat.2019.03.044>
- Li, S., Gao, J., Li, Q., & Zhao, X. (2021). Investigation of using recycled powder from the preparation of recycled aggregate as a supplementary cementitious material. *Construction and Building Materials*, 267, 120976. <https://doi.org/10.1016/j.conbuildmat.2020.120976>
- Liang, C., Zhang, Y., Wu, R., Yang, D., & Ma, Z. (2021). The utilization of active recycled powder from various construction wastes in preparing ductile fiber-reinforced cementitious composites: A case study. *Case Studies in Construction Materials*, 15(April), e00650. <https://doi.org/10.1016/j.cscm.2021.e00650>
- Lin, Y., Zhang, X., & Wang, Y. (2020). Research on the performance of recycled concrete powder self-leveling mortar based on orthogonal experiment. *E3S Web of Conferences*, 198, 4–6. <https://doi.org/10.1051/e3sconf/202019801011>
- Li, Y., & Peng, P. (2019). Study on interface characteristics and frost resistance of recycled concrete. *E3S Web of Conferences*, 79. <https://doi.org/10.1051/e3sconf/20197902004>
- Limann, M., Wagner, E., Mróz, R., & Deja, J. (2015). Performance of recycled aggregate concrete based on a new concrete recycling technology. *Construction and Building Materials*, 95, 243–256.



<https://doi.org/10.1016/j.conbuildmat.2015.07.021>

- Manzi, S., Mazzotti, C., & Bignozzi, M. C. (2013). Short and long-term behavior of structural concrete with recycled concrete aggregate. *Cement and Concrete Composites*, 37(1), 312–318. <https://doi.org/10.1016/j.cemconcomp.2013.01.003>
- Medina, G., Sáez del Bosque, I. F., Frias, M., Sánchez de Rojas, M. I., & Medina, C. (2018). Durability of new recycled granite quarry dust-bearing cements. *Construction and Building Materials*, 187, 414–425. <https://doi.org/10.1016/j.conbuildmat.2018.07.134>
- Miraldo, S., Lopes, S., Pacheco-Torgal, F., & Lopes, A. (2021). Advantages and shortcomings of the utilization of recycled wastes as aggregates in structural concretes. *Construction and Building Materials*, 298. <https://doi.org/10.1016/j.conbuildmat.2021.123729>
- Morón, A., Ferrández, D., Saiz, P., & Morón, C. (2021). Experimental study with cement mortars made with recycled concrete aggregate and reinforced with aramid fibers. *Applied Sciences (Switzerland)*, 11(17). <https://doi.org/10.3390/app11177791>
- Nahi, S., Leklou, N., Khelidj, A., Oudjit, M. N., & Zenati, A. (2020). Properties of cement pastes and mortars containing recycled green glass powder. *Construction and Building Materials*, 262, 120875. <https://doi.org/10.1016/j.conbuildmat.2020.120875>
- Ohemeng, E. A., Ekolu, S. O., Quainoo, H., & Naghizadeh, A. (2022). Economical and eco-friendly masonry mortar containing waste concrete powder as a supplementary cementitious material. *Case Studies in Construction Materials*, 17(October), e01527. <https://doi.org/10.1016/j.cscm.2022.e01527>
- Ohemeng, E. A., & Naghizadeh, A. (2023). Alternative cleaner production of masonry mortar from fly ash and waste concrete powder. *Construction and Building Materials*, 374(March), 130859. <https://doi.org/10.1016/j.conbuildmat.2023.130859>
- Ouyang, X., Wang, L., Xu, S., Ma, Y., & Ye, G. (2020). Surface characterization of carbonated recycled concrete fines and its effect on the rheology, hydration and strength development of cement paste. *Cement and Concrete Composites*, 114(August), 103809. <https://doi.org/10.1016/j.cemconcomp.2020.103809>
- Pavlů, T., Kočí, V., & Šefflová, M. (2016). Study replacement of cement with recycled cement powder and the environmental assessment. *Solid State Phenomena*, 249 SSP, 136–141. <https://doi.org/10.4028/www.scientific.net/SSP.249.136>
- Qu, F., Li, W., Dong, W., Tam, V. W. Y., & Yu, T. (2021). Durability deterioration of concrete under marine environment from material to structure: A critical review. *Journal of Building Engineering*, 35(September 2020), 102074. <https://doi.org/10.1016/j.jobbe.2020.102074>



Qureshi, A., Munir, M. J., Mubeen, T., & Tasaddiq, R. M. (2016). Effect of using recycled concrete as coarse aggregate on tensile and flexural strength of concrete. *Sustainable Construction Materials and Technologies*, 2016-Augus. doi.org/10.18552/2016/scmt4s244

Ricci, R., Daniotti, B., Pelosato, R., & Dotelli, G. (2015). Properties of cement mortars vs. cement mortars containing recycled concrete aggregates.

Construction and Building Materials, 84, 84–94.
<https://doi.org/10.1016/j.conbuildmat.2015.03.042>

- Ribas, L. F., Cordeiro, G. C., Toledo Filho, R. D., Frías, M., & Tavares, L. M. (2024). Improving mortar properties using traditional ceramic materials ground to precisely controlled sizes. *Heliyon*, 10(20). <https://doi.org/10.1016/j.heliyon.2024.e39614>
- Sáez del Bosque, I. F., Zhu, W., Howind, T., Matías, A., Sánchez de Rojas, M. I., & Medina, C. (2017). Properties of interfacial transition zones (ITZs) in concrete containing recycled mixed aggregate. *Cement and Concrete Composites*, 81, 25–34. <https://doi.org/10.1016/j.cemconcomp.2017.04.011>
- Sharma, S. K. (2019). Properties of SCC containing pozzolans, Wollastonite micro fiber, and recycled aggregates. *Heliyon*, 5(8), e02081. <https://doi.org/10.1016/j.heliyon.2019.e02081>
- Shi, C., Li, Y., Zhang, J., Li, W., Chong, L., & Xie, Z. (2016). Performance enhancement of recycled concrete aggregate - A review. *Journal of Cleaner Production*, 112, 466–472. <https://doi.org/10.1016/j.jclepro.2015.08.057>
- Singh, A., Miao, X., Zhou, X., Deng, Q., Li, J., Zou, S., & Duan, Z. (2023). Use of recycled fine aggregates and recycled powders in sustainable recycled concrete. *Journal of Building Engineering*, 77(July), 107370. <https://doi.org/10.1016/j.jobbe.2023.107370>
- Thomas, C., de Brito, J., Gil, V., Sainz-Aja, J. A., & Cimentada, A. (2018). Multiple recycled aggregate properties analysed by X-ray microtomography. *Construction and Building Materials*, 166, 171–180. <https://doi.org/10.1016/j.conbuildmat.2018.01.130>
- Tittarelli, F., Carsana, M., & Ruello, M. L. (2014). Effect of hydrophobic admixture and recycled aggregate on physical-mechanical properties and durability aspects of no-fines concrete. *Construction and Building Materials*, 66, 30–37. <https://doi.org/10.1016/j.conbuildmat.2014.05.043>
- Topič, J., & Prošek, Z. (2017). Hydration heat evolution of the cement paste with recycled concrete: Influence of grain size distribution of recycled concrete powder. *Key Engineering Materials*, 731 KEM, 37–42. <https://doi.org/10.4028/www.scientific.net/KEM.731.37>
- Wan, C., Chen, X., Li, T., Huang, T., & Deng, T. (2012). Effect of variability of recycled aggregate on properties of concrete. *Applied Mechanics and Materials*, 174–177, 1122–1132. <https://doi.org/10.4028/www.scientific.net/AMM.174-177.1122>
- Wang, Y., Wang, M., Wang, H., Dun, Z., & Ren, L. (2023). Experimental Research on Application of Waste Concrete Powder–Waste Brick Powder–Cement Grout for Foundation Reinforcement in Mining Goaf. *Materials*, 16(18). <https://doi.org/10.3390/ma16186075>



, Q., & Chen, S. (2019). Approaches of concrete creep using mechanics: Numerical simulation and predictive model. *Modelling and Simulation in Materials Science and Engineering*, 27(5). doi.org/10.1088/1361-651X/ab1f43

H., Dong, H., Ding, Y., & Yuhao, C. (2022). THE EFFECTS OF

POLYALUMINIUM CHLORIDE (PAC) SLAG on the PROPERTIES of RECYCLED CONCRETE. *Ceramics - Silikaty*, 66(4), 419–427.
<https://doi.org/10.13168/cs.2022.0037>

- Yang, C. C., & Weng, S. H. (2013). A three-phase model for predicting the effective chloride migration coefficient of ITZ in cement-based materials. *Magazine of Concrete Research*, 65(3), 193–201. <https://doi.org/10.1680/mac.12.00052>
- Yang, Y. F., Zhang, Y. Q., & Fu, F. (2022). Performance and design of RAC-filled steel RHS beams. *Journal of Building Engineering*, 46(November 2021), 103734. <https://doi.org/10.1016/j.job.2021.103734>
- Yuan, C., Chen, Y., Liu, D., Lv, W., & Zhang, Z. (2023). The Basic Mechanical Properties and Shrinkage Properties of Recycled Micropowder UHPC. *Materials*, 16(4). <https://doi.org/10.3390/ma16041570>
- Zeng, Q., Jike, N., Xu, C., Yang, R., Peng, Y., Wang, J., Gong, F., Zhang, M., & Zhao, Y. (2022). Total recycling of low-quality urban-fringe construction and demolition waste towards the development of sustainable cement-free pervious concrete: The proof of concept. *Journal of Cleaner Production*, 352(June 2021). <https://doi.org/10.1016/j.jclepro.2022.131464>
- Zhang, S., Hofmann, M., & Beyer, K. (2018). A 2D typology generator for historical masonry elements. *Construction and Building Materials*, 184, 440–453. <https://doi.org/10.1016/j.conbuildmat.2018.06.085>
- Zhang, Y., Zhang, T., Liu, Z., & Ma, C. (2021). Effect of Recycled Powder on Properties of Cement Mortar. *E3S Web of Conferences*, 299, 1–8. <https://doi.org/10.1051/e3sconf/202129902009>
- Zhao, W., Liu, L., & Hao, T. (2011). Experimental study on the mix design and fundamental properties for mixed mortars using recycled fine aggregates. *Advanced Materials Research*, 287–290, 943–948. <https://doi.org/10.4028/www.scientific.net/AMR.287-290.943>
- Zhao, Z., Remond, S., Damidot, D., & Xu, W. (2015). Influence of fine recycled concrete aggregates on the properties of mortars. *Construction and Building Materials*, 81, 179–186. <https://doi.org/10.1016/j.conbuildmat.2015.02.037>

