

DAFTAR PUSTAKA

- Agency, I. E. (2024) 'Coal 2024 : Analysis and Forecast to 2027', *IEA Publications*, p. 125. Available at: <https://www.iea.org/reports/renewables-2022>; License: CC BY 4.0.
- Aguado, R. *et al.* (2003) 'Kinetics of polystyrene pyrolysis in a conical spouted bed reactor', *Chemical Engineering Journal*, 92(1–3), pp. 91–99. doi: 10.1016/S1385-8947(02)00119-5.
- Awad, M. I., Makkawi, Y. and Hassan, N. M. (2024) 'Yield and Energy Modeling for Biochar and Bio-Oil Using Pyrolysis Temperature and Biomass Constituents', *ACS Omega*, 9(16), pp. 18654–18667. doi: 10.1021/acsomega.4c01646.
- Bajwa, D. S. *et al.* (2018) 'A review of densified solid biomass for energy production', *Renewable and Sustainable Energy Reviews*, 96, pp. 296–305. doi: 10.1016/J.RSER.2018.07.040.
- Bazaluk, O. *et al.* (2022) 'Metallurgical Coke Production with Biomass Additives: Study of Biocoke Properties for Blast Furnace and Submerged Arc Furnace Purposes', *Materials*, 15(3). doi: 10.3390/ma15031147.
- Bridgwater, A. V. (2012a) 'Review of fast pyrolysis of biomass and product upgrading', *Biomass and Bioenergy*, 38, pp. 68–94. doi: 10.1016/J.BIOMBIOE.2011.01.048.
- Cai, J. *et al.* (2017) 'Review of physicochemical properties and analytical characterization of lignocellulosic biomass', *Renewable and Sustainable Energy Reviews*, 76, pp. 309–322. doi: 10.1016/J.RSER.2017.03.072.
- Chen, C. *et al.* (2021) 'Review on slagging evaluation methods of biomass fuel combustion', *Journal of Analytical and Applied Pyrolysis*, 155, p. 105082. doi: 10.1016/J.JAAP.2021.105082.
- Chen, H. *et al.* (2024) 'A review on bioslurry fuels derived from bio-oil and biochar: Preparation, fuel properties and application', *Fuel*, 355, p. 129283. doi: 10.1016/J.FUEL.2023.129283.
- Chen, W. H., Peng, J. and Bi, X. T. (2015) 'A state-of-the-art review of biomass torrefaction, densification and applications', *Renewable and Sustainable Energy Reviews*, 44, pp. 847–866. doi: 10.1016/J.RSER.2014.12.039.
- Cheng, H. *et al.* (2024) 'Effect of modified PE fiber grafted with nano-SiO₂ on the tensile properties of high-strength engineering cementitious composites', *Construction and Building Materials*, 420. doi: 10.1016/j.conbuildmat.2024.135618.
- Dyjakon, A., Noszczyk, T. and Mostek, A. (2021) 'Mechanical durability and grindability of pellets after torrefaction process', *Energies*, 14(20), pp. 1–16. doi: 10.3390/en14206772.
- Egboosiuba, T. C. (2022) 'Biochar and bio-oil fuel properties from nickel nanoparticles assisted pyrolysis of cassava peel', *Heliyon*, 8(8), p. e10114. doi: 10.1016/J.HELİYON.2022.E10114.
- Ghazidin, H. *et al.* (2023) 'A comprehensive evaluation of slagging and fouling indicators for solid fuel combustion', *Thermal Science and Engineering Progress*, 40, p. 101769. doi: 10.1016/J.TSEP.2023.101769.
- Güleç, F. *et al.* (2024) 'Progress in lignocellulosic biomass valorization for biofuels and value-added chemical production in the EU: A focus on thermochemical conversion processes', *Biofuels, Bioproducts and Biorefining*, 18(3), pp. 755–781. doi: 10.1002/bbb.2544.
- Guo, J. *et al.* (2023) 'Hydrogenation of coal tar pitch for improved mesophase pitch molecular orientation and carbon fiber processing', *Journal of Analytical and Applied Pyrolysis*, 174, p. 106146. doi: 10.1016/J.JAAP.2023.106146.
- Ibitoye, S. E. *et al.* (2023) 'An overview of biomass solid fuels: Biomass sources, processing methods, and morphological and microstructural properties', *Journal of Bioresources and Bioproducts*, 8(4), pp. 333–360. doi: 10.1016/j.jobab.2023.09.005.
- Ibitoye, S. E. *et al.* (2024) *An overview of biochar production techniques and application in iron and steel industries*, *Bioresources and Bioprocessing*. doi: 10.1186/s40643-024-

- 00779-z.
- Ippolito, J. A. *et al.* (2020) 'Feedstock choice, pyrolysis temperature and type influence biochar characteristics: a comprehensive meta-data analysis review', *Biochar*, 2(4), pp. 421–438. doi: 10.1007/s42773-020-00067-x.
- Jahiding, M. *et al.* (2021) 'Analisis kualitas bio-coke cangkang kakao terinjeksi lvm sebagai bahan bakar alternatif', 1(November), pp. 1725–1733.
- Jahiding, M. *et al.* (2023) 'Decomposition and characterization of bio-oil from coconut shell waste for bio-coke hybrid application as alternative energy resources', *Journal of Physics: Conference Series*, 2498(1), p. 012036. doi: 10.1088/1742-6596/2498/1/012036.
- Jahiding, M. *et al.* (2024) 'The Production of Renewable Fuels Sago Dregs and Low-Density Polyethylene by Pyrolysis and its Characterization', *Science and Technology Indonesia*, 9(3), pp. 565–576. doi: 10.26554/sti.2024.9.3.565-576.
- Jahiding, M. *et al.* (2025) 'Upgrading bio-oil and bio-char from sago dregs pyrolysis with liquid–solid diffusion blending method to produce high-calorie hybrid bio-coke', *Chemical Papers*, 79(7), pp. 4597–4610. doi: 10.1007/s11696-025-04080-x.
- Jenkins, B. M. *et al.* (1998) 'Combustion properties of biomass', *Fuel Processing Technology*, 54(1–3), pp. 17–46. doi: 10.1016/S0378-3820(97)00059-3.
- Kamal Baharin, N. S. *et al.* (2020) 'Conversion and characterization of Bio-Coke from abundant biomass waste in Malaysia', *Renewable Energy*, 162, pp. 1017–1025. doi: 10.1016/J.RENENE.2020.08.083.
- Kamran, M. (2023) 'Energy sources and technologies', *Fundamentals of Smart Grid Systems*, pp. 23–69. doi: 10.1016/B978-0-323-99560-3.00010-7.
- Khater, E. S. *et al.* (2024) 'Biochar production under different pyrolysis temperatures with different types of agricultural wastes', *Scientific Reports*, 14(1), pp. 1–8. doi: 10.1038/s41598-024-52336-5.
- Knapp, S. *et al.* (2019) 'Evaluation of co-firing as a cost-effective short-term sustainable CO2 mitigation strategy in Germany', *Energy, Sustainability and Society*, 9(1). doi: 10.1186/s13705-019-0214-3.
- Liu, L. *et al.* (2023) 'Recent advances of research in coal and biomass co-firing for electricity and heat generation', *Circular Economy*, 2(4), p. 100063. doi: 10.1016/J.CEC.2023.100063.
- Manrique, R. *et al.* (2019) 'Evaluation of the Energy Density for Burning Disaggregated and Pelletized Coffee Husks', *ACS Omega*, 4(2), pp. 2957–2963. doi: 10.1021/acsomega.8b02591.
- Nadarajah, K., Asharp, T. and Jeganathan, Y. (2024) 'Biochar from waste biomass, its fundamentals, engineering aspects, and potential applications: an overview', *Water Science and Technology*, 89(5), pp. 1211–1239. doi: 10.2166/wst.2024.051.
- Ngene, G. I. *et al.* (2024) 'A review on biochar briquetting: Common practices and recommendations to enhance mechanical properties and environmental performances', *Journal of Cleaner Production*, 469, p. 143193. doi: 10.1016/J.JCLEPRO.2024.143193.
- Osman, A. I. *et al.* (2023) *Optimizing biomass pathways to bioenergy and biochar application in electricity generation, biodiesel production, and biohydrogen production*, *Environmental Chemistry Letters*. Springer International Publishing. doi: 10.1007/s10311-023-01613-2.
- Prusak, D., Karpel, G. and Kulakowski, K. (2021) 'The architecture of a real-time control system for heating energy management in the intelligent building', *Energies*, 14(17), pp. 1–13. doi: 10.3390/en14175402.
- Racero-Galaraga, D. *et al.* (2024) 'Proximate analysis in biomass: Standards, applications and key characteristics', *Results in Chemistry*, 12, p. 101886. doi: 10.1016/J.RECHEM.2024.101886.
- Rambli, J. *et al.* (2019) 'Evaluation of biochar from Sago (Metroxylon Spp.) as a potential solid fuel', *BioResources*, 14(1), pp. 1928–1940. doi: 10.15376/biores.14.1.1928-1940.

- Rejdak, M. *et al.* (2024) 'A Study on Bio-Coke Production—The Influence of Biochar Addition to the Coking Blend on Bio-Coke Quality Parameters', *Energies*, 17(24). doi: 10.3390/en17246425.
- Riva, L. *et al.* (2021) 'Considerations on factors affecting biochar densification behavior based on a multiparameter model', *Energy*, 221, p. 119893. doi: 10.1016/J.ENERGY.2021.119893.
- Sahoo, S. S. *et al.* (2021) 'Production and characterization of biochar produced from slow pyrolysis of pigeon pea stalk and bamboo', *Cleaner Engineering and Technology*, 3, p. 100101. doi: 10.1016/J.CLET.2021.100101.
- Santos, M. *et al.* (2024) 'Characteristics of Biochar Obtained by Pyrolysis of Residual Forest Biomass at Different Process Scales', *Energies*, 17(19). doi: 10.3390/en17194861.
- Sarker, T. R. *et al.* (2023) *Densification of waste biomass for manufacturing solid biofuel pellets: a review*, *Environmental Chemistry Letters*. Springer International Publishing. doi: 10.1007/s10311-022-01510-0.
- Seo, M. W. *et al.* (2020) 'Carbonization characteristics of biomass/coking coal blends for the application of bio-coke', *Chemical Engineering Journal*, 394(April), p. 124943. doi: 10.1016/j.cej.2020.124943.
- Sheng, C. and Azevedo, J. L. T. (2005) 'Estimating the higher heating value of biomass fuels from basic analysis data', *Biomass and Bioenergy*, 28(5), pp. 499–507. doi: 10.1016/J.BIOMBIOE.2004.11.008.
- Siruru, H. *et al.* (2022) 'Properties of sago waste charcoal using hydrothermal and pyrolysis carbonization', *Biomass Conversion and Biorefinery*, 12(12), pp. 5543–5554. doi: 10.1007/s13399-020-00983-9.
- Stelte, W. *et al.* (2012) 'Recent developments in biomass pelletization - a review', *BioResources*, 7(3), pp. 4451–4490. doi: 10.15376/biores.7.3.stelte.
- Susanto, B. *et al.* (2024) 'Characterization of sago tree parts from Sentani, Papua, Indonesia for biomass energy utilization', *Heliyon*, 10(1), p. e23993. doi: 10.1016/j.heliyon.2024.e23993.
- Ulusal, A. *et al.* (2021) 'Opportunity for sustainable biomass valorization to produce biochar for improving soil characteristics', *Biomass Conversion and Biorefinery*, 11(3), pp. 1041–1051. doi: 10.1007/s13399-020-00923-7.
- Ungureanu, N. *et al.* (2025) 'Biomass Pyrolysis Pathways for Renewable Energy and Sustainable Resource Recovery: A Critical Review of Processes, Parameters, and Product Valorization', *Sustainability (Switzerland)*, 17(17), pp. 1–71. doi: 10.3390/su17177806.
- Vilas-Boas, A. C. M. *et al.* (2023) 'Valorisation of residual biomass by pyrolysis: influence of process conditions on products', *Sustainable Energy and Fuels*, 8(2), pp. 379–396. doi: 10.1039/d3se01216f.
- Wang, C. (2023) 'Oxyfuel Cofiring Characteristics of Biomass with Ultralow Volatile Carbon-Based Fuels', *Journal of Energy Engineering*, 149(1). doi: 10.1061/(ASCE)EY.1943-7897.0000876.
- Wang, H., Huo, Z. and Jin, Q. (2025) 'Sustainable production of high-quality biocoke by bio-oil and 2, 5-furandimethanol from biomass residues depolymerization: A novel solution toward carbon neutrality in steel industry', *Journal of Analytical and Applied Pyrolysis*, 192, p. 107303. doi: 10.1016/J.JAAP.2025.107303.
- Wang, W. *et al.* (2021) 'Pyrolysis temperature and feedstock alter the functional groups and carbon sequestration potential of Phragmites australis- and Spartina alterniflora-derived biochars', *GCB Bioenergy*, 13(3), pp. 493–506. doi: 10.1111/gcbb.12795.
- Wang, X. *et al.* (2021) 'Experimental study and design of biomass co-firing in a full-scale coal-fired furnace with storage pulverizing system', *Agronomy*, 11(4), pp. 1–11. doi: 10.3390/AGRONOMY11040810.
- Yaashikaa, P. R. *et al.* (2020) 'A critical review on the biochar production techniques, characterization, stability and applications for circular bioeconomy', *Biotechnology Reports*, 28, p. e00570. doi: 10.1016/J.BTRE.2020.E00570.

- Yin, C. *et al.* (2010) 'Co-firing straw with coal in a swirl-stabilized dual-feed burner: Modelling and experimental validation', *Bioresource Technology*, 101(11), pp. 4169–4178. doi: 10.1016/J.BIORTECH.2010.01.018.
- Yin, C. (2020) 'Development in biomass preparation for suspension firing towards higher biomass shares and better boiler performance and fuel rangeability', *Energy*, 196, p. 117129. doi: 10.1016/J.ENERGY.2020.117129.
- Yustanti, E. *et al.* (2021) 'Types and composition of biomass in biocoke synthesis with the coal blending method', *Energies*, 14(20), pp. 1–18. doi: 10.3390/en14206570.
- Zhai, M. *et al.* (2025a) 'Advancing just transition: The role of biomass co-firing in emission reductions and employment for coal regions', *Sustainable Energy Technologies and Assessments*, 75, p. 104246. doi: 10.1016/J.SETA.2025.104246.
- Zhai, M. *et al.* (2025b) 'Advancing just transition: The role of biomass co-firing in emission reductions and employment for coal regions', *Sustainable Energy Technologies and Assessments*, 75, p. 104246. doi: 10.1016/J.SETA.2025.104246.
- Zhang, H. and Yu, C. (2025) 'Experimental Study on Co-Firing of Coal and Biomass in Industrial-Scale Circulating Fluidized Bed Boilers', *Energies*, 18(14). doi: 10.3390/en18143832.
- Zhang, S. *et al.* (2021) 'Thermal decomposition behavior and sulfur release characteristics for torrefied wheat straw during pyrolysis process', *Bioresource Technology*, 333(March), p. 125172. doi: 10.1016/j.biortech.2021.125172.
- Zhu, D. *et al.* (2017) 'Fouling and slagging characteristics during co-combustion of coal and biomass', *BioResources*, 12(3), pp. 6322–6341. doi: 10.15376/biores.12.3.6322-6341.
- Zhu, G. *et al.* (2024) 'Combustion and co-combustion of biochar: Combustion performance and pollutant emissions', *Applied Energy*, 376, p. 124292. doi: 10.1016/J.APENERGY.2024.124292.