

## DAFTAR PUSTAKA

- Ahsan, I. (2022). Kromatografi lapis tipis: Prinsip dan cara kerja. *Farmasi Industri*. Available at: <https://www.researchgate.net/publication/365371173> [Accessed 8 Oct. 2025].
- Altabbal, S. et al. (2023). Review of propolis: A detailed insight into its anticancer molecular mechanisms. *Molecules*, 28(15), p.5542.
- Amalia NR, Budhy TI, Ridwan RD, Rianti D, Bramantoro T, Luthfi M, et al. Propolis nanoemulsion extract from celesbes stingless bee (*Tetragonula biroi*) phytochemistry and antibacterial analysis to periodontopathogen bacteria. *J Oral Biol Craniofacial Res*. <https://www.sciencedirect.com/science/article/pii/S2212426825000764>.
- Anjum, S., Ullah, A., Khan, K.A., Attullah, M., Khan, H., Ali, H. & Dash, C. (2019). Composition and functional properties of propolis (bee glue): A review. *Saudi Journal of Biological Sciences*, 26(7), pp.1695-1703.
- Azwanida, N.N. (2015). A review on the extraction methods used in medicinal plants: Principle, strength, and limitation. *Medicinal & Aromatic Plants*, 4(3), p.196.
- Balouiri, M., Sadiki, M. & Ibsouda, S.K. (2016). Methods for in vitro evaluating antimicrobial activity: A review. *Journal of Pharmaceutical Analysis*, 6(2), 71-79.
- Bankova V, Popova M, Trusheva B. Propolis volatile compounds: chemical diversity and biological activity: a review. *Chem Cent J*. 2014 Dec 2;8(1):28.
- Blunt, J.W., Carroll, A.R., Copp, B.R., Davis, R.A., Keyzers, R.A. & Prinsep, M.R., 2018 'Marine natural products', *Natural Product Reports*, 35(1), pp. 8–53.
- Cheesbrough, M. (2006). *District laboratory practice in tropical countries: Part 2*. Cambridge: Cambridge University Press.
- Chiu, H.F., Han, Y.C., Shen, Y.C., Venkatakrishnan, K. & Wang, C.K. (2020). Chemopreventive and chemotherapeutic effect of propolis and its constituents: A mini-review. *Journal of Cancer Prevention*, 25(3), pp.103-113. Available at: <http://www.jcpjournal.org> [Accessed 9 Oct. 2025].
- Cid-Hernández, M., Salinas-Roca, B., Rodríguez-Luna, A. & López-Meza, J. (2018). Thin-layer chromatography as a method for the quality control of natural products: Application in phytochemical analysis. *Revista Mexicana de Ciencias Farmacéuticas*, 49(3), pp.45-56.
- Chen, Y., Sun, X., Han, Y. & Zhou, Y. (2021). Application of thin layer chromatography in the quality control of herbal medicines. *Chinese Journal of Chromatography*, 39(4), pp.410-418.
- Chen, H., Zhang, Q., Li, P. & Wang, Y. (2019). Structural characterization of betaine alkaloids using LC-MS/MS. *Phytochemistry Letters*, 30, pp.45-52.
- CLSI. (2020). *Performance standards for antimicrobial susceptibility testing*, 30th ed. CLSI Supplement M100. Clinical and Laboratory Standards Institute.
- Clifford, M.N., Knight, S. & Kuhnert, N. (2003). Discrimination of coffee chlorogenic acids by LC-MSn. *Journal of Agricultural and Food Chemistry*, 51(10), pp.3337-3343.
- Coskun, O. (2016). Separation techniques: Chromatography. *North Clinics of Istanbul*, 3(2), pp.156-160.
- Dziadas M, Junka A, Jeleń H. Human saliva-mediated hydrolysis of eugenyl- $\beta$ -D-glucoside and fluorescein-di- $\beta$ -D-glucoside in in vivo and in vitro models. *Biomolecules*. 2021;11(2):1-11.
- Evans, W.C. (2009). *Trease and Evans pharmacognosy*, 16th ed. Edinburgh: Saunders Elsevier.
- Ferreres, F., Gil-Izquierdo, A., Andrade, P.B., Valentão, P. & Tomás-Barberán, F.A., 2006. Characterization of flavonoids from different honey samples by HPLC-DAD-ESI/MS. *Journal of Agricultural and Food Chemistry*, 54(14), pp. 5511–5520.
- Gavanji, S. & Larki, B. (2017). Efek perbandingan propolis lebah madu dan beberapa ekstrak herbal terhadap *Candida albicans*. *Chinese Journal of Integrative Medicine*, 23(3), pp.201-207.
- Gross JH. *Mass Spectrometry: A Textbook*. 3rd ed. Springer; 2017.
- Han, J., et al. (2018) 'Fragmentation pathways of furanone derivatives under high-energy CID conditions', *Journal of Mass Spectrometry*, 53(3), pp. 255–266.
- Harmita, K., Harahap, Y. & Supandi, S. (2019). *Liquid chromatography-tandem mass spectrometry (LC-MS/MS)*. Jakarta Barat: PT ISFI Penerbitan.
- Harborne, J.B. (1998). *Phytochemical methods: A guide to modern techniques of plant analysis*, 3rd ed. London: Chapman & Hall.

- Harborne, J.B. (1987). *Metode fitokimia: Penuntun cara modern menganalisa tumbuhan* (Cetakan II, diterjemahkan oleh K. Padawinata & I. Soediro). Bandung: ITB.
- Harborne, J.B. dan Williams, C.A. (2000). Advances in flavonoid research since 1992. *Phytochemistry*, 55(6), pp.481-504.
- Helmy AK, Sidkey NM, Abdel-Aziz MM, El-Hela AA. Chemical composition of Egyptian propolis and studying its antimicrobial activity and synergistic action with honey against some multidrug-resistant uropathogens. *Sci Rep* [Internet]. 2025;15(1):17484. Available from: <https://doi.org/10.1038/s41598-025-00773-1>
- Hwang JH. Antibacterial Effect of Amentoflavone and Its Synergistic Effect with Antibiotics. *J Microbiol Biotechnol*. 2013 Jul 28;23(7):953-8.
- Hu, P., Liang, Q.L., Luo, G.A., Zhao, Z.Z. & Jiang, Z.H., 2005. Multi-component HPLC fingerprinting and LC–MS characterization of *Salvia miltiorrhiza* compounds. *Phytochemical Analysis*, 16(6), pp. 436–442.
- Hopfgartner, G., Tonoli, D. & Varesio, E. (2019) 'High-resolution mass spectrometry for integrated qualitative and quantitative analysis of pharmaceuticals in biological matrices', *Analytical and Bioanalytical Chemistry*, 411, pp. 489–499.
- Hostettmann K, Marston A. Saponins: Chemistry and Pharmacology of Natural Products. Cambridge University Press; 1995.
- Justesen, U. & Knuthsen, P., 2001. Composition of flavonoids in fresh herbs and calculation of flavonoid intake by use of herbs in traditional Danish dishes. *Food Chemistry*, 73(2), pp.245–250.
- Latupapua, L., & Sahusilawane, J. (2023). Upaya Perlindungan Satwaliar Untuk Mempertahankan Keanekaragaman Hayati Di Negeri Hutumuri, Kecamatan Leitimur Selatan, Kota Ambon. *MAANU: Jurnal Pengabdian Kepada Masyarakat*, 1(1), 20–25. <https://doi.org/10.30598/maanuv1i1p20-25>
- Latif, A., Dewa, R.P. & Mustika, I. (2018). Identifikasi senyawa metabolit sekunder dengan kromatografi lapis tipis dari ekstrak etanol daun salam (*Syzygium polyanthum*). *Jurnal Fitofarmaka Indonesia*, 5(2), pp.255-260.
- Li, Y.G., Song, L., Liu, M., Hu, Z.B. & Wang, Z.T., 2006. Advancement in analysis of *Salvia miltiorrhiza* compounds by LC–MS. *Journal of Chromatography B*, 846(1–2), pp.1–22.
- Li, S.C., Shen, Y.Y., Huang, S.W. & Huang, W.F. (2020). Flavonoids and alkaloids as possible explanations for chromophores exhibiting orange to red fluorescence in phytochemical analysis. *Molecules*, 25(3), p.560.
- Li H, et al. Identification of steroidal saponins by UPLC-QTOF-MS/MS. *Journal of Pharmaceutical and Biomedical Analysis*. 2014.
- Kachlicki, P., et al., 2016. Mass spectrometry–based fragmentation as a tool for structural elucidation of plant phenolics. *Phytochemistry Reviews*, 15(1), 29–50.
- Kumar, S. & Goel, N. (2019). Phenolic acids: Natural versatile molecules with promising therapeutic applications. *Biotechnology Reports*, 24, e00370. <https://doi.org/10.1016/j.btre.2019.e00370>
- Kumar, S. & Pandey, A.K. (2017). Chemistry and biological activities of flavonoids: An overview. *The Scientific World Journal*, 2013, Article ID 162750. <https://doi.org/10.1155/2013/162750>
- Markham, K.R. (1988). *Techniques of flavonoid identification*. London: Academic Press.
- Mierziak, J., Kostyn, K. & Kulma, A. (2014). Flavonoids as important molecules of plant interactions with the environment. *Molecules*, 19(10), pp.16240-16265.
- Niessen, W.M.A. (2017). *Liquid Chromatography-Mass Spectrometry, Third Edition*. CRC Press, Boca Raton.
- Niessen WMA. *Liquid Chromatography–Mass Spectrometry*. 3rd ed. CRC Press; 2006.
- Nilawati Usman, A., Syam, Y., Natzir, R., Pratiwi Rahardjo, S., Hatta, M., Dwiyantri, R., & Widaningsih, Y. (2016). The Effect of Giving Trigona Honey and Honey Propolis Trigona to the mRNA Foxp3 Expression in Mice Balb/c Strain Induced by Salmonella Typhi. *American Journal of Biomedical Research*, 4(2), 42–45. <https://doi.org/10.12691/ajbr-4-2-3>
- Novaryatiin, S., & Indah, I. (2019). The medicinal plants used in Anjir Pulang Pisau, central Kalimantan-Indonesia. *Pharmacognosy Journal*, 11(6), 1572-1579. <https://doi.org/10.5530/PJ.2019.11.240>
- Oktaviana Putri, A., Cahaya Hati, M., Putri Ishanti, N., Srivaliana Ilham, H. & Studi Farmasi, P. (2024). Identifikasi senyawa flavonoid pada beberapa jenis tanaman dengan kromatografi lapis tipis: Literature review identification of flavonoid compounds in several types of plants using thin layer

- chromatography: Literature review. *PHARMADEMICA: Jurnal Kefarmasian dan Gizi*, 3(2), pp.45-54. Available at: <https://doi.org/10.54445/pharmademica.v3i2.40> [Accessed 29 Sep. 2025].
- Oryan, A., Alemzadeh, E. & Moshiri, A. (2018). Biological properties and therapeutic activities of honey in wound healing: A narrative review and meta-analysis. *Journal of Tissue Viability*, 27(1), pp.51-70.
- Periferakis, A. et al. (2022) "Kaempferol: Antimicrobial Properties, Sources, Clinical, and Traditional Applications," *International Journal of Molecular Sciences*, 23(23), p. 15054. Available at: <https://doi.org/10.3390/ijms232315054>
- Primaguna, M. R., Rasyid, H., Aman, M., Bakri, S., Kasim, H., Iskandar, H., Dwiyantri, R., Junita, A. R., Ridwan, R., Noviyanthi, R. A., Purnamasari, N. I., & Hatta, M. (2024). The strong effect of propolis in suppressing NF- $\kappa$ B, CysC, and ACE2 on a high-fat diet. *Biomedical & Pharmacology Journal*, 17(3), pp.1539-1554. <https://doi.org/10.13005/bpj/2963>
- Pahlavani, N. et al. (2020). Molecular and cellular mechanisms of the effects of propolis in inflammation, oxidative stress and glycemic control in chronic diseases. *Nutrition & Metabolism*, 17, p.65.
- Qiao, L., Lewis, R., Hooper, A., Morphet, J., Tan, X. & Yu, K. (2013). Using natural products application solution with UNIFI for the identification of chemical ingredients of green tea extract (Application Note No. 720004837). *Waters Corporation*. Available at: <https://www.waters.com> [Accessed 8 Oct. 2025].
- Rahman, M.M., Richardson, A., Sofian-Azirun, M. & Al-Reza, S.M. (2020). Antibacterial activity of propolis and honey against *Staphylococcus aureus* and *Escherichia coli*. *Asian Pacific Journal of Tropical Medicine*, 13(4), pp.169-175.
- Rompas, R.H. (2012). Isolasi dan identifikasi flavonoid dalam daun lamun (*Syringodium isoetifolium*). *Pharmacon*, 1(2), pp.59-62.
- Sforcin, J.M. (2016). Biological properties and therapeutic applications of propolis. *Phytotherapy Research*, 30(6), pp.894-905.
- Subakti, A. (2018). *Fitokimia: Metabolit sekunder dan peranannya*. Yogyakarta: Gadjah Mada University Press.
- Sasidharan, S., Chen, Y., Saravanan, D., Sundram, K.M. & Latha, L.Y. (2011). Extraction, isolation and characterization of bioactive compounds from plants' extracts. *African Journal of Traditional, Complementary and Alternative Medicines*, 8(1), pp.1-10.
- Sultana S, Hossain ML, Sostaric T, Lim LY, Foster KJ, Locher C. Investigating Flavonoids by HPTLC Analysis Using Aluminium Chloride as Derivatization Reagent. *Molecules*. 2024;29(21).
- Tiwari, P., Kumar, B., Kaur, M., Kaur, G. & Kaur, H. (2011). Phytochemical screening and extraction: A review. *International Pharmaceutica Scientia*, 1(1), pp.98-106.
- Taufik, F. F., Natzir, R., Patellongi, I., Santoso, A., Hatta, M., Junita, A. R., Syukri, A., Primaguna, M. R., Dwiyantri, R., & Febrianti, A. (2022). In vivo and in vitro inhibition effect of propolis on *Klebsiella pneumoniae*: A review. *Annals of Medicine and Surgery*, 81(August), 104388. <https://doi.org/10.1016/j.amsu.2022.104388>
- Tatang, H. (2019). *Kimia bahan alam: Prinsip, metode, dan aplikasi*. Bandung: UNPAD Press.
- Waksmundzka-Hajnos, M., Sherma, J. & Kowalska, T. (2008). *Thin layer chromatography in phytochemistry*. Boca Raton: CRC Press.
- Wagh, V.D. (2013). Propolis: A wonder bees product and its pharmacological potentials. *Advances in Pharmacological Sciences*. (2013). pp.1-11.
- Wagner, H. & Bladt, S. (2009). *Plant drug analysis: A thin layer chromatography atlas*, 2nd ed. Berlin: Springer-Verlag.
- Wang, W., et al. (2019). Flavonoids as antibacterial agents: Structure-activity relationship and mechanism', *Current Medicinal Chemistry*, 26(27), pp. 4905-4926.
- Wang, M., Lam, C., Zhang, H., Chan, S.W. & Mok, D.K.W. (2021). Advanced thin-layer chromatography coupled with chemometric analysis for herbal medicine quality control. *Journal of Pharmaceutical and Biomedical Analysis*, 192, 113659.
- Wang, C., Chao, Z., Sun, W., Wu, X. & Ito, Y. (2014). Isolation of glycosides from the barks of *Ilex rotunda* by high-speed counter-current chromatography. *Journal of Liquid Chromatography & Related Technologies*, 37(16), pp.2363-2376.
- Wang, Y., Zhao, L., Wang, D., Zhao, J., Zhu, C. dan Zhang, Y. (2019). Flavonoids and antioxidant activity of rare and common propolis from China. *Journal of Integrative Agriculture*, 18(8), pp.1900-1911.

- Wang, J., et al., 2017. Fragmentation and structural characterization of wedelolactone. *Analytical and Bioanalytical Chemistry*, 409(22), pp. 5273–5281.
- Wang J, et al. LC–MS/MS fragmentation behavior of Trillin and related steroidal glycosides. *Phytochemistry*. 2016.
- Wang, X., et al., 2010. Tanshinones: An overview of their chemistry, pharmacology and clinical applications. *Current Medicinal Chemistry*, 17(22), pp. 2647–2662.
- Waksmundzka-Hajnos, M., Sherma, J. & Kowalska, T. (eds.), 2008. *Thin layer chromatography in phytochemistry*. Boca Raton: CRC Press.
- Yang, W.Z., Zhang, L.X., Jia, L., Liu, C.X. & Guo, D.A. (2017). Development of Q-marker based on offline two-dimensional liquid chromatography coupled with quadrupole time-of-flight mass spectrometry and fast data-directed analysis for comprehensive characterization of saponins from *Panax notoginseng*. *Journal of Chromatography A*, 1505, pp.95-105.
- Yang, M., et al., 2015. Identification of tanshinones in *Salvia miltiorrhiza* by UPLC–QTOF–MS. *Journal of Pharmaceutical and Biomedical Analysis*, 111, pp. 138–145.
- Yu S, Yan H, Zhang L, Shan M, Chen P, Ding A, et al. A review on the phytochemistry, pharmacology, and pharmacokinetics of amentoflavone, a naturally-occurring biflavonoid. *Molecules*. 2017;22(2).
- Zhang, H., et al. (2011). Fragmentation pathways of eugenol derivatives in mass spectrometry. *Rapid Communications in Mass Spectrometry*, 25(7), pp. 933-940.
- Zhang, Y., et al. (2021). Bioavailability and bioactivity of dietary flavonoids: A review. *Comprehensive Reviews in Food Science and Food Safety*, 20(6), pp. 1-22.
- Zhang, W., et al., 2015. Identification of wedelolactone in plant extracts using QTOF MSE. *Phytochemical Analysis*, 26(3), pp. 182–190.
- Zhang, X., Wang, W., Li, X. & Du, G.(2019). Analysis of bufadienolide compounds in *Venenum Bufonis* using UHPLC-QTOF-MS and their fragmentation patterns. *Journal of Pharmaceutical and Biomedical Analysis*, 164, pp.648-658.
- Zhang, H. et al. (2022). Flavonoid glycosides from *Populus* spp. and their anti-inflammatory effects. *Journal of Natural Products*, 85(3), pp.512-520.
- Zhang, T., Li, Y., Yang, X., Liu, H., Li, H. dan Zhao, C. (2021). Flavonoids as antioxidants in plants: Structure–function relationship and mechanisms of action. *Antioxidants*, 10(6), p.1018. <https://doi.org/10.3390/antiox10061018>
- Zhang P, Zhang E, Xiao M, Chen C, Xu W. Enhanced chemical and biological activities of a newly biosynthesized eugenol glycoconjugate, eugenol  $\alpha$ -d-glucopyranoside. *Appl Microbiol Biotechnol*. 2013 Feb 25;97(3):1043-50.
- Zhang X, et al. Glycoside fragmentation patterns in ESI-MS. *Rapid Communications in Mass Spectrometry*. 2015.
- Zhao, Y., Liu, J., Wang, P. dan Li, X. (2020). LC-MS profiling and characterization of betaine alkaloids in plant extracts. *Journal of Pharmaceutical and Biomedical Analysis*, 189, 113418.
- Zhou Y, et al. Structural characterization of steroidal saponins by LC–QTOF–MS. *Analytical Methods*. 2018.