

DAFTAR PUSTAKA

- Abdekareem, M., Abdalla, F., Al-Arifi, N., Bamousa, A. O., & El-Baz, F. (2023). Using Remote Sensing and GIS-Based Frequency Ratio Technique for Revealing Groundwater Prospective Areas at Wadi Al Hamdh Watershed, Saudi Arabia. *Water*, 15(1154). <https://doi.org/https://doi.org/10.3390/w15061154>
- Addis, A. (2023). GIS-Based Landslide Susceptibility Mapping Using Frequency Ratio and Shannon Entropy Models in Dejen District, Northwestern Ethiopia. *Journal of Engineering*, 2023. <https://doi.org/https://doi.org/10.1155/2023/1062388>
- Ahmed, T., & Singh, D. (2020). Probability Density Functions Based Classification of MODIS NDVI Time Series Data and Monitoring of Vegetation Growth Cycle. *Advances in Space Research*, 66(4), 873–886. <https://doi.org/10.1016/j.asr.2020.05.004>
- Alademomi, A. S., Okolie, C. J., Daramola, O. E., Akinnusi, S. A., Adediran, E., Olanrewaju, H. O., Alabi, A. O., Salami, T. J., & Odumosu, J. (2022). The interrelationship between LST, NDVI, NDBI, and land cover change in a section of Lagos metropolis, Nigeria. *Applied Geomatics*, 14(2), 299–314. <https://doi.org/10.1007/s12518-022-00434-2>
- Alonzo, C. A., Galabay, J. M., Macatangay, M. N., Magpayo, M. B., & Ramirez, R. (2023). Drought Risk Assessment and Monitoring of Ilocos Norte Province in the Philippines Using Satellite Remote Sensing and Meteorological Data. *AgriEngineering*, 5, 720–739. <https://doi.org/https://doi.org/10.3390/agriengineering5020045>
- Amalo, L. F., Hidayat, R., & Sulma, S. (2018). Analysis of agricultural drought in east java using vegetation health index. *Agrivita*, 40(1), 63–73. <https://doi.org/10.17503/agrivita.v40i1.1080>
- Amooh, M. K., & Bonsu, M. (2015). Effects of Soil Texture and Organic Matter on Evaporative Loss of Soil Moisture. *Jogae*, 3(3), 152–161. <https://www.researchgate.net/publication/281149494>
- Aragão, L. E. O. C., Poulter, B., Barlow, J. B., Anderson, L. O., Malhi, Y., Saatchi, S., Phillips, O. L., & Gloor, E. (2014). Environmental change and the carbon balance of Amazonian forests. *Biological Reviews*, 89(4), 913–931. <https://doi.org/10.1111/brv.12088>
- Ardiansyah, W., Nuarsa, W. I., & Bhayunagiri, I. B. P. (2021). Analysis of Drought-Prone Areas Based on Geographic Information Systems in Bondowoso Regency, East Java Province. *Journal of Tropical Agroecotechnology*, 10(4), 417–427. <https://ojs.unud.ac.id/index.php/JAT417>
- Avdan, U., & Jovanovska, G. (2016). Algorithm for automated mapping of land surface temperature using LANDSAT 8 satellite data. *Journal of Sensors*. <https://doi.org/10.1155/2016/1480307>
- Bakiş, R., Bayazit, Y., Ahmady, D. M., & Çabuk, S. N. (2021). Analysis and Comparison of Spatial Rainfall Distribution Applying Different Interpolation Methods in Porsuk River Basin, Turkey. *Eskişehir Teknik Üniversitesi Bilim ve*

Teknologi Dergisi B - Teorik Bilimler, 9(1), 1–14.
<https://doi.org/10.20290/estubtdb.726491>

- Balamurugan, G., Seshan, K., & Bera, S. (2017). Frequency Ratio Model for Groundwater Potential Mapping And Its Sustainable Management In Cold Desert, India. *Journal of King Saud University - Science*, 29(3), 333–347.
<https://doi.org/10.1016/j.jksus.2016.08.003>
- Basara, J. B., Maybourn, J. N., Peirano, C. M., Tate, J. E., Brown, P. J., Hoey, J. D., & Smith, B. R. (2013). Drought and Associated Impacts in the Great Plains of the United States — A Review. *International Journal of Geosciences*, 4, 72–81.
<https://doi.org/10.4236/ijg.2013.46A2009>
- Bintoro, A., Widjajanto, D., & Isrun. (2017). Physical Soil Characteristics under Different Land use in Beka Village Marawola Sub District of Sigi District. *E-J. Agrotekbis*, 5(4), 423–430.
- Cantarino, I., Carrion, M. A., Martínez-Ibáñez, V., & Gielen, E. (2023). Improving Landslide Susceptibility Assessment through Frequency Ratio and Classification Methods—Case Study of Valencia Region (Spain). *Applied Science*, 13. <https://doi.org/https://doi.org/10.3390/app13085146>
- Chen, X., Zhang, Z., Chen, X., & Shi, P. (2009). The Impact of Land Use and Land Cover Changes on Soil Moisture and Hydraulic Conductivity Along The Karst Hillslopes of Southwest China. *Environmental Earth Sciences*, 59(4), 811–820.
<https://doi.org/10.1007/s12665-009-0077-6>
- Chuphal, D. S., Kushwaha, A. P., Aadhar, S., & Mishra, V. (2024). Drought Atlas of India, 1901–2020. *Scientific Data*, 11(1), 1–12. <https://doi.org/10.1038/s41597-023-02856-y>
- Cunha, A. P. M. A., Zeri, M., Leal, K. D., Costa, L., Cuartas, L. A., Marengo, J. A., Tomasella, J., Vieira, R. M., Barbosa, A. A., Cunningham, C., Cal Garcia, J. V., Broedel, E., Alvalá, R., & Ribeiro-Neto, G. (2019). Extreme drought events over Brazil from 2011 to 2019. *Atmosphere*, 10(642).
<https://doi.org/10.3390/atmos10110642>
- Daruati, D., Rahmatulloh, R., & Purwadhi, S. H. (2013). Agricultural Drought Pattern in West Java Using Thermal Vegetation Index from Modis-Terra Satellite. *Makara Journal of Technology*, 17(1), 44–50.
<https://doi.org/10.7454/mst.v17i1.1927>
- Dede, M., Pramulatsih, G. P., Widiawaty, M. A., Ramadhan, Y. R., & Ati, A. (2019). Dinamika Suhu Permukaan Dan Kerapatan Vegetasi Di Kota Cirebon. *Jurnal Meteorologi Klimatologi Dan Geofisika*, 6(1), 23–31.
<https://doi.org/10.36754/jmkg.v6i1.111>
- Deng, S., Chen, T., Yang, N., Qu, L., Li, M., & Chen, D. (2018). Spatial and Temporal Distribution of Rainfall and Drought Characteristics Across The Pearl River Basin. *Science of the Total Environment*, 619–620, 28–41.
<https://doi.org/10.1016/j.scitotenv.2017.10.339>
- El-shikha, D. M., Waller, P., Hunsaker, D., Clarke, T., & Barnes, E. (2007). Ground-Based Remote Sensing for Assessing Water and Nitrogen Status of Broccoli. *Agricultural Water Management*, 92, 183–193.

<https://doi.org/10.1016/j.agwat.2007.05.020>

- Eryani, I. G. A. P., & Jayantari, M. W. (2022). Mapping of Drought Vulnerability in the Saba Watershed based on AHP-GIS. *International Journal of Multidisciplinary and Current Educational Research (IJM CER)*, 4(6), 46–54. <https://tanahair.indonesia.go.id/demnas/#/>
- Garg, V., Nikam, B. R., Thakur, P. K., Aggarwal, S. P., Gupta, P. K., & Srivastav, S. K. (2019). Human-induced land use land cover change and its impact on hydrology. *Hydro Research*, 1, 48–56. <https://doi.org/10.1016/j.hydres.2019.06.001>
- Gullacher, A., Allen, D. M., & Goetz, J. D. (2023). Early Warning Indicators of Groundwater Drought in Mountainous Regions. *Water Resources Research*. <https://doi.org/10.1029/2022WR033399>
- Halil, A. (2018). Sensitivity Pattern of Drought Region in Bojonegoro. *MATEC Web of Conferences*, 229, 1–6. <https://doi.org/10.1051/mateconf/201822902009>
- Hardianto, A., Dewi, P. U., Feriansyah, T., Sari, N. F. S., & Rifiana, N. S. (2021). Pemanfaatan Citra Landsat 8 Dalam Mengidentifikasi Nilai Indeks Kerapatan Vegetasi (NDVI) Tahun 2013 dan 2019 (Area Studi: Kota Bandar Lampung). *Jurnal Geosains Dan Remote Sensing*, 2(1), 8–15. <https://doi.org/10.23960/jgrs.2021.v2i1.38>
- Hasan, H. H., Razali, S. F. M., Muhammad, N. S., & Ahmad, A. (2021). Hydrological Drought across Peninsular Malaysia: Implication of Drought Index. *Natural Hazards and Earth System Sciences*, June, 1–28.
- Hu, M., Wang, Y., Xia, B., & Huang, G. (2020). Surface temperature variations and their relationships with land cover in the Pearl River Delta. *Environmental Science and Pollution Research*, 27(30). <https://doi.org/10.1007/s11356-020-09768-z>
- Islam, F., Ahmad, M. N., Janjuhah, H. T., Ullah, M., Islam, I. U., Kontakiotis, G., Skilodimou, H. D., & Bathrellos, G. D. (2022). Modelling and Mapping of Soil Erosion Susceptibility of Murree, Sub-Himalayas Using GIS and RS-Based Models. *Fakhrul Applied Science*. <https://doi.org/https://doi.org/10.3390/app122312211>
- Issazadeh, L., Ismail Umar, M., Al-Sulaivany, S. I. A., & Hassanpour, J. (2018). Geostatistical Analysis of the Permeability Coefficient in Different Soil Textures. *Contemporary Agriculture*, 67(2), 119–124. <https://doi.org/10.2478/contagri-2018-0017>
- Jiang, P., Ding, W., Yuan, Y., & Ye, W. (2020). Diverse Response of Vegetation Growth To Multi-Time-Scale Drought Under Different Soil Textures in China's Pastoral Areas. *Journal of Environmental Management*, 274. <https://doi.org/10.1016/j.jenvman.2020.110992>
- Julianto, F. D., & Ediyanto. (2021). Analysis of Drought Potential Distribution Using Cloud Computing Platform in Grobogan Regency. *IMAGI Geomatics Engineering Scientific Journal*, 1.
- Kamali, B., Kouchi, D. H., Yang, H., & Abbaspour, K. C. (2017). Multilevel Drought

- Hazard Assessment under Climate Change Scenarios in Semi-Arid Regions — A Case Study of the Karkheh River Basin in Iran. *Water*, 9(241). <https://doi.org/10.3390/w9040241>
- Karamouz, M., Zeynolabedin, A., & Olyaei, M. A. (2015). Mapping regional drought vulnerability: A case study. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 369–377. <https://doi.org/10.5194/isprsarchives-XL-1-W5-369-2015>
- Karanam, H. K. (2018). Study Of Normalized Difference Built-Up (Ndbi) Index in Automatically Mapping Urban Areas From Landsat TM Imagery. *International Journal of Scientific Research and Review*, 7(1), 1–8. <http://dynamicpublisher.org/>
- Kumar, P., Singh, R., Sharma, A., Singh, G., Kumar, D., & Singh, A. K. (2021). Comparison of Different Interpolation Techniques for Mean Areal Rainfall Estimation of Uttarakhand using Geographical Information System. *Journal of the New England Water Works Association*, 135(3), 43–50.
- Lan, Y., Zhang, H., Lacey, R., Hoffmann, W. C., & Wu, W. (2009). Development of an Integrated Sensor and Instrumentation System for Measuring Crop Conditions. *Agricultural Engineering International*, 11, 1–16.
- Lee, M., Kang, J., & Jeon, S. (2012). Application of Frequency Ratio Model and Validation for Predictive Flooded Area and Susceptibility Mapping Using GIS. *IGARSS*, 1, 895–898.
- Lee, S., & Pradhan, B. (2007). Landslide Hazard Mapping at Selangor, Malaysia Using Frequency Ratio and Logistic Regression Models. *Landslides*, 4, 33–41. <https://doi.org/10.1007/s10346-006-0047-y>
- Lee, S., & Sambath, T. (2006). Landslide Susceptibility Mapping in The Damrei Romel Area, Cambodia Using Frequency Ratio and Logistic Regression Models. *Environ Geol*, 50, 847–855. <https://doi.org/10.1007/s00254-006-0256-7>
- Li, L., Lan, H., Guo, C., Zhang, Y., Li, Q., & Wu, Y. (2016). A Modified Frequency Ratio Method for Landslide Susceptibility Assessment. *Landslides*. <https://doi.org/10.1007/s10346-016-0771-x>
- Liviona, C. D. A., Saraswati, R., & Wibowo, A. (2020). The Effect of NDVI and NDBI on Land Surface Temperature in Cirebon City 2015 and 2019. *E3S Web of Conferences*, 202. <https://doi.org/10.1051/e3sconf/202020213006>
- Maarif, F., & Mappatoba, C. A. (2024). the Relationship Between Rainfall and Land Cover on the Number of Hotspots in Lore Lindu National Park. *Biotropia*, 31(1), 1–9. <https://doi.org/10.11598/BTB.2024.31.1.1839>
- Massuro, L., Adriat, R., Ihwan, A., & Sutanto, Y. (2024). Drought Analysis in Ketapang District using the Keetch-Byram Drought Index Method. *Jurnal Geocelebes*, 4(2), 151–161.
- Mbarep, D. P. P., & Herdiansyah, H. (2019). Ecological Function of Green Open Space as Water Infiltration: Study in Kalijodo Green Open Space, North Jakarta. *Journal of Physics: Conference Series*, 1381(1). <https://doi.org/10.1088/1742-6596/1381/1/012049>

- Naghibi, S. A., Pourghasemi, H. R., Pourtaghi, Z. S., & Rezaei, A. (2015). Groundwater qanat potential mapping using frequency ratio and Shannon's entropy models in the Moghan watershed, Iran. *Earth Science Informatics*, 8(1), 171–186. <https://doi.org/10.1007/s12145-014-0145-7>
- Nguyen, K. A., Liou, Y. A., & Ho, L. T. (2020). Evaluating the NDLI's Performance for Identifying Water Surface Using Sentinel-2 MSI Data. *International Geoscience and Remote Sensing Symposium (IGARSS)*, 4959–4962. <https://doi.org/10.1109/IGARSS39084.2020.9323478>
- Nursaputra, M., Pahar, S. P., & Chairil, A. (2021). Identification of drought level using Normalized Difference Latent Heat Index in the South Coast of South Sulawesi Province Identification of drought level using Normalized Difference Latent Heat Index in the South Coast of South Sulawesi Province. *Earth and Environmental Science*, 807. <https://doi.org/10.1088/1755-1315/807/2/022032>
- Pahar, S. P., Paembonan, S., & Soma, A. (2021). Identification of Drought Level Using Normalized Difference Latent Heat Index on Maros Watershed. *Earth and Environmental Science*, 681. <https://doi.org/10.1088/1755-1315/681/1/012123>
- Pandey, R. P., Daradur, M., Jain, V., & Jain, M. (2016). Assessment of Vulnerability To Drought Towards Effective Mitigation Planning: The Case of Ken River Basin In India. *Journal of Indian Water Resources Society*, 36(4), 36–49.
- Park, S., Im, J., Park, S., & Rhee, J. (2017). Drought Monitoring Using High Resolution Soil Moisture Through Multi-Sensor Satellite Data Fusion Over the Korean Peninsula. *Agricultural and Forest Meteorology*, 237, 257–269. <https://doi.org/10.1016/j.agrformet.2017.02.022>
- Permatasari, A. D., & Prasetyo, S. Y. J. (2022). Identifikasi Wilayah Resiko Kerusakan Lahan Terbangun Sebagai Dampak Tsunami Berdasarkan Analisis Building Indices. *Jurnal Transformatika*, 20(1), 13–21. <https://doi.org/10.26623/transformatika.v20i1.5209>
- Pertuack, S., & Latue, P. C. (2023). Geographic Artificial Intelligence and Unmanned Aerial Vehicles Application for Correlation Analysis of Settlement Density and Land Surface Temperature in Panggang Island Jakarta. *Buana Jurnal Geografi, Ekologi Dan Kebencanaan*, 1(1), 39–47. <https://doi.org/10.56211/buana.v1i1.340>
- Pham, B. T., Nguyen, M. D., Al-Ansari, N., Tran, Q. A., Ho, L. S., Le, H. Van, & Prakash, I. (2021). A Comparative Study of Soft Computing Models for Prediction of Permeability Coefficient of Soil. *Mathematical Problems in Engineering*, 2021. <https://doi.org/10.1155/2021/7631493>
- Pradhan, P., Costa, L., Rybski, D., Lucht, W., & Kropp, J. P. (2017). A Systematic Study of Sustainable Development Goal (SDG) Interactions. *Earth's Future*, 5, 1169–1179. <https://doi.org/10.1002/2017EF0000632>
- Prasetyo, D. A., Suprayogi, A., & Hani'ah. (2018). Analisis Lokasi Rawan Bencana Kekeringan Menggunakan Sistem Informasi Geografis di Kabupaten Blora Tahun 2017. *Jurnal Geodesi Undip*, 7(4), 314–324.
- Primordia, Y. P., Zulkifli, H., Putranto, D., & Iskandar, I. (2014). Kebutuhan RTH Sebagai Instrumen Mitigasi Perubahan Iklim di Kota Palembang (Studi Kasus

- DAS Bendung dan DAS Musi 2/Lambidaro). *Sylva*, 3(1), 30–36.
- Rahmat, S., Soma, A. S., & Barkey, R. A. (2023). Land cover changes in Bila Watershed, South Sulawesi, Indonesia. *IOP Conference Series: Earth and Environmental Science*, 1230 (1). <https://doi.org/10.1088/1755-1315/1230/1/012045>
- Rahmati, O., Pourghasemi, H. R., & Zeinivand, H. (2015). Flood Susceptibility Mapping Using Frequency Ratio and Weights-Of-Evidence Models In The Golastan Province, Iran. *Geocarto International*, 37–41. <https://doi.org/10.1080/10106049.2015.1041559>
- Riajaya, P. D., Kadarwati, F. T., Hariyono, B., Subiyakto, & Cholid, M. (2024). The Distribution of Rainfall in Areas Suitable for Sugarcane Farming in Blitar Regency, East Java. *IOP Conference Series: Earth and Environmental Science*, 1377(1). <https://doi.org/10.1088/1755-1315/1377/1/012012>
- Ridwan, Rasyidi, E. S., Syafri, Rahman, R., Okviyani, N., Jumadil, & Ma'Rief, A. A. (2021). Assessment of The Relationship Between Building Density and Urban Heat Island Using Landsat Images in Makassar City. *IOP Conference Series: Earth and Environmental Science*, 802(1). <https://doi.org/10.1088/1755-1315/802/1/012042>
- Rwanga, S. S., & Ndambuki, J. M. (2017). Accuracy Assessment of Land Use/Land Cover Classification Using Remote Sensing and GIS. *International Journal of Geosciences*, 08(04), 611–622. <https://doi.org/10.4236/ijg.2017.84033>
- Samanta, S., Pal, D. K., & Palsamanta, B. (2018). Flood Susceptibility Analysis Through Remote Sensing, GIS and Frequency Ratio Model. *Applied Water Science*, 8(66), 1–14. <https://doi.org/10.1007/s13201-018-0710-1>
- Sarkar, D., & Mondal, P. (2020). Flood Vulnerability Mapping Using Frequency Ratio (FR) Model: A Case Study on Kulik River Basin, Indo - Bangladesh Barind Region. *Applied Water Science*, 10(17), 1–13. <https://doi.org/10.1007/s13201-019-1102-x>
- Sarkar, D., Saha, S., & Mondal, P. (2021). GIS - Based Frequency Ratio and Shannon's Entropy Techniques for Flood Vulnerability Assessment in Patna District, Central Bihar, India. *International Journal of Environmental Science and Technology*. <https://doi.org/10.1007/s13762-021-03627-1>
- Sarminah, S., Pasaribu, M., & Aipassa, M. I. (2019). Estimation of Evapotranspiration at Agroforestri Land and Open Area in Educational Forest of Forestry Faculty Unmul. *Agrifor*, 18(2), 325–338.
- Semenzato, P., & Bortolini, L. (2023). Urban Heat Island Mitigation and Urban Green Spaces: Testing a Model in the City of Padova (Italy). *Land*, 12(2). <https://doi.org/10.3390/land12020476>
- Senanayake, S., Pradhan, B., Huete, A., & Brennan, J. (2020). Assessing Soil Erosion Hazards Using Land-Use Change and Landslide Frequency Ratio Method: A Case Study of Sabaragamuwa Province, Sri Lanka. *Remote Sensing*, 12(1483).
- Senjani, M., Kusratmoko, E., & Ristya, Y. (2020). Spatial Distribution of Drought

- Levels in Bantimurung District, Maros Regency, South Sulawesi Province. *E3S Web of Conferences*, 153. <https://doi.org/https://doi.org/10.1051/e3sconf/202015302008>
- Singh, P., Verma, P., Chaudhuri, A. S., Singh, V. K., & Raj, P. K. (2024). Evaluating The Relationship Between Urban Heat Island and Temporal Change in Land Use, NDVI And NDBI: A Case Study Of Bhopal City, India. *International Journal of Environmental Science and Technology*, 21(3), 3061–3072. <https://doi.org/10.1007/s13762-023-05141-y>
- Solaimani, K., Mousavi, S. Z., & Kavian, A. (2013). Landslide Susceptibility Mapping Based on Frequency Ratio And Logistic Regression Models. *Arab J Geosci*, 6, 2557–2569. <https://doi.org/10.1007/s12517-012-0526-5>
- Solihin, M. A., & Putri, N. (2020). Keragaman Penggunaan Lahan Eksisting di Hulu Sub DAS Cikapundung Berdasarkan Indeks Vegetasi dan Temperatur Permukaan Lahan. *Agrikultura*, 31(3), 251–262. <https://doi.org/10.24198/agrikultura.v31i3.29467>
- Soma, A. & Kubota, T. (2017). The Performance of Land Use Change Causative Factor On Landslide Susceptibility Map In Upper Ujung-Loe Watersheds South Sulawesi, Indonesia. *Geoplanning*, 4(2), 157–170. <https://doi.org/10.14710/geoplanning.4.2.157-170>
- Sruthi, S., & Aslam, M. A. M. (2015). Agricultural Drought Analysis Using the NDVI and Land Surface Temperature Data; a Case Study of Raichur District. *Aquatic Procedia*, 4, 1258–1264. <https://doi.org/10.1016/j.aqpro.2015.02.164>
- Swain, S., Mishra, S. K., Pandey, A., & Kalura, P. (2022). Inclusion of Groundwater And Socio-Economic Factors for Assessing Comprehensive Drought Vulnerability Over Narmada River Basin, India: A Geospatial Approach. *Applied Water Science*, 12(2), 1–16. <https://doi.org/10.1007/s13201-021-01529-8>
- Tehrany, M. S., Shabani, F., Jebur, M. N., Hong, H., Chen, W., & Xie, X. (2017). GIS-Based Spatial Prediction of Flood Prone Areas Using Standalone Frequency Ratio, Logistic Regression, Weight of Evidence and Their Ensemble Techniques. *Geomatics, Natural Hazards and Risk* ISSN: <https://doi.org/10.1080/19475705.2017.1362038>
- Thomas, V., Albert, J. R. G., & Hepburn, C. (2014). Contributors to The Frequency of Intense Climate Disasters in Asia-Pacific Countries. *Climatic Change*, 126(3–4), 381–398. <https://doi.org/10.1007/s10584-014-1232-y>
- Tucker, C. J. (1979). Red and Photographic Infrared I, Inear Combinations for Monitoring Vegetation. *Remote Sensing of Environment*, 8, 127–150.
- Utama, W., & Indriani, R. F. (2021). Regional Physiographic Study for the Hydrology of Kali Lamong Watershed Area. *IOP Conference Series: Earth and Environmental Science*, 936(1). <https://doi.org/10.1088/1755-1315/936/1/012032>
- Van Der Laan-Luijckx, I. T., Van Der Velde, I. R., Krol, M. C., Gatti, L. V., Domingues, L. G., Correia, C. S. C., Miller, J. B., Gloor, M., Van Leeuwen, T. T., Kaiser, J. W., Wiedinmyer, C., Basu, S., Clerbaux, C., & Peters, W. (2015). Response of the Amazon carbon balance to the 2010 drought derived with CarbonTracker

- South America. *Global Biogeochemical Cycles*, 29(7), 1092–1108. <https://doi.org/10.1002/2014GB005082>
- Vicente-serrano, S. M., Begueri, S., Camarero, J., Lorenzo-lacruz, J., Azorin-molina, C., & Lo, J. I. (2012). Performance of Drought Indices for Ecological, Agricultural, and Hydrological Applications. *Earth Interactions*, 16(10). <https://doi.org/10.1175/2012E1000434.1>
- Vinh, N. Q., Khanh, N. T., & Anh, P. T. (2020). The Inter-relationships Between LST, NDVI, NDBI in Remote Sensing to Achieve Drought Resilience in Ninh Thuan, Vietnam. *Lecture Notes in Civil Engineering*, 80, 201–209. https://doi.org/10.1007/978-981-15-5144-4_15
- Wada, Y., Van Beek, L. P. H., Wanders, N., & Bierkens, M. F. P. (2013). Human Water Consumption Intensifies Hydrological Drought Worldwide. *Environmental Research Letters*, 8(3). <https://doi.org/10.1088/1748-9326/8/3/034036>
- Wang, Y., Fang, Z., Hong, H., Costache, R., & Tang, X. (2021). Flood Susceptibility Mapping by Integrating Frequency Ratio and Index of Entropy With Multilayer Perceptron And Classification And Regression Tree. *Journal of Environmental Management*, 289. <https://doi.org/https://doi.org/10.1016/j.jenvman.2021.112449>
- Wicitra, A. P., Hersugondo, H., Kepirianto, C., & Sa'adah, A. A. (2023). Analisis Dinamika Perubahan Suhu Permukaan Tanah pada Kemarau 2020-2023 sebagai Upaya Mitigasi Kekeringan di Desa Kedungbanteng, Kecamatan Kedungbanteng, Kabupaten Tegal. *E-Dimas: Jurnal Pengabdian Kepada Masyarakat*, 14(4), 790–795. <https://doi.org/10.26877/e-dimas.v14i4.16516>
- Widiyantoro, N. (2022). *Analysis of Drought-Prone Areas Based on Geographic Information Systems in Kulon Progo Regency*. Muhammadiyah University of Surakarta.
- Wijitkosum, S. (2018). Fuzzy AHP for Drought Risk Assessment in Lam Ta Kong Watershed, the North-eastern Region of Thailand. *Soil and Water Res*, 2018(4), 218–225.
- Wilhite, D. A. (2000). *Drought as a Natural Hazard: Concepts and Definitions*. University of Nebraska - Lincoln.
- Wilhite, D. A., & Glantz, M. H. (1985). Understanding: The Drought Phenomenon: The Role of Definitions. *Water International*, 10(3), 111–120. <https://doi.org/http://dx.doi.org/10.1080/02508068508686328>
- World Meteorological Organization. (2020). WMO statement on the status of the global climate in 2019. In *World Meteorological Organization* (Issue 1248). http://www.wmo.int/pages/mediacentre/press_releases/documents/WMO_1108_EN_web_000.pdf%0Ahttps://library.wmo.int/doc_num.php?explnum_id=10211
- Wu, H., Qian, H., Chen, J., & Huo, C. (2017). Assessment of Agricultural Drought Vulnerability in the Guanzhong Plain, China. *Water Resources Management*, 31(5), 1557–1574. <https://doi.org/10.1007/s11269-017-1594-9>

- Yanti, D., Megantara, I., Akbar, M., Meiwanda, S., Syauqi, I., Sugandi, M. D., & Ridwana, R. (2020). Analisis Kerapatan Vegetasi di Kecamatan Pangandaran melalui Citra Landsat 8. *Jurnal Geografi, Edukasi Dan Lingkungan (JGEL)*, 4(1), 32–38. <https://doi.org/10.29405/jgel.v4i1.4229>
- Yasin, M. Y., Abdullah, J., Noor, N. M., & Yusoff, M. M. (2020). Land Cover and NDBI analysis to map built up area in Iskandar Malaysia. *IOP Conference Series: Earth and Environmental Science*, 540(1). <https://doi.org/10.1088/1755-1315/540/1/012073>
- Yihdego, Y., Vaheddoost, B., & Al-weshah, R. A. (2019). Drought indices and indicators revisited. *Arabian Journal of Geosciences*, 12(69). <https://doi.org/https://doi.org/10.1007/s12517-019-4237-z>
- Yilmaz, I. (2009). Landslide Susceptibility Mapping Using Frequency Ratio, Logistic Regression, Artificial Neural Networks and Their Comparison: A Case Study From Kat Landslides (Tokat — Turkey). *Computers & Geosciences Journal*, 35, 1125–1138. <https://doi.org/10.1016/j.cageo.2008.08.007>
- Yu, M., Zhang, J., Wei, L., Wang, G., Dong, W., & Liu, X. (2023). Impact of soil textures on agricultural drought evolution and field capacity estimation in humid regions. *Journal of Hydrology*, 626, 130257. <https://doi.org/https://doi.org/10.1016/j.jhydrol.2023.130257>
- Yue, W., Xu, J., Tan, W., & Xu, L. (2007). The Relationship Between Land Surface Temperature and NDVI With Remote Sensing: Application To Shanghai Landsat 7 ETM+ Data. *International Journal of Remote Sensing*, 28(15), 3205–3226. <https://doi.org/10.1080/01431160500306906>
- Yuniasih, B., Harahap, W. N., & Wardana, D. A. S. (2023). Anomali Iklim El Nino dan La Nina di Indonesia pada 2013-2022. *Agroista: Jurnal Agroteknologi*, 6(2), 136–143. <https://doi.org/10.55180/agi.v6i2.332>
- Zha, Y., Gao, J., & Ni, S. (2003). Use of Normalized Difference Built-Up Index in Automatically Mapping Urban Areas From TM Imagery. *International Journal of Remote Sensing*, 24(3), 583–594. <https://doi.org/10.1080/01431160304987>
- Zhang, B., Xie, G., Zhang, C., & Zhang, J. (2012). The Economic Benefits of Rainwater-Runoff Reduction by Urban Green Spaces: A Case Study in Beijing, China. *Journal of Environmental Management*, 100, 65–71. <https://doi.org/10.1016/j.jenvman.2012.01.015>