

DAFTAR PUSTAKA

- [1]. Abate, S.M. *et al.* (2022) 'Efficacy and safety of wound infiltration modalities for postoperative pain management after cesarean section: a systematic review and network meta-analysis protocol', *Systematic Reviews*, 11, p. 194. Available at: <https://doi.org/10.1186/s13643-022-02068-2>.
- [2]. Hussen, I. *et al.* (2022) 'Post-operative pain and associated factors after cesarean section at Hawassa University Comprehensive Specialized Hospital, Hawassa, Ethiopia: A cross-sectional study', *Annals of Medicine and Surgery*, 81, p. 104321. Available at: <https://doi.org/10.1016/j.amsu.2022.104321>.
- [3]. Kintu, A. *et al.* (2019) Postoperative pain after cesarean section: assessment and management in a tertiary hospital in a low-income country - PMC. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6347795/> (Accessed: 13 September 2023).
- [4]. Marfuah, D. *et al.* (2019) 'Pain Intensity among Women with Post-Caesarean Section: A Descriptive Study', *KnE Life Sciences* [Preprint]. Available at: <https://doi.org/10.18502/cls.v4i13.5322>.
- [5]. Demelash, G. *et al.* (2022) 'Prevalence and Factors Associated with Postoperative Pain After Cesarean Section at a Comprehensive Specialized Hospital in Northwest Ethiopia: Prospective Observational Study', *Open Access Surgery*, 15, pp. 1–8. Available at: <https://doi.org/10.2147/OAS.S347920>.
- [6]. Teja, K.V. *et al.* (2023) 'Clinical correlation of salivary alpha-amylase levels with pain intensity in patients undergoing emergency endodontic treatment', *BMC Oral Health*, 23(1), p. 562. Available at: <https://doi.org/10.1186/s12903-023-03195-5>.
- [7]. Buhagiar, L., Cassar, O. A., Brincat, M. P., Buttigieg, G. G., Inglott, A. S., Adami, M. Z., & Azzopardi, L. M. (2011). Predictors of post-caesarean section pain and analgesic consumption. *J Anaesthesiol Clin Pharmacol*, 27(2), 185-191. doi:10.4103/0970-9185.81822.
- [8]. Estefan, J., Ferreira, D. d., Cavalcante, F. S., Santos, K. R., & Ribeiro, M. (2023). Investigation of possible relationship between atopic dermatitis and salivary biomarkers, stress, and sleep disorders. *World J Clin Cases*, 11(17), 3958-3966. doi:<https://doi.org/10.12998/wjcc.v11.i17.3958>.
- [9]. Thau, L., Gandhi, J., & Sharma, S. (2023, August 28). *Physiology, Cortisol*. Retrieved from NCBI StatPearls: <https://www.ncbi.nlm.nih.gov/books/NBK538239/>.

- [10]. Vage, A., McCarron, E., & Hamilton, P. K. (2023). Biological testing during acute psychological stress: A hindrance or an opportunity? *Clinical Biochemistry*, 114(2023), 11-17. doi:<https://doi.org/10.1016/j.clinbiochem.2023.01.005>.
- [11]. Menger, M. M., Histing, T., Laschke, M. W., Ehnert, S., Viergutz, T., & Fontana, J. (2025). Cortisol stress response after musculoskeletal surgery: a narrative review. *EFORT Open Rev*, 10(4), 186-192. doi:<https://doi.org/10.1530/EOR-2024-0126>.
- [12]. Milosavljevic, S. B., Pavlovic, A. P., Trpkovic, S. V., Ilić, A. N., & Sekulic, A. D. (2014). Influence of Spinal and General Anesthesia on the Metabolic, Hormonal, and Hemodynamic Response in Elective Surgical Patients. *Med Sci Monit*, 20, 1833-1840. doi:<https://doi.org/10.12659/MSM.890981>.
- [13]. Nurdin, N. O., Wantania, J. J., & Mewengkang, R. A. (2022). Assosiation between Serum Cortisol Levels and Anxiety levels In Elective and Emergency Cesarean Section. *Indones J Obstet Gynecol*, 10(4), 205-210.
- [14]. Özmen, Ö., Özçelik, F., Kaygın, M. A., Yılmaz, H., & Karakaya, M. A. (2019). Evaluation of pain scoring and free cortisol levels of postoperative analgesic methods in cardiac surgery: A new perspective. *Turk Gogus Kalp Damar Cerrahisi Derg*, 27(3), 294-303. doi:<https://doi.org/10.5606/tgkdc.dergisi.2019.15143>.
- [15]. Seiler, A., Fagundes, C. P., & Christian, L. M. (2020). *The Impact of Everyday Stressors on the Immune System and Health*. Springer, Cham. doi:https://doi.org/10.1007/978-3-030-16996-1_6.
- [16]. Cusack, B., & Buggy, D. J. (2020). Anaesthesia, analgesia, and the surgical stress response. *BJA Educ*, 20(9), 321-328. doi:doi: 10.1016/j.bjae.2020.04.006.
- [17]. Kerai, S., Saxena, K.N. and Taneja, B. (2017) ‘Post-caesarean analgesia: What is new?’, *Indian Journal of Anaesthesia*, 61(3), pp. 200–214. Available at: https://doi.org/10.4103/ija.IJA_313_16
- [18]. Ergüder, B., AkkemiK Kipçak, Ö. and Köymen, R. (2022) ‘A Comparison of the Postoperative Pain Relief and Clinical Local Anesthetic Efficacy of Levobupivacaine and Articaine for Impacted Lower Third Molar Removal’, *Süleyman Demirel Üniversitesi Sağlık Bilimleri Dergisi*, 13(2), pp. 253–262. Available at: <https://doi.org/10.22312/sdusbed.1062096>.
- [19]. Shafiei, F.T., McAllister, R.K. and Lopez, J. (2023) ‘Bupivacaine’, in *StatPearls*. Treasure Island (FL): StatPearls Publishing. Available at: <http://www.ncbi.nlm.nih.gov/books/NBK532883/> (Accessed: 13 September 2023).
- [20]. Bajwa, S.J.S. and Kaur, J. (2013a) ‘Clinical profile of levobupivacaine in regional anesthesia: A systematic review’, *Journal of Anaesthesiology, Clinical Pharmacology*, 29(4), pp. 530–539. Available at: <https://doi.org/10.4103/0970-9185.119172>.

- [21]. Pribish, A., Wood, N. and Kalava, A. (2020) 'A Review of Nonanesthetic Uses of Ketamine', *Anesthesiology Research and Practice*, 2020, p. 5798285. Available at: <https://doi.org/10.1155/2020/5798285>.
- [22]. Kurdi, M.S., Theerth, K.A. and Deva, R.S. (2014) 'Ketamine: Current applications in anesthesia, pain, and critical care', *Anesthesia, Essays and Researches*, 8(3), pp. 283–290. Available at: <https://doi.org/10.4103/0259-1162.143110>.
- [23]. Riazanova, O. V., Alexandrovich, Y. S., & Ioscovich, A. M. (2018). The relationship between labor pain management, cortisol level and risk of postpartum depression development: a prospective nonrandomized observational monocentric trial. *Rom J Anaesth Intensive Care*, 25(2), 123-130. doi:<https://doi.org/10.21454/rjaic.7518.252.rzn>.
- [24]. Bayazit, E. G., Karaaslan, K., Ozturan, K., Serin, E., & Kocoglu, H. (2013). Effect of epidural levobupivacaine and levobupivacaine with fentanyl on stress response and postoperative analgesia after total knee replacement. *Int J Clin Pharmacol Ther*, 51(8), 652-659. doi:<https://doi.org/10.5414/cp201862>.
- [25]. Acharya, R., Baksi, R. and Mohapatra, P. (2018) 'Comparative Analysis of Duration of Postoperative Analgesia between Levobupivacaine and Levobupivacaine with Clonidine after Ultrasound-Guided Transversus Abdominis Plane Block in Patients Undergoing Lower Segment Cesarean Section', *Anesthesia, Essays and Researches*, 12(4), pp. 943–948. Available at: https://doi.org/10.4103/aer.AER_163_18.
- [26]. Ramos-Rangel, G.E. *et al.* (2017) 'Management of post-cesarean delivery analgesia: Pharmacologic strategies', *Colombian Journal of Anesthesiology*, 45(4), pp. 327–334.
- [27]. Navali, N., Fouladi, R.F. and Nikpour, M.A. (2013) 'A comparison of post-incisional subcutaneous, intramuscular, and subcutaneous plus intramuscular infiltrations of lidocaine in post-caesarean pain control', *South African Journal of Obstetrics and Gynaecology*, 19(1), pp. 8–12. Available at: <https://doi.org/10.7196/sajog.589>.
- [28]. Aksoy, H., Gökahmetoğlu, G., Ak, M., & Aksoy, Ü. (2023). Subcutaneous wound infiltration of ketamine is superior to bupivacaine in terms of pain perception and opioid consumption after cesarean section: a double-blinded randomized placebo-controlled clinical trial. *Eur Rev Med Pharmacol Sci*, 27(18), 8860-8867. doi:10.26355/eurrev_202309_33806.
- [29]. Mohamed, S. A., Sayed, D. M., Sherif, F. A., & El-Rahman, A. M. (2018). Effect of local wound infiltration with ketamine versus dexmedetomidine on postoperative pain and stress after abdominal hysterectomy, a randomized trial. *Eur J Pain*, 22(5), 951-960. doi:10.1002/ejp.1181.
- [30]. Buli, B. *et al.* (2022) 'Patient satisfaction with post-operative pain management and associated factors among surgical patients at Tikur Anbessa Specialized Hospital: Cross-sectional study', *Annals of Medicine and Surgery*, 79, p. 104087. Available at: <https://doi.org/10.1016/j.amsu.2022.104087>.

- [31]. Guadie, Y. and Demelash, G. (2023) *Level of maternal satisfaction with post-operative pain management after caesarian section delivery at Debre Markos Comprehensive Specialized Hospital, Debre Markos, Ethiopia, 2022. A cross sectional study.* preprint. Preprints. Available at: <https://doi.org/10.22541/au.168252550.09012487/v1>.
- [32]. Cunningham, F.G. (ed.) (2022) *Williams Obstetrics*. Twenty-sixth edition. New York: McGraw Hill.
- [33]. Sung, S. and Mahdy, H. (2023) 'Cesarean Section', in *StatPearls*. Treasure Island (FL): StatPearls Publishing. Available at: <http://www.ncbi.nlm.nih.gov/books/NBK546707/> (Accessed: 23 October 2023).
- [34]. Jauniaux, E. and Grobman, W.A. (eds) (2016) *Textbook of Caesarean Section*. First edition. Oxford: Oxford University Press.
- [35]. Nastiti, A.A. *et al.* (2022) 'Determinants of caesarean section delivery: a nationwide study in Indonesia', *British Journal of Midwifery*, 30(5), pp. 282–289. Available at: <https://doi.org/10.12968/bjom.2022.30.5.282>.
- [36]. Islam, Md.A. *et al.* (2022) 'Caesarean Section in Indonesia: Analysis of Trends and Socio-Demographic Correlates in Three Demographic and Health Surveys (2007–2017)', *Dr. Sulaiman Al Habib Medical Journal*, 4(3), pp. 136–144. Available at: <https://doi.org/10.1007/s44229-022-00011-0>.
- [37]. Sihombing, N., Saptarini, I. and Putri, Dwi Sisca Kumala (2017) 'The Determinants of Sectio Caesarea Labor in Indonesia (Further Analysis of Riskesdas 2013)', *Jurnal Kesehatan Reproduksi*, 8. Available at: <https://doi.org/10.22435/kespro.v8i1.6641.63-75>.
- [38]. Stanisic, D.M. *et al.* (2022) 'Comparison of Post-Cesarean Pain Perception of General Versus Regional Anesthesia, a Single-Center Study', *Medicina*, 59(1), p. 44. Available at: <https://doi.org/10.3390/medicina59010044>.
- [39]. Jasim, H. H., Sulaiman, S. A., Khan, A. H., & S.Rajah, U. A. (2017). Factors Affecting Post Caesarean Pain Intensity among Women in the Northern Peninsular of Malaysia. *JCDR*, 11(9), IC07-IC11. doi:10.7860/JCDR/2017/25364.10630.
- [40]. Delgado, D. A., Lambert, B. S., Boutris, N., McCulloch, P. C., Robbins, A. B., Moreno, M. R., & Harris, J. D. (2018). Validation of Digital Visual Analog Scale Pain Scoring With a Traditional Paper-based Visual Analog Scale in Adults. *J Am Acad Orthop Surg Glob Res Rev*, 2(3), e088. doi:<https://doi.org/10.5435/JAAOSGlobal-D-17-00088>.
- [41]. Trueba-Perdomo, J. H., Gasparini, F., & Cuautle, J. J. (2021). Pressure Pain Threshold Values Obtained Through Algometers. *Rev. mex. ing. bioméd*, 42(2). doi:<https://doi.org/10.17488/rmib.42.2.11>.
- [42]. Sangkum, L., Chalacheewa, T., Tunprasit, C., Lavanrattanakul, P., & Liu, H. (2024). Predicting the Severity of Acute Pain after Cesarean Delivery: A Narrative Review. *Current Pain and Headache Reports*, 28, 1241-1248. doi:<https://doi.org/10.1007/s11916-024-01301-y>.

- [43]. Watson, S.E., Richardson, A.L. and Lucas, D.N. (2022) 'Neuraxial and general anaesthesia for caesarean section', *Best Practice & Research Clinical Anaesthesiology*, 36(1), pp. 53–68. Available at: <https://doi.org/10.1016/j.bpa.2022.04.007>.
- [44]. Arzola, C. and Wiecezorek, P.M. (2011) 'Efficacy of low-dose bupivacaine in spinal anaesthesia for Caesarean delivery: systematic review and meta-analysis', *British Journal of Anaesthesia*, 107(3), pp. 308–318. Available at: <https://doi.org/10.1093/bja/aer200>.
- [45]. Kementerian Kesehatan Republik Indonesia (2022) *Keputusan Menteri Kesehatan Republik Indonesia Nomor Hk.01.07/Menkes/1541/2022 Tentang Pedoman Nasional Pelayanan Kedokteran Tata Laksana Anestesiologi dan Terapi Intensif*.
- [46]. Roofthoof, E. *et al.* (2021) 'PROSPECT guideline for elective caesarean section: updated systematic review and procedure-specific postoperative pain management recommendations', *Anaesthesia*, 76(5), pp. 665–680. Available at: <https://doi.org/10.1111/anae.15339>.
- [47]. Sharawi, N. *et al.* (2018) 'A Systematic Review Evaluating Neuraxial Morphine and Diamorphine-Associated Respiratory Depression After Cesarean Delivery', *Anesthesia & Analgesia*, 127(6), p. 1385. Available at: <https://doi.org/10.1213/ANE.00000000000003636>.
- [48]. Bjørnstad, J. and Ræder, J. (2020) 'Post-operative pain after caesarean section', *Tidsskrift for Den norske legeforening* [Preprint]. Available at: <https://tidsskriftet.no/en/2020/05/kort-rapport/post-operative-pain-after-caesarean-section> (Accessed: 21 October 2023).
- [49]. Bai, J.W. *et al.* (2020) 'Adjuncts to local anesthetic wound infiltration for postoperative analgesia: a systematic review', *Regional Anesthesia and Pain Medicine*, 45(8), pp. 645–655. Available at: <https://doi.org/10.1136/rapm-2020-101593>.
- [50]. Adesope, O., Ituk, U. and Habib, A.S. (2016) 'Local anaesthetic wound infiltration for postcaesarean section analgesia: A systematic review and meta-analysis', *European Journal of Anaesthesiology*, 33(10), pp. 731–742. Available at: <https://doi.org/10.1097/EJA.0000000000000462>.
- [51]. Heppolette, C.A.A. *et al.* (2020) 'Clinical Pharmacokinetics and Pharmacodynamics of Levobupivacaine', *Clinical Pharmacokinetics*, 59(6), pp. 715–745. Available at: <https://doi.org/10.1007/s40262-020-00868-0>.
- [52]. 'Levobupivacaine' (2006) in *Drugs and Lactation Database (LactMed®)*. Bethesda (MD): National Institute of Child Health and Human Development. Available at: <http://www.ncbi.nlm.nih.gov/books/NBK501605/> (Accessed: 24 October 2023).
- [53]. Demiraran, Y. *et al.* (2013) 'Tramadol and levobupivacaine wound infiltration at cesarean delivery for postoperative analgesia', *Journal of Anesthesia*, 27(2), pp. 175–179. Available at: <https://doi.org/10.1007/s00540-012-1510-7>.

- [54]. Gurbet, A. *et al.* (2014) 'Preemptive wound infiltration in lumbar laminectomy for postoperative pain: comparison of bupivacaine and levobupivacaine', *Turkish Neurosurgery*, 24(1), pp. 48–53. Available at: <https://doi.org/10.5137/1019-5149.JTN.8431-13.0>.
- [55]. Glavas Tahtler, J. *et al.* (2023) 'Long-Term Outcomes of Breast Cancer Patients Receiving Levobupivacaine Wound Infiltration or Diclofenac for Postoperative Pain Relief', *Pharmaceutics*, 15(9), p. 2183. Available at: <https://doi.org/10.3390/pharmaceutics15092183>.
- [56]. Çnar, S.Ö. *et al.* (2009) 'Effects of levobupivacaine infiltration on postoperative analgesia and stress response in children following inguinal hernia repair', *European Journal of Anaesthesiology*, 26(5), pp. 430–434. Available at: <https://doi.org/10.1097/EJA.0b013e32832974fc>.
- [57]. Dere, K. *et al.* (2009) 'The Comparison of the Effects of Different Doses of Levobupivacaine Infiltration on Wound Healing', *Journal of Investigative Surgery*, 22(2), pp. 112–116. Available at: <https://doi.org/10.1080/08941930802713019>.
- [58]. Kohtala, S. (2021) 'Ketamine—50 years in use: from anesthesia to rapid antidepressant effects and neurobiological mechanisms', *Pharmacological Reports*, 73(2), pp. 323–345. Available at: <https://doi.org/10.1007/s43440-021-00232-4>.
- [59]. Mihaljević, S. *et al.* (2020) 'Therapeutic Mechanisms of Ketamine', *Psychiatria Danubina*, 32(3–4), pp. 325–333. Available at: <https://doi.org/10.24869/psyd.2020.325>.
- [60]. Zanos, P. *et al.* (2018) 'Ketamine and Ketamine Metabolite Pharmacology: Insights into Therapeutic Mechanisms', *Pharmacological Reviews*, 70(3), pp. 621–660. Available at: <https://doi.org/10.1124/pr.117.015198>.
- [61]. Riccardi, A. *et al.* (2023) 'Narrative Review: Low-Dose Ketamine for Pain Management', *Journal of Clinical Medicine*, 12(9), p. 3256. Available at: <https://doi.org/10.3390/jcm12093256>.
- [62]. Oham, A., Ekwere, I., & Tobi, K. (2020). Subcutaneous ketamine prolongs the analgesic effect of local infiltration of plain Bupivacaine in children undergoing inguinal herniotomy. *Afr Health Sci*, 20(2), 806-814. doi:<https://doi.org/10.4314/ahs.v20i2.34>.
- [63]. Han, Y. *et al.* (2022) 'S-ketamine as an adjuvant in patient-controlled intravenous analgesia for preventing postpartum depression: a randomized controlled trial', *BMC Anesthesiology*, 22, p. 49. Available at: <https://doi.org/10.1186/s12871-022-01588-7>.
- [64]. Ram, G.K. *et al.* (2020) 'Dexmedetomidine and Ketamine as an Adjuvant to Levobupivacaine for Pediatric Caudal Analgesia: A Randomized, Controlled Study', *Anesthesia, Essays and Researches*, 14(2), pp. 253–258. Available at: https://doi.org/10.4103/aer.AER_42_20.

- [65]. Zhang, Y., Lin, H. and Yi, W.-B. (2016) 'Evaluation of the effects of ketamine on spinal anesthesia with levobupivacaine or ropivacaine', *Experimental and Therapeutic Medicine*, 12(4), pp. 2290–2296. Available at: <https://doi.org/10.3892/etm.2016.3587>.
- [66]. El Sherif, F.A. *et al.* (2022) 'Efficacy of Ketamine versus Magnesium Sulphate as Adjuvants to Levobupivacaine in Ultrasound Bilevel Erector Spinae Block in Breast Cancer Surgery (a Double-Blinded Randomized Controlled Study)', *Local and Regional Anesthesia*, 15, pp. 87–96. Available at: <https://doi.org/10.2147/LRA.S379194>.
- [67]. Lönnqvist, P.-A. and Walker, S.M. (2012) 'Ketamine as an adjunct to caudal block in neonates and infants: is it time to re-evaluate?', *British Journal of Anaesthesia*, 109(2), pp. 138–140. Available at: <https://doi.org/10.1093/bja/aes228>.
- [68]. Stamenkovic, D.M. *et al.* (2021a) 'Updates on Wound Infiltration Use for Postoperative Pain Management: A Narrative Review', *Journal of Clinical Medicine*, 10(20), p. 4659. Available at: <https://doi.org/10.3390/jcm10204659>.
- [69]. Sherif, F.A.E. *et al.* (2022) 'Effect of Local Wound Infiltration with Ketamine versus Dexmedetomidine Added to Bupivacaine on Inflammatory Cytokines, a Randomized Clinical Trial', *Open Journal of Anesthesiology*, 12(08), pp. 261–277. Available at: <https://doi.org/10.4236/ojanes.2022.128024>.
- [70]. Kaler, P. *et al.* (2019) 'Comparison of levobupivacaine alone versus levobupivacaine with ketamine in subcutaneous infiltration for postoperative analgesia in lower segment cesarean section', *Journal of Obstetric Anaesthesia and Critical Care*, 9(2), p. 60. Available at: https://doi.org/10.4103/joacc.JOACC_25_19.
- [71]. Sandall, J., Tribe, R. M., Avery, L., Mola, G., Visser, G. H., Homer, C. S., . . . Temmerman, M. (2018). Short-term and long-term effects of caesarean section on the health of women and children. *Lancet*, 392(10155), 1349-1357. doi:[https://doi.org/10.1016/s0140-6736\(18\)31930-5](https://doi.org/10.1016/s0140-6736(18)31930-5)
- [72]. Uçar, C., Bülbül, M., & Yıldız, S. (2022). Cesarean delivery is associated with suppressed activities of the stress axes. *The International Journal on the Biology of Stress*, 25(1), 67-73. doi:<https://doi.org/10.1080/10253890.2021.2015318>.
- [73]. Horn, R., Hendrix, J. M., & Kramer, J. (2024, January 30). *Postoperative Pain Control*. Retrieved from NCBI-StatPearls: <https://www.ncbi.nlm.nih.gov/books/NBK544298/>.
- [74]. Chou, R., Gordon†, D. B., Leon-Casasola, O. A., Warner, L., Weisman, S. J., & Wu, C. L. (2016). Management of Postoperative Pain: A Clinical Practice Guideline From the American Pain Society, the American Society of Regional Anesthesia and Pain Medicine, and the American Society of Anesthesiologists' Committee on Regional Anesthesia, Executive Commi. *The Journal of Pain*, 17(2), 131-157. doi:<https://doi.org/10.1016/j.jpain.2015.12.008>.

- [75]. Small, C., & Laycock, H. (2020). Acute postoperative pain management. *BJS*, 2020(107), 70-80. doi:<https://doi.org/10.1002/bjs.11477>.
- [76]. Rosenbaum, S. B., Gupta, V., Patel, P., & Palacios, J. L. (2024, January 30). *Ketamine*. Retrieved from NCBI-StatPearls : <https://www.ncbi.nlm.nih.gov/books/NBK470357/>.
- [77]. Vujović, K. S., Jotić, A., Medić, B., Srebro, D., Vujović, A., Žujović, J., . Vučković, S. (2024). Ketamine, an Old–New Drug: Uses and Abuses. *Pharmaceuticals*, 17(1), 16. doi:<https://doi.org/10.3390/ph17010016>.
- [78]. Jonkman, K., Dahan, A., Donk, T. v., Aarts, L., Niesters, M., & Velzen, M. v. (2017). Ketamine for pain. *F1000Res*, 1(2), 1-8. doi:<http://dx.doi.org/10.12688/f1000research.11372.1>.
- [79]. Ivascu, R., Torsin, L. I., Hostiuc, L., Nitipir, C., Corneci, & Dutu, M. (2024). The Surgical Stress Response and Anesthesia: A Narrative Review. *JCM*, 13(10), 3017. doi:<https://doi.org/10.3390/jcm13103017>.
- [80]. Khalili-Mahani, N., Martini, C. H., Olofsen, E., Dahan, A., & Niesters, M. (2015). Effect of subanaesthetic ketamine on plasma and saliva cortisol secretion. *BJA: British Journal of Anaesthesia*, 115(1), 68-75. doi:<https://doi.org/10.1093/bja/aev135>.
- [81]. Moharam, S. A., Elshikh, A., Abdelbadie, M., Ibrahim, A. M., Shaheen, M. M., & ElSharkawy, M. S. (2024). Efficacy of adding ketamine to levobupivacaine in paravertebral block on acute and chronic pain in thoracotomy: a randomized controlled double-blinded trial. *Pain Rep*, 9(6), e1206. doi:<https://doi.org/10.1097/PR9.0000000000001206>.
- [82]. Kishore, Choudhary, P. K., & Kumar, A. (2022). 2022. *International Journal of Pharmaceutical and Clinical Research*, 14(2), 299-306. Retrieved from <http://impactfactor.org/PDF/IJPCR/14/IJPCR,Vol14,Issue2,Article45.pdf>.
- [83]. Haroutounian, S. (2018). Postoperative opioids, endocrine changes, and immunosuppression. *Pain Rep*, 3(2), e640. doi:<https://doi.org/10.1097/PR9.0000000000000640>.
- [84]. Lullau, A. P., Haga, E. M., Ronold, E. H., & Dwyer, G. E. (2023). Antidepressant mechanisms of ketamine: a review of actions with relevance to treatment-resistance and neuroprogression. *Front Neurosci*, 17(1223145), 1-20. doi:<https://doi.org/10.3389/fnins.2023.1223145>.
- [85]. Johnston, J. N., Greenwald, M. S., Henter, I. D., Kraus, C., Mkrtchian, A., Clark, N. G., . . . Kadriu, B. (2023). Inflammation, stress and depression: An exploration of ketamine’s therapeutic profile. *Drug Discovery Today*, 28(4), 103518. doi:<https://doi.org/10.1016/j.drudis.2023.103518>
- [86]. Albuquerque, V., Araújo, M., Ferreira, G., Fonseca, M., Abimuss, C., Ferreira, J., & Oliva, V. (2015). Epidural levobupivacaine alone or combined with different morphine doses in bitches under continuous propofol infusion. *Veterinary Medicine*, 67(4), 951-960. doi:<https://doi.org/10.1590/1678-4162-7661>

- [87]. Akbas, M., Titiz, T. A., Ertugrul, F., Akbas, H., & Melikoglu, M. (2005). Comparison of the effect of ketamine added to bupivacaine and ropivacaine, on stress hormone levels and the duration of caudal analgesia. *Acta Anaesthesiol Scand*, 49(10), 1520-1526. doi:<https://doi.org/10.1111/j.1399-6576.2005.00806.x>.
- [88]. Setia, M.S. (2016) 'Methodology Series Module 1: Cohort Studies', *Indian Journal of Dermatology*, 61(1), pp. 21–25. Available at: <https://doi.org/10.4103/0019-5154.174011>.
- [89]. Capili, B. (2021) 'Selecting the Study Participants', *The American journal of nursing*, 121(1), pp. 64–67. Available at: <https://doi.org/10.1097/01.NAJ.0000731688.58731.05>.
- [90]. Elfil, M. and Negida, A. (2017) 'Sampling methods in Clinical Research; an Educational Review', *Emergency*, 5(1), p. e52.
- [91]. Sripriya, R., Kameshwar, Y. V., Basheer, J. H., Ravishankar, M., & Mishra, G. (2024). Patient satisfaction with anaesthesia care - Development, pilot testing and. *Indian Journal of Clinical Anesthesia*, 11(2), 195-202. doi:<https://doi.org/10.18231/j.ijca.2024.038>.
- [92]. Biocare. (2025). *Wagener Algometer*. Retrieved from <https://www.cpbiocare.com/product/wagner-algometers/>.
- [93]. Muñiz, I. G., Pérez, J. O., Ferrando, J. P., González, J., León, G. T., & Martín, B. B. (2023). Ketamine detection in urine samples from patients poisoned by recreational drugs: epidemiologic clinical, and toxicologic profiles. *Emergencias*, 2023(35), 6-14. Retrieved from <https://revistaemergencias.org/wp-content/uploads/2023/12/006-014.pdf>.
- [94]. Luedi, M. M., Schober, P., Hammoud, B., Anderegg, L., Hoenemann, C., & Doll, D. (2020). Preoperative Pressure Pain Threshold Is Associated With Postoperative Pain in Short-Stay Anorectal Surgery: A Prospective Observational Study. *Anesth Analg*, 132(3), 656-662. doi:<https://doi.org/10.1213/ANE.00000000000005072>.
- [95]. Calderone, A., Marafioti, G., Latella, D., Corallo, F., D'Aleo, P., Quartarone, A., & Calabrò, R. S. (2025). Effectiveness of relaxation techniques for stress management and quality of life improvement in cardiovascular disease and hypertensive patients: a systematic review. *Psychology, Health & Medicine*, 30(7), 1281-1352. doi:<https://doi.org/10.1080/13548506.2025.2458255>.
- [96]. Úbeda-D'Ocasar 1, V. J.-B.-S., Valera-Calero, J. A., Vicario-Merino, Á., & Hervás-Pérez, J. P. (2020). Pain and Cortisol in Patients with Fibromyalgia: Systematic Review and Meta-Analysis. *Diagnostics (Basel)*, 10(11), 922. doi:<https://doi.org/10.3390/diagnostics10110922>.
- [97]. Azmi, N. A., Juliana, N., Azmani, S., Effendy, N. M., Abu, I. F., Teng, N. I., & Das, S. (2021). Cortisol on Circadian Rhythm and Its Effect on Cardiovascular System. *Int J Environ Res Public Health*, 18(2), 676. doi:<https://doi.org/10.3390/ijerph18020676>.

- [98]. Oster, H., Challet, E., Ott, V., Arvat, E., Kloet, E. R., Dijk, D.-J., . . . Cauter, E. V. (2017). The Functional and Clinical Significance of the 24-Hour Rhythm of Circulating Glucocorticoids. *Endocrine Reviews*, 38(1), 3-45. doi:<https://doi.org/10.1210/er.2015-1080>.
- [99]. Chu, B., Marwaha, K., Sanvictores, T., Awosika, A. O., & Ayers., D. (2024). Physiology, Stress Reaction. Physiology, Stress Reaction. Retrieved from <https://www.ncbi.nlm.nih.gov/books/NBK541120/>.
- [100]. James, K. A., Stromin, J. I., Steenkamp, N., & Combrinck, M. I. (2023). Understanding the relationships between physiological and psychosocial stress, cortisol and cognition. *Front Endocrinol (Lausanne)*, 14(108590). doi:<https://doi.org/10.3389/fendo.2023.1085950>.
- [101]. Iqbal, T., Elahi, A., Wijns, W., & Shahzad, A. (2023). Cortisol detection methods for stress monitoring in connected health. *Health Sciences Review*, 6(2023), 100079. doi:<https://doi.org/10.1016/j.hsr.2023.100079>.
- [102]. Balakin, E., Yurku, K., Ivanov, M., Izotov, A., & Nakhod, V. (2025). Regulation of Stress-Induced Immunosuppression in the Context of Neuroendocrine, Cytokine, and Cellular Processes. *Biology MDPI*, 14(76), 1-29. doi:<https://doi.org/10.3390/biology14010076>.
- [103]. Podder, D., Stala, O., Hirani, R., Karp, A. M., & Etienne, M. (2025). Comprehensive Approaches to Pain Management in Postoperative Spinal Surgery Patients: Advanced Strategies and Future Directions. *Neurol Int*, 17(6), 94. doi:<https://doi.org/10.3390/neurolint17060094>.
- [104]. Xavier, B., Vaithilingan, S., Avudaiappan, S., & Periasamy, P. (2024). The impact of an early mobility protocol on recovery outcomes in patients undergoing abdominal surgeries. *Cureus*, 16(12), e75980.
- [105]. Kianian, S., Bansal, J., Lee, C., Zhang, K., & Bergese, S. D. (2024). Perioperative multimodal analgesia: a review of efficacy and safety of the treatment options. *Anesthesiology and Perioperative Science*, 2(9), 1-16. doi:<https://doi.org/10.1007/s44254-023-00043-1>.
- [106]. Saraswati, N., Amir, Z., Wilson, B., Swastika, M., & Sastranagara, H. (2023). Optimizing Postoperative Pain Management After Endoscopic Sinus Surgery in Indonesia: A Comparative Study of Analgesic Regimens. *Sriwijaya Journal of Otorhinolaryngology*, 1(2), 48-60. doi:<https://doi.org/10.59345/sjorl.v1i1.33>.
- [107]. Coccolini, F., Corradi, F., Sartelli, M., Coimbra, R., A, I., Kryvoruchko, & Leppaniemi, A. (2022). Postoperative pain management in non-traumatic emergency general surgery: WSES-GAIS-SIAARTI-AAST guidelines. *World Journal of Emergency Surgery*, 50(2022), 1-15. doi:<https://doi.org/10.1186/s13017-022-00455-7>.
- [108]. Wick, E. C., Grant, M. C., & Wu, C. L. (2017). Postoperative Multimodal Analgesia Pain Management With Nonopioid Analgesics and Techniques. *JAMA Surgery*, 152(7), 691-697. doi:[doi:doi:10.1001/jamasurg.2017.0898](https://doi.org/10.1001/jamasurg.2017.0898).

- [109]. Regina, A. C., Goyal, A., & Mechanic., O. J. (2025). *Opioid Toxicity*. Retrieved from Statpearls: <https://www.ncbi.nlm.nih.gov/books/NBK470415/>.
- [110]. Ghai, B., Jafra, A., Bhatia, N., Chanana, N., Bansal, D., & Mehta, V. (2022). Opioid sparing strategies for perioperative pain management other than regional anaesthesia: A narrative review. *J Anaesthesiol Clin Pharmacol*, 38(1), 3-10. doi:https://doi.org/10.4103/joacp.JOACP_362_19.
- [111]. Lu, L., Sun, Y., Ren, Y., Zhao, S., & Hua, Z. (2023). Effect of regional anesthesia and analgesia on long-term survival following abdominal cancer Surgery-A systematic review with meta-analysis. *Heliyon*, 9(10), e20611. doi:<https://doi.org/10.1016/j.heliyon.2023.e20611>.
- [112]. Paladini, A., Rawal, N., Martinez, M. C., Trifa, M., Montero, A., Jr, J. P., . . . Casasola, O. D. (2023). Advances in the Management of Acute Postsurgical Pain: A Review. *Advances in the Management of Acute Postsurgical Pain: A Review*, 15(8), e42974. doi:<https://doi.org/10.7759/cureus.42974>.
- [113]. Goel, S., Deshpande, S. V., Jadawala, V. H., Suneja, A., & Singh, R. (2023). A Comprehensive Review of Postoperative Analgesics Used in Orthopedic Practice. *Cureus*, 15(11), e48750. doi:<https://doi.org/10.7759/cureus.48750>.
- [114]. Ahmad, A., Imran, M., & Ahsan, H. (2023). Biomarkers as Biomedical Bioindicators: Approaches and Techniques for the Detection, Analysis, and Validation of Novel Biomarkers of Diseases. *Pharmaceutics*, 15(6), 1630. doi:<https://doi.org/10.3390/pharmaceutics15061630>.
- [115]. Ou, F.-S., Michiels, S., Shyr, Y., Adjei, A. A., & Oberg, A. L. (2022). Biomarker Discovery and Validation: Statistical Considerations. *J Thorac Oncol*, 16(4), 537-545. doi:<https://doi.org/10.1016/j.jtho.2021.01.1616>
- [116]. Berkowitz, R., Vu, J., Brummett, C., Waljee, J., Englesbe, M., & Howard, R. (2021). The Impact of Complications and Pain on Patient Satisfaction. *Ann Surg*, 273(6), 1127-1134. doi:<https://doi.org/10.1097/sla.0000000000003621>.
- [117]. Li, L., Cui, X., & Feng, W. (2023). Enhancing Patient Satisfaction in Cross-Regional Healthcare: a Cross-Sectional Study in the Knowledge-Based Healthcare Landscape. *Journal of the Knowledge Economy*, 15, 14172–14198. doi:<https://doi.org/10.1007/s13132-023-01685-z>.
- [118]. Brokelman, R. B. G., Haverkamp, D., van Loon, C., Hol, A., van Kampen, A., & Veth, R. (2012). The validation of the visual analogue scale for patient satisfaction after total hip arthroplasty. *European Orthopaedics and Traumatology*, 3(2), 101–105.