

DAFTAR PUSTAKA

- Al-Hasemi, H.M.B., & Al-Amoudi, O.S.B. 2018. A review on the angle of repose of granular materials. *Powder Technology*. 330 : 397-417.
- Alyami, H. S., Dahmash, E. Z., Bowen, J., & Mohammed, A. R. (2017). An investigation into the influence of excipients on powder flow properties. *International Journal of Pharmaceutics*, 529(1–2), 205–214. <https://doi.org/10.1016/j.ijpharm.2017.06.047>
- Alrosyidi, A.F., & Syaifiyatul, H. 2021. Formulasi, evaluasi mutu fisik, dan uji SPF krim tabir surya berbahan dasar rumput laut *E. cottonii*. *Majalah Farmasi dan Farmakolog*. 25(1).15–19. <https://doi.org/10.20956/mff.v25i1.11967>
- Anastasia, D.S., Luliana, S., Desnita, R., Isnindar, Atikah, N. 2022. Pengaruh Variasi Gula Terhadap Karakteristik Minuman Serbuk Instan Kombinasi Rimpang Jahe (*Zingiber officinale* Rosc.) dan Temu Putih (*Curcuma zedoaria* Rosc.). *Journal Syifa Sciences adn CLinical Research (JSSCR)*. 4(2) : 253-262.
- Aulton, M. E., & Taylor, K. (2018). *Aulton's pharmaceutics: The design and manufacture of medicines* (5th ed.). London: Elsevier.
- Awad, M. E., Lopez-Galindo, A., Setti, M., El-Rahmany, M. M., & Iborra, C. V. (2019). Kaolinite in pharmaceutics and cosmetics. *Applied Clay Science*, 171, 57–68. <https://doi.org/10.1016/j.clay.2019.01.005>
- Barel, A.O., Paye, M., & Maibach, H.I., 2014. *Handbook of Cosmetics Science and Technology*. New York : CRC Press.
- Carretero, M.I. 2002. Clay minerals and their beneficial effects upon human health. *Applied Clay Science*. 21(3-4). 155-163.
- Cheiya, I.V., Tusli, R., & Fitriani, N. Pemanfaatan Limbah Pati Kulit Pisang (Musa paradisiaca) sebagai Bahan Pengikat Granul Parasetamol dengan Metode Granulasi Basah. *Jurnal Sains dan Kesehatan*. 5(1) : 44 – 49.
- Crouter, A., & Briens, L. (2013). The effect of moisture on the flowability of pharmaceutical powders. *Powder Technology*. 240. 126–134. <https://doi.org/10.1016/j.powtec.2013.02.028>
- Dias, M. F. R. G. (2015). Hair cosmetics: An overview. *International Journal of Trichology*, 7(1), 2–15. <https://doi.org/10.4103/0974-7753.153450>
- Draelos, Z.D. 2022. *Cosmetic Dermatology : Products and Procedures*. Oxford : Wiley Blackwell
- Dubey, R., & Nema, R. K. (2004). Evaluation of powder flow properties. *Indian Journal of Pharmaceutical Sciences*, 66(2), 180–183.

- Erawati, T.M., Andriani, D., Nurdiana, N., Sari, I. & Mulyani, S. 2023. The activity of candlenut oil in the nanostructured lipid carrier system to stimulate hair growth. *Journal of Advanced Pharmaceutical Technology & Research*. 14(2). 77–82. https://doi.org/10.4103/japtr.japtr_132_22
- Febrina, L., Rijai, A.J., Tobing, A.A. 2024. Formulation and Evaluation of Powdered Shampoo With the Active Ingredient of Candlenut Seeds Oil Powder (*Aleurites moluccanus* L.). *Indonesian Journal of Pharmaceutical Science and Technology*. 6(1) : 36-42
- Fitzpatrick, J. J., Barringer, S. A., & Iqbal, T. (2004). Flow property measurement of food powders and sensitivity of Jenike's hopper design methodology. *Journal of Food Engineering*. 61(3). 399–405. [https://doi.org/10.1016/S0260-8774\(03\)00147-X](https://doi.org/10.1016/S0260-8774(03)00147-X)
- Hao, T. 2015. Understanding empirical powder flowability criteria scaled by Hausner ratio or Carr index with the analogous viscosity concept. *RSC Advances*. 5. 57212–57215. <https://doi.org/10.1039/C5RA07197F>
- Hayati, P.P., Pratama, G., Surilyani, D., Hasanah, A.N. 2024. Hair Tonic Formulation Of Seaweed Extract (*Hormophysa triquetra*) With A Combination Of Candlenut (*Aleurites moluccana*) Extract As A Hair Grower. *Jurnal Agroindustri Halal*. 10(1).
- Juarez-Enriquez, E., Olivas, G. I., Zamudio-Flores, P. B., Ortega-Rivas, E., & Perez-Vega, S. (2017). Effect of particle size and moisture content on the flow properties of food powders. *Journal of Food Engineering*, 215, 15–22. <https://doi.org/10.1016/j.jfoodeng.2017.07.012>
- Kalman, H. 2021. Quantification of mechanisms governing the angle of repose, angle of tilting, and Hausner ratio to estimate the flowability of particulate materials. *Powder Technology*. 382. 573-593. <https://doi.org/10.1016/j.powtec.2021.01.012>
- Kang, H.I., Choi, H.S., Kim, Y., Lee, S.Y., Lee, W.S. & Choi, S. 2023. *Hair Pores Caused by Surfactants via the Cell Membrane Complex and a Prevention Strategy through the Use of Cuticle Sealing*. *Cosmetics*. 10(6). 161. <https://doi.org/10.3390/cosmetics10060161>
- Lachowicz, S., Oszmiański, J., & Kolniak-Ostek, J. 2020. Influence of plant oil components on sensory and physicochemical properties of cosmetic formulations. *Molecules*. 25(6). 1356. <https://doi.org/10.3390/molecules25061356>
- Latifah, F., Sholeh, A.B., & Dharmawan, J.R. 2025. Formulasi dan Evaluasi Fisik Sediaan Sunscreen Powder Zink Oksida. *Indonesian Journal of Medical and Pharmaceutical Science*. 4(1) : p53-59.

- Mahadev, M.S., Deshmukh, S.B., & Jain, S. 2023. Formulation and Evaluation of Dry Herbal Powder Shampoo. *International Journal of Creative Research Thoughts*. 11(6).
- Méndez-Torrecillas, R., Rodríguez-Huezo, M. E., & Vernon-Carter, E. J. (2017). Powder flowability characteristics of cosmetic raw materials. *Powder Technology*. 312, 200–208. <https://doi.org/10.1016/j.powtec.2017.02.032>
- Morin, G. & Briens, L., 2013. The effect of lubricants on powder flowability for pharmaceutical application. *AAPS PharmSciTech*, 14(3), pp.1158–1168. <https://doi.org/10.1208/s12249-013-0007-5>
- Murray, H.H. 2007. Applied clay mineralogy : occurrences, processing and application of kaolins. *Applied Clay Science*. 34(1-4). 1-12.
- New, S., Daniels, G & Gummer, C.L. 2018. Measuring the frequency of consumer hair combing and magnitude of combing forces on individual ahir in a tress and the implications for product evaluation and claims substantiation. *International Journal of Cosmetic Science*. 40(5). 519-531.
- Rahayu, D. S., Putri, A. R., & Wulandari, F. 2025. Physical and sensory evaluation of herbal cosmetic powder formulations. *Journal of Cosmetic Science and Technology*, 3(1), 1–10.
- Rowe, R. C., Sheskey, P. J., & Quinn, M. E. 2009. *Handbook of pharmaceutical excipients* (6th ed.). London: Pharmaceutical Press.
- Sandler, N., & Rees, J. 2007. *Powder flow and compaction*. New York: Springer.
- Sarruf, F.D., Issa, M.G., Velasco, M.V.R., Rosado, C., Baby, A.R. 2025. Clay-Based Cosmetic Formulations: Mineralogical Properties and Short-Term Effects on Sebum Regulation and Skin Biomechanics. *Cosmetics*. 12(5). 219.
- Shah, R.B., Tawakkul, M.A., & Khan, M.A. 2008. Comparative evaluation of flow for pharmaceutical powders using compendial and non-compendial methods. *AAPS PharmSciTech*. 9(1). <https://doi.org/10.1208/s12249-008-9046-8>
- Sholikhati, A., Rahmawati, R.P., & Kurnia, S.D. Analisis Mutu Fisik Granul Ekstrak Kulit Manggis dengan Metode Granulasi Basah. *Indonesia Jurnal Farmasi*. 7(1) : 1-9.
- Shoviantari, F., Liziarmezilia, Z., Bahing, A., Agustina, L. 2019. Uji Aktivitas Tonik Rambut Nanoemulsi Minyak Kemiri (*Aleurites moluccana* L.). *Jurnal Farmasi dan Ilmu Kefarmasian Indonesia*. 6(2).
- Song, S.H., Kim, J.H., Lee, S.Y., & Park, B.D. 2025. Hair detangling evaluation method using section detangling rate. *Cosmetics*. 12(2). 82.
- Thakur, L., Ghodasra, U., Patel, N., Dabhi, M. 2011. Novel approaches for stability improvement in natural medicines. *Pharmacognosy Reviews*. 5(9).

- United States Pharmacopeial Convention. 2012. *USP29 <1174> Powder Flow*. Rockville, MD: USP Convention.
- Wozniak, B., Chudzinska, J., Szczyglewska, P., Nowak, I., Feliczak-Guzik, A. 2023. Optimization of the Composition of a Cosmetic Formulation Containing Tremella fuciformis Extract (Fungi). *Cosmetics*. 10(3) : 82.
- Yang, F.C., Zhang, Y., Rheinstadter, M.C. 2014. The structure of people's hair. *PeerJ*. 1-19.