

DAFTAR PUSTAKA

- A 10-year retrospective review of vulval squamous cell carcinoma associated with lichen sclerosus. (2014). *Journal of the American Academy of Dermatology*, 70(5), AB132. <https://doi.org/10.1016/j.jaad.2014.01.548>
- Aggarwal, B. B., Gupta, S. C., & Kim, J. H. (2012). Historical perspectives on tumor necrosis factor and its superfamily: 25 years later, a golden journey. *Blood*, 119(3), 651–665. <https://doi.org/10.1182/blood-2011-04-325225>
- Akdis, C. A., Akdis, M., Bieber, T., *et al.* (2006). *Diagnosis and treatment of atopic dermatitis in children and adults: European Academy of Allergology and Clinical Immunology/American Academy of Allergy, Asthma and Immunology/PRACTALL consensus report. Journal of Allergy and Clinical Immunology*, 118(1), 152–169. <https://doi.org/10.1016/j.jaci.2006.03.045>. (n.d.).
- Altunay, İ. K., Özkur, E., Uğurer, E., Baltan, E., Aydın, Ç., & Serin, E. (2021). More than a skin disease: Stress, depression, anxiety levels, and serum neurotrophins in lichen simplex chronicus. *Anais Brasileiros de Dermatologia*, 96(6), 700–705. <https://doi.org/10.1016/j.abd.2021.04.011>
- Andersson, H., Tullberg, C., Ahrné, S., Hamberg, K., Lazou Ahrén, I., Molin, G., Sonesson, M., & Håkansson, Å. (2016). Oral Administration of *Lactobacillus plantarum* 299v Reduces Cortisol Levels in Human Saliva during Examination Induced Stress: A Randomized, Double-Blind Controlled Trial. *International Journal of Microbiology*, 2016, 1–7. <https://doi.org/10.1155/2016/8469018>
- Appukutty, M., Ramasamy, K., Rajan, S., Vellasamy, S., Ramasamy, R., & Radhakrishnan, A. K. (2015). Effect of orally administered soy milk fermented with *Lactobacillus plantarum* LAB12 and physical exercise on murine immune responses. *Beneficial Microbes*, 6(4), 491–496. <https://doi.org/10.3920/BM2014.0129>
- Asgari, P., McKinney, G., Hodges, T. E., & McCormick, C. M. (2021). Social Instability Stress in Adolescence and Social Interaction in Female Rats. *Neuroscience*, 477, 1–13. <https://doi.org/10.1016/j.neuroscience.2021.09.022>
- Ban, J. Y., Kim, S. K., Kim, H.-J., Chung, J.-H., Kim, T., Park, J. K., Park, H.-K., & Kim, J. W. (2008). Association between Interleukin 31 Receptor A Gene Polymorphism and Schizophrenia in Korean Population. *The Korean Journal of Physiology and Pharmacology*, 12(4), 205. <https://doi.org/10.4196/kjpp.2008.12.4.205>
- Bernhard, A., van der Merwe, C., Ackermann, K., Martinelli, A., Neumann, I. D., & Freitag, C. M. (2018). Adolescent oxytocin response to stress and its behavioral and endocrine correlates. *Hormones and Behavior*, 105, 157–165. <https://doi.org/10.1016/j.yhbeh.2018.08.010>

- Bienenstock J, Kunze W, Forsythe P. Microbiota and the gut–brain axis: Neuroendocrine and behavioral responses to stress. *Neurogastroenterol Motil.* 2021;33(2):e14040. (n.d.).
- Borrego-Ruiz, A., & Borrego, J. J. (2024). Microbial dysbiosis in the skin microbiome and its psychological consequences. *Microorganisms*, 12(9), 1908. <https://doi.org/10.3390/microorganisms12091908>. (n.d.).
- Bradley, J. R. (2008). TNF-mediated inflammatory disease. *Journal of Pathology*, 214(2), 149–160. <https://doi.org/10.1002/path.2287>
- Brenner, D., Blaser, H., & Mak, T. W. (2015). Regulation of tumour necrosis factor signalling: Live or let die. *Nature Reviews Immunology*, 15(6), 362–374. <https://doi.org/10.1038/nri3834>
- Budziszewska, B.; Lason, W.: Wrocław, Poland, 2003. (2003). *Neuroendokrynne Mechanizmy Działania Leków Przeciwdepresyjnych; Triangulum M.B.P.:*
- Buemann, B., Marazziti, D., & Uvnäs-Moberg, K. (2021). Can intravenous oxytocin infusion counteract hyperinflammation in COVID-19 infected patients? *The World Journal of Biological Psychiatry: The Official Journal of the World Federation of Societies of Biological Psychiatry*, 22(5), 387–398. <https://doi.org/10.1080/15622975.2020.1814408>
- Carmassi, C., Marazziti, D., Mucci, F., Della Vecchia, A., Barberi, F. M., Baroni, S., Giannaccini, G., Palego, L., Massimetti, G., & Dell’Osso, L. (2021). Decreased Plasma Oxytocin Levels in Patients With PTSD. *Frontiers in Psychology*, 12(July), 1–9. <https://doi.org/10.3389/fpsyg.2021.612338>
- Cavanaugh, J., Carp, S. B., Rock, C. M., & French, J. A. (2016). Oxytocin modulates behavioral and physiological responses to a stressor in marmoset monkeys. *Psychoneuroendocrinology*, 66, 22–30. <https://doi.org/10.1016/j.psyneuen.2015.12.027>
- Celis, R., Cuervo, A., Ramírez, J., & Cañete, J. D. (2019). Psoriatic Synovitis: Singularity and Potential Clinical Implications. *Frontiers in Medicine*, 6, 14. <https://doi.org/10.3389/fmed.2019.00014>
- Cevikbas, F., Wang, X., Akiyama, T., Kempkes, C., Savinko, T., Antal, A., Kukova, G., Buhl, T., Ikoma, A., Buddenkotte, J., Soumelis, V., Feld, M., Alenius, H., Dillon, S. R., Carstens, E., Homey, B., Basbaum, A., & Steinhoff, M. (2014). A sensory neuron–expressed IL-31 receptor mediates T helper cell–dependent itch: Involvement of TRPV1 and TRPA1. *Journal of Allergy and Clinical Immunology*, 133(2), 448–460.e7. <https://doi.org/10.1016/j.jaci.2013.10.048>
- Charifa, A., Badri, T., & Harris, B. W. (2023). Lichen Simplex Chronicus. In *StatPearls*. StatPearls Publishing. Diakses dari <https://www.ncbi.nlm.nih.gov/books/NBK499991/>. (n.d.).
- Chen, Y. H., Chen, Y. C., Tu, Y. C., Lin, S. H., & Kuo, C. C. (2020). *Lactobacillus plantarum* PS128 prevents cognitive dysfunction and depressive-like behavior in Alzheimer’s disease model mice by modulating the gut–brain axis. *Frontiers in Neuroscience*, 14, 614. <https://doi.org/10.3389/fnins.2020.00614>. (n.d.).

- Cheng, L. E., Sullivan, B. M., Retana, L. E., Allen, C. D. C., Liang, H.-E., & Locksley, R. M. (2015). IgE-activated basophils regulate eosinophil tissue entry by modulating endothelial function. *Journal of Experimental Medicine*, 212(4), 513–524. <https://doi.org/10.1084/jem.20141671>
- Cherian, K., Schatzberg, A. F., & Keller, J. (2019). HPA axis in psychotic major depression and schizophrenia spectrum disorders: Cortisol, clinical symptomatology, and cognition. *Schizophrenia Research*, 213, 72–79. <https://doi.org/10.1016/j.schres.2019.07.003>
- Cho, Y., Challa, S., Moquin, D., Genga, R., Ray, T. D., Guildford, M., & Chan, F. K.-M. (2009). Phosphorylation-Driven Assembly of the RIP1-RIP3 Complex Regulates Programmed Necrosis and Virus-Induced Inflammation. *Cell*, 137(6), 1112–1123. <https://doi.org/10.1016/j.cell.2009.05.037>
- Chojnowska, S., Ptaszyńska-Sarosiek, I., Kępka, A., Knaś, M., & Waszkiewicz, N. (2021). Salivary biomarkers of stress, anxiety and depression. *Journal of Clinical Medicine*, 10(3), 1–11. <https://doi.org/10.3390/jcm10030517>
- Chong, H. X., Yusoff, N. A. A., Hor, Y.-Y., Lew, L.-C., Jaafar, M. H., Choi, S.-B., Yusoff, M. S. B., Wahid, N., Abdullah, M. F. I. L., Zakaria, N., Ong, K.-L., Park, Y.-H., & Liong, M.-T. (2019). Lactobacillus plantarum DR7 alleviates stress and anxiety in adults: A randomised, double-blind, placebo-controlled study. *Beneficial Microbes*, 10(4), 355–374. <https://doi.org/10.3920/BM2018.0135>
- Choy, E. H. S., & Panayi, G. S. (2001). Cytokine Pathways and Joint Inflammation in Rheumatoid Arthritis. *New England Journal of Medicine*, 344(12), 907–916. <https://doi.org/10.1056/NEJM200103223441207>
- Cryan JF, O’Riordan KJ, Cowan CSM, Sandhu KV, Bastiaanssen TFS, Boehme M, *et al.* The microbiota–gut–brain axis. *Physiol Rev.* 2020;100(4):1877–2013. (n.d.).
- Cui, S., Xiao, T., Wang, Y., Lu, H., Wang, Y., Gao, X.-H., Wei, H., & Chen, H.-D. (2009). Morphological relationship between nerve fibers and Langerhans cells in the epidermis of psoriasis vulgaris and lichen simplex chronicus. *Journal of Dermatological Science*, 56(2), 132–134. <https://doi.org/10.1016/j.jdermsci.2009.07.009>
- Czarnecka-Operacz, M., Polańska, A., Klimańska, M., Teresiak-Mikołajczak, E., Molińska-Glura, M., Adamski, Z., & Jenerowicz, D. (2015). Itching sensation in psoriatic patients and its relation to body mass index and IL-17 and IL-31 concentrations. *Advances in Dermatology and Allergology/Postępy Dermatologii i Alergologii*, 32(6), 426–430. <https://doi.org/10.5114/pdia.2015.56097>
- De Montijo-Prieto, S., Moreno, E., Bergillos-Meca, T., Lasserrot, A., Ruiz-López, M.-D., Ruiz-Bravo, A., & Jiménez-Valera, M. (2015). A Lactobacillus plantarum strain isolated from kefir protects against intestinal infection with Yersinia enterocolitica O9 and modulates immunity in mice. *Research in Microbiology*, 166(8), 626–632. <https://doi.org/10.1016/j.resmic.2015.07.010>

- De Pessemier G, Grine L, Debaere M, Maes A, Paetzold B, Callewaert C. Gut–skin axis: Current knowledge of the interrelationship between microbial dysbiosis and skin conditions. *Microorganisms*. 2021;9(2):353. (n.d.).
- de Vos, P., Mujagic, Z., de Haan, B. J., Siezen, R. J., Bron, P. A., Meijerink, M., Wells, J. M., Masclee, A. A. M., Boekschoten, M. V., Faas, M. M., & Troost, F. J. (2017). Lactobacillus plantarum strains can enhance human mucosal and systemic immunity and prevent non-steroidal anti-inflammatory drug induced reduction in T regulatory Cells. *Frontiers in Immunology*, 8(AUG), 1–18. <https://doi.org/10.3389/fimmu.2017.01000>
- Desbonnet, L., Garrett, L., Clarke, G., Bienenstock, J., & Dinan, T. G. (2008). The probiotic Bifidobacteria infantis: An assessment of potential antidepressant properties in the rat. *Journal of Psychiatric Research*, 43(2), 164–174. <https://doi.org/10.1016/j.jpsychires.2008.03.009>
- Detillion, C. E., Craft, T. K. S., Glasper, E. R., Prendergast, B. J., & DeVries, A. C. (2004). Social facilitation of wound healing. *Psychoneuroendocrinology*, 29(8), 1004–1011. <https://doi.org/10.1016/j.psyneuen.2003.10.003>
- Dhabhar, F. S. (2019). The power of positive stress – a complementary commentary. *Stress*, 22(5), 526–529. <https://doi.org/10.1080/10253890.2019.1634049>
- Ding, R. xue, Goh, W. R., Wu, R. na, Yue, X. qing, Luo, X., Khine, W. W. T., Wu, J. rui, & Lee, Y. K. (2019). Revisit gut microbiota and its impact on human health and disease. *Journal of Food and Drug Analysis*, 27(3), 623–631. <https://doi.org/10.1016/j.jfda.2018.12.012>
- Do, N. M., *et al.* (2024). A clinical review of lifestyle influences on the microbiome. *American Journal of Lifestyle Medicine*, 18(4), 245–260. <https://doi.org/10.1177/15598276241292605>. (n.d.).
- Duque-Wilckens, N., Steinman, M. Q., Busnelli, M., Chini, B., Yokoyama, S., Pham, M., Laredo, S. A., Hao, R., Perkeybile, A. M., Minie, V. A., Tan, P. B., Bales, K. L., & Trainor, B. C. (2018). Oxytocin Receptors in the Anteromedial Bed Nucleus of the Stria Terminalis Promote Stress-Induced Social Avoidance in Female California Mice. *Biological Psychiatry*, 83(3), 203–213. <https://doi.org/10.1016/j.biopsych.2017.08.024>
- Duque-Wilckens, N., Torres, L. Y., Yokoyama, S., Minie, V. A., Tran, A. M., Petkova, S. P., Hao, R., Ramos-Maciel, S., Rios, R. A., Jackson, K., Flores-Ramirez, F. J., Garcia-Carachure, I., Pesavento, P. A., Iñiguez, S. D., Grinevich, V., & Trainor, B. C. (2020). Extrahypothalamic oxytocin neurons drive stress-induced social vigilance and avoidance. *Proceedings of the National Academy of Sciences*, 117(42), 26406–26413. <https://doi.org/10.1073/pnas.2011890117>
- Dziurkowska, E., & Wesolowski, M. (2021a). Cortisol as a Biomarker of Mental Disorder Severity. *Journal of Clinical Medicine*, 10(21), 5204. <https://doi.org/10.3390/jcm10215204>

- Dziurkowska, E., & Wesolowski, M. (2021b). Cortisol as a biomarker of mental disorder severity. *Journal of Clinical Medicine*, 10(21). <https://doi.org/10.3390/jcm10215204>
- Engin, B., Tufekci, O., Yazici, A., & Özdemir, M. (2009). The effect of transcutaneous electrical nerve stimulation in the treatment of lichen simplex: A prospective study. *Clinical and Experimental Dermatology*, 34(3), 324–328. <https://doi.org/10.1111/j.1365-2230.2008.03086.x>
- Esen Salman, K. (2019). The efficacy and safety of targeted narrowband UVB therapy: A retrospective cohort study. *TURKISH JOURNAL OF MEDICAL SCIENCES*, 49(2), 595–603. <https://doi.org/10.3906/sag-1810-110>
- Feldmann, M., & Maini, R. N. (2001). Anti-TNF alpha therapy of rheumatoid arthritis: What have we learned? *Annual Review of Immunology*, 19, 163–196. <https://doi.org/10.1146/annurev.immunol.19.1.163>. (n.d.).
- Ferretti, V., Maltese, F., Contarini, G., Nigro, M., Bonavia, A., Huang, H., Gigliucci, V., Morelli, G., Scheggia, D., Managò, F., Castellani, G., Lefevre, A., Cancedda, L., Chini, B., Grinevich, V., & Papaleo, F. (2019). Oxytocin Signaling in the Central Amygdala Modulates Emotion Discrimination in Mice. *Current Biology*, 29(12), 1938–1953.e6. <https://doi.org/10.1016/j.cub.2019.04.070>
- Fietta, P., Fietta, P., & Delsante, G. (2009). Central nervous system effects of natural and synthetic glucocorticoids. *Psychiatry and Clinical Neurosciences*, 63(5), 613–622. <https://doi.org/10.1111/j.1440-1819.2009.02005.x>
- Fiksdal, A., Hanlin, L., Kuras, Y., Gianferante, D., Chen, X., Thoma, M. V., & Rohleder, N. (2019). Associations between symptoms of depression and anxiety and cortisol responses to and recovery from acute stress. *Psychoneuroendocrinology*, 102, 44–52. <https://doi.org/10.1016/j.psyneuen.2018.11.035>
- Finlay, A. Y., & Khan, G. K. (1994). *Dermatology Life Quality Index (DLQI): A simple practical measure for routine clinical use*. *Clinical and Experimental Dermatology*, 19(3), 210–216. <https://doi.org/10.1111/j.1365-2230.1994.tb01167.x>. (n.d.).
- Fuentes, M. C., Lajo, T., Carrión, J. M., & Cuñé, J. (2016). A randomized clinical trial evaluating a proprietary mixture of Lactobacillus plantarum strains for lowering cholesterol. *Mediterranean Journal of Nutrition and Metabolism*, 9, 125–135. <https://doi.org/10.3233/MNM-160065>
- Furuta, G. T., Atkins, D., & Collins, M. H. (2020). Eosinophils in gastrointestinal and cutaneous allergic inflammation. *Journal of Allergy and Clinical Immunology*, 145(1), 52–60. <https://doi.org/10.1016/j.jaci.2019.11.006>. (n.d.).
- Gleich, G. J., & Klion, A. D. (2009). How I treat hypereosinophilic syndromes. *Blood*, 114(18), 3736–3741. <https://doi.org/10.1182/blood-2009-07-143438>. (n.d.).
- Goldstein, A. T., Thaçi, D., & Luger, T. (2009). Topical calcineurin inhibitors for the treatment of vulvar dermatoses. *European Journal of Obstetrics & Gynecology*

- and *Reproductive Biology*, 146(1), 22–29.
<https://doi.org/10.1016/j.ejogrb.2009.05.026>
- Gonzalez, T., *et al.* (2025). Host–microbiome interactions in chronic itch. *Journal of Dermatological Science*, 121, 107–120. <https://doi.org/10.1016/j.jdermsci.2024.10.006>. (n.d.).
- Goodkin, R., Wingard, E., & Bernhard, J. D. (2003). Brachioradial pruritus: Cervical spine disease and neurogenic/neurogenic pruritus. *Journal of the American Academy of Dermatology*, 48(4), 521–524.
<https://doi.org/10.1067/mjd.2003.203>
- Greaves MW & Wall PD. (1996). Pathophysiology of itching. *The Lancet*, 348(9039), 938–940. [https://doi.org/10.1016/S0140-6736\(05\)65923-5](https://doi.org/10.1016/S0140-6736(05)65923-5). (n.d.).
- Grillon, C., Krimsky, M., Charney, D. R., Vytal, K., Ernst, M., & Cornwell, B. (2013). Oxytocin increases anxiety to unpredictable threat. *Molecular Psychiatry*, 18(9), 958–960. <https://doi.org/10.1038/mp.2012.156>
- Grinevich, V., & Neumann, I. D. (2021). Brain oxytocin: How puzzle stones from animal studies translate into psychiatry. *Molecular Psychiatry*, 26(1), 265–279.
<https://doi.org/10.1038/s41380-020-0802-9>
- Grossi, E., Cazzaniga, S., Crotti, S., Naldi, L., Di Landro, A., Ingordo, V., Cusano, F., Atzori, L., Tripodi Cutri, F., Musumeci, M. L., Pezzarossa, E., Bettoli, V., Caproni, M., & Bonci, A. (2016). The constellation of dietary factors in adolescent acne: A semantic connectivity map approach. *Journal of the European Academy of Dermatology and Venereology*, 30(1), 96–100.
<https://doi.org/10.1111/jdv.12878>
- Guo, X., Li, J., Tang, R., Zhang, G., Zeng, H., Wood, R. J., & Liu, Z. (2017). High Fat Diet alters Gut Microbiota and the Expression of Paneth Cell-Antimicrobial Peptides Preceding Changes of Circulating Inflammatory Cytokines. *Mediators of Inflammation*, 2017. <https://doi.org/10.1155/2017/9474896>
- Guzmán, Y. F., Tronson, N. C., Jovasevic, V., Sato, K., Guedea, A. L., Mizukami, H., Nishimori, K., & Radulovic, J. (2013). Fear-enhancing effects of septal oxytocin receptors. *Nature Neuroscience*, 16(9), 1185–1187.
<https://doi.org/10.1038/nn.3465>
- Haas, T. L., Emmerich, C. H., Gerlach, B., Schmukle, A. C., Cordier, S. M., Rieser, E., Feltham, R., Vince, J., Warnken, U., Wenger, T., Koschny, R., Komander, D., Silke, J., & Walczak, H. (2009). Recruitment of the Linear Ubiquitin Chain Assembly Complex Stabilizes the TNF-R1 Signaling Complex and Is Required for TNF-Mediated Gene Induction. *Molecular Cell*, 36(5), 831–844.
<https://doi.org/10.1016/j.molcel.2009.10.013>
- Håkansson, Å., Aronsson, C. A., Brundin, C., Oscarsson, E., Molin, G., & Agardh, D. (2019). Effects of lactobacillus plantarum and lactobacillus paracasei on the peripheral immune response in children with celiac disease autoimmunity: A randomized, double-blind, placebo-controlled clinical trial. *Nutrients*, 11(8).
<https://doi.org/10.3390/nu11081925>

- Hänel, K. H., Pfaff, C. M., Cornelissen, C., Amann, P. M., Marquardt, Y., Czaja, K., Kim, A., Lüscher, B., & Baron, J. M. (2016). Control of the Physical and Antimicrobial Skin Barrier by an IL-31–IL-1 Signaling Network. *The Journal of Immunology*, 196(8), 3233–3244. <https://doi.org/10.4049/jimmunol.1402943>
- Hashimoto, T., Nattkemper, L. A., Kim, H. S., Kursewicz, C. D., Fowler, E., Shah, S. M., Nanda, S., Fayne, R. A., Paolini, J. F., Romanelli, P., & Yosipovitch, G. (2021). Itch intensity in prurigo nodularis is closely related to dermal interleukin-31, oncostatin M, IL-31 receptor alpha and oncostatin M receptor beta. *Experimental Dermatology*, 30(6), 804–810. <https://doi.org/10.1111/exd.14279>
- Hawro, T., Saluja, R., Weller, K., Altrichter, S., Metz, M., & Maurer, M. (2014). Interleukin-31 does not induce immediate itch in atopic dermatitis patients and healthy controls after skin challenge. *Allergy*, 69(1), 113–117. <https://doi.org/10.1111/all.12316>
- He, Z., Young, L., Ma, X.-M., Guo, Q., Wang, L., Yang, Y., Luo, L., Yuan, W., Li, L., Zhang, J., Hou, W., Qiao, H., Jia, R., & Tai, F. (2019). Increased anxiety and decreased sociability induced by paternal deprivation involve the PVN-PrL OTergic pathway. *eLife*, 8, e44026. <https://doi.org/10.7554/eLife.44026>
- Heinrichs, M., Baumgartner, T., Kirschbaum, C., & Ehler, U. (2003). Social support and oxytocin interact to suppress cortisol and subjective responses to psychosocial stress. *Biological Psychiatry*, 54(12), 1389–1398. [https://doi.org/10.1016/S0006-3223\(03\)00465-7](https://doi.org/10.1016/S0006-3223(03)00465-7)
- Ho, Y.-T., Tsai, Y.-C., Kuo, T. B. J., & Yang, C. C. H. (2021). Effects of Lactobacillus plantarum PS128 on Depressive Symptoms and Sleep Quality in Self-Reported Insomniacs: A Randomized, Double-Blind, Placebo-Controlled Pilot Trial. *Nutrients*, 13(8), 2820. <https://doi.org/10.3390/nu13082820>
- Høifødt, R. S., Waterloo, K., Wang, C. E. A., Eisemann, M., Figenschau, Y., & Halvorsen, M. (2019). Cortisol levels and cognitive profile in major depression: A comparison of currently and previously depressed patients. *Psychoneuroendocrinology*, 99, 57–65. <https://doi.org/10.1016/j.psyneuen.2018.08.024>
- Holbrook, J., Lara-Reyna, S., Jarosz-Griffiths, H., & McDermott, M. (2019). Tumour necrosis factor signalling in health and disease. *F1000Research*, 8. <https://doi.org/10.12688/f1000research.17023.1>
- Horiuchi, T., Mitoma, H., Harashima, S. I., Tsukamoto, H., & Shimoda, T. (2010). Transmembrane TNF- α : Structure, function and interaction with anti-TNF agents. *Rheumatology*, 49(7), 1215–1228. <https://doi.org/10.1093/rheumatology/keq031>
- Huang, W.-C., Wei, C.-C., Huang, C.-C., Chen, W.-L., & Huang, H.-Y. (2019). The Beneficial Effects of Lactobacillus plantarum PS128 on High-Intensity, Exercise-Induced Oxidative Stress, Inflammation, and Performance in Triathletes. *Nutrients*, 11(2), 353. <https://doi.org/10.3390/nu11020353>

- Humbert, P., Pelletier, F., Dreno, B., Puzeat, E., & Aubin, F. (2006). Gluten intolerance and skin diseases. *European Journal of Dermatology : EJD*, 16(1), 4–11.
- Hundley, J. L., & Yosipovitch, G. (2004). Mirtazapine for reducing nocturnal itch in patients with chronic pruritus: A pilot study. *Journal of the American Academy of Dermatology*, 50(6), 889–891. <https://doi.org/10.1016/j.jaad.2004.01.045>
- Hussain, Z., Thu, H. E., Shuid, A. N., Kesharwani, P., & Khan, S. (2020). Obesity as a risk factor for skin diseases: A review. *Dermatologic Therapy*, 33(4), e13459. <https://doi.org/10.1111/dth.13459>. (n.d.).
- Imami, A. S., O'Donovan, S. M., Creeden, J. F., Wu, X., Eby, H., McCullumsmith, C. B., Uvnäs-Moberg, K., McCullumsmith, R. E., & Andari, E. (2020). Oxytocin's anti-inflammatory and proimmune functions in COVID-19: A transcriptomic signature-based approach. *Physiological Genomics*, 52(9), 401–407. <https://doi.org/10.1152/physiolgenomics.00095.2020>
- Ipci, K., Altintoprak, N., Muluk, N. B., Senturk, M., & Cingi, C. (2017). The possible mechanisms of the human microbiome in allergic diseases. *European Archives of Oto-Rhino-Laryngology*, 274(2), 617–626. <https://doi.org/10.1007/s00405-016-4058-6>
- Jafferany, M. (2022). *Handbook of Psychodermatology: Introduction to Psychocutaneous Disorders*. Springer International Publishing. <https://doi.org/10.1007/978-3-030-90916-1>
- Jameson, J. L., Fauci, A. S., Kasper, D. L., Hauser, S. L., Longo, D. L., & Loscalzo, J. (2020). Adrenal Gland Disorders. In *Harrison's Manual of Medicine, 20e*. McGraw-Hill Education. <http://accessmedicine.mhmedical.com/content.aspx?aid=1167068639>
- Janeček, M., & Dabrowska, J. (2019). Oxytocin facilitates adaptive fear and attenuates anxiety responses in animal models and human studies—Potential interaction with the corticotropin-releasing factor (CRF) system in the bed nucleus of the stria terminalis (BNST). *Cell and Tissue Research*, 375(1), 143–172. <https://doi.org/10.1007/s00441-018-2889-8>
- Jang, D. I., Lee, A. H., Shin, H. Y., Song, H. R., Park, J. H., Kang, T. B., Lee, S. R., & Yang, S. H. (2021). The role of tumor necrosis factor alpha (Tnf- α) in autoimmune disease and current tnf- α inhibitors in therapeutics. *International Journal of Molecular Sciences*, 22(5), 1–16. <https://doi.org/10.3390/ijms22052719>
- Jiang, Y., Yu, M., Hu, X., Han, L., Yang, K., Ba, H., Zhang, Z., Yin, B., Yang, X. P., Li, Z., & Wang, J. (2017). STAT1 mediates transmembrane TNF-alpha-induced formation of death-inducing signaling complex and apoptotic signaling via TNFR1. *Cell Death and Differentiation*, 24(4), 660–671. <https://doi.org/10.1038/cdd.2016.162>
- Jiang, Z., Dong, L., Zhang, Y., Mao, H., Luo, F., & Song, M. (2025). Cortisol levels and depression suicide risk: A combined exploration of meta-analysis and

- case-control study. *Frontiers in Psychiatry*, 16, Article 1563819. <https://doi.org/10.3389/fpsyt.2025.1563819>. (n.d.).
- Ju, T., Vander Does, A., Mohsin, N., & Yosipovitch, G. (2022). Lichen Simplex Chronicus Itch: An Update. *Acta Dermato-Venereologica*, 102, adv00796. <https://doi.org/10.2340/actadv.v102.4367>
- Juarez, M. C., & Kwatra, S. G. (2021). A systematic review of evidence based treatments for lichen simplex chronicus. *Journal of Dermatological Treatment*, 32(7), 684–692. <https://doi.org/10.1080/09546634.2019.1708856>
- Juliana, N., Maluin, S. M., Effendy, N. M., Abu, I. F., & Azmani, S. (2025). Cortisol detection methods and the hormone's role in evaluating circadian rhythm disruption. *International Journal of Molecular Sciences*, 26(18), 9141. <https://doi.org/10.3390/ijms26189141>. (n.d.).
- Kallioli, G. D., & Ivashkiv, L. B. (2016). TNF biology, pathogenic mechanisms and emerging therapeutic strategies. *Nature Reviews Rheumatology*, 12(1), 49–62. <https://doi.org/10.1038/nrrheum.2015.169>
- Kanat, M., Heinrichs, M., Mader, I., Van Elst, L. T., & Domes, G. (2015). Oxytocin Modulates Amygdala Reactivity to Masked Fearful Eyes. *Neuropsychopharmacology*, 40(11), 2632–2638. <https://doi.org/10.1038/npp.2015.111>
- Kang, S., Amagai, M., Bruckner, A. L., Enk, A. H., Margolis, D. J., McMichael, A. J., & Orringer, J. S. (2019). *Fitzpatrick's dermatology in general medicine (9th ed.)*. McGraw-Hill Education. (n.d.).
- Katsarou-Katsare, A., Filippou, A., & Theoharides, T. C. (1999). Effect of Stress and Other Psychological Factors on the Pathophysiology and Treatment of Dermatoses. *International Journal of Immunopathology and Pharmacology*, 12(1), 205873929901200102. <https://doi.org/10.1177/205873929901200102>
- Khotib, J., Utami, N. W., Gani, M. A., & Ardianto, C. (2019). The change of proinflammatory cytokine tumor necrosis factor α level in the use of meloxicam in rat model of osteoarthritis. *Journal of Basic and Clinical Physiology and Pharmacology*, 30(6). <https://doi.org/doi:10.1515/jbcpp-2019-0331>
- Kim, B. S., & Yosipovitch, G. (2020). The skin microbiota and itch: Is there a link? *Experimental Dermatology*, 29(9), 842–850. <https://doi.org/10.1111/exd.14132>. (n.d.).
- Kim, H., Lee, D. E., Kim, M., Park, J. H., Kim, Y. T., & Kim, Y. J. (2020). Oral administration of *Lactobacillus plantarum* CJLP133 improves atopic dermatitis in NC/Nga mice by downregulating IL-4 and IL-13 expression. *Journal of Microbiology and Biotechnology*, 30(3), 457–465. <https://doi.org/10.4014/jmb.1909.09014>. (n.d.).
- Kim, H. S., & Yosipovitch, G. (2020). The Skin Microbiota and Itch: Is There a Link? *Journal of Clinical Medicine*, 9(4), 1190. <https://doi.org/10.3390/jcm9041190>

- Korkmaz, O. A., Sumlu, E., Koca, H. B., Pektas, M. B., Kocabas, A., Sadi, G., & Akar, F. (2019). Effects of *Lactobacillus Plantarum* and *Lactobacillus Helveticus* on Renal Insulin Signaling, Inflammatory Markers, and Glucose Transporters in High-Fructose-Fed Rats. *Medicina*, 55(5). <https://doi.org/10.3390/medicina55050207>
- Kouris, A., Christodoulou, C., Efstathiou, V., Platsidaki, E., Tsatovidou, R., Torlidi-Kordera, E., Rigopoulos, D., & Kontochristopoulos, G. (2016). Comparative Study of Quality of Life and Obsessive-Compulsive Tendencies in Patients With Chronic Hand Eczema and Lichen Simplex Chronicus. *Dermatitis*, 27(3), 127–130. <https://doi.org/10.1097/DER.000000000000180>
- Kreuder, A.-K., Scheele, D., Schultz, J., Hennig, J., Marsh, N., Dellert, T., Ettinger, U., Philipsen, A., Babasiz, M., Herscheid, A., Remmersmann, L., Stirnberg, R., Stöcker, T., & Hurlemann, R. (2020). Common and dissociable effects of oxytocin and lorazepam on the neurocircuitry of fear. *Proceedings of the National Academy of Sciences of the United States of America*, 117(21), 11781–11787. <https://doi.org/10.1073/pnas.1920147117>
- Labuschagne, I., Phan, K. L., Wood, A., Angstadt, M., Chua, P., Heinrichs, M., Stout, J. C., & Nathan, P. J. (2010). Oxytocin attenuates amygdala reactivity to fear in generalized social anxiety disorder. *Neuropsychopharmacology*, 35(12), 2403–2413. <https://doi.org/10.1038/npp.2010.123>
- Lahoud, N., & Maroun, M. (2013). Oxytocinergic manipulations in corticolimbic circuit differentially affect fear acquisition and extinction. *Psychoneuroendocrinology*, 38(10), 2184–2195. <https://doi.org/10.1016/j.psyneuen.2013.04.006>
- Lara-Marquez, M. L., & Kelley, K. W. (2020). Stress and allergic skin diseases—What have we learned? *Annals of Allergy, Asthma and Immunology*, 125(4), 376–377. <https://doi.org/10.1016/j.anai.2020.07.025>
- Le, B., & Yang, S. H. (2018). Efficacy of *Lactobacillus plantarum* in prevention of inflammatory bowel disease. *Toxicology Reports*, 5, 314–317. <https://doi.org/10.1016/j.toxrep.2018.02.007>
- LeBlanc, J. G., Milani, C., de Giori, G. S., Sesma, F., van Sinderen, D., & Ventura, M. (2013). Bacteria as vitamin suppliers to their host: A gut microbiota perspective. *Current Opinion in Biotechnology*, 24(2), 160–168. <https://doi.org/10.1016/j.copbio.2012.08.005>
- Lee, H. G., Grossman, S. K., Valdes-Rodriguez, R., Berenato, F., Korbutov, J., Chan, Y.-H., Lavery, M. J., & Yosipovitch, G. (2017). Topical ketamine-amitriptyline-lidocaine for chronic pruritus: A retrospective study assessing efficacy and tolerability. *Journal of the American Academy of Dermatology*, 76(4), 760–761. <https://doi.org/10.1016/j.jaad.2016.10.030>
- Leung, D. Y. M., Bieber, T. (2003). Atopic dermatitis. *The Lancet*, 361(9352), 151–160. [https://doi.org/10.1016/S0140-6736\(03\)12193-9](https://doi.org/10.1016/S0140-6736(03)12193-9). (n.d.).

- Lew, L. C., Hor, Y. Y., Yusoff, N. A. A., *et al.* (2019). Probiotic *Lactobacillus plantarum* PS128 modulates stress, anxiety, and inflammation in humans. *Nutrients*, 11(9), 2020. <https://doi.org/10.3390/nu11092020>. (n.d.).
- Lew, L.-C., Hor, Y.-Y., Yusoff, N. A. A., Choi, S.-B., Yusoff, M. S. B., Roslan, N. S., Ahmad, A., Mohammad, J. A. M., Abdullah, M. F. I. L., Zakaria, N., Wahid, N., Sun, Z., Kwok, L.-Y., Zhang, H., & Liong, M.-T. (2019). Probiotic *Lactobacillus plantarum* P8 alleviated stress and anxiety while enhancing memory and cognition in stressed adults: A randomised, double-blind, placebo-controlled study. *Clinical Nutrition*, 38(5), 2053–2064. <https://doi.org/10.1016/j.clnu.2018.09.010>
- Li, K., Nakajima, M., Ibañez-Tallon, I., & Heintz, N. (2016). A Cortical Circuit for Sexually Dimorphic Oxytocin-Dependent Anxiety Behaviors. *Cell*, 167(1), 60–72.e11. <https://doi.org/10.1016/j.cell.2016.08.067>
- Li, W., Sun, Y., Kong, Z., Song, Y., Liu, J., & Wang, X. (2025). Psychometric validation of the Patient Health Questionnaire-9 (PHQ-9) in Chinese adult psychiatric inpatients. *Frontiers in Psychiatry*, 15, 1657696. <https://doi.org/10.3389/fpsyt.2025.1657696>. (n.d.).
- Li, X. H., Matsuura, T., Xue, M., Chen, Q. Y., Liu, R. H., Lu, J. S., Shi, W., Fan, K., Zhou, Z., Miao, Z., Yang, J., Wei, S., Wei, F., Chen, T., & Zhuo, M. (2021). Oxytocin in the anterior cingulate cortex attenuates neuropathic pain and emotional anxiety by inhibiting presynaptic long-term potentiation. *Cell Reports*, 36(3), 109411. <https://doi.org/10.1016/j.celrep.2021.109411>
- Lin, W., Zhou, Q., Liu, C., Ying, M., & Xu, S. (2017). Increased plasma IL-17, IL-31, and IL-33 levels in chronic spontaneous urticaria. *Scientific Reports*, 7(1), 17797. <https://doi.org/10.1038/s41598-017-18187-z>
- Linnet & Jemec. (1999). An assessment of anxiety and dermatology life quality in patients with atopic dermatitis. *British Journal of Dermatology*, 140(2), 268–272. <https://doi.org/10.1046/j.1365-2133.1999.02661.x>
- Lis, K., Kuzawińska, O., & Bałkowiec-Iskra, E. (2014). State of the art paper Tumor necrosis factor inhibitors – state of knowledge. *Archives of Medical Science*, 6, 1175–1185. <https://doi.org/10.5114/aoms.2014.47827>
- Liu, J., Yang, G., Gao, X., Zhang, Z., Liu, Y., Liu, Q., Chatel, J.-M., Jiang, Y., & Wang, C. (2019). Recombinant invasive *Lactobacillus plantarum* expressing fibronectin binding protein A induce specific humoral immune response by stimulating differentiation of dendritic cells. *Beneficial Microbes*, 10(5), 589–604. <https://doi.org/10.3920/BM2018.0157>
- Liu, Y.-W., Liu, W.-H., Wu, C.-C., Juan, Y.-C., Wu, Y.-C., Tsai, H.-P., Wang, S., & Tsai, Y.-C. (2016). Psychotropic effects of *Lactobacillus plantarum* PS128 in early life-stressed and naïve adult mice. *Brain Research*, 1631, 1–12. <https://doi.org/10.1016/j.brainres.2015.11.018>

- Lotti, T., Buggiani, G., & Prignano, F. (2008). Prurigo nodularis and lichen simplex chronicus. *Dermatologic Therapy*, 21(1), 42–46. <https://doi.org/10.1111/j.1529-8019.2008.00168.x>
- Luo, L., Becker, B., Geng, Y., Zhao, Z., Gao, S., Zhao, W., Yao, S., Zheng, X., Ma, X., Gao, Z., Hu, J., & Kendrick, K. M. (2017). Sex-dependent neural effect of oxytocin during subliminal processing of negative emotion faces. *NeuroImage*, 162, 127–137. <https://doi.org/10.1016/j.neuroimage.2017.08.079>
- Lynch, P. J. (2004). Lichen simplex chronicus (atopic/neurodermatitis) of the anogenital region. *Dermatologic Therapy*, 17(1), 8–19. <https://doi.org/10.1111/j.1396-0296.2004.04002.x>
- Lyons, A. B., & Grinspan, L. T. (2019). More on Mu-Opioid Receptor Antagonists in PD-1 Blockade–Induced Pruritus. *The New England Journal of Medicine*, 380(6), 601–602. <https://doi.org/10.1056/NEJMc1815143>. (n.d.).
- Lyte, M., & Brown, D. R. (2018). Evidence for PMAT- and OCT-like biogenic amine transporters in a probiotic strain of *Lactobacillus*: Implications for interkingdom communication within the microbiota-gut-brain axis. *PLoS ONE*, 13(1), 1–13. <https://doi.org/10.1371/journal.pone.0191037>
- Mahmoud, R. H., Brooks, S. G., & Yosipovitch, G. (2024). Current and emerging drugs for the treatment of pruritus. *Expert Opinion on Emerging Drugs*. <https://doi.org/10.1080/14656566.2024.2349193>. (n.d.).
- Mantegazza, C., Molinari, P., D’Auria, E., Sonnino, M., Morelli, L., & Zuccotti, G. V. (2018). Probiotics and antibiotic-associated diarrhea in children: A review and new evidence on *Lactobacillus rhamnosus* GG during and after antibiotic treatment. *Pharmacological Research*, 128, 63–72. <https://doi.org/10.1016/j.phrs.2017.08.001>
- Marco, M. L., Heeney, D., Binda, S., *et al.* (2017). Health benefits of fermented foods: Microbiota and beyond. *Current Opinion in Biotechnology*, 44, 94–102. <https://doi.org/10.1016/j.copbio.2016.11.010>. (n.d.).
- Mariadason, J. M., Catto-Smith, A., & Gibson, P. R. (1999). Modulation of distal colonic epithelial barrier function by dietary fibre in normal rats. *Gut*, 44(3), 394 LP – 399. <https://doi.org/10.1136/gut.44.3.394>
- Marjolaine, V.-D., Sylvie, M., Sophie, G., Thomas, B., Damien, B., Bertrand, E., & Christiane, F. (2019). Immunomodulatory Effects of *Lactobacillus plantarum* on Inflammatory Response Induced by *Klebsiella pneumoniae*. *Infection and Immunity*, 87(11), 10.1128/iai.00570-19. <https://doi.org/10.1128/iai.00570-19>
- Martín-Brufau, R., Suso-Ribera, C., Brufau Redondo, C., & Corbalán Berná, J. (2017). Differences Between Men and Women in Chronic Scratching: A Psychodermatologic Study in Lichen Simplex Chronicus. *Actas Dermosifiliográficas*, 108(4), 354–360. <https://doi.org/10.1016/j.ad.2016.12.002>
- Martinon, D., Lis, P., Roman, A. N., Tornesi, P., Applebey, S. V., Buechner, G., Olivera, V., & Dabrowska, J. (2019). Oxytocin receptors in the dorsolateral bed nucleus of the stria terminalis (BNST) bias fear learning toward temporally

- predictable cued fear. *Translational Psychiatry*, 9(1).
<https://doi.org/10.1038/s41398-019-0474-x>
- Mayer, E. A. (2011). Gut feelings: The emerging biology of gut–brain communication. *Nature Reviews Neuroscience*, 12(8), 453–466.
<https://doi.org/10.1038/nrn3071>
- McCall, L.-I., Callewaert, C., Zhu, Q., Song, S. J., Bouslimani, A., Minich, J. J., Ernst, M., Ruiz-Calderon, J. F., Cavallin, H., Pereira, H. S., Novoselac, A., Hernandez, J., Rios, R., Branch, O. H., Blaser, M. J., Paulino, L. C., Dorrestein, P. C., Knight, R., & Dominguez-Bello, M. G. (2020). Home chemical and microbial transitions across urbanization. *Nature Microbiology*, 5(1), 108–115.
<https://doi.org/10.1038/s41564-019-0593-4>
- McEwen, B. S. (1998). Stress, adaptation, and disease. Allostasis and allostatic load. *Annals of the New York Academy of Sciences*, 840, 33–44.
<https://doi.org/10.1111/j.1749-6632.1998.tb09546.x>
- McEwen, B. S. (2007). Physiology and neurobiology of stress and adaptation: Central role of the brain. *Physiological Reviews*, 87(3), 873–904.
<https://doi.org/10.1152/physrev.00041.2006>
- McFarland, L. V. (2015). From yaks to yogurt: The history, development, and current use of probiotics. *Clinical Infectious Diseases*, 60(Suppl 2), S85–S90.
<https://doi.org/10.1093/cid/civ054>. (n.d.).
- McQuaid, R. J., McInnis, O. A., Paric, A., Al-Yawer, F., Matheson, K., & Anisman, H. (2016). Relations between plasma oxytocin and cortisol: The stress buffering role of social support. *Neurobiology of Stress*, 3, 52–60.
<https://doi.org/10.1016/j.ynstr.2016.01.001>
- Medscap Editorial Board. (2024). Lichen simplex chronicus: Histologic findings. *eMedicine/ Medscape*. <https://emedicine.medscape.com/article/1123423-overview>. (n.d.).
- Melzack, R., & Wall, P. D. (1965). Pain Mechanisms: A New Theory: A gate control system modulates sensory input from the skin before it evokes pain perception and response. *Science*, 150(3699), 971–979.
<https://doi.org/10.1126/science.150.3699.971>
- Mendonça, A., Cardoso, M., & Cardoso, F. (2024). Cloning and expression of a recombinant tumor necrosis factor- α (TNF- α) protein. *Annals of Medicine*, 51(sup1), 36–36. <https://doi.org/10.1080/07853890.2018.1561799>
- Meng, Y., Li, B., Jin, D., Zhan, M., Lu, J., & Huo, G. (2018). Immunomodulatory activity of lactobacillus plantarum KLDS1.0318 in cyclophosphamide-treated mice. *Food and Nutrition Research*, 62, 1–9.
<https://doi.org/10.29219/fnr.v62.1296>
- Menon, R., Grund, T., Zoicas, I., Althammer, F., Fiedler, D., Biermeier, V., Bosch, O. J., Hiraoka, Y., Nishimori, K., Eliava, M., Grinevich, V., & Neumann, I. D. (2018). Oxytocin Signaling in the Lateral Septum Prevents Social Fear during

- Lactation. *Current Biology*, 28(7), 1066-1078.e6.
<https://doi.org/10.1016/j.cub.2018.02.044>
- Metz M, Ständer S. Chronic pruritus—Pathogenesis, clinical aspects and treatment. *Nat Rev Immunol*. 2022;22(10):601–615. (n.d.).
- Misery, L., Dutray, S., Chastaing, M., Consoli, S. G., & Audra, H. (2020). Sex differences in skin neurobiology and itch perception. *Experimental Dermatology*, 29(9), 844–849. <https://doi.org/10.1111/exd.14119>. (n.d.).
- Moaddab, M., & Dabrowska, J. (2017). Oxytocin receptor neurotransmission in the dorsolateral bed nucleus of the stria terminalis facilitates the acquisition of cued fear in the fear-potentiated startle paradigm in rats. *Neuropharmacology*, 121, 130–139. <https://doi.org/10.1016/j.neuropharm.2017.04.039>
- Mortaki, D., & Mortakis, A. (2019). Lichen Simplex Chronicus. In J. Bornstein (Ed.), *Vulvar Disease* (pp. 121–129). Springer International Publishing. https://doi.org/10.1007/978-3-319-61621-6_17
- Moshkovich, M., Andrade, L. F., Anderson, M., & Yosipovitch, G. (2025). Lichen simplex chronicus: Clinical perspectives and emerging therapeutic strategies. *American Journal of Clinical Dermatology*. <https://doi.org/10.1007/s40257-025-00979-z>. (n.d.).
- Murray, E., Sharma, R., Smith, K. B., Mar, K. D., Barve, R., Lukasik, M., Pirwani, A. F., Malette-Guyon, E., Lamba, S., Thomas, B. J., Sadeghi-Emamchaie, H., Liang, J., Mallet, J.-F., Matar, C., & Ismail, N. (2019). Probiotic consumption during puberty mitigates LPS-induced immune responses and protects against stress-induced depression- and anxiety-like behaviors in adulthood in a sex-specific manner. *Brain, Behavior, and Immunity*, 81, 198–212. <https://doi.org/10.1016/j.bbi.2019.06.016>
- Nakashima, C., Ishida, Y., Kitoh, A., Otsuka, A., & Kabashima, K. (2019). Interaction of peripheral nerves and mast cells, eosinophils, and basophils in the development of pruritus. *Experimental Dermatology*, 28(12), 1405–1411. <https://doi.org/10.1111/exd.14014>
- Nattkemper, L. A., Zhi, K., Romero, K. E., Shah, S. M., Ju, T., Fourzali, K., Golpanian, R. S., MacQuhae, F., Chan, Y. H., Lebo, D. B., & Yosipovitch, G. (2022). Antipruritic Effect of Topical Acetaminophen Gel in Histaminergic and Non-histaminergic Itch Provocation: A Double-blind, Vehicle-controlled Pilot Study. *Acta Dermato-Venereologica*, 102, adv00640. <https://doi.org/10.2340/00015555-3910>
- Navarro-Triviño, F. J., Sánchez-Domínguez, M., & Ruano, J. (2023). Pathophysiological mechanisms of chronic pruritus: Current perspectives. *Actas Dermo-Sifiliográficas*, 114(7), 681–693. <https://doi.org/10.1016/j.ad.2023.03.004>. (n.d.).
- Neumann, I. D., & Slattery, D. A. (2016a). Oxytocin in General Anxiety and Social Fear: A Translational Approach. *Biological Psychiatry*, 79(3), 213–221. <https://doi.org/10.1016/j.biopsych.2015.06.004>

- Neumann, I. D., & Slattery, D. A. (2016b). Oxytocin in General Anxiety and Social Fear: A Translational Approach. *Biological Psychiatry*, 79(3), 213–221. <https://doi.org/10.1016/j.biopsych.2015.06.004>
- ONAKA, T., OKABE, S., TAKAYANAGI, Y., & YOSHIDA, M. (2015). Noxious or Non-noxious Inputs to Oxytocin Neurons: Possible Roles in the Control of Behaviors. *Interdisciplinary Information Sciences*, 21(3), 189–195. <https://doi.org/10.4036/iis.2015.b.03>
- Onaka, T., & Takayanagi, Y. (2019). Role of oxytocin in the control of stress and food intake. *Journal of Neuroendocrinology*, 31(3). <https://doi.org/10.1111/jne.12700>
- O'Neill, C. A., Monteleone, G., McLaughlin, J. T., & Paus, R. (2016). The gut-skin axis in health and disease: A paradigm with therapeutic implications. *BioEssays*, 38(11), 1167–1176. <https://doi.org/10.1002/bies.201600008>
- O'Riordan, K. J., et al. (2025). The microbiota-gut-brain axis: Therapeutic implications for neuroimmune modulation. *Trends in Neurosciences*, 48(3), 210–225. <https://doi.org/10.1016/j.tins.2025.01.003>. (n.d.).
- Osadchiy, V., Martin, C. R., & Mayer, E. A. (2019). The Gut–Brain Axis and the Microbiome: Mechanisms and Clinical Implications. *Clinical Gastroenterology and Hepatology*, 17(2), 322–332. <https://doi.org/10.1016/j.cgh.2018.10.002>
- Özdemir, Ö. (2010). Various effects of different probiotic strains in allergic disorders: An update from laboratory and clinical data. *Clinical and Experimental Immunology*, 160(3), 295–304. <https://doi.org/10.1111/j.1365-2249.2010.04109.x>
- Ozsoy, S., Esel, E., & Kula, M. (2009). Serum oxytocin levels in patients with depression and the effects of gender and antidepressant treatment. *Psychiatry Research*, 169(3), 249–252. <https://doi.org/10.1016/j.psychres.2008.06.034>
- Pati, D., Harden, S. W., Sheng, W., Kelly, K. B., de Kloet, A. D., Krause, E. G., & Frazier, C. J. (2020). Endogenous oxytocin inhibits hypothalamic corticotrophin-releasing hormone neurones following acute hypernatraemia. *Journal of Neuroendocrinology*, 32(3), e12839. <https://doi.org/10.1111/jne.12839>
- Pela, Z., Galecka, M., Murgrabia, A., Kondratowicz, A., & Galecki, P. (2024). Depressive disorder and dermatological autoimmune diseases. *Journal of Clinical Medicine*, 13(11), 3224. <https://doi.org/10.3390/jcm13113224>. (n.d.).
- Peng, J., Xiao, Y., Wan, X., Chen, Q., Wang, H., Li, J., Chen, J., & Gao, R. (2020). Enhancement of Immune Response and Anti-Infection of Mice by Porcine Antimicrobial Peptides and Interleukin-4/6 Fusion Gene Encapsulated in Chitosan Nanoparticles. *Vaccines*, 8(3). <https://doi.org/10.3390/vaccines8030552>
- Pereira, M. P., & Ständer, S. (2017). Chronic pruritus in the elderly. *Drugs & Aging*, 34(10), 727–734. <https://doi.org/10.1007/s40266-017-0489-5>. (n.d.).

- Pessemier, B. D., Grine, L., Debaere, M., Maes, A., Paetzold, B., & Callewaert, C. (2021). Gut–skin axis: Current knowledge of the interrelationship between microbial dysbiosis and skin conditions. *Microorganisms*, 9(2), 1–33. <https://doi.org/10.3390/microorganisms9020353>
- Peters, E. M. J. (2016). Stressed skin? – A molecular psychosomatic update on stress-causes and effects in dermatologic diseases. *JDDG: Journal der Deutschen Dermatologischen Gesellschaft*, 14(3), 233–252. <https://doi.org/10.1111/ddg.12957>. (n.d.).
- Peters, S., Slattery, D. A., Uschold-Schmidt, N., Reber, S. O., & Neumann, I. D. (2014). Dose-dependent effects of chronic central infusion of oxytocin on anxiety, oxytocin receptor binding and stress-related parameters in mice. *Psychoneuroendocrinology*, 42, 225–236. <https://doi.org/10.1016/j.psyneuen.2014.01.021>
- Phan, J., Alhassen, L., Argelagos, A., Alhassen, W., Vachirakornong, B., Lin, Z., Sanathara, N., & Alachkar, A. (2020). Mating and parenting experiences sculpture mood-modulating effects of oxytocin-MCH signaling. *Scientific Reports*, 10(1), 13611. <https://doi.org/10.1038/s41598-020-70667-x>
- Plaza-Díaz, J., Ruiz-Ojeda, F. J., Gil-Campos, M., & Gil, A. (2019). Mechanisms of action of probiotics. *Advances in Nutrition*, 10(Suppl_1), S49–S66. <https://doi.org/10.1093/advances/nmy063>. (n.d.).
- Pobezinskaya, Y. L., & Liu, Z. (2012). The role of TRADD in death receptor signaling. *Cell Cycle*, 11(5), 871–876. <https://doi.org/10.4161/cc.11.5.19300>
- Powers, S. I., Laurent, H. K., Gunlicks-Stoessel, M., Balaban, S., & Bent, E. (2016). Depression and anxiety predict sex-specific cortisol responses to interpersonal stress. *Psychoneuroendocrinology*, 69, 172–179. <https://doi.org/10.1016/j.psyneuen.2016.04.007>
- Prakoeswa, C. R. S., Bonita, L., Karim, A., Herwanto, N., Umborowati, M. A., Setyaningrum, T., Hidayati, A. N., & Surono, I. S. (2022). Beneficial effect of *Lactobacillus plantarum* IS-10506 supplementation in adults with atopic dermatitis: A randomized controlled trial. *Journal of Dermatological Treatment*, 33(3), 1491–1498. <https://doi.org/10.1080/09546634.2020.1836310>
- Probert, L. (2015). TNF and its receptors in the CNS: The essential, the desirable and the deleterious effects. *Neuroscience*, 302, 2–22. <https://doi.org/10.1016/j.neuroscience.2015.06.038>
- Qiu, Y., Tang, N., Zhang, W., Xiong, J.-X., Hu, L., & Cai, T. (2020). Down-regulated expression of transient receptor potential ankyrin 1 in lichen simplex chronicus. *Annals of Palliative Medicine*, 9(6), 3757–3765. <https://doi.org/10.21037/apm-20-1712>
- Qureshi, A. A., Abate, L. E., Yosipovitch, G., & Friedman, A. J. (2019). A systematic review of evidence-based treatments for prurigo nodularis. *Journal of the*

- American Academy of Dermatology*, 80(3), 756–764.
<https://doi.org/10.1016/j.jaad.2018.09.020>
- Radonjic-Hoesli, S., Brügger, M.-C., Feldmeyer, L., Simon, H.-U., & Simon, D. (2021). Eosinophils in skin diseases. *Seminars in Immunopathology*, 43(3), 393–409. <https://doi.org/10.1007/s00281-021-00868-7>
- Rahmadini, M. (2023). *Psychiatric Aspects of Lichen Simplex Chronicus*. *Scientia Psychiatrica*. (n.d.).
- Read, J., Perry, B. D., Moskowitz, A., & Connolly, J. (2001). The Contribution of Early Traumatic Events to Schizophrenia in Some Patients: A Traumagenic Neurodevelopmental Model. *Psychiatry: Interpersonal and Biological Processes*, 64(4), 319–345. <https://doi.org/10.1521/psyc.64.4.319.18602>
- Remitz, A., Harper, J., Rustin, M., Goldschmidt, W., Palatsi, R., Van Der Valk, P., Sharpe, G., Smith, C., Dobozy, A., & Turjanmaa, K. (2007). Long-term Safety and Efficacy of Tacrolimus Ointment for the Treatment of Atopic Dermatitis in Children. *Acta Dermato-Venereologica*, 87(1), 54–61. <https://doi.org/10.2340/00015555-0167>
- Rickenbacher, E., Perry, R. E., Sullivan, R. M., & Moita, M. A. (2017). Freezing suppression by oxytocin in central amygdala allows alternate defensive behaviours and mother-pup interactions. *eLife*, 6, 1–17. <https://doi.org/10.7554/eLife.24080>
- Rodrigues, F. F., Morais, M. I., Melo, I. S. F., Augusto, P. S. A., Dutra, M. M. G. B., Costa, S. O. A. M., Costa, F. C., Goulart, F. A., Braga, A. V., Coelho, M. M., & Machado, R. R. (2020). Clindamycin inhibits nociceptive response by reducing tumor necrosis factor- α and CXCL-1 production and activating opioidergic mechanisms. *Inflammopharmacology*, 28(2), 551–561. <https://doi.org/10.1007/s10787-019-00670w>
- Rojas, J. M., Avia, M., Martín, V., & Sevilla, N. (2017). IL-10: A multifunctional cytokine in viral infections. *Journal of Immunology Research*, 2017. <https://doi.org/10.1155/2017/6104054>
- Rothenberg, M. E., & Hogan, S. P. (2006). The eosinophil. *Annual Review of Immunology*, 24(1), 147–174. <https://doi.org/10.1146/annurev.immunol.24.021605.090720>. (n.d.).
- Rothenberg, M. E., & Hogan, S. P. (2006). THE EOSINOPHIL. *Annual Review of Immunology*, 24(1), 147–174. <https://doi.org/10.1146/annurev.immunol.24.021605.090720>
- Sabihi, S., Dong, S. M., Maurer, S. D., Post, C., & Leuner, B. (2017). Oxytocin in the medial prefrontal cortex attenuates anxiety: Anatomical and receptor specificity and mechanism of action. *Neuropharmacology*, 125, 1–12. <https://doi.org/10.1016/j.neuropharm.2017.06.024>
- Sæbø, A., & Ferrini, F. (2006). The use of compost in urban green areas—A review for practical application. *Urban forestry & urban greening*, 4(3-4), 159-169. (2022). *Top bar navigation*.

- Sandoval, M., Parra, J., Reyna-Jeldes, M., Curi-Tuma, M., Espinoza, F., Muñoz, D., Rojas-Lechuga, M. J., Coddou, C., Bennett, D. L. H., & Calvo, M. (2022). Itch in Lichen Simplex Chronicus Is Associated with Localized Small Fiber Neuropathy. *Journal of Investigative Dermatology*, 142(3), 731-735.e3. <https://doi.org/10.1016/j.jid.2021.08.429>
- Sato, T., Pajarinen, J., Behn, A., Jiang, X., Lin, T. H., Loi, F., Yao, Z., Egashira, K., Yang, F., & Goodman, S. B. (2016). The effect of local IL-4 delivery or CCL2 blockade on implant fixation and bone structural properties in a mouse model of wear particle induced osteolysis. *Journal of Biomedical Materials Research - Part A*, 104(9), 2255–2262. <https://doi.org/10.1002/jbm.a.35759>
- Savas, J. A., & Pichardo, R. O. (2018). Female Genital Itch. *Dermatologic Clinics*, 36(3), 225–243. <https://doi.org/10.1016/j.det.2018.02.006>
- Scatliffe, N., Casavant, S., Vittner, D., & Cong, X. (2019). Oxytocin and early parent-infant interactions: A systematic review. *International Journal of Nursing Sciences*, 6(4), 445–453. <https://doi.org/10.1016/j.ijnss.2019.09.009>
- Schneider, G., Driesch, G., Heuft, G., Evers, S., Luger, T. A., & Ständer, S. (2006). Psychosomatic cofactors and psychiatric comorbidity in patients with chronic itch. *Clinical and Experimental Dermatology*, 31(6), 762–767. <https://doi.org/10.1111/j.1365-2230.2006.02211.x>
- Scott, K. P., Gratz, S. W., Sheridan, P. O., Flint, H. J., & Duncan, S. H. (2013). The influence of diet on the gut microbiota. *Pharmacological Research*, 69(1), 52–60. <https://doi.org/10.1016/j.phrs.2012.10.020>
- Seltzer, L. J., Ziegler, T. E., & Pollak, S. D. (2010). Social vocalizations can release oxytocin in humans. *Proceedings. Biological Sciences*, 277(1694), 2661–2666. <https://doi.org/10.1098/rspb.2010.0567>
- Shimizu, K., Andoh, T., Makino, T., Yoshihisa, Y., Mizawa, M., & Shimizu, T. (2019). Mechanisms of itching in mycosis fungoides: Grade of itching correlates with eosinophil infiltration and kallikrein 5 expression. *European Journal of Dermatology*, 29(3), 268–273. <https://doi.org/10.1684/ejd.2019.3560>
- Simon, H. U., Rothenberg, M. E., & Bochner, B. S. (2015). Regulation of eosinophil function and survival. *Journal of Allergy and Clinical Immunology*, 136(3), 537–546. <https://doi.org/10.1016/j.jaci.2015.06.040>. (n.d.).
- Singam, V., Patel, K. R., & Silverberg, J. I. (2020a). Association of prurigo nodularis and lichen simplex chronicus with hospitalization for mental health disorders in US adults. *Archives of Dermatological Research*, 312(8), 587–593. <https://doi.org/10.1007/s00403-020-02046-5>
- Singam, V., Patel, K. R., & Silverberg, J. I. (2020b). Association of prurigo nodularis and lichen simplex chronicus with hospitalization for mental health disorders in US adults. *Archives of Dermatological Research*, 312(8), 587–593. <https://doi.org/10.1007/s00403-020-02046-5>
- Skubic, C., Zevnik, U., Nahtigal, K., Dolenc Grošelj, L., & Rozman, D. (2025). Circadian biomarkers in humans: Methodological insights into the detection

- of melatonin and cortisol. *Biomolecules*, 15(7), 1006. <https://doi.org/10.3390/biom15071006>. (n.d.).
- Slattery, M. J., Essex, M. J., Paletz, E. M., Vanness, E. R., Infante, M., Rogers, G. M., & Gern, J. E. (2011). Depression, anxiety, and dermatologic quality of life in adolescents with atopic dermatitis. *Journal of Allergy and Clinical Immunology*, 128(3), 668-671.e3. <https://doi.org/10.1016/j.jaci.2011.05.003>
- Smith, A. S., Tabbaa, M., Lei, K., Eastham, P., Butler, M. J., Linton, L., Altshuler, R., Liu, Y., & Wang, Z. (2016). Local oxytocin tempers anxiety by activating GABAA receptors in the hypothalamic paraventricular nucleus. *Psychoneuroendocrinology*, 63, 50–58. <https://doi.org/10.1016/j.psyneuen.2015.09.017>
- Solak, O., Kulac, M., Yaman, M., Karaca, S., Toktas, H., Kirpiko, O., & Kavuncu, V. (2009). Lichen simplex chronicus as a symptom of neuropathy. *Clinical and Experimental Dermatology*, 34(4), 476–480. <https://doi.org/10.1111/j.1365-2230.2008.02969.x>
- Sonkoly, E., Müller, A., Lauerma, A. I., *et al.* (2006). IL-31: A new link between T cells and pruritus in atopic skin inflammation. *Journal of Allergy and Clinical Immunology*, 117(2), 411–417. <https://doi.org/10.1016/j.jaci.2005.10.033>. (n.d.).
- Sorour, N. E., Elesawy, F. M., Tabl, H. A., Ibrahim, M. E., & Akl, E. M. (2019). Evaluation of serum levels of neurotrophin 4 and brain-derived nerve growth factor in uremic pruritus patients. *Clinical, Cosmetic and Investigational Dermatology*, Volume 12, 109–114. <https://doi.org/10.2147/CCID.S190917>
- Ständer, S., Steinhoff, M., Schmelz, M., Weisshaar, E., Metze, D., & Luger, T. (2019). Gender-specific aspects of chronic pruritus. *Journal of the European Academy of Dermatology and Venereology*, 33(10), 1749–1755. <https://doi.org/10.1111/jdv.15700>. (n.d.).
- Starace, M., Iorizzo, M., Mandel, V. D., Bruni, F., Misciali, C., Apalla, Z., Silyuk, T., Pellacani, G., Patrizi, A., Piraccini, B. M., & Alessandrini, A. (2022). Scalp dysaesthesia and lichen simplex chronicus: Diagnostic and therapeutic update with literature review. *Clinical and Experimental Dermatology*, 47(1), 3–8. <https://doi.org/10.1111/ced.14808>
- Štofilová, J., Langerholc, T., Botta, C., Treven, P., Gradišnik, L., Salaj, R., Šoltésová, A., Bertková, I., Hertelyová, Z., & Bomba, A. (2017). Cytokine production in vitro and in rat model of colitis in response to Lactobacillus plantarum LS/07. *Biomedicine & Pharmacotherapy*, 94, 1176–1185. <https://doi.org/10.1016/j.biopha.2017.07.138>
- Takayanagi, Y., & Onaka, T. (2022). Roles of Oxytocin in Stress Responses, Allostasis and Resilience. *International Journal of Molecular Sciences*, 23(1). <https://doi.org/10.3390/ijms23010150>
- Tang, W. Y. M., Chan, L. Y., Lo, K. K., & Wong, T. W. (1999). Evaluation on the Antipruritic Role of Transcutaneous Electrical Nerve Stimulation in the

- Treatment of Pruritic Dermatoses. *Dermatology*, 199(3), 237–241. <https://doi.org/10.1159/000018254>
- Thul, T. A., Corwin, E. J., Carlson, N. S., Brennan, P. A., & Young, L. J. (2020). Oxytocin and postpartum depression: A systematic review. *Psychoneuroendocrinology*, 120, 104793. <https://doi.org/10.1016/j.psyneuen.2020.104793>
- Tohid, H., Shenefelt, P. D., Burney, W. A., & Aqeel, N. (2019). Psychodermatology: An Association of Primary Psychiatric Disorders With Skin. *Revista Colombiana de Psiquiatría (English Ed.)*, 48(1), 50–57. <https://doi.org/10.1016/j.rcpeng.2018.12.003>
- Torner, L., Plotsky, P. M., Neumann, I. D., & de Jong, T. R. (2017). Corrigendum to “Forced swimming-induced oxytocin release into blood and brain: Effects of adrenalectomy and corticosterone treatment” (*Psychoneuroendocrinology* (2017) 77 (165–174) (S0306453016306801) (10.1016/j.psyneuen.2016.12.006)). *Psychoneuroendocrinology*, 85, 218. <https://doi.org/10.1016/j.psyneuen.2017.08.001>
- Visconti, M. J., Haidari, W., & Feldman, S. R. (2020). Transcutaneous electrical nerve stimulation (TENS): A review of applications in dermatology. *Journal of Dermatological Treatment*, 31(8), 846–849. <https://doi.org/10.1080/09546634.2019.1657227>
- Viviani, D., Charlet, A., van den Burg, E., Robinet, C., Hurni, N., Abatis, M., Magara, F., & Stoop, R. (2011). Oxytocin selectively gates fear responses through distinct outputs from the central amygdala. *Science (New York, N.Y.)*, 333(6038), 104–107. <https://doi.org/10.1126/science.1201043>
- Waldherr, M., & Neumann, I. D. (2007). Centrally released oxytocin mediates mating-induced anxiolysis in male rats. *Proceedings of the National Academy of Sciences*, 104(42), 16681–16684. <https://doi.org/10.1073/pnas.0705860104>
- Wallace, C. J. K., & Milev, R. V. (2017). The effects of probiotics on depressive symptoms in humans: A systematic review. *Annals of General Psychiatry*, 16, 14. <https://doi.org/10.1186/s12991-017-0138-2>. (n.d.).
- Wang, F., Kim, B. S., & Yosipovitch, G. (2019). More on mu-opioid receptor antagonists in PD-1 blockade-induced pruritus. *New England Journal of Medicine*, 380(6), 601–602. <https://doi.org/10.1056/NEJMc1815143>. (n.d.).
- Wang, K., Li, W., Rui, X., Chen, X., Jiang, M., & Dong, M. (2014). Characterization of a novel exopolysaccharide with antitumor activity from *Lactobacillus plantarum* 70810. *International Journal of Biological Macromolecules*, 63, 133–139. <https://doi.org/10.1016/j.ijbiomac.2013.10.036>
- Wang, Y. C., Chen, C. C., Lee, M. C., Yang, Y. C., Wang, I. H., & Tsai, Y. C. (2021). *Lactobacillus plantarum* PS128 improves stress, anxiety, and cognition through modulating the gut–brain axis and neuroinflammation. *Nutrients*, 13(6), 1919. <https://doi.org/10.3390/nul13061919>. (n.d.).

- Wang, Y., Chen, Y., Li, X., & Zhang, Z. (2023). *Lactobacillus plantarum* GKM3 ameliorates atopic dermatitis-like skin lesions through immunomodulatory effects in a murine model. *International Journal of Molecular Sciences*, 24(8), 7124. <https://doi.org/10.3390/ijms24087124>. (n.d.).
- Wechsler, M. E., Akuthota, P., Jayne, D., *et al.* (2021). Mepolizumab or placebo for eosinophilic granulomatosis with polyangiitis. *New England Journal of Medicine*, 384(7), 615–626. <https://doi.org/10.1056/NEJMoa2026372>. (n.d.).
- Wilke, C. M., Wei, S., Wang, L., Kryczek, I., Kao, J., & Zou, W. (2011). Dual biological effects of the cytokines interleukin-10 and interferon- γ . *Cancer Immunology, Immunotherapy*, 60(11), 1529–1541. <https://doi.org/10.1007/s00262-011-1104-5>
- Wilson, N. S., Dixit, V., & Ashkenazi, A. (2009). Death receptor signal transducers: Nodes of coordination in immune signaling networks. *Nature Immunology*, 10(4), 348–355. <https://doi.org/10.1038/ni.1714>
- Winter, J., Meyer, M., Berger, I., Royer, M., Bianchi, M., Kuffner, K., Peters, S., Stang, S., Langgartner, D., Hartmann, F., Schmidtner, A. K., Reber, S. O., Bosch, O. J., Bludau, A., Slattey, D. A., van den Burg, E. H., Jurek, B., & Neumann, I. D. (2023). Chronic oxytocin-driven alternative splicing of Crfr2a induces anxiety. *Molecular Psychiatry*, 28(11), 4742–4755. <https://doi.org/10.1038/s41380-021-01141-x>
- Wu, C., Zou, M., Xiong, Y., Wang, L., Chen, H., Fan, Y., & Li, C. (2017). Short- and long-term efficacy of focused ultrasound therapy for non-neoplastic epithelial disorders of the vulva. *BJOG: An International Journal of Obstetrics & Gynaecology*, 124(S3), 87–92. <https://doi.org/10.1111/1471-0528.14747>
- Xuedong Zheng Tianlu Xie, Y. L. J. Y. L. H. J. Z. X. H., & Hu, J. (2019). Immune Response and Mechanisms of IFN- γ in Administration for Keratomycosis. *Ocular Immunology and Inflammation*, 27(6), 958–967. <https://doi.org/10.1080/09273948.2018.1491604>
- Yang, L., Li, X., Huang, W., Li, J., Rao, X., & Lai, Y. (2022). The Efficacy and Safety of Acupuncture in the Treatment of Neurodermatitis: A Systematic Review and Meta-Analysis. *Evidence-Based Complementary and Alternative Medicine*, 2022. <https://doi.org/10.1155/2022/8182958>
- Yang, S., Wang, J., Brand, D. D., & Zheng, S. G. (2018). Role of TNF–TNF Receptor 2 Signal in Regulatory T Cells and Its Therapeutic Implications. *Frontiers in Immunology*, 9, 784. <https://doi.org/10.3389/fimmu.2018.00784>
- Yazdanbakhsh, M., Kreamsner, P. G., & van Ree, R. (2002). Allergy, Parasites, and the Hygiene Hypothesis. *Science*, 296(5567), 490–494. <https://doi.org/10.1126/science.296.5567.490>
- Yew, Y. W., Zheng, Q., Kok, W. L., Ho, M. S. L., Teoh, J., Wong, Y. K. Y., Shi, L., & Chan, E. S. (2018). Topical treatments for eczema: A network meta-analysis. *Cochrane Database of Systematic Reviews*. <https://doi.org/10.1002/14651858.CD013205>

- Yosipovitch, G., Misery, L., Proksch, E., Metz, M., Ständer, S., & Schmelz, M. (2019). Skin Barrier Damage and Itch: Review of Mechanisms, Topical Management and Future Directions. *Acta Dermato Venereologica*, 99(13), 1201–1209. <https://doi.org/10.2340/00015555-3296>
- Yosipovitch G, Misery L, Proksch E, Metz M, Ständer S, Schmelz M. Skin barrier damage and itch: Review of mechanisms and therapeutic targets. *Front Med (Lausanne)*. 2020;7:621859. (n.d.).
- Yosipovitch, G., Sugeng, M. W., Chan, Y. H., Goon, A., Ngim, S., & Goh, C. L. (2001). The effect of topically applied aspirin on localized circumscribed neurodermatitis. *Journal of the American Academy of Dermatology*, 45(6), 910–913. <https://doi.org/10.1067/mjd.2001.117399>
- Yosipovitch, G., Teresa, J. U., Vander Does, A., & Mohsin, N. (2022). Lichen simplex chronicus itch: An update. *Acta Dermato-Venereologica*, 102, Article 4367. <https://doi.org/10.2340/actadv.v102.4367>. (n.d.).
- Zeidler, C., & Ständer, S. (2021). The pathogenesis of chronic pruritus. *Expert Review of Dermatology*, 16(1), 5–16. <https://doi.org/10.1080/17469872.2021.1876985>. (n.d.).
- Zeidler, C., Yosipovitch, G., & Ständer, S. (2018). Prurigo Nodularis and Its Management. *Dermatologic Clinics*, 36(3), 189–197. <https://doi.org/10.1016/j.det.2018.02.003>
- Zhang, H., Wang, Y., & Chen, X. (2024). Role of stress in skin diseases: A neuroendocrine-immune interaction view. *Brain, Behavior, and Immunity*, 112, 183–196. <https://doi.org/10.1016/j.bbi.2023.12.005>. (n.d.).
- Zhao, J., Munanairi, A., Liu, X.-Y., Zhang, J., Hu, L., Hu, M., Bu, D., Liu, L., Xie, Z., Kim, B. S., Yang, Y., & Chen, Z.-F. (2020). PAR2 Mediates Itch via TRPV3 Signaling in Keratinocytes. *Journal of Investigative Dermatology*, 140(8), 1524–1532. <https://doi.org/10.1016/j.jid.2020.01.012>
- Zhao, Y., Yang, G., Zhao, Z., Wang, C., Duan, C., Gao, L., & Li, S. (2020). Antidepressant-like effects of *Lactobacillus plantarum* DP189 in a corticosterone-induced rat model of chronic stress. *Behavioural Brain Research*, 395(May), 112853. <https://doi.org/10.1016/j.bbr.2020.112853>
- Zhao, Y., Yu, C., Zhang, J., Yao, Q., Zhu, X., & Zhou, X. (2025). The gut-skin axis: Emerging insights in understanding and treating skin diseases through gut microbiome modulation. *Microorganisms*, 13(2), 1425. <https://doi.org/10.3390/microorganisms13021425>. (n.d.).
- Zmora, N., Zilberman-Schapira, G., Suez, J., Mor, U., Dori-Bachash, M., Bashiardes, S., ... & Elinav, E. (2018). Personalized gut mucosal colonization resistance to empiric probiotics is associated with unique host and microbiome features. *Cell*, 174(6), 1388–1405.e21. <https://doi.org/10.1016/j.cell.2018.08.041>. (n.d.).
- Zoicas, I., Slattey, D. A., & Neumann, I. D. (2014). Brain oxytocin in social fear conditioning and its extinction: Involvement of the lateral septum.

Neuropsychopharmacology : Official Publication of the American College of
Neuropsychopharmacology, 39(13), 3027–3035.
<https://doi.org/10.1038/npp.2014.156>