

DAFTAR PUSTAKA

- Abid, R., Waseem, H., Ali, J., Ghazanfar, S., Muhammad Ali, G., Elsbali, A. M., & Alharethi, S. H. (2022). Probiotic Yeast *Saccharomyces*: Back to Nature to Improve Human Health. *Journal of Fungi*, 8(5), 444. <https://doi.org/10.3390/jof8050444>
- Adak, A., & Khan, M. R. (2019). An insight into gut microbiota and its functionalities. *Cellular and Molecular Life Sciences*, 76(3), 473–493. <https://doi.org/10.1007/s00018-018-2943-4>
- Akhondi, H., & Simonsen, K. (2023). Bacterial Diarrhea. Dalam *StatPearls [Internet]*. StatPearls Publishing.
- Ali, S. I., Naqvi, S. B. S., & Yousuf, R. I. (2020). Antidiarrheal potential of lactobacillus strains isolated from pharmaceutical formulations for the treatment of pediatric diarrhea. *Pakistan journal of pharmaceutical sciences*, 33(3), 1073–1078. <http://www.ncbi.nlm.nih.gov/pubmed/33191231>
- Altcheh, J., Carosella, M. V., Ceballos, A., D'Andrea, U., Jofre, S. M., Marotta, C., Muger, D., Sabbaj, L., Soto, A., Josse, C., Montestruc, F., & McFarland, L. V. (2022). Randomized, direct comparison study of *Saccharomyces boulardii* CNCM I-745 versus multi-strained *Bacillus clausii* probiotics for the treatment of pediatric acute gastroenteritis. *Medicine*, 101(36). https://journals.lww.com/md-journal/fulltext/2022/09090/randomized,_direct_comparison_study_of.31.aspx
- Anggraini, D., & Kumala, O. (2022). Diare Pada Anak. *SCIENA*, 1(4).
- Aslam, A., Hashmi, M., & Okafor, C. (2024). Shigellosis. Dalam *StatPearls [Internet]*. StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK482337/>
- Babb, C., Badji, H., Bhuiyan, M. T. R., Cornick, J., Qureshi, S., Sonye, C., Shapiama Lopez, W. V., Adnan, M., Atlas, H. E., Begum, K., Brennhof, S. A., Ceesay, B. E., Ceesay, A. K., Cunliffe, N. A., Garcia Bardales, P. F., Haque, S., Horne, B., Hossain, M. J., Iqbal, J., ... Rogawski McQuade, E. T. (2024). Evaluation of Fecal Inflammatory Biomarkers to Identify Bacterial Diarrhea Episodes: Systematic Review and Protocol for the Enterics for Global Health Shigella Surveillance Study. *Open Forum Infectious Diseases*, 11(Suppl 1), S65–S75. <https://doi.org/10.1093/ofid/ofad652>
- Bandsma, R. H. J., Sadiq, K., & Bhutta, Z. A. (2019). Persistent diarrhoea: current knowledge and novel concepts. *Paediatrics and International Child Health*, 39(1), 41–47. <https://doi.org/10.1080/20469047.2018.1504412>
- Bansal, P., Shah, D., Meena, R. K., Rai, G., Das, S., Narang, M., & Gupta, P. (2023). Shigella as a Cause of Diarrhea Hospitalization in Children Under Five: Evaluation by Conventional and Molecular Methods. *Cureus*, 15(12), e50546. <https://doi.org/10.7759/cureus.50546>
- Barr, W., & Smith, A. (2014). Acute diarrhea. *American family physician*, 89(3), 180–189. <https://doi.org/24506120>
- Basuki, & Warsiyah. (2023). Pengaruh Sanitasi Lingkungan Terhadap Kualitas

- Coli Tinja Air Sumur Gali di Dusun Gondang Lutung Donoharjo Ngaglik Sleman. *Jurnal Rekayasa Lingkungan*, 23(2), 44.
- Becker-Dreps, S., Allali, I., Monteagudo, A., Vilchez, S., Hudgens, M. G., Rogawski, E. T., Carroll, I. M., Zambrana, L. E., Espinoza, F., & Azcarate-Peril, M. A. (2015). Gut Microbiome Composition in Young Nicaraguan Children During Diarrhea Episodes and Recovery. *The American Society of Tropical Medicine and Hygiene*, 93(6), 1187–1193. <https://doi.org/10.4269/ajtmh.15-0322>
- Behcet, M., & Kaya, A. D. (2020). Investigation of therapeutic effect of *Saccharomyces boulardii* and translocation in immunosuppressed rats infected with *Shigella sonnei*. *EXPERIMENTAL BIOMEDICAL RESEARCH*, 3(3 SE-Articles), 141–148. <https://doi.org/10.30714/j-ebr.2020361049>
- Bengtsson, R. J., Dallman, T. J., Allen, H., De Silva, P. M., Stenhouse, G., Pulford, C. V., Bennett, R. J., Jenkins, C., & Baker, K. S. (2021). Accessory Genome Dynamics and Structural Variation of *Shigella* from Persistent Infections. *mBio*, 12(2). <https://doi.org/10.1128/mBio.00254-21>
- Bhat, S., G. N., S., & Savio, C. D. (2018). Efficacy of probiotics in acute diarrhoea in children. *International Journal of Contemporary Pediatrics*, 5(4), 1646. <https://doi.org/10.18203/2349-3291.ijcp20182582>
- Binkhamis, K., Alangari, S., Juma, F., Althawadi, S., Al-Qahtani, A. A., Bohol, M. F. F., Alshahrani, F. S., & Alotaibi, F. (2025). *Shigella flexneri* Outbreak at a Rehabilitation Center: First Report from Saudi Arabia. *Healthcare (Switzerland)*, 13(9). <https://doi.org/10.3390/healthcare13090971>
- Biswas, S., & Bal, B. (2023). Comparative, randomized-controlled trial on efficacy and safety of *Lactobacillus rhamnosus* GG and *Saccharomyces boulardii* in treatment of acute diarrhea in Indian children (COMPARE-GG trial). *International Journal of Clinical Trials*, 10(2), 131–136. <https://doi.org/10.18203/2349-3259.ijct20231103>
- Camilleri, M., Sellin, J. H., & Barrett, K. E. (2017). Pathophysiology, Evaluation, and Management of Chronic Watery Diarrhea. *Gastroenterology*, 152(3), 515–532.e2. <https://doi.org/10.1053/j.gastro.2016.10.014>
- Collado, M. C., & Segata, N. (2020). Initial exploration of in utero microbial colonization. *Nature Medicine*, 26(4), 469–470. <https://doi.org/10.1038/s41591-020-0836-1>
- Crawford, S. E., Ramani, S., Tate, J. E., Parashar, U. D., Svensson, L., Hagbom, M., Franco, M. A., Greenberg, H. B., O’Ryan, M., Kang, G., Desselberger, U., & Estes, M. K. (2017). Rotavirus infection. *Nature Reviews Disease Primers*, 3(1), 17083. <https://doi.org/10.1038/nrdp.2017.83>
- Crews, J. D., Anderson, L. R., Waller, D. K., Swartz, M. D., DuPont, H. L., & Starke, J. R. (2015). Risk Factors for Community-associated *Clostridium difficile*-associated Diarrhea in Children. *The Pediatric infectious disease journal*, 34(9), 919–923. <https://doi.org/10.1097/INF.0000000000000767>
- D’Agostin, M., Squillaci, D., Lazzerini, M., Barbi, E., Wijers, L., & Da Lozzo, P. (2021). Invasive Infections Associated with the Use of Probiotics in Children: A Systematic Review. *Children (Basel, Switzerland)*, 8(10). <https://doi.org/10.3390/children8100924>

- Descoteaux-Friday, G., & Shrimanker, I. (2023). Chronic Diarrhea. Dalam *StatPearls* [Internet]. StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK544337/>
- Dinleyici, E. C., Eren, M., Yargic, Z. A., Dogan, N., & Vandenplas, Y. (2009). Clinical Efficacy of Saccharomyces boulardii and Metronidazole Compared to Metronidazole Alone in Children with Acute Bloody Diarrhea Caused by Amebiasis: A Prospective, Randomized, Open Label Study. *The American Journal of Tropical Medicine and Hygiene*, 80(6), 953–955. <https://doi.org/10.4269/ajtmh.2009.80.953>
- Dirjen Pencegahan dan Pengendalian Penyakit. (2022). *Rencana Aksi Program Tahun 2020-2024*. Departemen Kesehatan RI. <https://p2p.kemkes.go.id/wp-content/uploads/2023/03/Revisi-RAP-Ditjen-P2P-Tahun-2020-2024.pdf>
- Ditjen PPM dan PLP Departemen Kesehatan RI. (2019). *Buku Ajar Diare*. Departemen Kesehatan RI.
- Fu, H., Chen, Z., Teng, W., Du, Z., Zhang, Y., Ye, X., Yu, Z., Zhang, Y., & Pi, X. (2024). Effects of fructooligosaccharides and Saccharomyces boulardii on the compositional structure and metabolism of gut microbiota in students. *Microbiological Research*, 285, 127741. <https://doi.org/https://doi.org/10.1016/j.micres.2024.127741>
- Fu, H., Li, J., Xu, X., Xia, C., & Pan, Y. (2022). Effectiveness and Safety of Saccharomyces Boulardii for the Treatment of Acute Gastroenteritis in the Pediatric Population: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. *Computational and Mathematical Methods in Medicine*, 2022, 1–10. <https://doi.org/10.1155/2022/6234858>
- George, C. M., Perin, J., Neiswender de Calani, K. J., Norman, W. R., Perry, H., Davis, T. P., & Lindquist, E. D. (2014). Risk Factors for Diarrhea in Children Under Five Years of Age Residing in Peri-urban Communities in Cochabamba, Bolivia. *The American Society of Tropical Medicine and Hygiene*, 91(6), 1190–1196. <https://doi.org/10.4269/ajtmh.14-0057>
- Guarner, F., Sanders, M., Eliakim, R., Fedorak, R., & Gangl, A. (2017). Probiotics and prebiotics. Dalam *World Gastroenterology Organisation Global Guidelines Probiotics and prebiotics*. <https://www.worldgastroenterology.org/UserFiles/file/guidelines/probiotics-and-prebiotics-english-2017.pdf>
- Guo, Q., Goldenberg, J. Z., Humphrey, C., El Dib, R., & Johnston, B. C. (2019). Probiotics for the prevention of pediatric antibiotic-associated diarrhea. *Cochrane Database of Systematic Reviews*. <https://doi.org/10.1002/14651858.CD004827.pub5>
- Haroun, E., Kumar, P. A., Saba, L., Kassab, J., Ghimire, K., Dutta, D., & Lim, S. H. (2023). Intestinal barrier functions in hematologic and oncologic diseases. *Journal of Translational Medicine*, 21(1), 233. <https://doi.org/10.1186/s12967-023-04091-w>
- Hatoum, R., Labrie, S., & Fliss, I. (2012). Antimicrobial and probiotic properties of yeasts: from fundamental to novel applications. *Frontiers in Microbiology*, 3, 421. <https://doi.org/10.3389/fmicb.2012.00421>

- He, X.-J., Wang, X.-L., Sun, D.-J., Huang, X.-Y., Liu, G., Li, D.-Z., Lin, H.-L., Zeng, X.-P., Li, D.-L., & Wang, W. (2023). The efficacy and safety of *Saccharomyces boulardii* in addition to antofloxacin-based bismuth quadruple therapy for *Helicobacter pylori* eradication: a single-center, prospective randomized-control study. *Therapeutic advances in gastroenterology*, 16, 17562848221147764. <https://doi.org/10.1177/17562848221147763>
- Hill, C., Guarner, F., Reid, G., Gibson, G. R., Merenstein, D. J., Pot, B., Morelli, L., Canani, R. B., Flint, H. J., Salminen, S., Calder, P. C., & Sanders, M. E. (2014). The International Scientific Association for Probiotics and Prebiotics consensus statement on the scope and appropriate use of the term probiotic. *Nature Reviews Gastroenterology & Hepatology*, 11(8), 506–514. <https://doi.org/10.1038/nrgastro.2014.66>
- Hitch, T. C. A., Hall, L. J., Walsh, S. K., Leventhal, G. E., Slack, E., de Wouters, T., Walter, J., & Clavel, T. (2022). Microbiome-based interventions to modulate gut ecology and the immune system. *Mucosal Immunology*, 15(6), 1095–1113. <https://doi.org/10.1038/s41385-022-00564-1>
- Hodges, K., & Gill, R. (2010). Infectious diarrhea. *Gut Microbes*, 1(1), 4–21. <https://doi.org/10.4161/gmic.1.1.11036>
- Im, E., & Pothoulakis, C. (2010). Recent advances in *Saccharomyces boulardii* research. *Gastroentérologie Clinique et Biologique*, 34, S62–S70. [https://doi.org/10.1016/S0399-8320\(10\)70023-3](https://doi.org/10.1016/S0399-8320(10)70023-3)
- Islam, S. U. (2016). Clinical Uses of Probiotics. *Medicine*, 95(5), e2658. <https://doi.org/10.1097/MD.0000000000002658>
- Jackson, B. D., & Black, R. E. (2017). Available studies fail to provide strong evidence of increased risk of diarrhea mortality due to measles in the period 4–26 weeks after measles rash onset. *BMC public health*, 17(Suppl 4), 783. <https://doi.org/10.1186/s12889-017-4745-2>
- Jap, A., & Widodo, A. (2021). Diare Akut pada Anak yang Disebabkan oleh Infeksi. *J Kdkt Meditek*, 27(3), 282–288.
- Jia, W., Xie, G., & Jia, W. (2018). Bile acid–microbiota crosstalk in gastrointestinal inflammation and carcinogenesis. *Nature Reviews Gastroenterology & Hepatology*, 15(2), 111–128. <https://doi.org/10.1038/nrgastro.2017.119>
- Kaya, A. D., & Behcet, M. (2020). Investigation of therapeutic effect of *Saccharomyces boulardii* and translocation in immunosuppressed rats infected with *Shigella sonnei*. *Experimental Biomedical Research*, 3(3), 141–148. <https://doi.org/10.30714/j-ebr.2020361049>
- Keely, S. J., & Barrett, K. E. (2022). Intestinal secretory mechanisms and diarrhea. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 322(4), G405–G420. <https://doi.org/10.1152/ajpgi.00316.2021>
- Kelesidis, T., & Pothoulakis, C. (2012). Efficacy and safety of the probiotic *Saccharomyces boulardii* for the prevention and therapy of gastrointestinal disorders. *Therapeutic Advances in Gastroenterology*, 5(2), 111–125. <https://doi.org/10.1177/1756283X11428502>
- Kementerian Kesehatan RI. (2018). *Laporan Nasional RISKESDAS 2018*. Kemenkes RI Badan Penelitian dan Pengembangan Kesehatan. <https://repository.badankebijakan.kemkes.go.id/id/eprint/3514/1/Laporan>

Riskesdas 2018 Nasional.pdf

- Krones, E., & Högenauer, C. (2012). Diarrhea in the Immunocompromised Patient. *Gastroenterology Clinics of North America*, 41(3), 677–701. <https://doi.org/10.1016/j.gtc.2012.06.009>
- Kuehn, J., Ismael, Z., Long, P. F., Barker, C. I. S., & Sharland, M. (2015). Reported Rates of Diarrhea Following Oral Penicillin Therapy in Pediatric Clinical Trials. *The Journal of Pediatric Pharmacology and Therapeutics*, 20(2), 90–104. <https://doi.org/10.5863/1551-6776-20.2.90>
- Lamberti, L. M., Ashraf, S., Walker, C. L. F., & Black, R. E. (2016). A Systematic Review of the Effect of Rotavirus Vaccination on Diarrhea Outcomes Among Children Younger Than 5 Years. *Pediatric Infectious Disease Journal*, 35(9), 992–998. <https://doi.org/10.1097/INF.0000000000001232>
- Lebeer, S., Vanderleyden, J., & De Keersmaecker, S. C. J. (2010). Host interactions of probiotic bacterial surface molecules: comparison with commensals and pathogens. *Nature Reviews Microbiology*, 8(3), 171–184. <https://doi.org/10.1038/nrmicro2297>
- Lee, K. S., Kang, D. S., Yu, J., Chang, Y. P., & Park, W. S. (2012). How to do in persistent diarrhea of children?: concepts and treatments of chronic diarrhea. *Pediatric gastroenterology, hepatology & nutrition*, 15(4), 229–236. <https://doi.org/10.5223/pghn.2012.15.4.229>
- Levy, K., Woster, A. P., Goldstein, R. S., & Carlton, E. J. (2016). Untangling the Impacts of Climate Change on Waterborne Diseases: a Systematic Review of Relationships between Diarrheal Diseases and Temperature, Rainfall, Flooding, and Drought. *Environmental Science & Technology*, 50(10), 4905–4922. <https://doi.org/10.1021/acs.est.5b06186>
- Li, H., He, Z., Gao, D., Lv, Y., Zhou, Q., Xiao, B., & Huang, W. (2019). Characteristics of the Intestinal Microbiota in Very Low Birth Weight Infants With Extrauterine Growth Restriction. *Frontiers in Pediatrics*, 7. <https://doi.org/10.3389/fped.2019.00099>
- Libby, T. E., Delawalla, M. L. M., Al-Shimari, F., MacLennan, C. A., Vannice, K. S., & Pavlinac, P. B. (2023). Consequences of Shigella infection in young children: a systematic review. *International Journal of Infectious Diseases*, 129, 78–95. <https://doi.org/10.1016/j.ijid.2023.01.034>
- Lindsay, B., Ochieng, J. B., Ikumapayi, U. N., Toure, A., Ahmed, D., Li, S., Panchalingam, S., Levine, M. M., Kotloff, K., Rasko, D. A., Morris, C. R., Juma, J., Fields, B. S., Dione, M., Malle, D., Becker, S. M., Houpt, E. R., Nataro, J. P., Sommerfelt, H., ... Stine, O. C. (2013). Quantitative PCR for detection of Shigella improves ascertainment of Shigella burden in children with moderate-to-severe diarrhea in low-income countries. *Journal of Clinical Microbiology*, 51(6), 1740–1746. <https://doi.org/10.1128/JCM.02713-12>
- Liu, C., Jullian, V., & Chassagne, F. (2024). Ethnobotany, phytochemistry, and biological activities of Psidium guajava in the treatment of diarrhea: a review. *Frontiers in Pharmacology*, 15, 1459066. <https://doi.org/10.3389/fphar.2024.1459066>
- Loconsole, D., Giordano, M., Laforgia, N., Torres, D., Santangelo, L., Carbone, V., Parisi, A., Quarto, M., Scavia, G., & Chironna, M. (2020). Case-management

- protocol for bloody diarrhea as a model to reduce the clinical impact of Shiga toxin-producing *Escherichia coli* infections. Experience from Southern Italy. *European Journal of Clinical Microbiology & Infectious Diseases*, 39(3), 539–547. <https://doi.org/10.1007/s10096-019-03755-0>
- Mahyar, A. M., Ayazi, P. A., P., P. H., Arad, B. A., Oveisi, S. O., & E., E. S. (2021). The Effect of the Yeast Probiotic *Saccharomyces boulardii* on Acute Diarrhea in Children. *Journal of Comprehensive Pediatrics*, 12(4), e117391. <https://doi.org/10.5812/compreped.117391>
- Majorin, F., Torondel, B., Ka Seen Chan, G., & Clasen, T. (2019). Interventions to improve disposal of child faeces for preventing diarrhoea and soil-transmitted helminth infection. *Cochrane Database of Systematic Reviews*, 2019(9). <https://doi.org/10.1002/14651858.CD011055.pub2>
- Mandal, A., & Sahi, P. (2017). Probiotics for Diarrhea in Children. *Journal of Medical Research and Innovation*, 1, AV5–AV12. <https://doi.org/10.5281/zenodo.574854>
- Martins, F. S., Silva, A. A., Vieira, A. T., Barbosa, F. H. F., Arantes, R. M. E., Teixeira, M. M., & Nicoli, J. R. (2009). Comparative study of *Bifidobacterium animalis*, *Escherichia coli*, *Lactobacillus casei* and *Saccharomyces boulardii* probiotic properties. *Archives of Microbiology*, 191(8), 623–630. <https://doi.org/10.1007/s00203-009-0491-x>
- Matanza, X. M., & Clements, A. (2023). Pathogenicity and virulence of *Shigella sonnei*: A highly drug-resistant pathogen of increasing prevalence. *Virulence*, 14(1). <https://doi.org/10.1080/21505594.2023.2280838>
- McFarland, L. V. (2017). Chapter 18 - Common Organisms and Probiotics: *Saccharomyces boulardii* (M. H. Floch, Y. Ringel, & W. B. T.-T. M. in G. P. Allan Walker, Ed.; hlm. 145–164). Academic Press. <https://doi.org/https://doi.org/10.1016/B978-0-12-804024-9.00018-5>
- Mellick, L., Kalra, S., & Panacek, E. (2022). Parenteral Diarrhea and Pediatric Urinary Tract Infections: A Systematic Review. 8, 38–42. <https://doi.org/10.17140/PNNOJ-8-137>
- Miti, S., Chilyabanyama, O. N., Chisenga, C. C., Chibuye, M., Bosomprah, S., Mumba, C., Chitondo, S., Siziya, S., Cohen, D., Chilengi, R., & Simuyandi, M. (2023). Sensitivity and predictive value of dysentery in diagnosing shigellosis among under five children in Zambia. *PLOS ONE*, 18(2), e0279012. <https://doi.org/10.1371/journal.pone.0279012>
- Mogharab, V., & Rajput, S. (2022). Factors associated with diarrhea in children under 12 years of age referred to Ostad Motahari hospital of Jahrom in 2020. *Journal of Family Medicine and Primary Care*, 11(10), 6170–6176. https://doi.org/10.4103/jfmmpc.jfmmpc_342_22
- Mourey, F., Sureja, V., Kheni, D., Shah, P., Parikh, D., Upadhyay, U., Satia, M., Shah, D., Troise, C., & Decherf, A. (2020). A Multicenter, Randomized, Double-blind, Placebo-controlled Trial of *Saccharomyces boulardii* in Infants and Children With Acute Diarrhea. *The Pediatric Infectious Disease Journal*, 39(11), e347–e351. <https://doi.org/10.1097/INF.0000000000002849>
- Mumy, K. L., Chen, X., Kelly, C. P., & McCormick, B. A. (2008). *Saccharomyces boulardii* interferes with *Shigella* pathogenesis by postinvasion signaling

- events. *American Journal of Physiology-Gastrointestinal and Liver Physiology*, 294(3), G599–G609. <https://doi.org/10.1152/ajpgi.00391.2007>
- Muzembo, B. A., Kitahara, K., Mitra, D., Ohno, A., Khatiwada, J., Dutta, S., & Miyoshi, S.-I. (2023). Shigellosis in Southeast Asia: A systematic review and meta-analysis. *Travel Medicine and Infectious Disease*, 52, 102554. <https://doi.org/10.1016/j.tmaid.2023.102554>
- Onubi, O. J., Poobalan, A. S., Dineen, B., Marais, D., & McNeill, G. (2015). Effects of probiotics on child growth: a systematic review. *Journal of Health, Population and Nutrition*, 34(1), 8. <https://doi.org/10.1186/s41043-015-0010-4>
- Pais, P., Almeida, V., Yılmaz, M., & Teixeira, M. C. (2020). *Saccharomyces boulardii*: What Makes It Tick as Successful Probiotic? *Journal of Fungi*, 6(2), 78. <https://doi.org/10.3390/jof6020078>
- Perry, R. T., & Halsey, N. A. (2004). The Clinical Significance of Measles: A Review. *The Journal of Infectious Diseases*, 189(Supplement_1), S4–S16. <https://doi.org/10.1086/377712>
- Plaza-Diaz, J., Ruiz-Ojeda, F. J., Gil-Campos, M., & Gil, A. (2019). Mechanisms of Action of Probiotics. *Advances in Nutrition*, 10, S49–S66. <https://doi.org/10.1093/advances/nmy063>
- Pop, M., Walker, A. W., Paulson, J., Lindsay, B., Antonio, M., Hossain, M. A., Oundo, J., Tamboura, B., Mai, V., Astrovskaya, I., Bravo, H. C., Rance, R., Stares, M., Levine, M. M., Panchalingam, S., Kotloff, K., Ikumapayi, U. N., Ebruke, C., Adeyemi, M., ... Stine, O. C. (2014). Diarrhea in young children from low-income countries leads to large-scale alterations in intestinal microbiota composition. *Genome Biology*, 15(6), R76. <https://doi.org/10.1186/gb-2014-15-6-r76>
- Prabhurajeshwar, C., & Chandrakanth, R. (2018). Shigellosis: A Conformity Review of the Microbiology, Pathogenesis and Epidemiology with Consequence for Prevention and Management issues. *Journal of Pure and Applied Microbiology*, 12(1), 405–417. <https://doi.org/10.22207/JPAM.12.1.48>
- Rosseels, M.-L., Fleurance, R., & Goody, S. M. G. (2019). The Impact of Drug-Induced Effects on the Gastrointestinal System. Dalam *Advanced Issue Resolution in Safety Pharmacology* (hlm. 77–101). Elsevier. <https://doi.org/10.1016/B978-0-12-812206-8.00005-4>
- Rossi Assis-Mendoca, G., Vicente de Paula, R., Marconi Roversi, F., Lima Bueno, M., Ferreira da Silva, A. C., Garcia Montes, C., Vassallo, J., & Cunha-Silva, M. (2022). Visible intestinal peristalsis and chronic diarrhea due to a rare lymphoproliferative disease. *Revista Española de Enfermedades Digestivas*. <https://doi.org/10.17235/reed.2022.9042/2022>
- Saeed, N. K., Al-Beltagi, M., Bediwy, A. S., El-Sawaf, Y., & Toema, O. (2022). Gut microbiota in various childhood disorders: Implication and indications. *World Journal of Gastroenterology*, 28(18), 1875–1901. <https://doi.org/10.3748/wjg.v28.i18.1875>
- Salazar-Parra, M. A., Cruz-Neri, R. U., Trujillo-Trujillo, X. A., Dominguez-Mora, J. J., Cruz-Neri, H. I., Guzmán-Díaz, J. M., Guzmán-Ruvalcaba, M. J., Vega-

- Gastelum, J. O., Ascencio-Díaz, K. V, Zarate-Casas, M. F., González-Ponce, F. Y., Barbosa-Camacho, F. J., Fuentes-Orozco, C., Cervantes-Guevara, G., Cervantes-Pérez, E., Cervantes-Cardona, G. A., Cortés-Flores, A. O., & González-Ojeda, A. (2023). Effectiveness of *Saccharomyces Boulardii* CNCM I-745 probiotic in acute inflammatory viral diarrhoea in adults: results from a single-centre randomized trial. *BMC Gastroenterology*, 23(1), 229. <https://doi.org/10.1186/s12876-023-02863-8>
- Salminen, S., Collado, M. C., Endo, A., Hill, C., Lebeer, S., Quigley, E. M. M., Sanders, M. E., Shamir, R., Swann, J. R., Szajewska, H., & Vinderola, G. (2021). The International Scientific Association of Probiotics and Prebiotics (ISAPP) consensus statement on the definition and scope of postbiotics. *Nature Reviews Gastroenterology & Hepatology*, 18(9), 649–667. <https://doi.org/10.1038/s41575-021-00440-6>
- Salvucci, E. (2019). The human-microbiome superorganism and its modulation to restore health. *International Journal of Food Sciences and Nutrition*, 70, 1–15. <https://doi.org/10.1080/09637486.2019.1580682>
- Sari, N., Lukito, A., & Astria, A. (2017). Hubungan Pengetahuan Ibu tentang Diare Dengan Kejadian Diare Pada Anak 1-4 Tahun di Wilayah Puskesmas Pekan Bahorok. *Ibnu Sina*, 25(4).
- Savaş-Erdeve, Ş., Gökay, S., & Dallar, Y. (2009). Efficacy and safety of *Saccharomyces boulardii* in amebiasis-associated diarrhea in children. Dalam *The Turkish Journal of Pediatrics* (Vol. 51).
- Schnupf, P., & Sansonetti, P. J. (2019). Shigella Pathogenesis: New Insights through Advanced Methodologies. *Microbiology Spectrum*, 7(2). <https://doi.org/10.1128/microbiolspec.BAI-0023-2019>
- Setyanto, D. (2017). *Uji In Vitro Pemberian Perasan Lobak Putih (Raphanus sativus Linn) Terhadap Pertumbuhan Bakteri Shigella dysenteriae* [Diploma thesis]. Universitas Muhammadiyah Surabaya.
- Silverstein, R. B., & Mysorekar, I. U. (2021). Group therapy on in utero colonization: seeking common truths and a way forward. *Microbiome*, 9(1), 7. <https://doi.org/10.1186/s40168-020-00968-w>
- Strandwitz, P. (2018). Neurotransmitter modulation by the gut microbiota. *Brain Research*, 1693, 128–133. <https://doi.org/10.1016/j.brainres.2018.03.015>
- Subagyo, B. (2020). Diare. Dalam *Buku Ajar Gastrohepatologi Anak*. IDAI.
- Suswati, E., Purnamasari, D. H., Wisudanti, D. D., C, D., & Mufida, M. (2020). Indeks adhesi *Shigella dysenteriae* pada enterosit mencit galur BALB/ pasca pemaparan protein pili 42 kDa. *Jurnal Kedokteran Syiah Kuala*, 20(3), 131–137. <https://doi.org/10.24815/jks.v20i3.18690>
- Szajewska, H., & Kołodziej, M. (2015). Systematic review with meta-analysis: *Saccharomyces boulardii* in the prevention of antibiotic-associated diarrhoea. *Alimentary Pharmacology & Therapeutics*, 42(7), 793–801. <https://doi.org/10.1111/apt.13344>
- Tanır Basaranoğlu, S., Karaaslan, A., Salı, E., Çiftçi, E., Gayretli Aydın, Z. G., Aldemir Kocabaş, B., Kaya, C., Şen Bayturan, S., Kara, S. S., Yılmaz Çiftdoğan, D., Çay, Ü., Gundogdu Aktürk, H., Çelik, M., Ozdemir, H., Somer, A., Diri, T., Yazar, A. S., Sütçü, M., Tezer, H., ... Kara, A. (2023). Antibiotic

- associated diarrhea in outpatient pediatric antibiotic therapy. *BMC Pediatrics*, 23(1), 121. <https://doi.org/10.1186/s12887-023-03939-w>
- Thiagarajah, J. R., Donowitz, M., & Verkman, A. S. (2015). Secretory diarrhoea: mechanisms and emerging therapies. *Nature Reviews Gastroenterology & Hepatology*, 12(8), 446–457. <https://doi.org/10.1038/nrgastro.2015.111>
- Thursby, E., & Juge, N. (2017). Introduction to the human gut microbiota. *Biochemical Journal*, 474(11), 1823–1836. <https://doi.org/10.1042/BCJ20160510>
- Tickell, K. D., Brander, R. L., Atlas, H. E., Pernica, J. M., Walson, J. L., & Pavlinac, P. B. (2017). Identification and management of Shigella infection in children with diarrhoea: a systematic review and meta-analysis. *The Lancet Global Health*, 5(12), e1235–e1248. [https://doi.org/10.1016/S2214-109X\(17\)30392-3](https://doi.org/10.1016/S2214-109X(17)30392-3)
- Troeger, C., Blacker, B. F., & Khalil, I. A. (2018). Estimates of the global, regional, and national morbidity, mortality, and aetiologies of diarrhoea in 195 countries: a systematic analysis for the Global Burden of Disease Study 2016. *The Lancet Infectious Diseases*, 18(11), 1211–1228. [https://doi.org/10.1016/S1473-3099\(18\)30362-1](https://doi.org/10.1016/S1473-3099(18)30362-1)
- Troeger, C. E., Khalil, I. A., & Blacker, B. F. (2020). Quantifying risks and interventions that have affected the burden of diarrhoea among children younger than 5 years: an analysis of the Global Burden of Disease Study 2017. *The Lancet Infectious Diseases*, 20(1), 37–59. [https://doi.org/10.1016/S1473-3099\(19\)30401-3](https://doi.org/10.1016/S1473-3099(19)30401-3)
- Valdes, A. M., Walter, J., Segal, E., & Spector, T. D. (2018). Role of the gut microbiota in nutrition and health. *BMJ*, k2179. <https://doi.org/10.1136/bmj.k2179>
- Vidjeadevan, D., Vinoth, S., & Ramesh, S. (2018). Role of *Saccharomyces boulardii* and *Bacillus clausii* in reducing the duration of diarrhea: a three-armed randomised controlled trial. *International Journal of Contemporary Pediatrics*, 5(5 SE-Original Research Articles), 1811–1814. <https://doi.org/10.18203/2349-3291.ijcp20183511>
- WHO. (2024). *Diarrhoea*. World Health Organization. <https://www.who.int/health-topics/diarrhoea>
- Whyte, L. A., & Jenkins, H. (2012). Pathophysiology of diarrhoea. *Paediatrics and Child Health*, 22, 443–447. <https://doi.org/10.1016/j.paed.2012.05.006>
- Williams, P. C. M., & Berkley, J. A. (2018). Guidelines for the treatment of dysentery (shigellosis): a systematic review of the evidence. *Paediatrics and International Child Health*, 38(sup1), S50–S65. <https://doi.org/10.1080/20469047.2017.1409454>
- Workie, G. Y., Akalu, T. Y., & Baraki, A. G. (2019). Environmental factors affecting childhood diarrheal disease among under-five children in Jamma district, South Wello zone, Northeast Ethiopia. *BMC Infectious Diseases*, 19(1), 804. <https://doi.org/10.1186/s12879-019-4445-x>
- Zaidi, M. B., & Estrada-García, T. (2014). Shigella: A Highly Virulent and Elusive Pathogen. *Current Tropical Medicine Reports*. <https://doi.org/10.1007/s40475-014-0019->

