

Daftar Pustaka

- Apriastini, N.K.T. et al. (2024) 'Stunting: Faktor Risiko, Diagnosis, Tatalaksana, Dan Prognosis', *Ganesha Medicine*, 4(1), pp. 17–23. Available at: <https://doi.org/10.23887/gm.v4i1.77137>.
- Aryastami, N.K. et al. (2017) 'Low birth weight was the most dominant predictor associated with stunting among children aged 12–23 months in Indonesia', *BMC Nutrition*, 3(1), p. 16. Available at: <https://doi.org/10.1186/s40795-017-0130-x>.
- Bhardwaj, S. et al. (2024) 'Kidney Dimensions and its Correlation with Anthropometric Parameters in Healthy North Indian Adults', *Indian Journal of Nephrology*, 34, p. 636. Available at: https://doi.org/10.25259/ijn_12_24.
- Chanyarungrojn, P.A. et al. (2023) 'Tools for assessing child and adolescent stunting: Lookup tables, growth charts and a novel appropriate-technology "MEIRU" wallchart - a diagnostic accuracy study', *PLOS Global Public Health*. Edited by D.A. Amugsi, 3(7), p. e0001592. Available at: <https://doi.org/10.1371/journal.pgph.0001592>.
- Cuestas, E. et al. (2023) 'Inflammation induces stunting by lowering bone mass via GH/IGF-1 inhibition in very preterm infants', *Pediatric Research*, 94(3), pp. 1136–1144. Available at: <https://doi.org/10.1038/s41390-023-02559-5>.
- Dadras, O. et al. (2024) 'Prevalence of stunting and its correlates among children under 5 in Afghanistan: the potential impact of basic and full vaccination', *BMC Pediatrics*, 24(1), p. 436. Available at: <https://doi.org/10.1186/s12887-024-04913-w>.
- Ezeofor, S.N., Anyanwu, G.E. and Obikili, E.N. (2020) 'Reference indices for evaluating kidney dimensions in children using anthropometric measurements', *South African Journal of Radiology*, 24(1). Available at: <https://doi.org/10.4102/sajr.v24i1.1882>.
- Halli, S.S., Biradar, R.A. and Prasad, J.B. (2022) 'Low Birth Weight, the Differentiating Risk Factor for Stunting among Preschool Children in India', *International Journal of Environmental Research and Public Health*, 19(7), p. 3751. Available at: <https://doi.org/10.3390/ijerph19073751>.
- Iyengar, A. et al. (2016) 'Are low birth weight neonates at risk for suboptimal renal growth and function during infancy?', *BMC Nephrology*, 17(1), p. 100. Available at: <https://doi.org/10.1186/s12882-016-0314-7>.
- Jana, A., Dey, D. and Ghosh, R. (2023) 'Contribution of low birth weight to childhood undernutrition in India: evidence from the national family health survey

2019–2021', BMC Public Health, 23(1), p. 1336. Available at: <https://doi.org/10.1186/s12889-023-16160-2>.

Karlsson, O. et al. (2023) 'Patterns in child stunting by age: A cross-sectional study of 94 low- and middle-income countries', Maternal & Child Nutrition, 19(4). Available at: <https://doi.org/10.1111/mcn.13537>.

Keijzer-Veen, M.G. et al. (2010) 'Reduced renal length and volume 20 years after very preterm birth', Pediatric Nephrology, 25(3), pp. 499–507. Available at: <https://doi.org/10.1007/s00467-009-1371-y>.

Kelley, J.C. et al. (2016) 'Sonographic Renal Parenchymal Measurements for the Evaluation and Management of Uteropelvic Junction Obstruction in Children', Frontiers in Pediatrics, 4. Available at: <https://doi.org/10.3389/fped.2016.00042>.

Konopásek, P. et al. (2025) 'Kidney volume and function of low-birth-weight children at 5 years: impact of singleton and twin birth', Pediatric Nephrology, 40(3), pp. 773–785. Available at: <https://doi.org/10.1007/s00467-024-06554-8>.

Laksono, A.D. et al. (2022a) 'Stunting among children under two years in Indonesia: Does maternal education matter?', PLOS ONE, 17(7), p. e0271509. Available at: <https://doi.org/10.1371/journal.pone.0271509>.

Laksono, A.D. et al. (2022b) 'Stunting among children under two years in Indonesia: Does maternal education matter?', PLOS ONE, 17(7), p. e0271509. Available at: <https://doi.org/10.1371/journal.pone.0271509>.

Lillås, B.S. et al. (2021) 'Birth Weight Is Associated With Kidney Size in Middle-Aged Women', Kidney International Reports, 6(11), pp. 2794–2802. Available at: <https://doi.org/10.1016/j.ekir.2021.08.029>.

Manfellotto, Dario et al., (2022) 'Low birth weight, nephron number and chronic kidney disease'. Available at : <https://doi.org/10.4081/itjm.2022.1538>.

Millward, D.J. (2017) 'Nutrition, infection and stunting: the roles of deficiencies of individual nutrients and foods, and of inflammation, as determinants of reduced linear growth of children', Nutrition Research Reviews, 30(1), pp. 50–72. Available at: <https://doi.org/10.1017/S0954422416000238>.

Mulyani, A.T. et al. (2025a) 'Understanding Stunting: Impact, Causes, and Strategy to Accelerate Stunting Reduction—A Narrative Review', Nutrients, 17(9), p. 1493. Available at: <https://doi.org/10.3390/nu17091493>.

Mulyani, A.T. et al. (2025b) 'Understanding Stunting: Impact, Causes, and Strategy to Accelerate Stunting Reduction—A Narrative Review', Nutrients, 17(9), p. 1493. Available at: <https://doi.org/10.3390/nu17091493>.

Obrycki, Ł. et al. (2022) 'Kidney length normative values in children aged 0–19 years — a multicenter study', *Pediatric Nephrology*, 37(5), pp. 1075–1085. Available at: <https://doi.org/10.1007/s00467-021-05303-5>.

Ode, D., Murti, B. and Budihastuti, U.R. (2022) 'Correlation between Low Birth Weight and Stunting in Children Under Five: Meta Analysis', *Journal of Maternal and Child Health*, 7(5), pp. 498–509. Available at: <https://doi.org/10.26911/thejmch.2022.07.05.01>.

Parmaksız, G. et al. (2020) 'The relationship between body mass index and renal length in obese children', *Pediatric Nephrology*, 35(5), pp. 901–905. Available at: <https://doi.org/10.1007/s00467-019-04464-8>.

Qin, Y. et al. (2023) 'The normal reference values and estimation formulae of renal structural parameters in Chinese children based on large-sample CT data', *Frontiers in Pediatrics*, 11. Available at: <https://doi.org/10.3389/fped.2023.1174310>.

Rad, M.P. et al. (2022) 'Evaluation of Normal Renal Size and its Influencing Factors: A Cross-Sectional Study on the Adult Population of Mashhad', *Caspian Journal of Internal Medicine*, 13(3), pp. 623–633. Available at: <https://doi.org/10.22088/cjim.13.3.623>.

Rahmadani, H.D.M. and Santik, Y.D.P. (2024) 'Factors of Low Birth Weight in Indonesia: An Analysis of the 2017 Indonesia Demographic and Health Survey (IDHS 2017)', *Unnes Journal of Public Health*, 13(1), pp. 23–32. Available at: <https://doi.org/10.15294/ujph.v13i1.68487>.

Rahmadiani, I., Fibriana, A.I. and Azam, M. (2024) 'LOW BIRTH WEIGHT IS RELATED TO STUNTING INCIDENTS: INDONESIAN NUTRITION STATUS SURVEY DATA ANALYSIS'. Available at: <https://doi.org/10.1101/2024.06.10.24308684>.

Ramadhan, S., Amalia, R.B. and Sudaryanti, L. (2023) 'CORRELATION BETWEEN LBW HISTORY AND STUNTING INCIDENCE: A LITERATURE REVIEW', *Indonesian Midwifery and Health Sciences Journal*, 7(4), pp. 376–389. Available at: <https://doi.org/10.20473/imhsj.v7i4.2023.376-389>.

Ray, N. and Reddy, P.H. (2023) 'Structural and physiological changes of the kidney with age and its impact on chronic conditions and COVID-19', *Ageing Research Reviews*, 88, p. 101932. Available at: <https://doi.org/10.1016/j.arr.2023.101932>.

Rongviriyapanich, C. et al. (2020) 'Sonographic renal length and volume of normal Thai children versus their Chinese and Western counterparts', *Clinical and Experimental Pediatrics*, 63(12), pp. 491–498. Available at: <https://doi.org/10.3345/cep.2019.01676>.

Sandokji, I. et al. (2019) 'Identification of novel mutations and phenotype in the steroid resistant nephrotic syndrome gene NUP93: a case report', *BMC Nephrology*, 20(1), p. 271. Available at: <https://doi.org/10.1186/s12882-019-1458-z>.

Sahiledengle, B. et al. (2023) 'Gender-specific disaggregated analysis of childhood undernutrition in Ethiopia: evidence from 2000–2016 nationwide survey', *BMC Public Health*, 23(1), p. 2040. Available at: <https://doi.org/10.1186/s12889-023-16907-x>.

Siramaneerat, I. et al. (2024) 'Examining determinants of stunting in Urban and Rural Indonesian: a multilevel analysis using the population-based Indonesian family life survey (IFLS)', *BMC Public Health*, 24(1), p. 1371. Available at: <https://doi.org/10.1186/s12889-024-18824-z>.

Soliman, A. et al. (2021) 'Early and long-term consequences of nutritional stunting: From childhood to adulthood', *Acta Biomedica*, 92(1), pp. 1–12. Available at: <https://doi.org/10.23750/abm.v92i1.11346>.

Stritzke, A. et al. (2017) 'Renal consequences of preterm birth', *Molecular and Cellular Pediatrics*, 4(1), p. 2. Available at: <https://doi.org/10.1186/s40348-016-0068-0>.

Thapa, N.B. et al. (2017) 'Sonographic Assessment of the Normal Dimensions of Liver, Spleen, and Kidney in Healthy Children at Tertiary Care Hospital', *Kathmandu University Medical Journal*, 13(4), pp. 286–291. Available at: <https://doi.org/10.3126/kumj.v13i4.16825>.

Thompson, A.L. (2021) 'Greater male vulnerability to stunting? Evaluating sex differences in growth, pathways and biocultural mechanisms', *Annals of Human Biology*, 48(6), pp. 466–473. Available at: <https://doi.org/10.1080/03014460.2021.1998622>.

Wells, J.C.K. et al. (2019) 'Associations of stunting at 2 years with body composition and blood pressure at 8 years of age: longitudinal cohort analysis from lowland Nepal', *European Journal of Clinical Nutrition*, 73(2), pp. 302–310. Available at: <https://doi.org/10.1038/s41430-018-0291-y>.

Tsehay, B. and Seyoum, G. (2023) 'Sonographic Evaluation of the Morphology of Kidneys Among Apparently Healthy Children in Northwest Ethiopia, 2021: The Normal Limits and Percentile Curves', *Canadian Journal of Kidney Health and Disease*, 10. Available at: <https://doi.org/10.1177/20543581231158071>.

Vale, M.S. do et al. (2024) 'Renal deficit and associated factors in children born with low birth weight', *Brazilian Journal of Nephrology*, 46(1), pp. 62–69. Available at: <https://doi.org/10.1590/2175-8239-jbn-2022-0154en>.

Vats, H. et al. (2024) 'Association of Low Birth Weight with the Risk of Childhood Stunting in Low- and Middle-Income Countries: A Systematic Review and Meta-Analysis', *Neonatology*, 121(2), pp. 244–257. Available at: <https://doi.org/10.1159/000532006>.

Wells, J.C.K. et al. (2019) 'Associations of stunting at 2 years with body composition and blood pressure at 8 years of age: longitudinal cohort analysis from lowland Nepal', *European Journal of Clinical Nutrition*, 73(2), pp. 302–310. Available at: <https://doi.org/10.1038/s41430-018-0291-y>.



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET DAN TEKNOLOGI
UNIVERSITAS HASANUDDIN FAKULTAS KEDOKTERAN
KOMITE ETIK PENELITIAN UNIVERSITAS HASANUDDIN
RSPTN UNIVERSITAS HASANUDDIN
RSUP Dr. WAHIDIN SUDIROHUSODO MAKASSAR
Sekretariat : Lantai 2 Gedung Laboratorium Terpadu
JL.PERUNTIS KEMERDEKAAN KAMPUS TAMALANREA KM.10 MAKASSAR 90245.



Contact Person: dr. Agusalim Bukhari, MMed, PhD, SpGK TELP. 081241850658, 0411 5780103, Fax : 0411-581431

REKOMENDASI PERSETUJUAN ETIK

Nomor : 624/UN4.6.4.5.31/ PP36/ 2025

Tanggal: 29 Agustus 2025

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH25080601	No Sponsor	
Peneliti Utama	dr. Iis Imelda M.	Sponsor	
Judul Peneliti	HUBUNGAN BAYI BERAT LAHIR RENDAH DENGAN VOLUME GINJAL BERDASARKAN ULTRASONOGRAFI TERHADAP DERAJAT STUNTING PADA ANAK		
No Versi Protokol	2	Tanggal Versi	28 Agustus 2025
No Versi PSP	2	Tanggal Versi	28 Agustus 2025
Tempat Penelitian	Rumah Sakit Umum Daerah Andi Djemma, Kabupaten Luwu Utara		
Jenis Review	☐ Exempted ☒ Expedited ☐ Fullboard Tanggal	Masa Berlaku 29 Agustus 2025 sampai 29 Agustus 2026	Frekuensi review lanjutan
Ketua KEP Universitas Hasanuddin	Prof. dr. Muh Nasrum Massi, PhD, SpMK, Subsp. Bakt(K)	Tanda tangan	
Sekretaris KEP Universitas Hasanuddin	dr. Firdaus Hamid, PhD, SpMK(K)	Tanda tangan	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 jam dan dilengkapi dalam 7 hari dan Lapor SUSAR dalam 72 jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari prokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan

DAFTAR RIWAYAT HIDUP
Curriculum Vitae



Data Pribadi / *Personal Details*

Nama / *Name* : dr. Iis Imelda M.
Alamat / *Address* : Perumahan Bumi Daya Indah, Blok M8,
Makassar
Nomor Telepon / *Phone* : 085398585788
Email : iis_imelda@yahoo.com

Jenis Kelamin / *Gender* : Perempuan
Tanggal Kelahiran / *Date of Birth* : Mamuju, 21 Oktober 1991
Status Marital / *Marital Status* : Belum Menikah
Warga Negara / *Nationality* : Indonesia

Agama / *Religion* : Kristen Protestan
Nama Orang Tua / *Parent's Name* :
 Nama Ayah / *Father Name* : A. Tandi Buritta
 Nama Ibu / *Mother Name* : Tiorina Omposunggu
Pekerjaan Orang Tua / *Parent's Job* :
 Pekerjaan Ayah / *Father Job* : Pensiunan PNS
 Pekerjaan Ibu / *Mother Job* : Ibu Rumah Tangga

Riwayat Pendidikan

Educational and Professional Qualification

Jenjang Pendidikan

Education Information

Periode	Sekolah / Institusi / Universitas
1997 - 2003	SD Inpres Tasiu 1
2003 - 2006	SMP Negeri 1 Kalukku
2006 - 2009	SMA SMP Negeri 1 Kalukku
2009 - 2016	UNIVERSITAS TADULAKO
2022 - 2025	PPDS-1 RADIOLOGI UNIVERSITAS HASANUDDIN

Publikasi

Publication

Periode	Publikasi
2026	Hubungan Bayi Berat Lahir Rendah dan Derajat Stunting dengan Volume Ginjal Menggunakan Ultrasonografi pada Anak Stunting

Simposium

Symposium

Periode	Simposium
2023	Update on Musculoskeletal Imaging Workshop, Radiologi Siloam Hospitals, Makassar

2024	The 83 rd Annual Meeting of the Japan Radiological Society, Yokohama Japan
2025	Thoracic Radiology Symposium, Gleneagles Hospital, Johor Malaysia

Demikian riwayat hidup ini saya buat dengan sebenar-benarnya.

Makassar, 24 Oktober 2025



dr. lis Imelda M.