

DAFTAR PUSTAKA

- Abdel Moneim, A. E., Dkhil, M. A., & Al-Quraishy, S. (2011). The protective effect of flaxseed oil on lead acetate-induced renal toxicity in rats. *Journal of Hazardous Materials*, 194, 250–255. <https://doi.org/10.1016/j.jhazmat.2011.07.097>
- Ahangar, P., Mills, S. J., & Cowin, A. J. (2020). Mesenchymal stem cell secretome as an emerging cell-free alternative for improving wound repair. *International Journal of Molecular Sciences*, 21(19), 1–15. <https://doi.org/10.3390/ijms21197038>
- Al-Azzawi, B., Mcguigan, D. H., Manderson Koivula, F. N., Eltayef, A., Dale, T. P., Yang, Y., Kelly, C., & Forsyth, N. R. (2020). The Open Stem Cell Journal The Secretome of Mesenchymal Stem Cells Prevents Islet Beta Cell Apoptosis via an IL-10-Dependent Mechanism. 6, 1–12. <https://doi.org/10.2174/18768938020060100>
- Aleksandrova, S. A., Nashchekina, Y. A., Nadezhdin, S. V., Vasiliev, S. A., Savchenko, R. R., Pokrovskaya, L. A., Blinova, M. I., Mikhailova, N. A., & Khotin, M. G. (2020). Russian Text © The Author(s), 2020. *Cell and Tissue Biology*, 14(6), 238–249. <https://doi.org/10.1134/S1990519X20060024>
- AL-Megrin, W. A., Soliman, D., Kassab, R. B., Metwally, D. M., Dina, D. M., & El-Khadragy, M. F. (2020). Coenzyme Q10 Activates the Antioxidant Machinery and Inhibits the Inflammatory and Apoptotic Cascades Against Lead Acetate-Induced Renal Injury in Rats. *Frontiers in Physiology*, 11(February), 1–13. <https://doi.org/10.3389/fphys.2020.00064>
- Al-Shaibani, M. B., Dickinson, A., Nong-Wang, X., Tulah, A. S., & Lovat, P. E. (2017). Effect of conditioned media from mesenchymal stem cells (MSC-CM) on wound healing using a prototype of a fully humanised 3D skin model. *Cytotherapy*, 19(5), e23–e24. <https://doi.org/10.1016/j.jcyt.2017.03.062>
- Amansyah, F., Budu, B., Achmad, M. H., Daud, N. A. S., Putra, A., Massi, M. N., Bukhari, A., Hardjo, M., Parewangi, L., & Patellongi, I. (2024). Secretome of hypoxia-preconditioned mesenchymal stem cells promotes liver regeneration and anti-fibrotic effect in liver fibrosis animal model. *Pakistan Journal of Biological Sciences*, 27, 18–26.
- Aranda-Rivera, A. K., Cruz-Gregorio, A., Aparicio-Trejo, O. E., Ortega-Lozano, A. J., &

- Pedraza-Chaverri, J. (2021). Redox signaling pathways in unilateral ureteral obstruction (UUO)-induced renal fibrosis. *Free Radical Biology and Medicine*, 172(May), 65–81. <https://doi.org/10.1016/j.freeradbiomed.2021.05.034>
- Bartaula-Brevik, S. (2017). Secretome of Mesenchymal Stem Cells Grown in Hypoxia Accelerates Wound Healing and Vessel Formation In Vitro. *International Journal of Stem Cell Research and Therapy*, 4(1). <https://doi.org/10.23937/2469-570x/1410045>
- Bellei, B., Migliano, E., & Picardo, M. (2020). A Framework of Major Tumor-Promoting Signal Transduction Pathways Implicated in Melanoma-Fibroblast Dialogue. *Cancers* 2020, Vol. 12, Page 3400, 12(11), 3400. <https://doi.org/10.3390/CANCERS1211340>
- Benavides-Castellanos, M. P., Garzón-Orjuela, N., & Linero, I. (2020). Effectiveness of mesenchymal stem cell-conditioned medium in bone regeneration in animal and human models: a systematic review and meta-analysis. *Cell Regeneration*, 9(1), 1–22. <https://doi.org/10.1186/s13619-020-00047-3>
- Bhaskar, V., Konala, R., Bhonde, R., & Pal, R. (n.d.). Secretome studies of mesenchymal stromal cells (MSCs) isolated from three tissue sources reveal subtle differences in potency. <https://doi.org/10.1007/s11626-020-00501-1/Published>
- Birtwistle, L., Chen, X. M., & Pollock, C. (2021). Mesenchymal stem cell-derived extracellular vesicles to the rescue of renal injury. *International Journal of Molecular Sciences*, 22(12). [M](#)
- Cahyawati, P.N and Bagus K.S. Subtotal Nephrectomy as a Model of Chronic Kidney Disease: A Systematic Review. (2021). *Indian Journal of Public Health Research & Development*, 12(3), 150-157. <https://doi.org/10.37506/ijphrd.v12i3.16058>
- Chan, Z. C. K., Oentaryo, M. J., & Lee, C. W. (2020). MMP-mediated modulation of ECM environment during axonal growth and NMJ development. *Neuroscience Letters*, 724, 134822. <https://doi.org/10.1016/j.neulet.2020.134822>
- Chen, L., Brenner, D. A., & Kisseleva, T. (2018). Combatting Fibrosis: Exosome-Based Therapies in the Regression of Liver Fibrosis. *Hepatology Communications*, 3(2), 180–192. <https://doi.org/10.1002/hep4.1290>
- Dias, I., Pinheiro, D., Ribeiro Silva, K., Stumbo, A. C., Thole, A., Cortez, E., de Carvalho,

- L., & Carvalho, S. N. (2021). Secretome effect of adipose tissue-derived stem cells cultured two-dimensionally and three-dimensionally in mice with streptozocin induced type 1 diabetes. *Current Research in Pharmacology and Drug Discovery*, 2(October), 100069. <https://doi.org/10.1016/j.crphar.2021.100069>
- Dittmer, J., Oerlecke, I., & Leyh, B. (2011). Involvement of Mesenchymal Stem Cells in Breast Cancer Progression. *Breast Cancer - Focusing Tumor Microenvironment, Stem Cells and Metastasis*, December 2011. <https://doi.org/10.5772/21325>
- Dong, L. H., Jiang, Y. Y., Liu, Y. J., Cui, S., Xia, C. C., Qu, C., Jiang, X., Qu, Y. Q., Chang, P. Y., & Liu, F. (2015). The anti-fibrotic effects of mesenchymal stem cells on irradiated lungs via stimulating endogenous secretion of HGF and PGE2. *Scientific Reports*. <https://doi.org/10.1038/srep08713>
- El Agha, E., Kramann, R., Schneider, R. K., Li, X., Seeger, W., Humphreys, B. D., & Bellusci, S. (2017). Mesenchymal Stem Cells in Fibrotic Disease. *Cell Stem Cell*, 21(2), 166–177. <https://doi.org/10.1016/j.stem.2017.07.011>
- el Agha, E., Kramann, R., Schneider, R. K., Li, X., Seeger, W., Humphreys, B. D., & Bellusci, S. (2017). Mesenchymal Stem Cells in Fibrotic Disease. *Cell Stem Cell*, 21(2), 166–177. <https://doi.org/10.1016/j.stem.2017.07.011>
- Fabregat, I., & Caballero-Díaz, D. (2018). Transforming growth factor- β -induced cell plasticity in liver fibrosis and hepatocarcinogenesis. *Frontiers in Oncology*, 8(SEP). <https://doi.org/10.3389/fonc.2018.00357>
- Ferreira, J. R., Teixeira, G. Q., Santos, S. G., Barbosa, M. A., Almeida-Porada, G., & Gonçalves, R. M. (2018). Mesenchymal stromal cell secretome: Influencing therapeutic potential by cellular pre-conditioning. *Frontiers in Immunology*, 9(December), 1–17. <https://doi.org/10.3389/fimmu.2018.02837>
- Gao, Z., Zhang, C., Peng, F., Chen, Q., Zhao, Y., Chen, L., Wang, X., & Chen, X. (2022). Hypoxic mesenchymal stem cell-derived extracellular vesicles ameliorate renal fibrosis after ischemia–reperfusion injure by restoring CPT1A mediated fatty acid oxidation. *Stem Cell Research and Therapy*, 13(1). <https://doi.org/10.1186/s13287-022-02861-9>
- Ghanayem, N. M., El-shafie, M. K., Badr, E. A. F., Abou, E. S., Khamis, S. S., Abd, E. M., & Gayed, E. (2014). Study of the heat shock protein 70-1 gene polymorphism and

- the risk of nephropathy in type II diabetic patients. *Menoufia Medical Journal*, 1, 582–588. <https://doi.org/10.4103/1110-2098.145519>
- Goodwin, J. M., Svensson, R. U., Lou, H. J., Winslow, M. M., Turk, B. E., & Shaw, R. J. (2014). A novel AMPK-independent signaling pathway downstream of the LKB1 tumor suppressor controls Snail1 and metastatic potential. *Mol Cell*, 55(3), 436–450. <https://doi.org/10.5810/kentucky/9780813177809.003.0004>
- Guan, Y., Nakano, D., Zhang, Y., Li, L., Tian, Y., & Nishiyama, A. (2019). A mouse model of renal fibrosis to overcome the technical variability in ischaemia/reperfusion injury among operators. *Scientific Reports*, 9(1). <https://doi.org/10.1038/s41598-019-46994-z>
- Hamra, N. F., Putra, A., Tjipta, A., Amalina, N. D., & Nasihun, T. (2021). Hypoxia mesenchymal stem cells accelerate wound closure improvement by controlling α -smooth muscle actin expression in the full-thickness animal model. *Open Access Macedonian Journal of Medical Sciences*, 9, 35–41. <https://doi.org/10.3889/oamjms.2021.5537>
- Hanna, C., Hubchak, S. C., Liang, X., Rozen-Zvi, B., Schumacker, P. T., Hayashida, T., & William Schnaper, H. (2013). Hypoxia-inducible factor-2 α and TGF- β signaling interact to promote normoxic glomerular fibrogenesis. *American Journal of Physiology - Renal Physiology*, 305(9), 1323–1331. <https://doi.org/10.1152/ajprenal.00155.2013>
- Harrell, C., Fellabaum, C., Jovicic, N., Djonov, V., Arsenijevic, N., & Volarevic, V. (2019). Molecular Mechanisms Responsible for Therapeutic Potential of Mesenchymal Stem Cell-Derived Secretome. *Cells*, 8(5), 467. <https://doi.org/10.3390/cells8050467>
- Hassan, N. M. E., Shehatou, G. S. G., Kenawy, H. I., & Said, E. (2021). Dasatinib mitigates renal fibrosis in a rat model of UUO via inhibition of Src/STAT-3/NF- κ B signaling. *Environmental Toxicology and Pharmacology*, 84(October 2020), 103625. <https://doi.org/10.1016/j.etap.2021.103625>
- Herrera, A., Herrera, M., Guerra-Perez, N., Galindo-Pumariño, C., Larriba, M. J., García-Barberán, V., Gil, B., Giménez-Moyano, S., Ferreiro-Monteagudo, R., Veguillas, P., Candia, A., Peña, R., Pinto, J., García-Bermejo, M. L., Muñoz, A., García de Herreros, A., Bonilla, F., Carrato, A., & Peña, C. (2018). Endothelial cell activation

- on 3D-matrices derived from PDGF-BB-stimulated fibroblasts is mediated by Snail1. *Oncogenesis*. <https://doi.org/10.1038/s41389-018-0085-z>
- Hu, H. H., Chen, D. Q., Wang, Y. N., Feng, Y. L., Cao, G., Vaziri, N. D., & Zhao, Y. Y. (2018). New insights into TGF- β /Smad signaling in tissue fibrosis. *Chemico-Biological Interactions*, 292, 76–83. <https://doi.org/10.1016/j.cbi.2018.07.008>
- Hu, P., Yang, Q., Wang, Q., Shi, C., Wang, D., Armato, U., Prà, I. D., & Chiarini, A. (2019). Mesenchymal stromal cells-exosomes: a promising cell-free therapeutic tool for wound healing and cutaneous regeneration. *Burns & Trauma*, 7, 1–10. <https://doi.org/10.1186/s41038-019-0178->
- Hu, Y. B., Yan, C., Mu, L., Mi, Y. –L, Zhao, H., Hu, H., Li, X. L., Tao, D. D., Wu, Y. Q., Gong, J. P., & Qin, J. C. (2019). Correction: Exosomal Wnt-induced dedifferentiation of colorectal cancer cells contributes to chemotherapy resistance (*Oncogene*, (2019), 38, 11, (1951-1965), 10.1038/s41388-018-0557-9). *Oncogene*, 38(35), 6319–6321. <https://doi.org/10.1038/s41388-019-0863-x>
- Ishiuchi, N., Nakashima, A., Doi, S., Yoshida, K., Maeda, S., Kanai, R., Yamada, Y., Ike, T., Doi, T., Kato, Y., & Masaki, T. (2020a). Hypoxia-preconditioned mesenchymal stem cells prevent renal fibrosis and inflammation in ischemia-reperfusion rats. *Stem Cell Research and Therapy*, 11(1), 1–15. <https://doi.org/10.1186/s13287-020-01642-6>
- Ishiuchi, N., Nakashima, A., Doi, S., Yoshida, K., Maeda, S., Kanai, R., Yamada, Y., Ike, T., Doi, T., Kato, Y., & Masaki, T. (2020b). Hypoxia-preconditioned mesenchymal stem cells prevent renal fibrosis and inflammation in ischemia-reperfusion rats. *Stem Cell Research and Therapy*, 11(1), 130. <https://doi.org/10.1186/s13287-020-01642-6>
- Jiang, F., Liu, G. S., Dusting, G. J., & Chan, E. C. (2014). NADPH oxidase-dependent redox signaling in TGF- β -mediated fibrotic responses. *Redox Biology*, 2(1), 267–272. <https://doi.org/10.1016/j.redox.2014.01.012>
- Joseph, A., Baiju, I., Bhat, I. A., Pandey, S., Bharti, M., Verma, M., Pratap Singh, A., Ansari, M. M., Chandra, V., Saikumar, G., Amarpal, & Taru Sharma, G. (2020). Mesenchymal stem cell-conditioned media: A novel alternative of stem cell therapy for quality wound healing. *Journal of Cellular Physiology*, 235(7–8), 5555–5569. <https://doi.org/10.1002/jcp.29486>

- Jun, E. K., Zhang, Q., Yoon, B. S., Moon, J. H., Lee, G., Park, G., Kang, P. J., Lee, J. H., Kim, A., & You, S. (2014). Hypoxic conditioned medium from human amniotic fluid-derived mesenchymal stem cells accelerates skin wound healing through TGF- β /SMAD2 and PI3K/AKT pathways. *International Journal of Molecular Sciences*, 15(1), 605–628. <https://doi.org/10.3390/ijms15010605>
- Katagiri, W., Watanabe, J., Toyama, N., Osugi, M., Sakaguchi, K., & Hibi, H. (2017). Clinical Study of Bone Regeneration by Conditioned Medium from Mesenchymal Stem Cells after Maxillary Sinus Floor Elevation. *Implant Dentistry*, 26(4), 607–612. <https://doi.org/10.1097/ID.0000000000000618>
- Kim, D., Cho, G. S., Han, C., Park, D. H., Park, H. K., Woo, D. H., & Kim, J. H. (2017). Current Understanding of Stem Cell and Secretome Therapies in Liver Diseases. In *Tissue Engineering and Regenerative Medicine* (Vol. 14, Issue 6, pp. 653–665). Korean Tissue Engineering and Regenerative Medicine Society. <https://doi.org/10.1007/s13770-017-0093-7>
- Kim, R., Song, B. W., Kim, M., Kim, W. J., Lee, H. W., Lee, M. Y., Kim, J., & Chang, W. (2020). Regulation of alternative macrophage activation by MSCs derived hypoxic conditioned medium, via the TGF- β 1/Smad3 pathway. *BMB Reports*, 53(11), 600. <https://doi.org/10.5483/BMBREP.2020.53.11.177>
- Koyano, T., Namba, M., Kobayashi, T., Nakakuni, K., Nakano, D., Fukushima, M., Nishiyama, A., & Matsuyama, M. (2019). The p21 dependent G2 arrest of the cell cycle in epithelial tubular cells links to the early stage of renal fibrosis. *Scientific Reports*, 9(1), 1–11. <https://doi.org/10.1038/s41598-019-48557-8>
- Kumar, S., Verma, R., Tyagi, N., Gangenahalli, G., & Verma, Y. K. (2021). Therapeutics effect of mesenchymal stromal cells in reactive oxygen species-induced damages. *Human Cell* 2021 35:1, 35(1), 37–50. <https://doi.org/10.1007/S13577-021-00646-5>
- Liu, F., Qiu, H., Xue, M., Zhang, S., Zhang, X., Xu, J., Chen, J., Yang, Y., & Xie, J. (2019). MSC-secreted TGF- β regulates lipopolysaccharide-stimulated macrophage M2-like polarization via the Akt/FoxO1 pathway. *Stem Cell Research & Therapy*, 10, 345. <https://doi.org/10.1186/s13287-019-1447-y>
- Liu, T., Peng, Y., Jia, C., Fang, X., Li, J., & Zhong, W. (2015). Hepatocyte growth factor-modified adipose tissue-derived stem cells improve erectile function in

- streptozotocin-induced diabetic rats. *Growth Factors*, 33(4), 282–289. <https://doi.org/10.3109/08977194.2015.1077825>
- Liu, Y., Su, Y. Y., Yang, Q., & Zhou, T. (2021). Stem cells in the treatment of renal fibrosis: a review of preclinical and clinical studies of renal fibrosis pathogenesis. *Stem Cell Research and Therapy*, 12(1), 1–18. <https://doi.org/10.1186/s13287-021-02391-w>
- Lv, S., Liu, G., Sun, A., Wang, J., Cheng, J., Wang, W., Liu, X., Nie, H., & Guan, G. (2014). Mesenchymal stem cells ameliorate diabetic glomerular fibrosis in vivo and in vitro by inhibiting TGF- β signalling via secretion of bone morphogenetic protein 7. *Diabetes and Vascular Disease Research*, 11(4), 251–261. <https://doi.org/10.1177/1479164114531300>
- Lv, W., Booz, G. W., Fan, F., Wang, Y., & Roman, R. J. (2018a). Oxidative stress and renal fibrosis: Recent insights for the development of novel therapeutic strategies. In *Frontiers in Physiology* (Vol. 9, Issue FEB). Frontiers Media S.A. <https://doi.org/10.3389/fphys.2018.00105>
- Lv, W., Booz, G. W., Fan, F., Wang, Y., & Roman, R. J. (2018b). Oxidative stress and renal fibrosis: Recent insights for the development of novel therapeutic strategies. In *Frontiers in Physiology* (Vol. 9, Issue FEB). Frontiers Media S.A. <https://doi.org/10.3389/fphys.2018.00105>
- M, M., E, C., M, N., R, C., FA, C., F, R., G, S., P, G., C, G., G, V., PE, L. S., & G, S. (2017). Pro-inflammatory M1/Th1 type immune network and increased expression of TSG-6 in the eutopic endometrium from women with endometriosis. *European Journal of Obstetrics, Gynecology, and Reproductive Biology*, 218, 99–105. <https://doi.org/10.1016/J.EJOGRB.2017.08.014>
- Makino, K., Makino, T., Stawski, L., Lipson, K. E., Leask, A., & Trojanowska, M. (2017). Anti-connective tissue growth factor (CTGF/CCN2) monoclonal antibody attenuates skin fibrosis in mice models of systemic sclerosis. *Arthritis Research and Therapy*, 19(1), 1–10. <https://doi.org/10.1186/s13075-017-1356-3>
- Marino, L., Castaldi, M. A., Rosamilio, R., Ragni, E., Vitolo, R., Fulgione, C., Castaldi, S. G., Serio, B., Bianco, R., Guida, M., & Selleri, C. (2019). Mesenchymal stem cells from the Wharton's jelly of the human umbilical cord: Biological properties and therapeutic potential. *International Journal of Stem Cells*, 12(2), 218–226. <https://doi.org/10.15283/ijsc18034>

- Martínez-Klimova, E., Aparicio-Trejo, O. E., Tapia, E., & Pedraza-Chaverri, J. (2019). Unilateral ureteral obstruction as a model to investigate fibrosis-attenuating treatments. *Biomolecules*, 9(4). <https://doi.org/10.3390/biom9040141>
- Meng, S., Zhu, Y., Li, J. F., Wang, X., Liang, Z., Li, S. Q., Xu, X., Chen, H., Liu, B., Zheng, X. Y., & Xie, L. P. (2017). Apigenin inhibits renal cell carcinoma cell proliferation. *Oncotarget*, 8(12), 19834–19842. <https://doi.org/10.18632/oncotarget.15771>
- Meng, X. M., Nikolic-Paterson, D. J., & Lan, H. Y. (2016). TGF- β : The master regulator of fibrosis. *Nature Reviews Nephrology*, 12, 325–338. <https://doi.org/10.1038/nrneph.2016.48>
- Munoz-Perez, E., Gonzalez-Pujana, A., Igartua, M., Santos-Vizcaino, E., & Hernandez, R. M. (2021). Mesenchymal stromal cell secretome for the treatment of immune-mediated inflammatory diseases: Latest trends in isolation, content optimization and delivery avenues. *Pharmaceutics*, 13(11). <https://doi.org/10.3390/pharmaceutics13111802>
- Naguib, Y. W., & Cui, Z. (2014). Nanomedicine: The Promise. 135–156. <https://doi.org/10.1007/978-94-017-8739-0>
- Patel, A. N., Bartlett, C. E., & Ichim, T. E. (2015). Mesenchymal Stem Cells. In *Stem Cell and Gene Therapy for Cardiovascular Disease*. <https://doi.org/10.1016/B978-0-12-801888-0.00011-4>
- Prakoeswa, C. R. S., Pratiwi, F. D., Herwanto, N., Citrashanty, I., Indramaya, D. M., Murtiastutik, D., Sukanto, H., & Rantam, F. A. (2019). The effects of amniotic membrane stem cell-conditioned medium on photoaging. *Journal of Dermatological Treatment*, 30(5), 478–482. <https://doi.org/10.1080/09546634.2018.1530438>
- Putra, A., Alif, I., Hamra, N., Santosa, O., Ar, K., Am, M., & Lukman, K. (2020). MSC-released TGF- β regulate α -SMA expression of.pdf. 16(2), 73–79.
- Putra, A., Pertiwi, D., Milla, M. N., Indrayani, U. D., Jannah, D., Sahariyani, M., Trisnadi, S., & Wibowo, J. W. (2019). Hypoxia-preconditioned MSCs have superior effect in ameliorating renal function on acute renal failure animal model. *Open Access Macedonian Journal of Medical Sciences*, 7(3), 305–310. <https://doi.org/10.3889/oamjms.2019.049>

- Rayego-Mateos, S., Marquez-Expósito, L., Rodrigues-Diez, R., Sanz, A. B., Guiteras, R., Doladé, N., Rubio-Soto, I., Manonelles, A., Codina, S., Ortiz, A., Cruzado, J. M., Ruiz-Ortega, M., & Sola, A. (2022). Molecular Mechanisms of Kidney Injury and Repair. *International Journal of Molecular Sciences*, 23(3), 1–20. <https://doi.org/10.3390/ijms23031542>
- Rehman, M. U., Tahir, M., Khan, A. Q., Khan, R., Lateef, A., Oday-O-Hamiza, Qamar, W., Ali, F., & Sultana, S. (2013). Chrysin suppresses renal carcinogenesis via amelioration of hyperproliferation, oxidative stress and inflammation: Plausible role of NF- κ B. *Toxicology Letters*, 216(2–3), 146–158. <https://doi.org/10.1016/j.toxlet.2012.11.013>
- Robert, A. W., Azevedo Gomes, F., Rode, M. P., Marques da Silva, M., Veleirinho, M. B. da R., Maraschin, M., Hayashi, L., Wosgrau Calloni, G., & Stimamiglio, M. A. (2019). The skin regeneration potential of a pro-angiogenic secretome from human skin-derived multipotent stromal cells. *Journal of Tissue Engineering*, 10. <https://doi.org/10.1177/2041731419833391>
- Ruiz-Ortega, M., Rayego-Mateos, S., Lamas, S., Ortiz, A., & Rodrigues-Diez, R. R. (2020). Targeting the progression of chronic kidney disease. *Nature Reviews Nephrology*, 16(5), 269–288. <https://doi.org/10.1038/s41581-019-0248-y>
- Sargent, A., & Miller, R. H. (2016). MSC Therapeutics in Chronic Inflammation. *Current Stem Cell Reports*, 2(2), 168–173. <https://doi.org/10.1007/s40778-016-0044-6>
- Schachtele, S., Clouser, C., & Aho, J. (2018a). Methods to Validate Mesenchymal Stem Cell Identity, Potency, and Quality. R&D Systems.
- Schachtele, S., Clouser, C., & Aho, J. (2018b). Methods to Validate Mesenchymal Stem Cell Identity, Potency, and Quality. R&D Systems.
- Scuteri, A., & Monfrini, M. (2018). Mesenchymal stem cells as new therapeutic approach for diabetes and pancreatic disorders. *International Journal of Molecular Sciences*, 19(9). <https://doi.org/10.3390/ijms19092783>
- Shi, J., Li, J., Guan, H., Cai, W., Bai, X., Fang, X., Hu, X., Wang, Y., Wang, H., Zheng, Z., Su, L., Hu, D., & Zhu, X. (2014). Anti-fibrotic actions of interleukin-10 against hypertrophic scarring by activation of PI3K/AKT and STAT3 signaling pathways in scar-forming fibroblasts. *PLoS ONE*.

<https://doi.org/10.1371/journal.pone.0098228>

- Shin, S., Lee, J., Kwon, Y., Park, K. S., Jeong, J. H., Choi, S. J., Bang, S. I., Chang, J. W., & Lee, C. (2021). Comparative proteomic analysis of the mesenchymal stem cells secretome from adipose, bone marrow, placenta and wharton's jelly. *International Journal of Molecular Sciences*. <https://doi.org/10.3390/ijms22020845>
- Sunarto, H., Trisnadi, S., Putra, A., Sa'dyah, N. A. C., Tjipta, A., & Chodidjah, C. (2020). The Role of Hypoxic Mesenchymal Stem Cells Conditioned Medium in Increasing Vascular Endothelial Growth Factors (VEGF) Levels and Collagen Synthesis to Accelerate Wound Healing. *Indonesian Journal of Cancer Chemoprevention*, 11(3), 134. <https://doi.org/10.14499/indonesianjcanchemoprev11iss3pp134-143>
- Tang, H., Zhang, P., Zeng, L., Zhao, Y., Xie, L., & Chen, B. (2021). Mesenchymal stem cells ameliorate renal fibrosis by galectin-3/Akt/GSK3 β /Snail signaling pathway in adenine-induced nephropathy rat. *Stem Cell Research and Therapy*, 12(1). <https://doi.org/10.1186/s13287-021-02429-z>
- Tsuji, K., Kitamura, S., & Wada, J. (2018). Secretomes from mesenchymal stem cells against acute kidney injury: Possible heterogeneity. *Stem Cells International*, 2018. <https://doi.org/10.1155/2018/8693137>
- Tsuji, K., Kitamura, S., & Wada, J. (2020). Immunomodulatory and regenerative effects of mesenchymal stem cell-derived extracellular vesicles in renal diseases. *International Journal of Molecular Sciences*, 21(3). <https://doi.org/10.3390/ijms21030756>
- Udalamatththa, V. L., Kaluarachchi, A., Wijeratne, S., & Udagama, P. V. (2020). Therapeutic uses of post-partum tissue-derived mesenchymal stromal cell secretome. *The Indian Journal of Medical Research*, 152(6), 541. https://doi.org/10.4103/IJMR.IJMR_1450_18
- Ungur, R. A., Borda, I. M., Codea, R. A., Ciortea, V. M., Năsui, B. A., Muste, S., Sarpataky, O., Filip, M., Irsay, L., Crăciun, E. C., Căinap, S., Jivănescu, D. B., Pop, A. L., Singurean, V. E., Crișan, M., Groza, O. B., & Martiș, S. (2022). A Flavonoid-Rich Extract of *Sambucus nigra* L. Reduced Lipid Peroxidation in a Rat Experimental Model of Gentamicin Nephrotoxicity. *Materials*, 15(3). <https://doi.org/10.3390/ma15030772>

- Vaidya SR, Aeddula NR. Chronic Kidney Disease. [Updated 2024 Jul 31]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2025 Jan-. Available from: <https://www.ncbi.nlm.nih.gov/books/NBK535404/>
- Varga, J., Brenner, D. A., Phan, S. H., Zeisberg, M., Soubasakos, M. A., & Kalluri, R. (n.d.). Animal Models of Renal Fibrosis 261 261 Animal Models of Renal Fibrosis. In From: Methods in Molecular Medicine (Vol. 117).
- Vizoso, F. J., Eiro, N., Cid, S., Schneider, J., & Perez-Fernandez, R. (2017). Mesenchymal stem cell secretome: Toward cell-free therapeutic strategies in regenerative medicine. *International Journal of Molecular Sciences*, 18(9). <https://doi.org/10.3390/ijms18091852>
- Wang, S. bin, Deng, Y. Q., Ren, J., Xiao, B. K., Liu, Z., & Tao, Z. Z. (2014). Exogenous interleukin-10 alleviates allergic inflammation but inhibits local interleukin-10 expression in amouse allergic rhinitis model. *BMC Immunology*, 15(1). <https://doi.org/10.1186/1471-2172-15-9>
- Weiss, A. R. R., & Dahlke, M. H. (2019). Immunomodulation by Mesenchymal Stem Cells (MSCs): Mechanisms of action of living, apoptotic, and dead MSCs. *Frontiers in Immunology*, 10(JUN), 1–10. <https://doi.org/10.3389/fimmu.2019.01191>
- Wolf, G., Hannken, T., Schroeder, R., Zahner, G., Ziyadeh, F. N., & Stahl, R. A. K. (2001). Antioxidant treatment induces transcription and expression of transforming growth factor β in cultured renal proximal tubular cells. *FEBS Letters*, 488(3), 154–159. [https://doi.org/10.1016/S0014-5793\(00\)02403-0](https://doi.org/10.1016/S0014-5793(00)02403-0)
- Wu, L., Rong, C., Zhou, Q., Zhao, X., Zhuansun, X. M., Wan, S., Sun, M. M., & Wang, S. L. (2021). Bone Marrow Mesenchymal Stem Cells Ameliorate Cisplatin-Induced Renal Fibrosis via miR-146a-5p/Tfdp2 Axis in Renal Tubular Epithelial Cells. *Frontiers in Immunology*, 11. <https://doi.org/10.3389/fimmu.2020.623693>
- Wu, P., Zhang, B., Shi, H., Qian, H., & Xu, W. (2018). MSC-exosome: A novel cell-free therapy for cutaneous regeneration. *Cytotherapy*, 20(3), 291–301. <https://doi.org/10.1016/j.jcyt.2017.11.002>
- Xia, X., Chiu, P. W. Y., Lam, P. K., Chin, W. C., Ng, E. K. W., & Lau, J. Y. W. (2018). Secretome from hypoxia-conditioned adipose-derived mesenchymal stem cells promotes the healing of gastric mucosal injury in a rodent model. *Biochimica et*

- Biophysica Acta - Molecular Basis of Disease, 1864(1), 178–188.
<https://doi.org/10.1016/j.bbadis.2017.10.009>
- Xianyuan, L., Wei, Z., Yaqian, D., Dan, Z., Xueli, T., Zhanglu, D., Guanyi, L., Lan, T., & Menghua, L. (2019). Anti-renal fibrosis effect of asperulosidic acid via TGF- β 1/smad2/smad3 and NF- κ B signaling pathways in a rat model of unilateral ureteral obstruction. *Phytomedicine*, 53, 274–285.
<https://doi.org/10.1016/j.phymed.2018.09.009>
- Xing, L., Chang, X., Shen, L., Zhang, C., Fan, Y., Cho, C., Zhang, Z., & Jiang, H. (2020). Progress in drug delivery system for fibrosis therapy. *Asian Journal of Pharmaceutical Sciences*, 0–46. <https://doi.org/10.1016/j.ajps.2020.06.005>
- Xu, T., Xu, M., Bai, J., Lin, J., Yu, B., Liu, Y., Guo, X., Shen, J., Sun, H., Hao, Y., & Geng, D. (2019). Tenocyte-derived exosomes induce the tenogenic differentiation of mesenchymal stem cells through TGF- β . *Cytotechnology*, 71(1), 57–65.
<https://doi.org/10.1007/S10616-018-0264-Y/FIGURES/5>
- Yew, T. L., Hung, Y. T., Li, H. Y., Chen, H. W., Chen, L. L., Tsai, K. S., Chiou, S. H., Chao, K. C., Huang, T. F., Chen, H. L., & Hung, S. C. (2011). Enhancement of wound healing by human multipotent stromal cell conditioned medium: The paracrine factors and p38 MAPK activation. *Cell Transplantation*, 20(5), 693–706.
<https://doi.org/10.3727/096368910X550198>
- Yustianingsih, V., Sumarawati, T., & Putra, A. (2019). Hypoxia enhances self-renewal properties and markers of mesenchymal stem cells. *Universa Medicina*, 38(3), 164.
<https://doi.org/10.18051/univmed.2019.v38.164-171>
- Zhao, G., Liu, F., Liu, Z., Zuo, K., Wang, B., Zhang, Y., Han, X., Lian, A., Wang, Y., Liu, M., Zou, F., Li, P., Liu, X., Jin, M., & Liu, J. Y. (2020). MSC-derived exosomes attenuate cell death through suppressing AIF nucleus translocation and enhance cutaneous wound healing. *Stem Cell Research and Therapy*, 11(1), 1–18.
<https://doi.org/10.1186/s13287-020-01616-8>
- Zhou, T., Li, H. Y., Liao, C., Lin, W., & Lin, S. (2020). Clinical Efficacy and Safety of Mesenchymal Stem Cells for Systemic Lupus Erythematosus. *Stem Cells International*, 2020. <https://doi.org/10.1155/2020/6518508>