

DAFTAR PUSTAKA

1. WHO. Reducing stunting in children: equity considerations for achieving the Global Nutrition Targets 2025 [Internet]. 2018. Available from: <https://www.who.int/publications/i/item/9789241513647%0A> Accessed on 18th February 2022
2. Kementrian Kesehatan RI. Profil Kesehatan Indonesia 2023 [Internet]. 2024. 100 p. Available from: website: <http://www.kemkes.go.id>
3. Kesehatan BKP. Survei Kesehatan Indonesia (SKI) Tahun 2023. Kementerian Kesehatan RI. 2024. 1–926 p.
4. Kementerian Kesehatan RI. Survei Status Gizi Indonesia 2024. Vol. 17. 2025. 302 p.
5. Soliman A, De Sanctis V, Alaraj N, Ahmed S, Alyafei F, Hamed N, et al. Early and long-term consequences of nutritional stunting: From childhood to adulthood. *Acta Biomed*. 2021;92(1):1–12.
6. de Onis M, Branca F. Childhood stunting: A global perspective. *Matern Child Nutr*. 2016;12:12–26.
7. Kemiskinnan TNPP. 100 Kabupaten/Kota Prioritas Untuk Intervensi Anak Kerdil (Stunting). Vol. 1, Sekretariat Wakil Presiden Republik Indonesia. 2017.
8. Benyi E, Säwendahl L. The physiology of childhood growth: Hormonal regulation. *Horm Res Paediatr*. 2017;88(1):6–14.
9. Beam A, Clinger E, Hao L. Effect of Diet and Dietary Components on the Composition of the Gut Microbiota. 2021;1–15.
10. Surono IS, Widiyanti D, Kusumo PD, Venema K. Gut microbiota profile of Indonesian stunted children and children with normal nutritional status. *PLoS One* [Internet]. 2021;16(1 January):1–18. Available from: <http://dx.doi.org/10.1371/journal.pone.0245399>
11. Thursby E, Juge N. Introduction to the human gut microbiota. *Biochem J*. 2017;474(11):1823–36.
12. Den Besten G, Van Eunen K, Groen AK, Venema K, Reijngoud DJ, Bakker BM. The role of short-chain fatty acids in the interplay between diet, gut microbiota, and host energy metabolism. *J Lipid Res* [Internet]. 2013;54(9):2325–40. Available from: <http://dx.doi.org/10.1194/jlr.R036012>
13. Adak A, Khan MR. An insight into gut microbiota and its functionalities. *Cell Mol Life Sci* [Internet]. 2019;76(3):473–93. Available from: <https://doi.org/10.1007/s00018-018-2943-4>
14. Zhong X, Zhang F, Yin X, Cao H, Wang X, Liu D, et al. Bone homeostasis and gut microbial-dependent signaling pathways. *J Microbiol Biotechnol*. 2021;31(6):765–74.
15. Yan Jing CJ. Gut Microbiota and IGF-1. *Physiol Behav*. 2018;102(4):406–14.

16. Wu M, Chen G, Li YP. TGF- β and BMP signaling in osteoblast, skeletal development, and bone formation, homeostasis and disease. *Bone Res.* 2016;4(March).
17. Upadhyay J, Farr OM, Mantzoros CS. The role of leptin in regulating bone metabolism. *Metabolism.* 2015;64(1):105–13.
18. Indrio F, Salatto A. Gut Microbiota-Bone Axis. 2025;0(0):1–10.
19. Li L, Chen L, Yang Y, Wang J, Guo L, An J, et al. Characteristics of Gut Microbiome and Its Metabolites, Short-Chain Fatty Acids, in Children With Idiopathic Short Stature. *Front Endocrinol (Lausanne).* 2022;13(June):1–12.
20. Guntur AR, Rosen CJ. IGF-1 regulation of key signaling pathways in bone. *Bonekey Rep.* 2013;2.
21. Racine HL, Serrat MA. The Actions of IGF-1 in the Growth Plate and Its Role in Postnatal Bone Elongation. *Curr Osteoporos Rep.* 2020;18(3):210–27.
22. Huang SC, He YF, Chen P, Liu KL, Shaukat A. Gut microbiota as a target in the bone health of livestock and poultry: roles of short-chain fatty acids. *Anim Dis [Internet].* 2023;3(1):1–13. Available from: <https://doi.org/10.1186/s44149-023-00089-5>
23. Zaiss MM, Jones RM, Schett G, Pacifici R. The gut-bone axis: How bacterial metabolites bridge the distance. *J Clin Invest.* 2019;129(8):3018–28.
24. Venegas DP, Fuente MK De, Landskron G, González MJ, Quera R, Dijkstra G, et al. Short Chain Fatty Acids (SCFAs) -Mediated Gut Epithelial and Immune Regulation and Its Relevance for Inflammatory Bowel Diseases. 2019;10(March).
25. Chen G, Deng C, Li Y ping. TGF- β and BMP Signaling in Osteoblast Differentiation and Bone Formation. 2012;(3).
26. Lina Nurbaiti, Nurpudji Astuti Taslim, Agussalim Bukhari MH. Serum concentration and mRNA expression of Transforming growth factor-Beta 1 (TGF- β 1) in stunted and non- stunted toddlers. *Clin Nutr [Internet].* 2022;49:208–16. Available from: <https://doi.org/10.1016/j.clnesp.2022.04.021>
27. Gabriel FC, Fantuzzi G. The association of short-chain fatty acids and leptin metabolism: a systematic review. *Nutr Res [Internet].* 2019;72:18–35. Available from: <https://doi.org/10.1016/j.nutres.2019.08.006>
28. Reid IR, Baldock PA, Cornish J. Effects of Leptin on the Skeleton. 2017;938–59.
29. Chen XX, Yang T. Roles of leptin in bone metabolism and bone diseases. *J Bone Miner Metab [Internet].* 2015;33(5):474–85. Available from: <https://doi.org/10.1007/s00774-014-0569-7>
30. Hossain M, Nahar B, Haque MA, Mondal D, Mahfuz M, Naila NN, et al. Serum adipokines, biomarker pertumuhans, and cytokines are independently associated with stunting in Bangladeshi children. *Nutrients.* 2019;11(8):1–16.
31. Ilyés T, Grama P, Gheorghe SR, Anton V, Silaghi CN, Cr AM. Fatty Acids in Colon Cancer and Inflammatory Bowel Disease. 2025;1–12.

32. Wei C, Gregory JW. Physiology of normal growth. *Paediatr Child Health (Oxford)* [Internet]. 2009;19(5):236–40. Available from: <http://dx.doi.org/10.1016/j.paed.2009.02.007>
33. Purnamasari L. Mengenali Perawakan Pendek Abnormal Pada Anak. Vol. 50, *Cermin Dunia Kedokteran*. 2023. p. 221–6.
34. Tom Lissauer, MB, BChir, FRCPCH and Will Carroll MMBBcBM. *Illustrated Textbook of Paediatrics*. 2021.
35. Kannian VG, Ryan FJ. Physiology of growth hormone in fetus and child [Internet]. 2nd ed. *Encyclopedia of Endocrine Diseases*. Elsevier Inc.; 2018. 10–18 p. Available from: <http://dx.doi.org/10.1016/B978-0-12-801238-3.65221-2>
36. Darling AL, Millward DJ, Lanham-New SA. Dietary protein and bone health: Towards a synthesised view. *Proc Nutr Soc*. 2021;80(2):165–72.
37. Mescher AL, Junqueira LCU. *Histologi Dasar Junqueira Edisi 14*. 2016. 560 p.
38. Kemenkes RI. Buletin Stunting. *Kementerian Kesehat RI*. 2018;301(5):1163–78.
39. Learned L, Systematic F. Underlying Contributors to Childhood Stunting : What Evidence Exists on Nutrition-Sensitive Risk Factors ? 2015; Available from: https://path.azureedge.net/media/documents/MNCHN_Stunting_Technical_Brief_FINAL.pdf
40. Dewey KG, Begum K. Long-term consequences of stunting in early life. *Matern Child Nutr*. 2011;7(SUPPL. 3):5–18.
41. Idonesia KKR. Standard Antropometri Anak [Internet]. Nomor 20 Tahun 2020. Available from: https://yankes.kemkes.go.id/unduhuan/fileunduhuan_1660187306_961415.pdf
42. WHO. Height-for-age GIRLS 5-19 años (z-scores). 2007;2007. Available from: [https://cdn.who.int/media/docs/default-source/child-growth/growth-reference-5-19-years/height-for-age-\(5-19-years\)/cht-hfa-girls-z-5-19years.pdf?sfvrsn=58771973_4](https://cdn.who.int/media/docs/default-source/child-growth/growth-reference-5-19-years/height-for-age-(5-19-years)/cht-hfa-girls-z-5-19years.pdf?sfvrsn=58771973_4)
43. WHO. Height-for-age BOYS 5-19 años (z-scores). Who [Internet]. 2007;2007. Available from: [https://cdn.who.int/media/docs/default-source/child-growth/growth-reference-5-19-years/height-for-age-\(5-19-years\)/cht-hfa-boys-z-5-19years.pdf?sfvrsn=d0cdf1fe_4](https://cdn.who.int/media/docs/default-source/child-growth/growth-reference-5-19-years/height-for-age-(5-19-years)/cht-hfa-boys-z-5-19years.pdf?sfvrsn=d0cdf1fe_4)
44. WHO. Length / height-for-age GIRLS. *World Heal Organ*. 2020;125.
45. WHO. Length / height-for-age BOYS. *World Heal Organ*. 2020;125.
46. Vaivada T, Akseer N, Akseer S, Somaskandan A, Stefopulos M, Bhutta ZA. Stunting in childhood: An overview of global burden, trends, determinants, and drivers of decline. *Am J Clin Nutr*. 2020;112:777S-791S.
47. Aryastami NK, Shankar A, Kusumawardani N, Besral B, Jahari AB, Achadi E. Low birth weight was the most dominant predictor associated with stunting among children aged 12-23 months in Indonesia. *BMC Nutr*. 2017;3(1):1–6.
48. Mulyaningsih T, Mohanty I, Widyaningsih V, Gebremedhin TA, Miranti R, Wiyono

- VH. Beyond personal factors: Multilevel determinants of childhood stunting in Indonesia. PLoS One [Internet]. 2021;16(11 November):1–19. Available from: <http://dx.doi.org/10.1371/journal.pone.0260265>
49. World Health Organization. Childhood Stunting: Challenges and opportunities. Report of a Promoting Healthy Growth and Preventing Childhood Stunting colloquium. WHO Geneva. 2014;34.
 50. Kementrian Kesehatan. Situasi Stunting di Indonesia. Jendela data dan Inf Kesehat. 2018;208(5):1–34.
 51. World Health Organization. Guideline: Implementing Effective Actions for Improving Adolescent Nutrition. World Health Organization. 2018. Licence: CC BY-NC-SA 3.0 IGO.
 52. World Bank. PROMOTING GIRLS' NUTRITION IN EARLY ADOLESCENCE: A last window of opportunity. :1–4.
 53. World Health Organization. Global Nutriton Target 2025 Stunting Policy Brief. Can Pharm J [Internet]. 2014; Available from: http://apps.who.int/iris/bitstream/handle/10665/149019/WHO_NMH_NHD_14.3_eng.pdf;jsessionid=423490FA14B3F127EC1A9B597B1C3E2E?sequence=1
 54. Budiastutik I NS. Determinants of stunting in Indonesia: A literature review. Int J Healthc Res. 2018;1(1):43–9.
 55. Prendergast AJ, Humphrey JH, Mutasa K, Majo FD, Rukobo S, Govha M, et al. Assessment of environmental enteric dysfunction in the SHINE Trial: Methods and challenges. Clin Infect Dis. 2015;61(November):S726–32.
 56. Nur A, Taslim NA, Chalid SMT, Juliaty A, Halisah H, Mappaware NA, et al. The Effect of Zinc Administration in Short Adolescent Mothers who Breastfeed on Zinc Level, Insulin-1 Biomarker pertumbuhan, and Infant Growth. Open Access Maced J Med Sci. 2022;10(B):1922–6.
 57. Taib WRW, Ismail I. Evidence of stunting genes in Asian countries: A review. Meta Gene [Internet]. 2021;30(June):100970. Available from: <https://doi.org/10.1016/j.mgene.2021.100970>
 58. Budge S, Parker AH, Hutchings PT, Garbutt C. Environmental enteric dysfunction and child stunting. Nutr Rev. 2019;77(4):240–53.
 59. Millward DJ. Nutrition, infection and stunting: The roles of deficiencies of individual nutrients and foods, and of inflammation, as determinants of reduced linear growth of children. Nutr Res Rev. 2017;30(1):50–72.
 60. Czajkowska A, Szponar B. Short chain fatty acids (SCFA), the products of gut bacteria metabolism and their role in the host. Postepy Hig Med Dosw. 2018;72:131–42.
 61. Licciardi P V., Ververis K, Karagiannis TC. Histone Deacetylase Inhibition and Dietary Short-Chain Fatty Acids. ISRN Allergy. 2011;2011:1–8.
 62. Tahimic CGT, Wang Y, Bikle DD. Anabolic effects of IGF-1 signaling on the

- skeleton. *Front Endocrinol (Lausanne)*. 2013;4(FEB):1–14.
63. Guntur AR, Rosen CJ. IGF-1 regulation of key signaling pathways in bone. *Bonekey Rep* [Internet]. 2013;2(OCTOBER):1–6. Available from: <http://dx.doi.org/10.1038/bonekey.2013.171>
 64. Denley A, Cosgrove LJ, Booker GW, Wallace JC, Forbes BE. Molecular interactions of the IGF system. *Cytokine Biomarker pertumbuhan Rev*. 2005;16(4–5):421–39.
 65. Blum WF, Alherbish A, Alsagheir A, El Awwa A, Kaplan W, Koledova E, et al. The growth hormone-insulin-like biomarker pertumbuhan-I axis in the diagnosis and treatment of growth disorders. *Endocr Connect*. 2018;7(6):R212–22.
 66. Ranke MB, Wit JM. Growth hormone-past, present and future. *Nat Rev Endocrinol* [Internet]. 2018;14(5):285–300. Available from: <http://dx.doi.org/10.1038/nrendo.2018.22>
 67. Ban B, Zhao Q. Nutritional Regulation of Growth Hormone/ Insuline-like Biomarker pertumbuhan Axis. *Nutr Food Sci Int J* [Internet]. 2018;7(5):10–2. Available from: <https://juniperpublishers.com/online-submission.php>
 68. Millward DJ. Interactions between growth of muscle and stature: Mechanisms involved and their nutritional sensitivity to dietary protein: The protein-stat revisited. *Nutrients*. 2021;13(3):1–65.
 69. Tzavlaki K, Moustakas A. TGF signaling.pdf. 2020;1–38.
 70. Rahman MS, Akhtar N, Jamil HM, Banik RS, Asaduzzaman SM. TGF- β /BMP signaling and other molecular events: Regulation of osteoblastogenesis and bone formation. *Bone Res*. 2015;3(February).
 71. Chen G, Deng C, Li YP. TGF- β and BMP signaling in osteoblast differentiation and bone formation. *Int J Biol Sci*. 2012;8(2):272–88.
 72. Okuda S, Nakamura T, Yamamoto T, Ruoslahti E, Border WA. Dietary protein restriction rapidly reduces transforming growth factor β 1 expression in experimental glomerulonephritis. *Proc Natl Acad Sci U S A*. 1991;88(21):9765–9.
 73. Lina Nurbaiti, Nurpudji Astuti Taslim, Agussalim Bukhari MH. Serum concentration and mRNA expression of Transforming growth factor-Beta 1 (TGF- β 1) in stunted and non- stunted toddlers. *Clin Nutr ESPEN* [Internet]. 2022;49:208–16. Available from: http://eprints.unram.ac.id/37767/1/artikel_org.pdf.pdf
 74. Casado ME, Collado-Pérez R, Frago LM, Barrios V. Recent Advances in the Knowledge of the Mechanisms of Leptin Physiology and Actions in Neurological and Metabolic Pathologies. *Int J Mol Sci*. 2023;24(2).
 75. Perakakis N, Mantzoros CS. Evidence from clinical studies of leptin: current and future clinical applications in humans. *Metabolism* [Internet]. 2024;161(September):156053. Available from: <https://doi.org/10.1016/j.metabol.2024.156053>
 76. Xiong Y, Miyamoto N, Shibata K, Valasek MA, Motoike T, Kedzierski RM, et al.

- Short-chain fatty acids stimulate leptin production in adipocytes through the G protein-coupled receptor GPR41. *Proc Natl Acad Sci U S A*. 2004;101(4):1045–50.
77. Suárez-Martínez C, Santaella-Pascual M, Yagüe-Guirao G, Martínez-Graciá C. Infant gut microbiota colonization: influence of prenatal and postnatal factors, focusing on diet. *Front Microbiol*. 2023;14(August).
 78. Pinto Coelho GD, Arial Ayres LF, Barreto DS, Henriques BD, Cardoso Prado MRM, Dos Passos CM. Acquisition of microbiota according to the type of birth: An integrative review. *Rev Lat Am Enfermagem*. 2021;29.
 79. Wernroth ML, Peura S, Hedman AM, Hetty S, Vicenzi S, Kennedy B, et al. Development of gut microbiota during the first 2 years of life. *Sci Rep [Internet]*. 2022;12(1):1–13. Available from: <https://doi.org/10.1038/s41598-022-13009-3>
 80. Buonocore G. Microbiota and gut immunity in infants and young children. *Glob Pediatr [Internet]*. 2024;9(July):100202. Available from: <https://doi.org/10.1016/j.gpeds.2024.100202>
 81. Diniz Pinto Coelho G, Fernandes Arial Ayres L, Sezilio Barreto D, David Henriques B, Rúbia Maciel Cardoso Prado M, Mendes Dos Passos C. Acquisition of microbiota according to the type of birth: an integrative review. Available from: www.eerp.usp.br/rlae
 82. Adak A, Khan MR. An insight into gut microbiota and its functionalities. *Cell Mol Life Sci [Internet]*. 2019;76(3):473–93. Available from: <https://doi.org/10.1007/s00018-018-2943-4>
 83. Rinanda T, Riani C, Artarini A, Sasongko L. Correlation between gut microbiota composition, enteric infections and linear growth impairment: a case–control study in childhood stunting in Pidie, Aceh, Indonesia. *Gut Pathog [Internet]*. 2023;15(1):1–14. Available from: <https://doi.org/10.1186/s13099-023-00581-w>
 84. Zambruni M, Ochoa TJ, Somasunderam A, Cabada MM, Morales ML, Mitreva M, et al. Stunting Is Preceded by Intestinal Mucosal Damage and Microbiome Changes and Is Associated with Systemic Inflammation in a Cohort of Peruvian Infants. *Am J Trop Med Hyg*. 2019 Nov;101(5):1009–17.
 85. LaBouyer M, Holtrop G, Horgan G, Gratz SW, Belenguer A, Smith N, et al. Higher total faecal short-chain fatty acid concentrations correlate with increasing proportions of butyrate and decreasing proportions of branched-chain fatty acids across multiple human studies. *Gut Microbiome*. 2022;3:1–14.
 86. Den Besten G, Van Eunen K, Groen AK, Venema K, Reijngoud DJ, Bakker BM. The role of short-chain fatty acids in the interplay between diet, gut microbiota, and host energy metabolism. *J Lipid Res*. 2013;54(9):2325–40.
 87. Lange O, Proczko-Stepaniak M, Mika A. Short-Chain Fatty Acids—A Product of the Microbiome and Its Participation in Two-Way Communication on the Microbiome-Host Mammal Line. *Curr Obes Rep [Internet]*. 2023;12(2):108–26. Available from: <https://doi.org/10.1007/s13679-023-00503-6>
 88. Xiong RG, Zhou DD, Wu SX, Huang SY, Saimaiti A, Yang ZJ, et al. Health Benefits

and Side Effects of Short-Chain Fatty Acids. *Foods*. 2022;11(18).

89. Nogal A, Valdes AM, Menni C. The role of short-chain fatty acids in the interplay between gut microbiota and diet in cardio-metabolic health. Vol. 13, *Gut Microbes*. 2021. p. 1–24.
90. Koh A, De Vadder F, Kovatcheva-Datchary P, Bäckhed F. From dietary fiber to host physiology: Short-chain fatty acids as key bacterial metabolites. *Cell*. 2016;165(6):1332–45.
91. Anachad O, Taouil A, Taha W, Bennis F, Chegdani F. The Implication of Short-Chain Fatty Acids in Obesity and Diabetes. *Microbiol Insights*. 2023;16.
92. Fusco W, Lorenzo MB, Cintoni M, Porcari S, Rinninella E, Kaitsas F, et al. Short-Chain Fatty-Acid-Producing Bacteria: Key Components of the Human Gut Microbiota. *Nutrients*. 2023;15(9).
93. Kasubuchi M, Hasegawa S, Hiramatsu T, Ichimura A, Kimura I. Dietary gut microbial metabolites, short-chain fatty acids, and host metabolic regulation. *Nutrients*. 2015;7(4):2839–49.
94. Tu Y, Kuang X, Zhang L, Xu X. The associations of gut microbiota, endocrine system and bone metabolism. *Front Microbiol*. 2023;14(April).
95. Dalile B, Van Oudenhove L, Vervliet B, Verbeke K. The role of short-chain fatty acids in microbiota–gut–brain communication. *Nat Rev Gastroenterol Hepatol* [Internet]. 2019;16(8):461–78. Available from: <http://dx.doi.org/10.1038/s41575-019-0157-3>
96. Lui JC. Gut microbiota in regulation of childhood bone growth. *Exp Physiol*. 2023;(December):1–10.
97. Sirajuddin, Surmita, Astuti T, Indonesia KKR. *Survey Konsumsi Pangan*. 2018.
98. Chibuye M, Mende DR, Spijker R, Simuyandi M, Luchen CC, Bosomprah S, et al. Systematic review of associations between gut microbiome composition and stunting in under-five children. *NPJ biofilms microbiomes*. 2024 May;10(1):46.
99. Prendergast AJ, Rukobo S, Chasekwa B, Mutasa K, Ntozini R, Mbuya MNN, et al. Stunting Is Characterized by Chronic Inflammation in Zimbabwean Infants. 2014;9(2).
100. Budge S, Parker AH, Hutchings PT, Garbutt C. Environmental enteric dysfunction and child stunting. 2019;77(4):240–53.
101. Mohanraj L, Oh Y. Impact of IGF system on dietary short chain fatty acid-induced anti- inflammatory and anti-tumor effects . 2012;23.
102. Surono IS, Jalal F, Bahri S, Romulo A, Kusumo PD, Manalu E, et al. Differences in immune status and fecal SCFA between Indonesian stunted children and children with normal nutritional status. *PLoS One*. 2021;16(7):e0254300.
103. Bradley EW, Mcgee-lawrence ME, Westendorf JJ. Hdac-Mediated Control of Endochondral and Intramembranous Ossification. 2011;21(2):101–13.
104. Hsu CY, Khachatryan LG, Younis NK, Mustafa MA, Ahmad N, Athab ZH, et al.

Microbiota-derived short chain fatty acids in pediatric health and diseases: from gut development to neuroprotection. *Front Microbiol.* 2024;15(October).

105. Sankarganesh P, Bhunia A, Kumar AG, Babu AS, Gopukumar ST, Lokesh E. Medicine in Microecology Short-chain fatty acids (SCFAs) in gut health : Implications for drug metabolism and therapeutics. *Med Microecol* [Internet]. 2025;25(June):100139. Available from: <https://doi.org/10.1016/j.medmic.2025.100139>
106. Short-Chain Fatty-Acid-Producing Bacteria: Key Components of the Human Gut Microbiota - PMC.
107. Hardjo J, Selene NB. Stunting and Gut Microbiota: A Literature Review. *Pediatr Gastroenterol Hepatol Nutr.* 2024 May;27(3):137–45.
108. Procaccini C, Jirillo E, Matarese G. Molecular Aspects of Medicine Leptin as an immunomodulator. *Mol Aspects Med* [Internet]. 2012;33(1):35–45. Available from: <http://dx.doi.org/10.1016/j.mam.2011.10.012>
109. Ladhani ESN, Roilides EJ, Syrogiannopoulos G, Children AY, Gwela A, Mupere E. Childhood Undernutrition and Infection. 2019;38(8):175–7.