

DAFTAR PUSTAKA

1. Rogers, L. C. *et al.* The Charcot foot in diabetes. *Diabetes Care* 34, 2123–2129 (2011).
2. Wukich, D. K. *et al.* *Guidelines on the Diagnosis and Treatment of Active Charcot Neuro-Osteoarthropathy in Persons with Diabetes Mellitus.* (2023).
3. Wukich, D. K. *et al.* Guidelines on the diagnosis and treatment of active Charcot neuro-osteoarthropathy in persons with diabetes mellitus (IWGDF 2023). *Diabetes. Metab. Res. Rev.* 40, (2024).
4. Thomas, R. L., Sathe, V. & Habib, S. I. The use of intramedullary nails in tibiototalcalcaneal arthrodesis. *Journal of the American Academy of Orthopaedic Surgeons* 20, 1–7 (2012).
5. Pelton, K., Hofer, J. K. & Thordarson, D. B. Tibiototalcalcaneal Arthrodesis Using a Dynamically Locked Retrograde Intramedullary Nail. *Foot Ankle Int.* 27, 759–763 (2006).
6. Jehan, S., Shakeel, M., Bing, A. J. F. & Hill, S. O. The success of tibiototalcalcaneal arthrodesis with intramedullary nailing--a systematic review of the literature. *Acta Orthop. Belg.* 77, 644–51 (2011).
7. Franceschi, F. *et al.* Tibiototalcalcaneal arthrodesis using an intramedullary nail: a systematic review. *Knee Surgery, Sports Traumatology, Arthroscopy* 24, 1316–1325 (2016).
8. Noonan, T., Pinzur, M., Paxinos, O., Havey, R. & Patwardhin, A. Tibiototalcalcaneal arthrodesis with a retrograde intramedullary nail: A biomechanical analysis of the effect of nail length. *Foot Ankle Int.* 26, 304–308 (2005).
9. Fang, Z. *et al.* Tibiototalcalcaneal Arthrodesis Using a Retrograde Intramedullary Nail with a Valgus Curve. *Orthop. Surg.* 7, 125–131 (2015).
10. Kitaoka, H. B. *et al.* Clinical Rating Systems for the Ankle-Hindfoot, Midfoot, Hallux, and Lesser Toes. *Foot Ankle Int.* 15, 349–353 (1994).
11. Martin, R. L., Irrgang, J. J., Burdett, R. G., Conti, S. F. & Swearingen, J. M. Van. Evidence of Validity for the Foot and Ankle Ability Measure (FAAM). *Foot Ankle Int.* 26, 968–983 (2005).
12. Wukich, D. K., Mallory, B. R., Suder, N. C. & Rosario, B. L. Tibiototalcalcaneal Arthrodesis Using Retrograde Intramedullary Nail

- Fixation: Comparison of Patients With and Without Diabetes Mellitus. *Journal of Foot and Ankle Surgery* 54, 876–882 (2015).
13. Ware, J. E. & Sherbourne, C. D. The MOS 36-item short-form health survey (SF-36). I. Conceptual framework and item selection. *Med. Care* 30, 473–83 (1992).
 14. Moore, T. J., Smith, J. W., Prince, R., Pochatko, D. & Fleming, S. Retrograde Intramedullary Nailing for Ankle Arthrodesis. *Foot Ankle Int.* 16, 433–436 (1995).
 15. Canale, S. T., Azar, F. M. & Beaty, J. H. *Campbell's Operative Orthopaedics, Volume 1.* Elsevier (2017).
 16. Kulkarni, G. Retrograde Tibial Nailing for Arthrodesis of Ankle and Subtalar Joints. *Textbook of Orthopedics and Trauma (4 Volumes)* 65, 3449–3449 (2016).
 17. Jenkinson, R. Retrograde Tibia Intramedullary Nailing in Tibiotalocalcaneal Arthrodesis. *Journal of Surgery Research and Practice* 1–14 (2023) doi:10.46889/jsrp.2023.4104.
 18. Dardari, D. An overview of Charcot's neuroarthropathy. *J. Clin. Transl. Endocrinol.* 22, 100239 (2020).
 19. Rosenbaum, A. J. & DiPrea, J. A. Classifications in Brief: Eichenholtz Classification of Charcot Arthropathy. *Clin. Orthop. Relat. Res.* 473, 1168–1171 (2015).
 20. Cellier, N. Management of hindfoot and ankle in Charcot arthropathy. <https://doi.org/https://doi.org/10.1530/eor-2025-0057> (2025) doi:[https://doi.org/10.1530/eur-2025-0057](https://doi.org/10.1530/eor-2025-0057).
 21. Svendsen, O. L., Rabe, O. C., Winther-jensen, M. & Allin, K. H. How Common Is the Rare Charcot Foot in Patients With Diabetes ? 44, 62–63 (2021).
 22. Armstrong, D. G. *et al.* Five year mortality and direct costs of care for people with diabetic foot complications are comparable to cancer. 2, 2–5 (2020).
 23. Yammine, K., Boulos, K., Assi, C. & Hayek, F. Amputation and mortality frequencies associated with diabetic Charcot foot arthropathy_ a meta-analysis. *Foot and Ankle Surgery* 28, 1170–1176 (2022).
 24. Fabrin, J., Larsen, K. & Holstein, P. E. Arthrodesis with external fixation in the unstable or misaligned Charcot ankle in patients with diabetes

- mellitus. *International Journal of Lower Extremity Wounds* 6, 102–107 (2007).
25. Richman, J., Cota, A. & Weinfeld, S. Intramedullary Nailing and External Ring Fixation for Tibiototalcaneal Arthrodesis in Charcot Arthropathy. *Foot Ankle Int.* 38, 149–152 (2017).
 26. Hanson, T. W. & Cracchiolo, A. The use of a 95° blade plate and a posterior approach to achieve tibiototalcaneal arthrodesis. *Foot Ankle Int.* 23, 704–710 (2002).
 27. Alberti, M. *et al.* Versatility of the Tibia Long Retrograde Intramedullary Nail for Tibiototalcaneal Arthrodesis in Patients with Associated Lesions in the Same Segment. 86, 349–355 (2021).
 28. Zhang, H., Jiang, N., Zhao, J. F. & Zeng, X. T. Effectiveness of intramedullary nails in Tibiototalcaneal arthrodesis for Charcot neuroarthropathy : a systematic review and meta - analysis. 4, (2025).
 29. Balaban, K., Akmeşe, R., Kınık, H. H. & Kalem, M. Tibiototalcaneal arthrodesis with retrograde intramedullary nailing : What differs only approach change ? 36, 711–723 (2025).
 30. Salvo, G. *et al.* Tibiotarsal Arthrodesis with Retrograde Intramedullary Nail and RIA Graft: A Salvage Technique. *J. Funct. Morphol. Kinesiol.* 8, 1–9 (2023).
 31. Mader, K., Verheyen, C. C., Gausepohl, T. & Pennig, D. Minimally invasive ankle arthrodesis with a retrograde locking nail after failed fusion. *Strategies Trauma Limb Reconstr.* 2, 39–47 (2007).
 32. Parekh, S. G., Gross, C. E., Shi, G. & Huh, J. Pantalar Arthrodesis: Surgical Technique and Review of Literature. *The Duke Orthopaedic Journal* 5, 48–52 (2015).
 33. Si, Y., Wang, C., Guo, Y., Xu, G. & Ma, Y. Prevalence of Osteoporosis in Patients with Type 2 Diabetes Mellitus in the Chinese Mainland: A Systematic Review and Meta-Analysis. *Iran. J. Public Health* 48, 1203 (2019).
 34. Shah, A. B. *et al.* Patient and Surgical Factors Affecting Fusion Rates After Arthroscopic and Open Ankle Fusion: A Review of a High-Risk Cohort. *Indian J. Orthop.* 56, 1217 (2022).
 35. Chiang, C. H. *et al.* Risk factors for non-union in foot and ankle arthrodesis: a population-based case-control study using registry data. *BMC Musculoskeletal Disorders* 2025 26:1 26, 253- (2025).

36. Aiyer, A. A., Patel, S. S., Perez, J., Vulcano, E. & Kaplan, J. R. Risk Factors for Nonunion Following Tibiotalocalcaneal Arthrodesis: A Systematic Review and Meta-Analysis. *Foot Ankle Orthop.* 7, 2473011421S00002 (2022).
37. Talaski, G. M. *et al.* The Impact of Diabetes on Outcomes for Tibiotalocalcaneal Arthrodesis: A Systematic Review of Available Comparative Studies. *Healthcare* 2025, Vol. 13, Page 385 13, 385 (2025).
38. Toreih, A. A., Abdelbadie, A. & El-Adawy, M. F. Effectiveness of tibio-talo-calcaneal arthrodesis for Charcot ankle arthropathy: Unraveling the impact of glycated hemoglobin on postoperative recovery and complications. *Egyptian Orthopaedic Journal* 58, 251–260 (2023).
39. Pearson, R. G., Clement, R. G. E., Edwards, K. L. & Scammell, B. E. Do smokers have greater risk of delayed and non-union after fracture, osteotomy and arthrodesis? A systematic review with meta-analysis. *BMJ Open* 6, e010303 (2016).
40. Kim, S. & Choi, Y. Outcomes of Tibiotalocalcaneal Arthrodesis in Charcot Neuroarthropathy According to Severity of Preoperative Deformity. *Foot Ankle Orthop.* 9, (2024).
41. Bajuri, M. Y., Manas, A. M. & Zamri, K. S. Functional outcomes of tibiotalocalcaneal arthrodesis using a hindfoot arthrodesis nail in treating Charcot's arthropathy deformity. *Front. Surg.* 9, (2023).
42. Elgoyoushi, S. M., Morrah, A. N., Kholeif, A. M. & Elbadry, A. A. Outcomes of Tibiotalocalcaneal (TTC) Nailing in Ankle Fractures in Diabetic Patients with Charcot Neuroarthropathy. *Geriatr. Orthop. Surg. Rehabil.* 16, (2025).
43. Kim, S., Lee, H. & Choi, Y. Outcomes of Tibiotalocalcaneal Arthrodesis in Hindfoot Charcot Neuroarthropathy According to Coronal-Plane Deformity and Talar Osteolysis. *Clin. Orthop. Surg.* 17, 331 (2025).
44. Klaue, K., Wichelhaus, A., Maik, P. & Mittlmeier, T. The circular arc shaped nail for fixing the tibiotalocalcaneal arthrodesis. After clinical results. *Injury* 50, 23–31 (2019).
45. Yoon, Y. K., Park, K. H., Shim, D. W., Han, S. H. & Lee, J. W. Tibiotalocalcaneal Arthrodesis Using a Retrograde Intramedullary Nail without Subtalar Joint Preparation after Failed Total Ankle Arthroplasty. *Clin. Orthop. Surg.* 18, 151 (2026).

46. Coye, T. L., Tirabassi, N., Foote, C. M. & Heddy, B. An Umbrella Systematic Review and Meta-Analysis of Systematic Reviews on the Topic of Foot and Ankle Arthrodesis Nonunion Rates. *The Journal of Foot and Ankle Surgery* 61, 1341–1347 (2022).
47. Korbel, M., Šrot, J. & Šponer, P. Reconstructive Arthrodesis for Advanced Ankle and Subtalar Joint Destruction in Neuropathic and Infected Feet. *J. Clin. Med.* 14, 4516 (2025).
48. Chundi, G. *et al.* Use of Sustained Compression to Mitigate Nonunion in Tibiotalocalcaneal Arthrodesis: A Propensity Score–Matched Nationwide Readmissions Database Analysis. *Journal of the American Academy of Orthopaedic Surgeons* 33, e956–e962 (2025).