

DAFTAR PUSTAKA

- Ambarsari, L., Suryani, Gozalles, S., & Puspita, P. J. (2014). The Addition Effects of Glucose as a Co-substrate on Xylitol Production by *Candida guilliermondii*. *Current Biochemistry*, 2(1), 13-21.
- Boyce, W. E., & DiPrima, R. C. (2009). *Elementary Differential Equations and Boundary Value Problems*. Hoboken, New Jersey, United States of America: John Wiley & Sons, Inc.
- Bronson, R. (1983). *Theory and Problems of Operation Research*. McGraw-Hill Book Company. Singapore.
- Byrd, R. H., Hribar, M. E., & Nocedal, J. (1999). An interior point algorithm for large-scale nonlinear programming. *SIAM Journal on Optimization*, 9(4), 877-900.
- Carneiro, C. V., Silva, F. C., & Almeida, J. R. (2019). Xylitol Production: Identification and Comparison of New Producing Yeasts. *Microorganisms*, 7(11), 484.
- Depositphotos.com. (2020). Xylitol, molekul $C_5H_{12}O_5$ [Vektor ilustrasi]. Depositphotos. <https://depositphotos.com/id/vector/xylitol-c5h12o5-molecule-polyalcohol-sugar-alcohol-alditol-used-food-additive-356109018.html>
- Despotovic, M., Nedic, V., Despotovic, D., & Cvetanovic, S. (2016). Evaluation of empirical models for predicting monthly mean horizontal diffuse solar radiation. *Renewable and Sustainable Energy Reviews*, 56, 246-260.
- Feng, J., Techapun, C., Phimolsiripol, Y., Rachtanapun, P., Phongthai, S., Khemacheewakul, J., ... & Leksawasdi, N. (2024). Co-substrate model development and validation on pure sugars and corncob hemicellulosic hydrolysate for xylitol production. *Scientific Reports*, 14(1), 25928.
- Finizio, N., & Ladas, G. (1988). *Persamaan diferensial biasa dengan penerapan modern*. Jakarta: Erlangga.
- Forsgren, A., Gill, P. E., & Wright, M. H. (2002). Interior methods for nonlinear optimization. *SIAM review*, 44(4), 525-597.
- Fritsch, F. N., & Carlson, R. E. (1980). Monotone piecewise cubic interpolation. *SIAM Journal on Numerical Analysis*, 17(2), 238-246.
- Girio, F. M., Roseiro, J. C., Machado, P. S., Reis, A. D., & Collaco, M. A. (1994). Effect of oxygen transfer rate on levels of key enzymes of xylose metabolism in *Debaryomyces hansenii*. *Enzyme and Microbial Technology*, 16(12), 1074-1078.
- Granström, T., Aristidou, A. A., & Leisola, M. (2002). Metabolic flux analysis of *Candida tropicalis* growing on xylose in an oxygen-limited chemostat. *Metabolic Engineering*, 4(3), 248-256.
- Granström, T. B., Izumori, K., & Leisola, M. (2007). A rare sugar xylitol. Part I: the biochemistry and biosynthesis of xylitol. *Applied microbiology and biotechnology*, 74(2), 277-281.

- Gong, C. S., Chen, L. F., & Tsao, G. T. (1981). Quantitative production of xylitol from D-xylose by a high-xylitol producing yeast mutant *Candida tropicalis* HXP2. *Biotechnology Letters*, 3(3), 125-130.
- Hale, J. K., & Kocak, H. (1991). *Dynamic and Bifurcations*. New York, USA: Springer-Verlag New York Inc.
- Hallborn, J., Gorwa, M. F., Meinander, N., Penttila, M., Keranen, S., & Hagerdal, B. H. (1994). The influence of cosubstrate and aeration on xylitol formation by recombinant *Saccharomyces cerevisiae* expressing the XYLI gene. *Applied Microbiology and Biotechnology*, 42(2), 326-333.
- Hossain, M. J., Al-Mamun, M., & Islam, M. R. (2024). Diabetes mellitus, the fastest growing global public health concern: Early detection should be focused. *Health Science Reports*, 7(3), e2004.
- Kahaner, D., Moler, C., & Nash, S. (1989). *Numerical methods and software*. Prentice-Hall, Inc..
- Kasbawati, Gunawan, A. Y., & Sidarto, K. A. (2017). Washout and non-washout solutions of a system describing microbial fermentation process under the influence of growth inhibitions and maximal concentration of yeast cells. *Mathematical Biosciences*, 289, 40-50.
- Kasbawati, K., Mardawati, E., Samsir, R., Suhartini, S., & Kalondeng, A. (2022). An appropriate unstructured kinetic model describing the batch fermentation growth of *Debaryomyces hansenii* for xylitol production using hydrolysis of oil palm empty fruit bunch. *Biotechnology & Biotechnological Equipment*, 36(1), 462-471.
- Kaur, S., Guleria, P., & Yadav, S. K. (2023). Evaluation of Fermentative Xylitol Production Potential of Adapted Strains of *Meyerozyma caribbica* and *Candida tropicalis* from Rice Straw Hemicellulosic Hydrolysate. *Fermentation*, 181.
- Kim, J. H., Block, D. E., & Mills, D. A. (2010). Simultaneous consumption of pentose and hexose sugars: an optimal microbial phenotype for efficient fermentation of lignocellulosic biomass. *Applied microbiology and biotechnology*, 88(5), 1077-1085.
- Ko, B. S., Kim, J., & Kim, J. H. (2006). Production of Xylitol from D-Xylose by a Xylitol Dehydrogenase Gene-Disrupted Mutant of *Candida tropicalis*. *Applied and Environmental Microbiology*, 72(6), 4207-4213.
- Kumar, K., Singh, E., & Shrivastava, S. (2022). Microbial xylitol production. *Applied Microbiology and Biotechnology*, 971-979.
- Lehninger, A.L. (1997). *Dasar-Dasar Biokimia*, Terjemahan Maggi Thenawijaya. Erlangga. Jakarta.
- Lenhart, S., & Workman, J. T. (2007). *Optimal Control Applied to Biological Model*. USA: Chapman and Hall/CRC, Taylor and Francil Group.

- Lim, J., Byun, H.-E., Klm, B., Park, H., & H.Lee, J. (2019). Mathematical Modeling of Acetone–Butanol–Ethanol Fermentation with Simultaneous Utilization of Glucose and Xylose by Recombinant *Clostridium acetobutylicum*. *Energy & Fuels*, 33(9), 8620-8631.
- Luedeking, R., & Piret, E. L. (1959). A kinetic study of the lactic acid fermentation. Batch process at controlled pH. *Journal of Biochemical and Microbiological Technology and Engineering*, 1(4), 393-412.
- Luknanto, D. (2000). *Pengantar Optimasi Nonlinier*. Jurusan Teknik Sipil Fakultas Teknik Universitas Gajah Mada. Yogyakarta.
- Makinen, K. K. (2011). Sugar Alcohol Sweeteners as Alternatives to Sugar with Special Consideration of Xylitol. *Medical Principles and Practice*, 20(4), 303-320.
- Mardawati, E., Hartono, A. T., Nurhadi, B., Fitriana, H. N., Hermiati, E., & Ermawar, R. A. (2022). Xylitol Production from Pineapple Cores (*Ananas comosus* (L.) Merr) by Enzymatic and Acid Hydrolysis Using. *Fermentation*, 8(12), 694.
- Mardawati, E., Putri, S. H., Fitriana, H. N., Nurliasari, D., Rahmah, D. M., Rosanti, . . . Balia, R. L. (2023). Application of Biorefinery Concept to the Production of Bromelain, Ethanol, and Xylitol from Pineapple Plant Waste. *Fermentation*, 9(9), 816.
- MathWorks. (2026). fmincon - Find minimum of constrained nonlinear multivariable function. *MATLAB Optimization Toolbox Documentation*.
- Mohamad, N. L., Kamal, S. M., Mokhtar, M. N., Husain, S. A., & Abdullah, N. (2016). Dynamic mathematical modelling of reaction kinetics for xylitol fermentation using *Candida tropicalis*. *Biochemical Engineering Journal*, 111, 10-17.
- Nasoha, N. Z., Luthf, A. A., Roslan, M. F., Hariz, H. B., Bukhari, N. A., & Manaf, S. F. (2023). Exploring pineapple peel hydrolysate as a sustainable carbon source for xylitol production. *Scientific Reports*, 13(1), 19284.
- Neuhauser, C. (2000). *Calculus for biology and medicine*. Upper Saddle River, NJ: Pearson/Prentice Hall.
- Nocedal, J., & Wright, S. (2006). Numerical optimization. 2nd edn springer. *New York*.
- Olennikov, D. N., Rokhin, A. V., & Tankhaeva, L. M. (2009). Lamiaceae Carbohydrates. VI. Water-Soluble Polysaccharides from *Lophanthus Chinensis*. *Chemistry of Natural Compounds*, 45(3), 300-303.
- Olsder, G., & Woude, J. v. (2003). *Mathematical Systems Theory (2nd ed.)*. Delft, South Holland, Netherlands: Delft University Press.
- Parajo, J. C., Dominguez, H., & Domfnguez, J. M. (1998). Biotechnological production of xylitol. Part 1: Interest of xylitol and fundamentals of its biosynthesis. *Bioresource Technology*, 65(3), 191–201.
- Perko, L. (2001). *Differential Equations and Dynamical Systems*. USA: Departement of Mathematics Northern Arizona University.

- Pinzon, K. M., Ziolo, L. B., Zabala, M. A., Londono, G. C., & Sandoval, E. R. (2021). Kinetic study and modeling of xylitol production using *Candida tropicalis* in different culture media using unstructured models. *Revista Facultad Nacional de Agronomia Medellin*, 74(2), 9584-9592.
- Rohan, A. (1992). *Teknologi Fermentasi*. Arcani. Jakarta.
- Ross, S. L. (2004). *Differential Equations (III)*. John Wiley & Sons, Inc.
- Saarela, U., & Juuso, E. (2003). *Modelling of fed batch fermentation Process*. Oulu: University of Oulu.
- Sakthiselvan, P., Meenambiga, S. S., & Madhumathi, R. (2019). Kinetic studies on cell growth. *Cell growth*, 13.
- Shuler, M. L., & Kargi, F. (2002). *Bioprocess Engineering Basic Concepts Second Edition*. United States of America: Prentice Hall PTR.
- Silva, D. D., Felipe, M. D., Mancilha, I. M., & Silva, S. S. (2005). Evaluation of Inoculum of *Candida guilliermondii* Grown in Presence of Glucose on Xylose Reductase and Xylitol Dehydrogenase Activities and Xylitol Production During Batch Fermentation of Sugarcane Bagasse Hydrolysate. *Applied Biochemistry and Biotechnology*, 121(1), 427-437.
- Soleimani, M., Tabil, L., & Panigrahi, S. (2006). Bio-production of a Polyalcohol (Xylitol) from Lignocellulosic Resources: A Review. *ASAE Annual Meeting (p. 1)*. American Society of Agricultural and Biological Engineers.
- Spiegel, M.R. (1994). *Teori dan Soal-soal Statistika*. Erlangga. Jakarta.
- Stephanopoulos, G. N., Aristidou, A. A., & Nielsen, J. (1998). *Metabolic Engineering Principles and Methodologies*. Academic Press.
- Subiono. (2013). *Sistem Linier dan Kontrol Optimal, Versi 2.2.1*. Surabaya: Jurusan Matematika FMIPA, ITS.
- Tochampa, W., Sirisansaneeyakul, S., Vanichsriratana, W., Srinophakun, P., Bakker, H. H., & Chisti, Y. (2005). A model of xylitol production by the yeast *Candida mogii*. *Bioprocess Biosyst Eng*, 28(3), 175-183.
- Umai, D., Kayalvizhi, R., Kumar, V., & Jacob, S. (2022). Xylitol: Bioproduction and Applications-A Review. *frontiers in Sustainability*, 3, 826190.
- Wächter, A., & Biegler, L. T. (2006). On the implementation of an interior-point filter line-search algorithm for large-scale nonlinear programming. *Mathematical programming*, 106(1), 25-57.
- Waltz, R. A., Morales, J. L., Nocedal, J., & Orban, D. (2006). An interior algorithm for nonlinear optimization that combines line search and trust region steps. *Mathematical programming*, 107(3), 391-408.
- Weise, T. (2009). Global optimization algorithms-theory and application. Self-Published Thomas Weise, 361, 153.

- Windarti, W. (2010). Optimasi Konsentrasi Arabinosa Sebagai Ko-substrat untuk Produksi Xilitol Oleh Sel Amobil *Candida tropicalis*. *Jurnal Repository IPB*, 23-16.
- Yulianto, W. A., Kuswanto, K. R., Tranggono, & Indrati, R. (2006). Kinetika Fermentasi Pada Produksi Xilitol Dengan Penambahan Arabinosa dan Glukosa Sebagai Kosubstrat oleh *Candida shehatae* WAY 08. *Jurnal Teknologi dan Industri Pangan*, 16(3), 215-221.
- Zhang, L., Chen, Z., Wang, J., Shen, W., Li, Q., & Chen, X. (2021). Stepwise metabolic engineering of *Candida tropicalis* for efficient xylitol production. *Microbial Cell Factories*, 20(1), 105.