

DAFTAR PUSTAKA

- Ayusari, E. W., & Guswanto, T. (2024). *Analisis Pengaruh Variasi Sudut Wedge Pada Treatment Planning System Kasus Kanker Laring Eunike Winda Ayusari pasien sehingga bentuk dari kurva isodosisnya akan termodifikasi (Purwaningrum dkk ., Penelitian ini akan membahas perancangan Treatment Plannin. 1(2), 124–131.*
- Bharati, A., Rath, S., Khurana, R., Rastogi, M., Mandal, S. R., Gandhi, A. K., Hadi, R., Srivastava, A. K., & Mishra, S. P. (2023). Dosimetric comparision of coplanar versus noncoplanar volumetric modulated arc therapy for treatment of bilateral breast cancers. *Journal of Medical Physics*, 48(3), 252–258. https://doi.org/10.4103/jmp.jmp_36_23
- Buckner, C. A., Lafrenie, R. M., Dénommée, J. A., Caswell, J. M., Want, D. A., Gan, G. G., Leong, Y. C., Bee, P. C., Chin, E., Teh, A. K. H., Picco, S., Villegas, L., Tonelli, F., Merlo, M., Rigau, J., Diaz, D., Masuelli, M., Korrapati, S., Kurra, P., ... Mathijssen, R. H. J. (2016). We are IntechOpen , the world ' s leading publisher of Open Access books Built by scientists , for scientists TOP 1 %. *Intech*, 11(tourism), 13. <https://www.intechopen.com/books/advanced-biometric-technologies/liveness-detection-in-biometrics>
- Chiuyo, J. S., Yusuph, S. O., Muhogora, W. E., & Lugendo, I. J. (2023). Dosimetric Evaluation of Intact Breast Radiotherapy in Early Stages Breast Cancer Patients using Field-in-Field and 3D-CRT Enhanced Dynamic Wedge Techniques: Experience at a Tertiary Hospital in Tanzania. *Iran J Med Phys*, 20.
- Dawod, T., & Hammoury, S. I. (2016). Comparative Study between Field-in-Field and IMRT Techniques in Prostate Cancer Radiotherapy: A Treatment Planning Study. *International Journal of Medical Physics, Clinical Engineering and Radiation Oncology*, 05(01), 18–25. <https://doi.org/10.4236/ijmpcero.2016.51002>
- Farhiyati, W., Subroto, R., Makmur, I. W. A., Qomariyah, N., & Wirawan, R. (2020). Treatment Planning System (Tps) Kanker Payudara Menggunakan Teknik 3Dcrt. *ORBITA: Jurnal Kajian, Inovasi Dan Aplikasi Pendidikan Fisika*, 6(1), 150. <https://doi.org/10.31764/orbita.v6i1.2115>
- Febrietri, O., Milvita, D., & Diyona, F. (2020). Analisis Dosis Radiasi Paru-Paru Pasien Kanker Payudara dengan Teknik Three Dimensional Conformal Radiation Therapy (3D-CRT) Berdasarkan Grafik Dose Volume Histogram (DVH). *Jurnal Fisika Unand*, 9(1), 110–117. <https://doi.org/10.25077/jfu.9.1.110-117.2020>
- Hosseini, S. M., Momennezhad, M., & Naseri, S. (2020). Dosimetric comparison of

- conventional and field-infield techniques in early-stage breast cancer radiotherapy. *International Journal of Radiation Research*, 18(3), 487–494. <https://doi.org/10.18869/acadpub.ijrr.18.3.487>
- Ligu, L. G., Jagtap, V., & Bhattacharyya, M. (2021). *Comparative study between conventional and field-infield techniques in early-stage breast cancer radiotherapy*. 8(1), 94–99.
- Ludwig, V., Schwab, F., Guckenberger, M., Krieger, T., & Flentje, M. (2008). Comparison of wedge versus segmented techniques in whole breast irradiation: Effects on dose exposure outside the treatment volume. *Strahlentherapie Und Onkologie*, 184(6), 307–312. <https://doi.org/10.1007/s00066-008-1793-7>
- Mankinen, M., Virén, T., Seppälä, J., & Koivumäki, T. (2024). Interfractional variation in whole - breast VMAT irradiation: a dosimetric study with complementary SGRT and CBCT patient setup. *Radiation Oncology*, 1–11. <https://doi.org/10.1186/s13014-024-02418-5>
- Menzel, H. G. (2010). The international commission on radiation units and measurements. *Journal of the ICRU*, 10(1), 1–106. <https://doi.org/10.1093/jicru/ndq001>
- Nejad, S. S., Bahador, M., Yazdani, S., & Kiani, M. (2023). Comparative Evaluation of Wedge and Field-in-Field Methods in Minimizing Brachial Plexus Radiation Dose in Breast Cancer Patients Undergoing Radiotherapy. *Frontiers in Biomedical Technologies*, 12(2), 446–450.
- Nokhasteh, S., Nazemi, H., Hejazi, P., & Dayyani, M. (2019). Comparison of dosimetric parameters between field in field and conformal radiation therapy techniques in early stage of left breast cancer patients. *International Journal of Cancer Management*, 12(2). <https://doi.org/10.5812/ijcm.84123>
- Ni Luh Putu Ema Ardiantari, I Putu Eka Juliantara, & Dea Ryangga. (2023). Tatalaksana Penyinaran Radioterapi 3DCRT Field in Field (FIF) dengan Imobilisasi Thorax Abdomen pada Pasien Kanker Payudara di Unit Radioterapi Rumah Sakit Lavalette Malang. *DIAGNOSA: Jurnal Ilmu Kesehatan Dan Keperawatan*, 1(4), 349–362. <https://doi.org/10.59581/diagnosa-widyakarya.v1i4.1428>
- Nurjannah, S., Robert Janssen Stevenly, Kadek Subagiada, & Erlinda Ratnasari Putri. (2024). Analysis of Wedge Angle Variations in the Treatment Planning System Based on Dose Volume Histogram on Ca Mammae Sinistra. *Jurnal Inotera*, 9(2), 420–427. <https://doi.org/10.31572/inotera.vol9.iss2.2024.id352>

- Onal, C., Oymak, E., Sonmez, S., Sonmez, A., Kotek, A., Arslan, G., Efe, E., & Dolek, Y. (2012). Dosimetric comparison of the field-in-field technique and tangential wedged beams for breast irradiation. *Japanese Journal of Radiology*, 30(3), 218–226. <https://doi.org/10.1007/s11604-011-0034-7>
- Rahmawati1, F., Irsal, M., & Gunawati, S. (2023). Analisis Dose Volume Histogram (Dvh) Paru-Paru Dan Jantung Pada Kasus Kanker Payudara Dengan Teknik 3Dcrt. *Prosiding Seminar Si-INTAN*, 3(1), 146–153. <https://doi.org/10.53862/ssi.v3.092023.025>
- Rasyid;, N. N. H. E. K. (2021). Analisis Dosis Radiasi Paru-Paru Pada Kasus Kanker Payudara Post Mastektomi Dengan Menggunakan Teknik Radioterapi 3D Conformal. *Jurnal Radiografer Indonesia*, 6(2), 86–92. http://repository.poltekkes-smg.ac.id/index.php?p=show_detail&id=24964&keywords=MASTEKTOMI
- Riani, I. P., Papesta, W. R., Shafira, H., Adrial, R., Ilyas, M., Fisika, D., Matematika, F., Alam, P., Andalas, U., & Manis, L. (2024). *Analisis Parameter Perencanaan dan Evaluasi Kurva Dose Volume Histogram Pasien Kanker Glioblastoma Berdasarkan Treatment Planning System Rumah Sakit Universitas Andalas , Padang , Indonesia*. 13(5), 617–623.
- Saukah, H. A. (2022). Analisis Variasi Wedge pada Treatment Planning System Teknik 3D-CRT Terhadap Dose Volume Histogram Untuk Kasus Kanker Payudara. *Universitas Nasional Jakarta*, 3(3), 96–102. <https://doi.org/10.26877/lpt.v3i3.22064>
- Shafila, N., Djohan, J., Ibrahim, A. A., Harduanti, A., Astuty, S. D., & Dewang, S. (2025). *Analisis Kurva DVH Pasien Kanker Payudara Post Mastektomi Terhadap PTV dan OAR Paru-Paru dengan Teknik IMRT Analysis of DVH Curves in Post-Mastectomy Breast Cancer Patients on PTV and Lung OAR Using IMRT Technique*. 26(1), 1–8.
- Sonmez, A., Onal, C., Sonmez, S., Arslan, G., Parlak, C., Topkan, E., & Yavuz, M. (2014). Meme radyoterapisi si{dotless}rasi{dotless}nda set-up hatalari{dotless}ni{dotless}n tanjansiyel wedge ve field-in-field tekniklerindeki doz dađi{dotless}li{dotless}mi{dotless}na etkileri. *UHOD - Uluslararası Hematoloji-Onkoloji Dergisi*, 24(2), 130–138. <https://doi.org/10.4999/uhod.13062>
- Sun, L. M., Meng, F. Y., Yang, T. H., & Tsao, M. J. (2014). Field-in-field plan does not improve the dosimetric outcome compared with the wedged beams plan for breast cancer radiotherapy. *Medical Dosimetry*, 39(1), 79–82. <https://doi.org/10.1016/j.meddos.2013.10.002>
- Sung, H., Ferlay, J., Siegel, R. L., Laversanne, M., Soerjomataram, I., Jemal, A., & Bray, F. (2021). Global Cancer Statistics 2020: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries. *CA: A Cancer Journal for Clinicians*, 71(3), 209–249. <https://doi.org/10.3322/caac.21660>

- Swanick, C. W., & Smith, B. D. (2016). Indications for adjuvant radiation therapy in breast cancer: A review of the evidence and recommendations for clinical practice. *Chinese Clinical Oncology*, 5(3), 1–13. <https://doi.org/10.21037/cco.2016.03.15>
- Tanaka, H., Ito, M., Yamaguchi, T., Hachiya, K., Yajima, T., Kitahara, M., Matsuyama, K., Goshima, S., Futamura, M., & Matsuo, M. (2017). High Tangent Radiation Therapy With Field-in-Field Technique for Breast Cancer. *Breast Cancer: Basic and Clinical Research*, 11, 0–4. <https://doi.org/10.1177/1178223417731297>
- Uchida, Y., Tsugawa, T., Tanaka-Mizuno, S., Noma, K., Aoki, K., Fukunaga, K., Nakagawa, H., Kinose, D., Yamaguchi, M., Osawa, M., Nagao, T., Ogawa, E., & Nakano, Y. (2020). Prediction of radiation pneumonitis using dose-volume histogram parameters with high attenuation in two types of cancer: A retrospective study. *PLoS ONE*, 15(12 December), 1–11. <https://doi.org/10.1371/journal.pone.0244143>
- Waheed, A., Butt, S., Ishtiaq, A., Mansha, M. A., Mehreen, S., Raza, M., & Yousaf, M. (2021). Dosimetric Comparison of Whole Breast Radiotherapy Using Field-in-Field and Volumetric Modulated Arc Therapy Techniques in Left-Sided Breast Cancer Patients. *Cureus*, 13(6). <https://doi.org/10.7759/cureus.15732>