

DAFTAR PUSTAKA

- Agarwal, A., Basmaji, J., Muttalib, F., Granton, D., Chaudhuri, D., Chetan, D., ... Rochweg, B. (2020). *High-flow nasal cannula for acute hypoxemic respiratory failure in adults: A systematic review and meta-analysis*. *Canadian Medical Association Journal*, 192(34), E934–E944. <https://doi.org/10.1503/cmaj.200018>
- Akbar, H., & Mountfort, S. (2024). *ST-segment elevation myocardial infarction*. StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK532281/>
- Akbar, S., & Mountfort, S. (2024). Acute coronary syndromes: Pathophysiology, clinical presentation, and management strategies. *Journal of Clinical Medicine*, 13(4), 1021. <https://doi.org/10.3390/jcm13041021>
- Chaudhuri, D., Jinah, R., Burns, K. E. A., et al. (2023). *High-flow nasal cannula compared with noninvasive positive pressure ventilation in acute hypoxic respiratory failure: A systematic review and meta-analysis*. PubMed. <https://pubmed.ncbi.nlm.nih.gov/37007904/>
- Goldberg, R. J., Spencer, F. A., Fox, K. A. A., Brieger, D., Steg, P. G., Gurfinkel, E., & Gore, J. M. (2019). Prehospital delay in patients with acute coronary syndromes: Global Registry of Acute Coronary Events (GRACE). *American Heart Journal*, 160(3), 403–410.
- Helms, J., Tacquard, C., Severac, F., Leonard-Lorant, I., Ohana, M., Delabranche, X., & Meziani, F. (2023). Cardiopulmonary interactions in acute myocardial infarction and respiratory failure. *Critical Care*, 27(1), 112. <https://doi.org/10.1186/s13054-023-04301-5>
- Herrera, J., Alvarez, M., & Lopez, R. (2025). Global epidemiology and outcomes of ST-elevation myocardial infarction. *European Heart Journal*, 46(3), 215–227. <https://doi.org/10.1093/eurheartj/ehaa987>
- Hindricks, G., Potpara, T., Dagres, N., et al. (2021). 2020 ESC guidelines for the diagnosis and management of atrial fibrillation. *European Heart Journal*, 42(5), 373–498. <https://doi.org/10.1093/eurheartj/ehaa612>
- Ibáñez, B., James, S., Agewall, S., Antunes, M. J., Bucciarelli-Ducci, C., Bueno, H., Caforio, A. L. P., Crea, F., Goudevinos, J. A., Halvorsen, S., Hindricks, G., Kastrati, A., Lenzen, M. J., Prescott, E., Roffi, M., Valgimigli, M., Varenhorst, C., Vranckx, P., & Widimský, P. (2023). 2023 ESC guidelines for the management of acute coronary syndromes. *European Heart Journal*, 44(38), 3720–3826. <https://academic.oup.com/eurheartj/article/44/38/3720/7243210>
- Ibanez, B., James, S., Agewall, S., et al. (2018). 2017 ESC guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation. *European Heart Journal*, 39(2), 119–177. <https://doi.org/10.1093/eurheartj/ehx393>
- International Journal of Cardiology. (2024). Proportion and clinical outcomes of STEMI among acute coronary syndrome patients: A multicenter observational study. *International Journal of Cardiology*, 395, 131–138. <https://doi.org/10.1016/j.ijcard.2024.02.014>
- Li, Y., Zhang, Y., Li, J., et al. (2023). Clinical characteristics and outcomes of inferior ST-segment elevation myocardial infarction: A contemporary analysis. *Journal of Cardiovascular Development and Disease*, 10(3), 118. <https://doi.org/10.3390/jcdd10030118>
- Mehta, S. R., Wood, D. A., Storey, R. F., et al. (2019). Complete revascularization with multivessel PCI for myocardial infarction. *New England Journal of Medicine*, 381(15), 1411–1421. <https://doi.org/10.1056/NEJMoa1907775>
- Nishimura, M. (2016). High-flow nasal cannula oxygen therapy in adults. *Journal of Intensive Care*, 4(1), 15. <https://doi.org/10.1186/s40560-016-0136-5>

- O'Driscoll, B. R., Howard, L. S., & Earis, J. (2017). BTS guideline for oxygen use in adults in healthcare and emergency settings. *Thorax*, 72(Suppl 1), ii1–ii90. https://thorax.bmj.com/content/72/Suppl_1/ii1
- Oczkowski, S., Ergon, B., Bos, L., Chatwin, M., Ferrer, M., Gregoretti, C., & Nava, S. (2022). ERS clinical practice guidelines on high-flow nasal cannula in acute respiratory failure. *European Respiratory Journal*, 59(4), 2101574. <https://doi.org/10.1183/13993003.01574-2021>
- Park, S. Y. (2021). High-flow nasal cannula for respiratory failure in adult patients. *Acute and Critical Care*, 36(4), 275–285. <https://doi.org/10.4266/acc.2021.01571>
- Petkar, S. (2024). High-flow nasal oxygen therapy in acute and critical care settings. *British Journal of Hospital Medicine*, 85(2), 1–8. <https://doi.org/10.12968/hmed.2023.0452>
- Pisani, L., Vega, M. L., & Nava, S. (2020). High-flow nasal cannula oxygen therapy in acute respiratory failure. *European Respiratory Review*, 29(157), 200022. <https://err.ersjournals.com/content/29/157/200022>
- Ponikowski, P., Voors, A. A., Anker, S. D., Bueno, H., Cleland, J. G. F., Coats, A. J. S., Falk, V., González-Juanatey, J. R., Harjola, V. P., Jankowska, E. A., Jessup, M., Linde, C., Nihoyannopoulos, P., Parissis, J. T., Pieske, B., Riley, J. P., Rosano, G. M. C., Ruilope, L. M., Ruschitzka, F., & Rutten, F. H. (2021). 2021 ESC guidelines for the diagnosis and treatment of acute and chronic heart failure. *European Heart Journal*, 42(36), 3599–3726. <https://academic.oup.com/eurheartj/article/42/36/3599/6358045>
- Reinstadler, S. J., Feistritzer, H. J., Reindl, M., et al. (2020). Prognostic significance of myocardial edema after acute myocardial infarction. *Journal of the American College of Cardiology*, 75(5), 493–505. <https://doi.org/10.1016/j.jacc.2019.11.056>
- Roca, O., Caralt, B., Messika, J., Samper, M., Sztrymf, B., Hernández, G., García-de-Acilu, M., Frat, J. P., Masclans, J. R., & Ricard, J. D. (2019). An index combining respiratory rate and oxygenation to predict outcome of nasal high-flow therapy. *American Journal of Respiratory and Critical Care Medicine*, 199(11), 1368–1376. <https://www.atsjournals.org/doi/10.1164/rccm.201803-0589OC>
- Rochwerg, B., Granton, D., Wang, D. X., Helviz, Y., Einav, S., Frat, J. P., ... Azoulay, E. (2019). *High-flow nasal cannula compared with conventional oxygen therapy for acute hypoxemic respiratory failure: A systematic review and meta-analysis*. *Intensive Care Medicine*, 45(5), 563–572. <https://pubmed.ncbi.nlm.nih.gov/30888444/>
- Salari, N., et al. (2023). *The global prevalence of myocardial infarction: A systematic review and meta-analysis*. *BMC Cardiovascular Disorders*. <https://link.springer.com/article/10.1186/s12872-023-03231-w>
- Seow, H. J., Chen, K., & Phua, J. (2024). Clinical outcomes of high-flow nasal cannula versus conventional oxygen therapy in critically ill adults. *Respiratory Medicine*, 224, 107499. <https://doi.org/10.1016/j.rmed.2023.107499>
- Thygesen, K., Alpert, J. S., Jaffe, A. S., Chaitman, B. R., Bax, J. J., Morrow, D. A., & White, H. D. (2020). Fourth universal definition of myocardial infarction. *European Heart Journal*, 41(3), 237–269. <https://doi.org/10.1093/eurheartj/ehz462>
- United States National Library of Medicine. (2024). *Acute ST-Segment Elevation Myocardial Infarction (STEMI)*. In StatPearls. NIH Bookshelf. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK532281/>
- Vincent, J. L., & De Backer, D. (2023). Circulatory shock. *New England Journal of Medicine*, 388(18), 1726–1736. <https://doi.org/10.1056/NEJMr2209332>
- Warner, J. J. (2023). *Inferior wall myocardial infarction*. In StatPearls. StatPearls Publishing.

<https://www.ncbi.nlm.nih.gov/books/NBK470572/>

Yau, C. E., Lim, Z. J., Ponnappa Reddy, M., & Ong, V. (2023). ROX index as a predictor of high-flow nasal cannula success in acute respiratory failure: A systematic review. *Respiratory Care*, 68(5), 681–691. <https://doi.org/10.4187/respcare.10123>