DAFTAR PUSTAKA

Abdullah, T. 2012. Indonesia dalam Arus Sejarah: Sulawesi dan Kepulauan Nusa Tenggara. Jakarta: Ichtiar Baru van Hoeve.

Agre, A. P., Bhattacharjee, R., & Dansi, A. 2019. Agro-morphological characterization of *Xanthosoma sagittifolium* germplasm in West Africa. Genetic Resources and Crop Evolution, 66(2), 403–417. https://doi.org/10.1007/s10722-018-0722-9.

Ahmed, S., 2020. Genetic Diversity and Conservation Strategies in Root and Tuber Crops. Genetic Resources and Crop Evolution. 67(2):1-12.

Allard RW, & Bradshaw AD 1964. Implications of genotype-environment interaction. Crop Sci. 4: 503-507.

Amoako, FA., Koomson, IA-A., Ashiagbor, E., Adjei, A., Akakpo, K., Nabadam SP., Bismark BA., Arthur G., Fuseini M., & Nyadanu D. 2024. Molecular Characterization of Taro (*Colocasia Esculenta* (L.) Schott) Using Simple Sequence Repeat (SSR) markers. Res Sq.

Andarini, YN., & Risliawati, A .2018. Variabilitas Karakter Morfologi Plasma Nutfah Talas (*Colocasia esculenta*) Lokal Pulau Jawa. Bul. Plasma Nutfah. 24 (1): 63-76.

Ara, C., Wardoyo, E., & Ifadatin, S. 2024. Hubungan Kekerabatan Tanaman Talas (*Colocasia esculenta* (L). Schoot) di Kabupaten Bengkayang Berdasarkan Karakter Morfologi. Jurnal Ilmiah Biologi. 12(1):1410-1421.

Attaufiqy, W. R, & Waluyo, B. 2022. Keanekaragaman Talas Hitam (*Colocasia esculenta L.*) Berdasarkan Sebaran dan Dominasi. Jurnal Produksi Tanaman. 10(9): 465-474. ISSN: 2527-8452 http://dx.doi.org/10.21776/ub.protan.2022.010.09.01.

Azzahra, A., Lubis YD., Hartanti S., & Purnaningsih N. 2020. Teknik Budidaya Tanaman Talas (*Colocasia esculenta* Scho) sebagai Upaya Peningkatan Hasil Produksi Talas di Desa Situgede. Jurnal Inovasi Masyarakat. 2 (3): 412-416.

Bani, P., Daryono, & Purnomo. 2017. Penanda Molekuler *Inter simple sequnce repeats* (ISSR) untuk Menentukan Ketahanan Tanaman Jagung terhadap Penyakit Bulai. Jurnal Fitopalogi Indonesia. 13 (4): 127-135. DOI: 10.14692/JFI.13.4.127.

Begum S., Rahim, M. A., Rahman H., & Munsur S. 2025. Morphological variation of Colocasia esculenta var. esculenta germplasms in Bangladesh: variation, genetic advance and trait association. *Indian* Journal of Horticulture. 82(2):133-138. Doi:10.58993/ijh/2025.82.2.2.

Bidyananda N, Jamir I, Nowakowska K, Varte V, Vendrame WA, Devi RS, & Nongdam P. 2024. Plant Genetic Diversity Studies: Insights from DNA Marker Analyses. Int J Plant Biol. 15(3):607–640. doi:10.3390/ijpb15030046.

Cahyanti, D., Sopandie D., Santosa E., & Purnamawati H. 2022. Variabilitas Respon Pertumbuhan 17 Genotipe Tanaman Talas pada Kondisi Aerobik dan Genangan. J. Agron. 50(2): 164-171. DOI: https://dx.doi.org/10.24831/jai.v50i2.41814.

Cui, D., Tang, C., Lu H., Li, J., Ma, X., Xinxiang, A., Han B, Yang, Y., Dong, C., & Zhang, F. 2021. Genetic differentiation and restricted gene flow in rice landraces from Yunnan, China: effects of isolation-by-distance and isolation-by-environment. Rice. 14(1). doi:10.1186/s12284-021-00497-6.

Cunha, NL., Xue, H., Wright, SI., & Barrett SCH. 2022. Genetic variation and clonal diversity in floating aquatic plants: Comparative genomic analysis of water hyacinth species in their native range. Mol Ecol. 31(20):5307–5325. doi:10.1111/mec.16664.

Dawson H. 2022. *Xanthosoma sagittifolium* (elephant ear). PlantwisePlus Knowl Bank. Species Pa April. doi:10.1079/pwkb.species.56989.

Daza-Orsini, S., Medina-Jaramillo, C., & Lopez-Cordoba, A. 2025. Physicochemical Characterization of Starch and Cellulose Nanofibers Extracted from *Colocasia esculenta* Cultivated in the Colombian Caribbean. Polymers. 17:2-15 DOI:10.3390/polym17172354.

Effendy E, Respatijarti R, & Waluyo B. 2018. Keragaman Genetik dan Heritabilitas Karakter KomponenHasil dan Hasil Ciplukan (*Phisalis* sp.). Jurnal Agro. 5(1): 30-38.

Elwahab F, Sedki M, Sock M, Clément KL, Boukita H, Brhadda N, & Ziri R. 2025. Assessment of the Agronomic Performance of Newly Introduced Rice Varieties in Morocco. Int J Agric Biol. 33(4). doi:10.17957/IJAB/15.2291.

Erlinawati I. 2010. The Diversity of Terrestrial Araceae in Mt. Watuwila Complex, South-East of Sulawesi. Berk Penelit Hayati. 15(2):131–137. doi:10.23869/bphjbr.15.2.20106.

Fadil, A. 2018. Analisis Sektor Komoditi Unggulan dalam Pembangunan Ekonomi dan Strategi Pengembangan Kabupaten Bone. Skripsi. Makassar.

Fauzi, A., Ramdani, M., & Hidayat, R. 2019. Karakteristik wilayah pesisir Sulawesi Selatan dan peluang pengembangannya. Jurnal Wilayah dan Lingkungan, 7(3), 145–158

Ferdaus MJ, Chukwu-Munsen E, Foguel A, & Claro da Silva R. 2023. Taro roots: An underexploited Root Crop. Nutrients ;15(15):3337. doi:10.3390/nu15153337.

Ferita, I., Tawarati., & Syarif, Z. 2015. Identifikasi dan Karakterisasi Tanaman Enau (Arenga pinnata) dikabupaten Gayo Lues. Pros Sem Nas Masy Biodiv Indon. 1(1): 31-37.

Habibah, N., & Astika IW. 2020. Analisis Sistem Budi Daya Tanaman Talas (*Colocasia esculenta* L.) di Kelurahan Bubulak, Bogor Barat, Jawa Barat. Jurnal Pusat Inovasi Masyarakat. 2 (5): 771-781.

Hafsah, H., Hidayat, T., & Kusdianti. 2014. Hubungan Kekerabatan Kultivar Talas (*Colocasia esculenta*) berdasarkan Karakter Morfologi Organ Vegetatif. Jurnal Bioslogos. 4 (1): 17-25.

Herman., Nainggolan, M., & Roslim, D. 2018. Optimasi Suhu Annealing untuk Empat Primer RAPD pada Kacang Hijau (*Vigna radiata* L.). Jurnal Dinamika Pertanian. xxxxiv(1):41-46.

Hermita N, Muntasib EK, Suwarti, & Sunkar A. Ecological Perspective of Giant Taro as Local Biodiversity of Pandeglang Ecological Perspective of Giant Taro as Local Biodiversity of Pandeglang.

Hidayat, A., Mahfud, M., & Yulianti, E. 2016. Kondisi geografis dan potensi wilayah Teluk Bone. Jurnal Oseanografi Tropis, 2(1), 12–21.

Hidayatullah CS,, Santosa, E., & Sopandie D. 2020. Respon Genotipe Talas *Colocasia esculenta* dan var antiquorum pada Interval Pemberian Air Berbeda. J. Agron. 48 (3) : 249-257. DOI: https://dx.doi.org/10.24831/jai.v48i3.33136.

Humaira N., Nurimala., & Mutmainah. 2015. Kajian Preferensi Masyarakat terhadap Komoditas Talas sebagai Bahan Pangan Lokal di Provinsi Jawa Barat. Pembangunan Pertanian Berkelanjutan dalam Perspektif Teknologi, Sosial, dan Ekonomi. ISBN: 978-602-6697-58-5.

IBPGR. 1989. Descriptors for *Xanthosoma*. Rome: International Board for Plant Genetic Resources.

Imani A, Amani G, Shamili M, Mousavi A, Rezai H, Rasouli M, & Martínez-García PJ. 2021. Diversity and Broad Sense Heritability of Phenotypic

Characteristic in Almond Cultivars and Genotypes. Int J Hortic Sci Technol. 9(2):281–289. doi:10.22059/ijhst.2020.284452.303.

IPGRI. 1991. Descriptors for Taro *Colocasia esculenta*. Volume ke-112. Rome.

Iqbal J, Altaf MT, Jan MF, Raza W, Liaqat W, ul Haq I, Jamil A, Ahmed S, Ali A, & Mehmood A. 2023. Exploring Genetic Diversity in Cotton Genotypes Using EST-SSR and ISSR Markers: A Comparative Study. Sarhad J Agric. 39(4):800–814. doi:10.17582/JOURNAL.SJA/2023/39.4.800.814.

Ramirez-Jaramillo, G, R., Lozano-Contreras, M, & Ramirez-Silva, J, H. 2024. Agroclimatic Suitability of Malanga (*Colocasia esculenta* L. Schott) under Rainfed Conditions in Mexico. 11: 2333-9721. DOI: 10.4236/oalib.1112539

Kallo, R., Satna, A., & Nappu MB. 2019. Prospek Pengembangan Talas Jepang Satoimo di Sulawesi Selatan. Buletin Disem Teknol Pertan. 1(1):88-100.

Ladeska, V., Andriano, & Hanani. 2021. *Colocasia esculenta* L. (Talas): Kajian Farmakognosi, Fitokimia dan Aktivitas Farmakologi. Jurnal Sains dan Kesehatan. 3(2): 351-358. DOI: https://doi.org/10.25026/jsk.v3i2.457.

Lakhanpaul S, Velayudhan K.C, & Bhat K.V. 2003. Analysys of Genetic Diversity in Indian Taro (*Colocasia esculenta (L) Schott*) Using Random Amplified Polymorphic DNA (RAPD) Markers. Genetic Resources and Crop Evolution. 50: 603-609.

Legesse, T., & Bekele, T. 2021. Evaluation of improved taro (*Colocasia esculenta*(L.) Schott) genotypes on growth and yield performance in North-Bench woreda of Bench-Sheko zone, South-Western Ethiopia. National Librari of Medicine. 7(12). Doi:10.1016/j.heliyon.2021.e08630.

Lestari S, & Susilawati P.N. 2015. Uji Organoleptik Mi Basah Berbahan Dasar Tepung Talas Beneng (*Xantoshoma* undipes) untuk Meningkatkan Nilai Tambah Bahan Pangan Lokal Banten.

Lloyd, G, R., Uesugi, A., & Gleadow, R, M. 2021. Effects of Salinity on the Growth and Nutrition of Taro (*Colocasia esculenta*): Implications for Food Security. Plant. 10:2319. https://doi.org/10.3390/plants10112319.

Nurmayanti, K., Azizah, E., Suariadi, D, R., & Susanto, U. 2023. Hubungan Kekerabatan Beberapa Varietas Unggul Padi (Oryza sativa L.) Terpilih Berdasarkan Karakteristik Kualitas Biji. Jurnal Ilmu Biologi dan Terapan. 7(1). Doi:10.30821/kfl:jibt.v7i1.13851

Maghfirah., Santosa, E., & Suwarto. 2022. Karakterisasi Morfo-fisiologi dan Keragaman Genetik Aksesi Talas Kimpul (*Xanthosoma sagittifolium* (L.) Schott). J. Agron. Indonesia. 50(2):155-163. DOI: https://dx.doi.org/10.24831/jai.v50i2.41872.

Mahmud, K., Idris, I., & Fitriani, A. 2017. Analisis kesesuaian lahan pertanian di kawasan Teluk Bone, Sulawesi Selatan. Jurnal Tanah dan Iklim, 41(2), 75–86

Masniawati, A., Syafiuddin, M., Haring F., & Suryani S. 2019. Pengembangan dan Peningkatan Produksi Talas Satoimo di Sulawesi Selatan. Badan Penelitian dan Pengembangan. Sulawesi Selatan.

Maxiselly Y, & Kurniawan A. 2011. Keragaman Talas Spesies *Colocasia esculenta* (L.) Schott dan *Xanthosoma sagittifolium* (L.) Schott di Jawa Barat. Prosiding Seminar Hasil Penelitian Tanaman Aneka Kacang dan Umbi.

Minantyorini & Somantri. 2002. Panduan Karakterisasi dan Evaluasi Plasma Nutfah Talas. Badan Litbang Pertanian, Kementrian Pertanian, Komisi Nasional Plasma Nutfah.

Mitra, S. 2014. Morphological and nutritional diversity of Indian swamp taro (*Colocasia esculenta* var. stolonifera L. Schott). Research Paper.

Novembre, J., & Stephens, M. 2008. Interpreting principal component analyses of spatial population genetic variation. Nature Genetics, 40(5), 646–649

Mulyaningsih ES & Indrayani S. 2014. Keragaman Morfologi dan Gnetik Padi Gogo Lokal Asal Banten. *Jurnal Biologi Indonesia*. 10 (1): 119-128.

Murningsih & Jumari. 2017. Identifikasi Talas-Talasan Edible (*Araceae*) di Semarang, Jawa tengah. Bioma Berk. Ilm. Biol. 19 (1): 18-21.

Nur, M. & Muspida, A. (2020). Potensi ekonomi berbasis sumber daya alam di kawasan Teluk Bone. Jurnal Ekonomi dan Pembangunan Daerah, 9(1), 87–99

Ode, N., Prabawati., & Triyoso. 2023. Inventarisasi dan Identifikasi Jenis-jenis Tanaman Talas (*Colocasia esculenta* L.) di Kabupaten Sorong. Biolearning Journal. 10 (2): 36-40.

Oliveira GCX, Vieira ICG, & Tremblay RL. 2021. Editorial: Gene Flow Among Wild and Domesticated Plant Species in the Neotropical Region. Front Ecol Evol. 9(799071):509–517. doi:10.2307/1218252.

Ofusu-Bamfo, B., Yawson D., Asare, KB., Dadeboe, VO., Buabeng IK., Aggrey, J., Dapillah, DA., Boateng, DK., Offe, E., & Alhassan TA. 2023. Plant

diversity and ethnobotanical importance of home gardens in Ghana's middle belt: a cross-sectional survey of the Sunyani municipality. J Ethnobiol Ethnomed. 19(1):1–15. doi:10.1186/s13002-023-00632-1.

Oladimeji, JJ., Abe, A., Kumar, PL., Agre, PA., Ilesanmi, OJ., Vetukuri, RR., & Bhattacharjee R. 2024. Extent and patterns of morphological and molecular genetic diversity and population structure of Nigerian Taro cultivars. BMC Plant Biol. 24(1):1–15. doi:10.1186/s12870-024-05791-1.

Parshotam A. 2018. Issues facing larger-scale taro growing in New Zealand. Agron New Zeal. 48:177–189.

Perwitasari DS, & Cahyo A. 2009. Pembuatan Dekstrin sebagai Bahan Perekat dari Hidrolisis Pati Umbi Talas dengan Katalisator HCL. Chemical Engineering Seminar Soebardjo Brotohardjono VI. ISSN 1978-0427.

Prabawa, SH., Parmila, IP., & Sudirga I. 2021. Eksplorasi dan Karakterisasi Morfologi Sumber Daya Genetik Talas (*Colocasia esculenta* L.) di Kabupaten Buleleng. Jurnal Pertan Agros. 23(1): 61-73.

Pritchard, J. K., Stephens, M., & Donnelly, P. (2000). Inference of population structure using multilocus genotype data. Genetics, 155(2), 945–959.

Postma JA, Hecht VL, Pons TL, Poorter H, & Nord EA. 2021. Dividing the pie: A quantitative review on plant density responses. Plant Cell Enviroment. November 2020:1072–1094. doi:10.1111/pce.13968.

Prevost A, & Wilkinson MJ. 1999. A new system of comparing PCR primers applied to ISSR fingerprinting of potato cultivars. Theor Appl Genet. 98(1):107–112. doi:10.1007/s001220051046.

Putri JC., Haryanti S., & Izzati M. 2017. Pengaruh Lama Penyimpanan terhadap Perubahan Morfologi dan Kandungan Gizi pada Umbi Talas Bogor (*Colocasia esculenta* (L.) Schott). Jurnal Biologi. 6 (1) : 49-58

Quainoo, A. K., Amoako, P. O., & Darkwa, K. 2020. Diversity and utilization of cocoyam (*Xanthosoma spp.)* in Ghana: Implications for crop improvement. African Journal of Agricultural Research, 15(9), 1234–1243.

Rahman, Y & Yusuf P. 2020. Study Keragaman Pangan Lokal di Kecamatan Marawola Barat Kabupaten Sigi Provinsi Sulawesi Tengah (Local Food Diversity Study in Kecamatan Marawola Barat Sigi District Central Sulawesi Province). Mitra Sains. 8 (2): 131-152.

Ramadhan R., Aminah S., Wardana P., Subekti N., & Putra M. 2022.

Kelembagaan Talas Beneng: Instrumen Penting Mewujudkan Agribisnis Talas Beneng Berkelanjutan. Prosiding Seminar Nasional Hasil Penelitian Agribisnis VI. 6(1): 433-439.

Ridahwati. 2021. Changes in Rainfall and Climate Classification in South Sulawesi. J La Lifesci. 02(05):37–50. doi:10.37899/journallalifesci.v2i5.524.

Rosdanelly, C. R, Agussabti, & Azhar. 2018. Prospek Pengembangan Talas Jepang (*Colocasia esculenta* var Antiquorum) di Balai Diklat Pertanian (BDP) Saree, Aceh Besar. Jurnal Ilmiah Mahasiswa Pertanian Unsyiah. 3 (1): 213-222.

Rudyatmi E, & Rahayu E. 2014. Karakterisasi Talas Lokal Jawa Tengah (Identifikasi Sumber Plasma Nutfah sebagai Upaya Konservasi Tanaman Pangan Alternatif). Sainteknol. 12 (1): 1-8.

Sari L, Susetio M, Efendi D, Wulansari A, & Ermayanti TM. 2020. Growth evaluation of taro cv. Bentul (*Colocasia esculenta* L.) diploid and tetraploid in the greenhouse in response to different soil water content for selection of drought tolerant plants. IOP Conf Ser Earth Environ Sci. 439(1). doi:10.1088/1755-1315/439/1/012049.

Safriansyah, W., Asman, A., Ferdiana, NA., & Noviyanti AR. 2018. Karakter Morfologi Talas (*Colocasia esculenta*) sebagai Indikator Level Kadar Oksalat menggunakan Lensa Makro. Jamb. J. Chem. 3 (1): 37-44.

Savolainen, O., Lascoux, M., & Merila, J. 2022. Ecological Genomics of Local Adaptation. Nature Reviews Genetics. 23: 415-428.

Septianti E, & Sahardi S. 2018. Inventarisasi dan Karakterisasi Daya Genetik Talas Lokal di Kabupaten Toraja Utara. Bul. Plasma Nutfah. 24 (2): 115-124.

Setyowati M, Hanarida I, & Sutoro N. 2007. Karakteristik Umbi Plasma Nutfah Tanaman Talas (*Colocasia esculenta*). Buletin Plasma Nutfah. 13 (2) :49-55.

Silaban E, Kardhinata EH, & Hanafiah DS. 2019. Inventarisasi dan Identifikasi Jenis Tanaman Talas-Talasan dari Genus *Colocasia* dan *Xanthosoma* di Kabupaten Deli Serdang dan Serdang Bedagai. Jurnal Agroteknologi FP USU. 7 (1): 46-54.

Sitepu, A., Bayu, E., & Siregar, L. 2019. Analisis Pola Pita Beberapa Genotipe Kurma (*Phoenix dactylifera* L.) Menggunakan Primer RAPD. Jurnal online Agroekoteknologi. 7(3)502-507. Doi:10.32734.

Simamora, MI., Yuliana, N., & Turmudi. 2018. Penampilan 10 Aksesi Talas (*Colocasia esculenta* (L). Schott) di Lahan Pesisir Bengkulu. Jurnal Ilmu-ilmu Pertanian Indonesia. 20 (1): 19-25.

Singh AK, Yadav V, Rao VA, Mishra DS, Yadav LP, Gangadhara K, Rane J, Sahil A, Ravat P, & Janani P. 2025. Characterization and evaluation of tamarind (*Tamarindus indica* L.) germplasm: implications for tree improvement strategies. BMC Plant Biol. 25(1). doi:10.1186/s12870-025-06415-y.

Slatkin, M. 1987. Gene flow and the geographic structure of natural populations. Science, 236(4803), 787–792. DOI: 10.1126/science.3576198.

Solihin, M, A., Sitorus, S., Sutandi, A., & Widiatmaka. 2017. Karakteristik Lahan dan Kualitas Kemanisan Ubi Jalar Cilembu. Jurnal Pengelolaan Sumberdaya Alam dan Lingkungan. 7(3):251-259. doi: 10.29244/jpsl.7.3.251-259

Sulistyowati, P. V., Kendarini, N., & Respatijarti. 2014. Observasi Keberadaan Tanaman Talas-Talasan Genus *Colocasia* dan *Xanthosoma* Di Kec. Kedungkandang Kota Malang Dan Kec. Ampelgading Kab. Malang. Jurnal Produksi Tanaman. 2 (2): 86-93.

Sunitha S, Ravi V, George J, & Suja G. 2013. Aroids and Water Relations: An Overview. J Root Crop. 39(1):10-21.

Tambaru R, Burhanuddin AI, Haris A, Amran MA, Massinai A, Muhiddin AH, & Yaqin K. 2024. Diversity and abundance of phytoplankton in Bone Bay , South Sulawesi , Indonesia and its relationship with environmental variables. Biodiversitas. 25(2):624–631. doi:10.13057/biodiv/d250221.

Thakur P, Ram D, & Naik U. 2021. Morphological characterization of Taro [*Colocasia esculenta* (L.) Schott] germplasm. J Pharmacogn Phytochem.10(2):1264–1268. https://www.phytojournal.com/archives/2021/vol10issue2/PartQ/10-2-227-185.

Tirivangasi H, & Dyke. 2017. Indigenous Knowledge Systems (IKS) and Food Security in South Africa: Is Land Reform a Prerequisite. Journal of Human Ecology. 57(3): 118-124.

Trimanto, T., Sajidan S., & Sugiyarto S. 2011. Karakterisasi Talas (*Colocasia esculenta*). Berdasarkan Penanda Morfologi dan Pola Pita Isozim. Journal Of Biologi Since. 3(1): 7-14.

Uma. 2022. Studies On Genetic Variability in Taro [*Colocasia esculenta* var. antiquorum (L.)] for Corm Yield And Contributing Characters. Thesis. Department of Vegetable Science, Faculty of Horticulture, College of

Agriculture, Indira Gandhi Krishi Vishwavidyalaya, Raipur, Chhattisgarh, India.

Wang H, Wang R, Harrison SP, & Prentice IC. 2022. Leaf morphological traits as adaptations to multiple climate gradients. J Ecol. 110(6):1344–1355. doi:10.1111/1365-2745.13873.

Wisdawati, E., Kuswinanti, T., Rosmana, A., & Nasruddin A. 2019. Keanekaragaman Cendawan Rizosfer pada Tanaman Talas Satoimo. Jurnal Agroplantae. 8 (2): 51-57.

Wulanningtyas H., Sabda, M., Ondikeleuw., & Baliadi. 2019. Keragaman Morfologi Talas (*Colocasia esculenta* L.) Lokal Papua. Bul. Plasma Nutfah. 25(2): 23-30.