

DAFTAR PUSTAKA

1. Jafra A, Makkar JK, Bhatia N, Singh NP. Quadratus Lumborum Block for Post Cesarean Delivery Analgesia: A Review. *J Anesthesiol & Pain Therapy*. 2021;2(3):8-13
2. Butterworth, J. F., IV, Mackey, D. C., & Wasnick, J. D. (2022). *Morgan & Mikhail's clinical anesthesiology* (7th ed.). McGraw-Hill Education
3. Marfuah, D. *et al.* (2019) 'Pain Intensity among Women with Post-Cesarean Section: A Descriptive Study', *KnE Life Sciences* [Preprint]. Available at: <https://doi.org/10.18502/kls.v4i13.5322>.
4. Forero M, Adhikary SD, Lopez H, Tsui C, Chin KJ. The Erector Spinae Plane Block: A Novel Analgesic Technique in Thoracic Neuropathic Pain. *Reg Anesth Pain Med*. 2016 Sep-Oct;41(5):621-7. [PubMed]
5. Abdallah, F. W., et al. (2019). The efficacy of Erector Spinae Plane block for post-cesarean analgesia: a randomized controlled trial. *Pain Medicine*, 20(2), 224–230.
6. Elsharkawy, H., et al. (2017). Quadratus lumborum block: anatomical concepts, mechanisms, and techniques. *Regional Anesthesia and Pain Medicine*, 42(6), 674–681.
7. Ferreira, L. M., et al. (2015). The role of IL-6 in postoperative pain and inflammation after cesarean section. *Journal of Anesthesia*, 29(4), 564–571.
8. Hunter, C. A., & Jones, S. A. (2015). IL-6 as a keystone cytokine in health and disease. *Nature Immunology*, 16(5), 448–457.
9. Kawasaki, Y., et al. (2014). Role of cytokines in neuropathic pain. *Current Opinion in Supportive and Palliative Care*, 8(2), 143–149.
10. Kim, S. H., et al. (2018). IL-6 signaling in inflammation and pain. *Journal of Neuroimmune Pharmacology*, 13(3), 267–280.
11. Abate, S.M. *et al.* (2022) 'Efficacy and safety of wound infiltration modalities for postoperative pain management after cesarean section: a systematic review and network meta-analysis protocol', *Systematic Reviews*, 11, p. 194. Available at: <https://doi.org/10.1186/s13643-022-02068-2>.
12. Hussen, I. *et al.* (2022) 'Post-operative pain and associated factors after cesarean section at Hawassa University Comprehensive Specialized Hospital, Hawassa, Ethiopia: A cross-sectional study', *Annals of Medicine and Surgery*, 81, p. 104321. Available at: <https://doi.org/10.1016/j.amsu.2022.104321>.
13. Kintu, A. *et al.* (2019) *Postoperative pain after cesarean section: assessment and management in a tertiary hospital in a low-income country* - PMC. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6347795/> (Accessed: 13 September 2023).
14. Cunningham, F.G. (ed.) (2022) *Williams Obstetrics*. Twenty-sixth edition. New York: McGraw Hill.
15. Sung, S. and Mahdy, H. (2023) 'Cesarean Section', in *StatPearls*. Treasure Island (FL): StatPearls Publishing. Available at: <http://www.ncbi.nlm.nih.gov/books/NBK546707/> (Accessed: 23 October 2023).

16. Jauniaux, E. and Grobman, W.A. (eds) (2016) *Textbook of Caesarean Section*. First edition. Oxford: Oxford University Press.
17. Nastiti, A.A. *et al.* (2022) 'Determinants of caesarean section delivery: a nationwide study in Indonesia', *British Journal of Midwifery*, 30(5), pp. 282–289. Available at: <https://doi.org/10.12968/bjom.2022.30.5.282>.
18. Islam, Md.A. *et al.* (2022) 'Caesarean Section in Indonesia: Analysis of Trends and Socio-Demographic Correlates in Three Demographic and Health Surveys (2007–2017)', *Dr. Sulaiman Al Habib Medical Journal*, 4(3), pp. 136–144. Available at: <https://doi.org/10.1007/s44229-022-00011-0>.
19. Sihombing, N., Saptarini, I. and Putri, Dwi Sisca Kumala (2017) 'The Determinants of Sectio Caesarea Labor in Indonesia (Further Analysis of Riskesdas 2013)', *Jurnal Kesehatan Reproduksi*, 8. Available at: <https://doi.org/10.22435/kespro.v8i1.6641.63-75>.
20. Stanisic, D.M. *et al.* (2022) 'Comparison of Post-Cesarean Pain Perception of General Versus Regional Anesthesia, a Single-Center Study', *Medicina*, 59(1), p. 44. Available at: <https://doi.org/10.3390/medicina59010044>.
21. Neall, G., Bampoe, S., & Sultan, P. (2022). Analgesia for Caesarean section. *BJA education*, 22(5), 197–203. <https://doi.org/10.1016/j.bjae.2021.12.008>
22. Sutton, C. D., & Carvalho, B. (2017). Optimal Pain Management After Cesarean Delivery. *Anesthesiology clinics*, 35(1), 107–124. <https://doi.org/10.1016/j.anclin.2016.09.010>
23. Babazade, R., Vadhera, R. B., Krishnamurthy, P., Varma, A., Doulatram, G., Saade, G. R., & Turan, A. (2020). Acute postcesarean pain is associated with in-hospital exclusive breastfeeding, length of stay and post-partum depression. *Journal of clinical anesthesia*, 62, 109697. <https://doi.org/10.1016/j.jclinane.2019.109697>
24. Hooda, R., Malik, N., Pathak, P., More, H., & Singh, V. (2023). Impact of Postoperative Pain on Early Initiation of Breastfeeding and Ambulation After Cesarean Section: A Randomized Trial. *Breastfeeding medicine : the official journal of the Academy of Breastfeeding Medicine*, 18(2), 132–137. <https://doi.org/10.1089/bfm.2022.0208>
25. Lewald, H., & Girard, T. (2023). Analgesia after cesarean section - what is new?. *Current opinion in anaesthesiology*, 36(3), 288–292. <https://doi.org/10.1097/ACO.0000000000001259>
26. Srivastava, U., Verma, S., Singh, T. K., Gupta, A., Saxsena, A., Jagar, K. D., & Gupta, M. (2015). Efficacy of trans abdominis plane block for post cesarean delivery analgesia: A double-blind, randomized trial. *Saudi journal of anaesthesia*, 9(3), 298–302. <https://doi.org/10.4103/1658-354X.154732>
27. Ramón Saucillo-Osuna, J., Antonio Wilson-Manríquez, E., Nicté López-Hernández, M., & Lilia Garduño-López, A. (2023). Perioperative Analgesia in Caesarean Section: What's New? IntechOpen. doi: 10.5772/intechopen.109900
28. Sangkum, L., Tangjitbampenbun, A., Chalacheewa, T., Brennan, K., & Liu, H. (2023). Peripheral Nerve Blocks for Cesarean Delivery Analgesia: A

- Narrative Review. *Medicina (Kaunas, Lithuania)*, 59(11), 1951. <https://doi.org/10.3390/medicina59111951>
29. Krishnan S, Cascella M. Erector Spinae Plane Block. In: StatPearls [Internet]. Last Update: June 4, 2023. Available from: <https://www.statpearls.com/>
 30. Yoshizaki M, Murata H, Ogami-Takamura K, Hara T. Bilateral erector spinae plane block using a programmed intermittent bolus technique for pain management after Nuss procedure. *J Clin Anesth*. 2019 Nov;57:51-52.
 31. Raft J, Chin KJ, Belanger ME, Clairoux A, Richebé P, Brulotte V. Continuous Erector Spinae Plane Block for thoracotomy analgesia after epidural failure. *J Clin Anesth*. 2019 May;54:132-133.
 32. Kim E, Kwon W, Oh S, Bang S. The Erector Spinae Plane Block for Postoperative Analgesia after Percutaneous Nephrolithotomy. *Chin Med J (Engl)*. 2018 Aug 05;131(15):1877-1878.
 33. Chin KJ, Adhikary S, Sarwani N, Forero M. The analgesic efficacy of pre-operative bilateral erector spinae plane (ESP) blocks in patients having ventral hernia repair. *Anaesthesia*. 2017 Apr;72(4):452-460.
 34. Ribeiro Junior, I. D. V., Carvalho, V. H., & Brito, L. G. O. (2022). Erector spinae plane block for analgesia after cesarean delivery: a systematic review with meta-analysis. *Brazilian journal of anesthesiology (Elsevier)*, 72(4), 506–515. <https://doi.org/10.1016/j.bjane.2021.09.015>
 35. Liang X, Zhou W, Fan Y. Erector spinae plane block for spinal surgery: A systematic review and meta-analysis. Vol. 34, *Korean Journal of Pain*. Korean Pain Society; 2021. p. 487–500.
 36. Jain K, Jaiswal V, Puri A. Erector spinae plane block: Relatively new block on horizon with a wide spectrum of application – A case series. *Indian J Anaesth*. 2018;62(10).
 37. Shyan Siow W, Guan Cheng Lim J, Lian Woon K. Erector Spinae Plane Block for Mastectomy and Breast Flap Reconstructive Surgery: A Three Case Series. *Open J Anesthesiol* [Internet]. 2020;10:30–7. Available from: <https://doi.org/10.4236/ojanes.2019.101003>
 38. Luis-Navarro JC, Seda-Guzmán M, Luis-Moreno C, Chin KJ. Erector Spinae Plane Block in Abdominal Surgery: Case Series. *Indian J Anaesth*. 2018 Jul;62(7):549- 554.
 39. Onishi E, Toda N, Kameyama Y, Yamauchi M, Ueshima H. Comparison of clinical efficacy and anatomical investigation between retrolaminar block and erector spinae plane block. Vol. 2019, *BioMed Research International*. Hindawi Limited; 2019.
 40. Pawa A, King C, Thang C, White L. Erector spinae plane block: the ultimate ‘plan 21 A’ block? Vol. 130, *British Journal of Anaesthesia*. Elsevier Ltd; 2023. p. 497– 502
 41. Schug SA, Palmer GM, Scott DA, Alcock M, Halliwell R, Mott JF. *Acute Pain Management: Scientific Evidence*.
 42. Leong RW, Tan ESJ, Wong SN, Tan KH, Liu CW. Efficacy of erector spinae plane block for analgesia in breast surgery: a systematic review and meta- analysis. Vol. 76, *Anaesthesia*. Blackwell Publishing Ltd; 2021. p. 404–13

43. Hu, J., Chen, Q., Xu, Q., Song, Y., Wei, K., & Lei, X. F. (2022). Analgesic effect of ultrasound-guided erector spinae plane block (espb) in general anesthesia for cesarean section: a randomized controlled trial. *BMC anesthesiology*, 22(1), 244. <https://doi.org/10.1186/s12871-022-01781-8>
44. Qin, Y., Yang, Y., Qin, S., & Xiong, Z. (2024). Regional nerve block in postoperative analgesia after cesarean section: A narrative review. *Medicine*, 103(52), e41159. <https://doi.org/10.1097/MD.00000000000041159>
45. Hamed, M. A., Yassin, H. M., Botros, J. M., & Abdelhady, M. A. (2020). Analgesic Efficacy of Erector Spinae Plane Block Compared with Intrathecal Morphine After Elective Cesarean Section: A Prospective Randomized Controlled Study. *Journal of pain research*, 13, 597–604. <https://doi.org/10.2147/JPR.S242568>
46. Tantri, A. R., Rahmi, R., Marsaban, A. H. M., Satoto, D., Rahyussalim, A. J., & Sukmono, R. B. (2023). Comparison of postoperative IL-6 and IL-10 levels following Erector Spinae Plane Block (ESPB) and classical Thoracolumbar Interfascial Plane (TLIP) block in a posterior lumbar decompression and stabilization procedure: a randomized controlled trial. *BMC anesthesiology*, 23(1), 13. <https://doi.org/10.1186/s12871-023-01973-w>
47. Kang, R., Lee, S., Kim, G. S., Jeong, J. S., Gwak, M. S., Kim, J. M., Choi, G. S., Cho, Y. J., & Ko, J. S. (2021). Comparison of Analgesic Efficacy of Erector Spinae Plane Block and Posterior Quadratus Lumborum Block in Laparoscopic Liver Resection: A Randomized Controlled Trial. *Journal of pain research*, 14, 3791–3800. <https://doi.org/10.2147/JPR.S343366>
48. Dhanjal ST, Tonder S. Quadratus Lumborum Block. [Updated 2023 Aug 14]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2025 Jan-. Available from: https://www.ncbi.nlm.nih.gov/books/NBK537212/?utm_source=chatgpt.com
49. Mitchell KD, Smith CT, Mechling C, et al. A review of peripheral nerve blocks for cesarean delivery analgesia. *Regional Anesthesia and Pain Medicine*. 2019 Oct;rapm-2019-100752. DOI: 10.1136/rapm-2019-100752. PMID: 31653797; PMCID: PMC7182469.
50. Akerman, M., Pejčić, N., & Veličković, I. (2018). A Review of the Quadratus Lumborum Block and ERAS. *Frontiers in medicine*, 5, 44. <https://doi.org/10.3389/fmed.2018.00044>
51. Gupta, A., Sondekoppam, R. & Kalagara, H. Quadratus Lumborum Block: a Technical Review. *Curr Anesthesiol Rep* 9, 257–262 (2019). <https://doi.org/10.1007/s40140-019-00338-9>
52. Zhao, Z., Xu, K., Zhang, Y., Chen, G., & Zhou, Y. (2021). Quadratus lumborum block for postoperative analgesia after cesarean section: a meta-analysis of randomized controlled trials with trial sequential analysis. *Scientific reports*, 11(1), 18104. <https://doi.org/10.1038/s41598-021-96546-7>
53. Xu, M., Tang, Y., Wang, J., & Yang, J. (2020). Quadratus lumborum block for postoperative analgesia after cesarean delivery: a systematic review and

- meta-analysis. *International journal of obstetric anesthesia*, 42, 87–98. <https://doi.org/10.1016/j.ijoa.2020.02.005>
54. Rahendra, R., Pryambodho, P., Aditianingsih, D., Sukmono, R. B., Tantri, A., & Melati, A. C. (2019). Comparison of IL-6 and CRP concentration between quadratus lumborum and epidural blockade among living kidney donors: A randomized controlled trial. *Anesthesiology and Pain Medicine*, 9(2), Article e91527. <https://doi.org/10.5812/aapm.91527>
 55. Aditianingsih, D., Sukmono, B., Adiwongso, E., & Mochtar, C. (2019). Effect of Pre-incisional Ultrasound-guided Quadratus Lumborum Block on Perioperative Analgesia and Inflammatory Responses in Transperitoneal Laparoscopic Nephrectomy: A Single-blinded, Randomised Control Trial. In *Proceedings of the 4th Annual International Conference and Exhibition on Indonesian Medical Education and Research Institute The 4th ICE on IMERI* (pp. 26–32) <https://doi.org/10.5220/0009387900260032>
 56. Sá, M., Cardoso, J. M., Reis, H., Esteves, M., Sampaio, J., Gouveia, I., Carballada, P., Pinheiro, C., & Machado, D. (2018). Bloqueio do quadrado lombar: estamos cientes de seus efeitos colaterais? Relato de dois casos [Quadratus lumborum block: are we aware of its side effects? A report of 2 cases]. *Brazilian journal of anesthesiology (Elsevier)*, 68(4), 396–399. <https://doi.org/10.1016/j.bjan.2017.04.023>
 57. Wikner M. (2017). Unexpected motor weakness following quadratus lumborum block for gynaecological laparoscopy. *Anaesthesia*, 72(2), 230–232. <https://doi.org/10.1111/anae.13754>
 58. Dîrzu, D. S., Dîcu, C., & Dîrzu, N. (2019). Urinary retention: a possible complication of unilateral continuous quadratus lumborum analgesia - a case report. *Romanian journal of anaesthesia and intensive care*, 26(1), 75–78. <https://doi.org/10.2478/rjaic-2019-0011>
 59. Joshi R, Jeevan R, Amutha SV, Ramakrishnan L, Natarajan NR. Comparison of ultrasound-guided erector spinae plane block versus transmuscular quadratus lumborum block for postoperative analgesia after caesarean delivery: A prospective randomized non-inferiority clinical trial. *J Anaesthesiol Clin Pharmacol*. 2024 Jul-Sep;40(3):478-485. doi: 10.4103/joacp.joacp_71_23. Epub 2024 Mar 15. PMID: 39391667; PMCID: PMC11463943.
 60. Hussain N, Brull R, Thaete L, Fuller S, D'Souza RS, Mankinen-Abdallah Y, Essandoh MK, Weaver TE, Abdallah FW. The analgesic effects of novel fascial plane blocks compared with intrathecal morphine after Caesarean delivery: a systematic review and meta-analysis. *Br J Anaesth*. 2025 May;134(5):1415-1431. doi: 10.1016/j.bja.2025.01.032. Epub 2025 Mar 11. PMID: 40074621; PMCID: PMC12106898.
 61. Heppolette, C.A.A. *et al.* (2020) 'Clinical Pharmacokinetics and Pharmacodynamics of Levobupivacaine', *Clinical Pharmacokinetics*, 59(6), pp. 715–745. Available at: <https://doi.org/10.1007/s40262-020-00868-0>.
 62. Bajwa, S.J.S. and Kaur, J. (2013a) 'Clinical profile of levobupivacaine in regional anesthesia: A systematic review', *Journal of Anaesthesiology*,

- Clinical Pharmacology*, 29(4), pp. 530–539. Available at: <https://doi.org/10.4103/0970-9185.119172>.
63. Demiraran, Y. *et al.* (2013) ‘Tramadol and levobupivacaine wound infiltration at cesarean delivery for postoperative analgesia’, *Journal of Anesthesia*, 27(2), pp. 175–179. Available at: <https://doi.org/10.1007/s00540-012-1510-7>.
 64. Gurbet, A. *et al.* (2014) ‘Preemptive wound infiltration in lumbar laminectomy for postoperative pain: comparison of bupivacaine and levobupivacaine’, *Turkish Neurosurgery*, 24(1), pp. 48–53. Available at: <https://doi.org/10.5137/1019-5149.JTN.8431-13.0>.
 65. Glavas Tahtler, J. *et al.* (2023) ‘Long-Term Outcomes of Breast Cancer Patients Receiving Levobupivacaine Wound Infiltration or Diclofenac for Postoperative Pain Relief’, *Pharmaceutics*, 15(9), p. 2183. Available at: <https://doi.org/10.3390/pharmaceutics15092183>
 66. Çnar, S.Ö. *et al.* (2009) ‘Effects of levobupivacaine infiltration on postoperative analgesia and stress response in children following inguinal hernia repair’, *European Journal of Anaesthesiology*, 26(5), pp. 430–434. Available at: <https://doi.org/10.1097/EJA.0b013e32832974fc>.
 67. Dere, K. *et al.* (2009) ‘The Comparison of the Effects of Different Doses of Levobupivacaine Infiltration on Wound Healing’, *Journal of Investigative Surgery*, 22(2), pp. 112–116. Available at: <https://doi.org/10.1080/08941930802713019>.
 68. Vosoughian, M., Dahi, M., Dabir, S., Moshari, M., Tabashi, S., & Mosavi, Z. (2021). Effects of General Anesthesia Versus Spinal Anesthesia on Serum Cytokine Release After Cesarean Section: A Randomized Clinical Trial. *Anesthesiology and pain medicine*, 11(2), e111272. <https://doi.org/10.5812/aapm.111272>
 69. Jing, Yimeng MSa; Zhao, Shishun PhDb; Guo, Wenlai MDc; Qin, Lu PhDb; Li, Yaxin MSa; You, Di MDd,* . Comparison of analgesic modalities after cesarean section: a network meta-analysis and systematic review. *International Journal of Surgery* 111(5):p 3599-3612, May 2025. | DOI: 10.1097/JS9.0000000000002352
 70. Watson, S.E., Richardson, A.L. and Lucas, D.N. (2022) ‘Neuraxial and general anaesthesia for caesarean section’, *Best Practice & Research Clinical Anaesthesiology*, 36(1), pp. 53–68. Available at: <https://doi.org/10.1016/j.bpa.2022.04.007>.
 71. Arzola, C. and Wiecezorek, P.M. (2011) ‘Efficacy of low-dose bupivacaine in spinal anaesthesia for Caesarean delivery: systematic review and meta-analysis’, *British Journal of Anaesthesia*, 107(3), pp. 308–318. Available at: <https://doi.org/10.1093/bja/aer200>.
 72. Kementerian Kesehatan Republik Indonesia (2022) *Keputusan Menteri Kesehatan Republik Indonesia Nomor Hk.01.07/Menkes/1541/2022 Tentang Pedoman Nasional Pelayanan Kedokteran Tata Laksana Anestesiologi dan Terapi Intensif*.
 73. Roofthoof, E. *et al.* (2021) ‘PROSPECT guideline for elective caesarean section: updated systematic review and procedure-specific postoperative pain management recommendations’, *Anaesthesia*, 76(5), pp. 665–680. Available at: <https://doi.org/10.1111/anae.15339>.

74. Sharawi, N. *et al.* (2018) 'A Systematic Review Evaluating Neuraxial Morphine and Diamorphine-Associated Respiratory Depression After Cesarean Delivery', *Anesthesia & Analgesia*, 127(6), p. 1385. Available at: <https://doi.org/10.1213/ANE.0000000000003636>.
75. Bjørnstad, J. and Ræder, J. (2020) 'Post-operative pain after caesarean section', *Tidsskrift for Den norske legeforening* [Preprint]. Available at: <https://tidsskriftet.no/en/2020/05/kort-rapport/post-operative-pain-after-caesarean-section> (Accessed: 21 October 2023).
76. Desborough JP. The stress response to trauma and surgery. *Br J Anaesth.* 2000;85(1):109–117.
77. Kehlet H. Multimodal approach to control postoperative pathophysiology and rehabilitation. *Br J Anaesth.* 1997;78(5):606–617.
78. Blanco R, *et al.* Quadratus lumborum block for postoperative pain after cesarean section. *Reg Anesth Pain Med.* 2015;40(6):762–767.
79. Helmy SA, *et al.* Relationship between postoperative pain intensity and inflammatory cytokines. *Pain Physician.* 2012;15(3):E297–E303.
80. Hawker GA, Mian S, Kendzerska T, French M. Measures of adult pain: Visual Analog Scale for Pain (VAS Pain), Numeric Rating Scale (NRS Pain), McGill Pain Questionnaire (MPQ), Short-Form McGill Pain Questionnaire (SF-MPQ), Chronic Pain Grade Scale (CPGS), Short Form-36 Bodily Pain Scale (SF-36 BPS), and Measure of Intermittent and Constant Osteoarthritis Pain (ICOAP). *Arthritis Care Res (Hoboken).* 2011;63(Suppl 11):S240–S252.
81. Breivik H, Borchgrevink PC, Allen SM, *et al.* Assessment of pain. *Br J Anaesth.* 2008;101(1):17–24.
82. Lisowska, B., Małdyk, P., Kontny, E., Michalak, C., Jung, L., & Cwiek, R. (2006). Postoperative evaluation of plasma interleukin-6 concentration in patients after total hip arthroplasty. *Ortopedia, traumatologia, rehabilitacja*, 8(5), 547–554.
83. Koerner, J. D., Markova, D. Z., Schroeder, G. D., Antonacci, C. L., Mendelis, J., Vaccaro, A. R., Anderson, D. G., & Kepler, C. K. (2020). Correlation of Early Outcomes and Intradiscal Interleukin-6 Expression in Lumbar Fusion Patients. *Neurospine*, 17(1), 36–41. <https://doi.org/10.14245/ns.2040054.027>
84. Gupta K, Rastogi B, Gupta PK, *et al.* Comparison of the efficacy of different regional anesthesia techniques using time to first rescue analgesia as a measure of block effectiveness. *Saudi J Anaesth.* 2021;15(2):155–162.
85. Kehlet H, Dahl JB. The value of multimodal or balanced analgesia in postoperative pain treatment. *Anesth Analg.* 1993;77(5):1048–1056.
86. Mohamed SS, Temu R, Komba L, *et al.* Patient satisfaction with and outcomes of ultrasound-guided regional anesthesia at a referral hospital in Tanzania: a cross-sectional study. *Anesth Analg.* 2024; DOI:10.1213/ANE.0000000000006374.
87. Ilfeld BM, *et al.* Does regional anesthesia improve the quality of postoperative pain management and the quality of recovery? Results prospective cohort in orthopedic fractures. *J Bone Joint Surg Am.* 2015;97(12):1006–1015.

88. Mariano ER, et al. Regional anaesthesia and patient satisfaction after upper extremity surgery: a prospective observational study. *BMC Anesthesiol.* 2019;19:278.
89. Alanazi KQ, Alruwaili NF, et al. Assessing patient satisfaction with perioperative anesthesia services: associated factors in general hospital patients. *J Popul Ther Clin Pharmacol.* 2023;30(4):541–550.