

DAFTAR PUSTAKA

- Abbas, M. dan Goldin, J. (2025) Type I Hypersensitivity Reaction, St. Petersburg (FL), StatPearls Publishing. [Online] Available at: <https://www.ncbi.nlm.nih.gov/books/NBK560561/>
- Aghajafari, F., Field, C. J., Kaplan, B. J., Maggiore, J. A., O'Beirne, M., Hanley, D. A., Eliasziw, M., Dewey, D., Ross, S., & Rabi, D. (2017). The High Prevalence of Vitamin D Insufficiency in Cord Blood in Calgary, Alberta (APrON-D Study). *Journal of Obstetrics and Gynaecology Canada*, 39(5), 347-353.e1. <https://doi.org/10.1016/j.jogc.2017.01.008>
- Akib, A.A., Munasir, Z. dan Kurniati, N. (eds.) (2010). Buku Ajar Alergi-Imunologi Anak. Edisi ke-2. Jakarta: Badan Penerbit IDAI.
- Baïz, N., Dargent-Molina, P., Wark, J. D., Souberbielle, J., & Annesi-Maesano, I. (2013). Cord serum 25-hydroxyvitamin D and risk of early childhood transient wheezing and atopic dermatitis. *Journal of Allergy and Clinical Immunology*, 133(1), 147. <https://doi.org/10.1016/j.jaci.2013.05.017>
- Burke, H., et al. (2012). Prenatal and passive smoke exposure and incidence of asthma and wheeze: systematic review and meta-analysis. *Pediatrics*, 129(4), 735-744.
- Briceno Noriega, D., & Savelkoul, H. F. J. (2021). Vitamin D and allergy susceptibility during gestation and early life. *Nutrients*, 13(3), 1–19. <https://doi.org/10.3390/nu13031015>
- Boyce, J.A., Assa'ad, A., Burks, A.W., Jones, S.M., Sampson, H.A., Wood, R.A., Plaut, M., Cooper, S.F., Fenton, M.J., Arshad, S.H., Bahna, S.L., Beck, L.A., Byrd-Bredbenner, C., Camargo, C.A., Eichenfield, L., Furuta, G.T., Hanifin, J.M., Hourihane, J.O., Lack, G., Lemanske, R.F., Sheth, N.M., Vliagoftis, H. & Budzynski, G.W. (2010) 'Guidelines for the diagnosis and management of food allergy in the United States: report of the NIAID-sponsored expert panel', *Journal of Allergy and Clinical Immunology*, 126(6), pp. S1–S58
- Chawes, B., Bønnelykke, K., Jensen, P. F., Schoos, A. M., Heickendorff, L., & Bisgaard, H. (2014). Cord Blood 25(OH)-Vitamin D Deficiency and Childhood Asthma, Allergy and Eczema: The COPSAC2000 Birth Cohort Study. *PLoS ONE*, 9(6). <https://doi.org/10.1371/journal.pone.0099856>
- Chiu, Y. E., Havens, P. L., Siegel, D. H., Ali, O., Wang, T., Holland, K. E., Galbraith, S. S., Lyon, V. B., & Drolet, B. A. (2013). Serum 25-hydroxyvitamin D concentration does not correlate with atopic dermatitis severity. *Journal of the American Academy of Dermatology*, 69(1), 40. <https://doi.org/10.1016/j.jaad.2013.01.010>
- Di, T., & Chen, L. (2021). A narrative review of vitamin D and food allergy in infants and children. *Translational Pediatrics*, 10(10), 2614–2620.

- <https://doi.org/10.21037/tp-21-396>
- Dib, G., Doya, L. J., Al-hakim, A., Ismaeel, Y., Motawej, H. H., & Ismaeel, M. (2020). Prediction of allergic diseases by measurement total IgE in umbilical cord blood levels: A 8 -year follow up study. *Research Square (Research Square)*. <https://doi.org/10.21203/rs.3.rs-119298/v1>
- Dougherty, J. M., Alsayouri, K. dan Sadowski, A. (2023) Allergy, St. Petersburg (FL), StatPearls Publishing. [Online] Available at: www.ncbi.nlm.nih.gov
- Esenboga, S., Cetinkaya, P. G., Sahiner, N., Birben, E., Soyer, O., Sekerel, B. E., & Sahiner, U. M. (2021). Infantile atopic dermatitis: Serum vitamin D, zinc and TARC levels and their relationship with disease phenotype and severity. *Allergologia et Immunopathologia*, 49(3), 162–168. <https://doi.org/10.15586/aei.v49i3.191>
- Feldman, A. S., et al. (2015). Respiratory exposure and host response: implications for subsequent asthma. *Annals of the American Thoracic Society*, 12(Supplement 2), S166-S173.
- Fewtrell, M., et al. (2017). Complementary Feeding: A Position Paper by the European Society for Paediatric Gastroenterology, Hepatology and Nutrition (ESPGHAN) Committee on Nutrition. *Journal of Pediatric Gastroenterology and Nutrition*, 64(1), 119-132.
- Galli, S. J., Nakae, S. and Tsai, M. (2005). Mast cells in the development of adaptive immune responses. *Nature Immunology*, 6(2), pp. 135-142.
- Ghahremani, P. (2022). Vitamin D Deficiency and Critical Care in the Neonatal Period. In *IntechOpen eBooks*. IntechOpen. <https://doi.org/10.5772/intechopen.107454>
- Giannetti, A., Bernardini, L., Cangemi, J., Gallucci, M., Masetti, R., & Ricci, G. (2020). Role of Vitamin D in Prevention of Food Allergy in Infants. *Frontiers in Pediatrics*, 8(August), 1–9. <https://doi.org/10.3389/fped.2020.00447>
- Greer, F. R., et al. (2019). The Effects of Early Nutritional Interventions on the Development of Atopic Disease in Infants and Children. *Pediatrics*, 143(4).
- Halken, S., et al. (2021). EAACI guideline: Dietary prevention of allergic diseases in infants and small children. *Pediatric Allergy and Immunology*, 32(5), 827-841.
- Hamilton, R.G. (2020). 'Laboratory Diagnosis of Allergic Diseases', dalam Adkinson, N.F., et al. (eds.) *Middleton's Allergy: Principles and Practice*. 9th edn. Philadelphia: Elsevier, pp. 1125–1140.
- Harsono, A. (2010) 'Alergi Makanan', dalam Akib, A.A., Munasir, Z. dan Kurniati, N. (eds.) *Buku Ajar Alergi-Imunologi Anak*. Edisi ke-2. Jakarta: Badan Penerbit IDAI
- He, C., Xiao, G., Liu, S., Hua, Z., Wang, L., & Wang, N. (2021). A prospective cohort study of cord blood 25(OH)D3 and food allergies in 6-month-old Chinese infants. *Asian Pacific Journal of Allergy and Immunology*, 39(4), 258–265. <https://doi.org/10.12932/AP-270920->

- Hidajat, D., Haq, A. D., Warnaini, C., & Kadriyan, H. (2024). Cord Blood 25-Hydroxyvitamin D Level is Correlated with a Risk for Atopic Dermatitis: Systematic Review and Meta-Analysis [Review of *Cord Blood 25-Hydroxyvitamin D Level is Correlated with a Risk for Atopic Dermatitis: Systematic Review and Meta-Analysis*]. *Malaysian Journal of Medical Sciences*, 31(4), 50. University of Science Malaysia. <https://doi.org/10.21315/mjms2024.31.4.4>
- Hikmah, N. & Dewanti, I.D.A.R. (2010) 'Seputar Reaksi Hipersensitivitas (Alergi)', *Jurnal Kedokteran Gigi (Stomatognathic)*, 7(2), hlm. 108-112.
- Hwang, S. H., Shin, H., Stybayeva, G., & Kim, D. H. (2024). Perinatal Risk Factors for Asthma and Allergic Rhinitis in Children and Adolescents. *Clinical and Experimental Otorhinolaryngology*, 17(2), 168. <https://doi.org/10.21053/ceo.2024.00024>
- Ikatan Dokter Anak Indonesia (IDAI), 2015. Rekomendasi Pencegahan Primer Alergi. Jakarta: Pengurus Pusat IDAI.
- Institute of Medicine. 2011. Dietary Reference Intakes for Calcium and Vitamin D. Washington, DC: The National Academies Press.
- Irani, A.M. & Newman, M. (2024) 'IgE and non-IgE food allergy: A review of immunological mechanisms', PubMed, 1 July. Available at: pubmed.ncbi.nlm.nih.gov
- Jones, A. P., Palmer, D. J., Zhang, G., & Prescott, S. L. (2012). Cord Blood 25-Hydroxyvitamin D3 and Allergic Disease During Infancy. *PEDIATRICS*, 130(5). <https://doi.org/10.1542/peds.2012-1172>
- Justiz Vaillant, A.A., Vashisht, R. dan Zito, P.M. (2023). 'Immediate Hypersensitivity Reactions', StatPearls. Available at: NCBI Bookshelf
- Junttila, I. S. (2019) 'The complex pathophysiology of allergic rhinitis', *European Journal of Allergy and Clinical Immunology*, 74(4), pp. 165–173. doi: 10.1111/all.13655.
- Karaglani E, Papamichael MM, Argyropoulou M, Vitoratou DI, Anastasiou C, Batra M, et al. Maternal folic acid supplementation, perinatal factors, and pre-adolescent asthma: findings from the Healthy Growth Study. *Nutrients*. 2025;17(18):2989. doi:10.3390/nu17182989
- Kay, A. B. (2001). IgE regulation and roles in asthma pathogenesis. *Journal of Allergy and Clinical Immunology*, 107(2), pp. S245-S251
- Kumar, R. & Bhatia, R., 2013. Environmental factors in the development of atopic diseases. *Indian Journal of Pediatrics*, 80(Suppl 1), pp.S105-S110.
- Lodge, C. J., et al. (2015). Breastfeeding and asthma and allergies: a systematic review and meta-analysis. *Acta Paediatrica*, 104(467), 38-53.
- Luong, K.Q. dan Nguyen, L.T.H. (2013) 'The role of vitamin D in autoimmune diseases: potentially safe and effective therapy', *Cancer Treatment and Research*, 159, hlm. 303-326.

- Lynch, S. V., & Boushey, H. A. (2016). The microbiome and development of allergic disease. *Expert Review of Clinical Immunology*, 12(12), 1257-1265.
- Martin, C. R., Ling, P. R., & Blackburn, G. L. (2016). Review of infant feeding: Key features of breast milk and infant formula. In *Nutrients*. <https://doi.org/10.3390/nu8050279>
- Matondang, C.S., Akib, A.A.P. & Munasir, Z. (2010) 'Aspek klinis dan tata laksana urtikaria dan angioedema', dalam Akib, A.A.P., Munasir, Z. & Kurniati, N. (eds.) *Buku Ajar Alergi Imunologi Anak*. Edisi ke-2. Jakarta: Badan Penerbit Ikatan Dokter Anak Indonesia (IDAI).
- Miles, E. A., & Calder, P. C. (2017). Can Early Omega-3 Fatty Acid Exposure Reduce Risk of Childhood Allergy?. *Nutrients*, 9(7), 784.
- Munasir, Z dan Suyoko, EMD., (2010). *Reaksi Hipersensitivitas*. Dalam : Akib AAP., Munazir Z., Kurniati, N., 2010. *Buku Ajar Alergi-Imunologi Anak*, Edisi II. Jakarta : Badan Penerbit IDAI, pp. 115-122.
- NIAID (2014) Guidelines for the Diagnosis and Management of Food Allergy in the United States: Summary of the NIAID-sponsored Expert Panel Report. National Institute of Allergy and Infectious Diseases. Available at: www.niaid.nih.gov
- Oswari, H., et al. (2012) 'Current Management in Pediatric Allergy and Respiratory Problems', dalam *Prosiding Pendidikan Kedokteran Berkelanjutan Ilmu Kesehatan Anak ke-62*, Jakarta, 15-16 Oktober. Jakarta: Departemen IKA FKUI, hlm. 1-15
- Pali-Schöll, I., et al. (2024) 'Emerging and novel elicitors of anaphylaxis: Collegium Internationale Allergologicum...'. *International Archives of Allergy and Immunology*, 185(8), pp. 794.
- Palmer, D. J., Sullivan, T., Skeaff, C. M., Smithers, L. G., & Makrides, M. (2015). Higher cord blood 25-hydroxyvitamin D concentrations reduce the risk of early childhood eczema: in children with a family history of allergic disease. *World Allergy Organization Journal*, 8(1), 28. <https://doi.org/10.1186/s40413-015-0077-9>
- Pawankar, R., et al., 2013. *The WAO White Book on Allergy: Update 2013*. Milwaukee: World Allergy Organization.
- Regnier, M. K., Kwak, I., and Commins, S. P. (2024) 'Type I Hypersensitivity Reaction', StatPearls Publishing, pp. NBK560561. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK560561/>
- Ridha, N. R., Massi, M. N., Putri, S. H., Fikri, B., Hidayah, N. and Arsyad, A. F. (2024) 'Cord blood iron status and vitamin D concentration in newborns of anemic and non-anemic mothers in Makassar, Indonesia', *Paediatrica Indonesiana*, 64(6), pp. 483–489. doi: <https://doi.org/10.14238/pi64.6.2024.483-9>
- Roth, C.L. et al. (2011) 'Vitamin D deficiency in obese rats exacerbates nonalcoholic fatty liver disease and increases hepatic resistin and Toll-like receptor activation', *Hepatology*, 55(4), hlm. 1103–1111

- Santosa, H., 2010, *Asma Bronkial*. Dalam : Akib, AAP., Munasir, Z., Nia, K., 2010, Buku Ajar Alergi Imunologi Anak. Edisi II, Jakarta: Badan Penerbit IDAI, pp. 252-256.
- Santosa, H., 2010, *Dermatitis Atopik*. Dalam : Akib, AAP., Munasir, Z., Nia, K., 2010, Buku Ajar Alergi Imunologi Anak, Edisi II, Jakarta: Badan Penerbit IDAI, pp. 234-235.
- Saito-Abe, M., Yamamoto-Hanada, K., Pak, K., Iwamoto, S., Sato, M., Miyaji, Y., Mezawa, H., Nishizato, M., Yang, L., Kumasaka, N., Kobayashi, T., & Ohya, Y. (2022). How a Family History of Allergic Diseases Influences Food Allergy in Children: The Japan Environment and Children's Study. *Nutrients*, 14(20). <https://doi.org/10.3390/nu14204323>
- Schoos, A.M., 2024. Atopic Diseases: The Copenhagen Prospective Studies on Asthma in Childhood. [Online]. Tersedia di: <https://copsac.com>
- Shamji, M. H., Valenta, R., Jardetzky, T., Verhasselt, V., Durham, S. R., Würtzen, P. A. and van Neerven, R. J. (2021) 'The role of allergen specific IgE, IgG and IgA in allergic disease', *Allergy*, 76(12), pp. 3627-3641. [Online] Available at: onlinelibrary.wiley.com
- Shen, et al.2023. Vitamin D level is inversely related to allergen sensitization for risking atopic dermatitis in early childhood World Allergy Organization Journal (2024) <http://doi.org/10.1016/j.waojou.2024.100890>
- Sicherer, S. H., & Sampson, H. A. (2014). Food allergy: Epidemiology, pathogenesis, diagnosis, and treatment. *Journal of Allergy and Clinical Immunology*, 133(2), 291-307.e5.<https://doi.org/10.1016/j.jaci.2013.11.020>
- Strange, R.C., Shipman, K.E. dan Ramachandran, S. (2015) 'Metabolism of vitamin D by cytochromes P450', *Frontiers in Bioscience (Landmark edition)*, 20(1), hlm. 153-167.
- Sublett, J. L. (2013). Effectiveness of environmental controls. *Current Allergy and Asthma Reports*, 13(6), 666-673.
- Sudewi, N.N., et al. (2009) 'Berbagai teknik pemeriksaan untuk menegakkan diagnosis penyakit alergi', *Sari Pediatri*, vol. 11, no. 3, hlm. 174-178.
- Tatachar, P. and Kumar, S. (2008) 'Food-induced anaphylaxis and oral allergy syndrome', *Pediatrics in Review*, 29(4), pp. e23–e32. doi: 10.1542/pir.29-4-e23.
- Tian, Y., Ye, Y., Zhang, Y., Dou, L., Dou, Y., Zhao, P., Jiang, Y., Gao, X., Zhang, X., Huang, J., Xiao, L., Wang, L., & Yan, W. (2021). Maternal serum 25-hydroxyvitamin D levels and infant atopic dermatitis: A prospective cohort study. *Pediatric Allergy and Immunology*, 32(8), 1637–1645. <https://doi.org/10.1111/pai.13582>
- Vandenplas, Y., Al-Hussaini, B., Al-Mannaie, K., Al-Sunaid, A., Ayesh, W. H., El-Degeir, M., El-Kabbany, N., Haddad, J., Hashmi, A., Kreishan, F., & Tawfik, E. (2019). Prevention of allergic sensitization and

- treatment of cow's milk protein allergy in early life: The middle-east step-down consensus. *Nutrients*, 11(7). <https://doi.org/10.3390/nu11071444>
- Venter, C., et al. (2020). Role of dietary lipids and antioxidants in the prevention and treatment of allergic diseases. *Journal of Allergy and Clinical Immunology*, 145(4), 1035-1047.
- Voltan, G., Cannito, M., Ferrarese, M., Ceccato, F., & Camozzi, V. (2023). Vitamin D: An Overview of Gene Regulation, Ranging from Metabolism to Genomic Effects. *Genes*, 14(9), 1691.
- Walker, W. A. (2025) Type I Hypersensitivity Reaction. Available at: <https://www.ncbi.nlm.nih.gov/books/NBK560561/>
- Wegienka, G., Zoratti, E. M., & Johnson, C. C. (2014). The Role of the Early-Life Environment in the Development of Allergic Disease [Review of *The Role of the Early-Life Environment in the Development of Allergic Disease*]. *Immunology and Allergy Clinics of North America*, 35(1), 1. Elsevier BV. <https://doi.org/10.1016/j.iac.2014.09.002>
- Xiao, X., Wu, M., Zou, L., Jin, X., Zhang, Y., & Zheng, X. (2024). Vitamin D-Related risk factors for preterm and full-term infants at birth: A retrospective study in Wuxi, China. *Research Square (Research Square)*. <https://doi.org/10.21203/rs.3.rs-3914885/v1>
- Yati, N. P., Suryawan, I. W. B. dan Batubara, J. R. L. (2018) Pedoman Pelayanan Medis: Vitamin D. Jakarta: Badan Penerbit Ikatan Dokter Anak Indonesia (IDAI).
- Zablotsky, B., Amanullah, S., 2023. Diagnosed Allergic Conditions Among Children Aged 0–17 Years: United States, 2021. NCHS Data Brief, No. 460. Hyattsville: CDC
- Zhou, M., Li, X., Yang, J., Xiong, L.-J., He, X., He, X., & Xie, X. (2023). Serum vitamin D status in a cohort of infants with food protein-induced gastrointestinal disease. *Biomedical Reports*, 19(4). <https://doi.org/10.3892/br.2023.1653>