

DAFTAR PUSTAKA

- Abadi, E., Badano, A., Bakić, P. R., Bliznakova, K., Bosmans, H., Carton, A.-K., Frangi, A. F., Glick, S. J., Kinahan, P. E., Lo, J., Maidment, A. D. A., Ria, F., Samei, E., Sechopoulos, I., Segars, P., Tanaka, R., & Vancoillie, L. (2024). Proceedings Virtual Imaging Trials in Medicine 2024. *arXiv (Cornell University)*. <http://arxiv.org/abs/2405.05359>
- Abdi, A. J., Jensen, K. R., Pietersen, P. I., Jensen, J., Hovgaard, R. L., Holmboe, A. K. A., & Gregersen, S. (2025). Standardisation and Optimisation of Chest and Pelvis X-Ray Imaging Protocols Across Multiple Radiography Systems in a Radiology Department. *Diagnostics*, 15(12), 1450. <https://doi.org/10.3390/diagnostics15121450>
- Alghamdi, S., Bushara, L., Bilal, D., Alghamdi, H., Abdulaziz, I., Aljondi, R., Aldahery, S., & Tajaldeen, A. (2021). Normal Diaphragm Measurements in the Saudi Population Using Posteroanterior Chest Radiograph. *International Journal of Biomedicine*, 11(2), 206. [https://doi.org/10.21103/article11\(2\)_oa14](https://doi.org/10.21103/article11(2)_oa14)
- Astria, R., Lasiyah, N., & Mulyadi, R. (2025). ANALISIS KUALITAS CITRA RADIOGRAFI CR DENGAN SIGNAL TO NOISE RATIO (SNR) DAN CONTRAS TO NOISE RATIO (CNR) MENGGUNAKAN MICRODICOM. *Biomedical and Environmental Health Technology*, 1(1), 1. <https://doi.org/10.35328/93ne3e89>
- Bombiński, P., Szatkowski, P., Sobieski, B., Kwieciński, T., Płotka, S., Adamek, M., Banasiuk, M., Furmanek, M., & Biecek, P. (2024). Underestimation of lung regions on chest X-ray segmentation masks assessed by comparison with total lung volume evaluated on computed tomography. *arXiv (Cornell University)*. <https://doi.org/10.48550/arxiv.2402.11510>
- Claus, T. V., Soares, T., Rosa, J. F. da C., Bail, F. A. T. de, Silva, M. S. da, Lopes, R. H., & Baumhardt, T. (2024). A influência da lei do inverso do quadrado da distância nos indicadores de exposição e qualidade de imagem para exames radiográficos de pelve. *Research Society and Development*, 13(4). <https://doi.org/10.33448/rsd-v13i4.45448>
- Dewi, P. S., Ratini, N. N., & Trisnawati, N. L. P. (2022). Effect of x-ray tube voltage variation to value of contrast to noise ratio (CNR) on computed tomography (CT) Scan at RSUD Bali Mandara. *International Journal of Physical Sciences and Engineering*, 6(2), 82. <https://doi.org/10.53730/ijpse.v6n2.9656>
- Economou, G., Kandarakis, I., Panagiotakis, G., & Vlachos, I. (2022). PRINCIPLES OF X-RAY TECHNOLOGY IN MEDICAL IMAGING AND IMPROVEMENT OF RADIOLOGICAL IMAGES. *PARIPEX-INDIAN JOURNAL OF RESEARCH*, 64. <https://doi.org/10.36106/paripex/4805738>
- Edin, A., Abraha, A., Molla, Y., Utura, T., & Ayele, A. (2025). Bridging Theory and Practice: Challenges in Clinical Skill Application Among Radiology Technology

- Trainees in Ethiopia. *Journal of Medical Education and Curricular Development*, 12.
<https://doi.org/10.1177/23821205251329739>
- Fan, W., Yang, Y., Jing, Q., Zhang, Q., Liao, C., Li, W., Wang, S., Wang, G., Yu, X., Wu, Q., Xiao-tao, F., Chen, X., He, M., Xiao, J., Liu, Y., Liu, Y., Chen, J., Wang, B., Zhang, L., ... Zhang, D. (2024). A deep-learning-based framework for identifying and localizing multiple abnormalities and assessing cardiomegaly in chest X-ray. *Nature Communications*, 15(1).
<https://doi.org/10.1038/s41467-024-45599-z>
- Hena, B., Wei, Z., Ibarra-Castanedo, C., & Maldague, X. (2023). Deep Learning Neural Network Performance on NDT Digital X-ray Radiography Images: Analyzing the Impact of Image Quality Parameters—An Experimental Study. *Sensors*, 23(9), 4324. <https://doi.org/10.3390/s23094324>
- Igarashi, K., Imai, K., Matsushima, S., YAMAUCHI-KAWAURA, C., & Fujii, K. (2024). Development and validation of the effective CNR analysis method for evaluating the contrast resolution of CT images. *Physical and Engineering Sciences in Medicine*, 47(2), 717. <https://doi.org/10.1007/s13246-024-01400-5>
- Jin, M., Gilotra, K., Young, A., & Gould, E. (2022). Call to Action: Creating Resources for Radiology Technologists to Capture Higher Quality Portable Chest X-rays. *Cureus*. <https://doi.org/10.7759/cureus.29197>
- Khoirot, R. M., Hakim, M. H., Alam, Y., & Ananingtyas, R. S. A. (2023). ANALISIS NILAI DRL PARAMETER ESAK/INAK PEMERIKSAAN THORAX AP/PA X-RAY CANON. *Journal of Science Nusantara*, 3(2), 61. <https://doi.org/10.28926/jsnu.v3i2.1041>
- Kusakunniran, W., Saiviroonporn, P., Siriapisith, T., Tongdee, T., Uraiverotchanakorn, A., Leesakul, S., Thongnarintr, P., Kuama, A., & Yodprom, P. (2023). Automatic measurement of cardiothoracic ratio in chest x-ray images with ProGAN-generated dataset. *Applied Computing and Informatics*. <https://doi.org/10.1108/aci-11-2022-0322>
- Megawati, P. S., Anwar, M. C., Fatimah, F., Sudiyono, S., Darmini, D., & Saifudin. (2023). EFFECTIVENESS EDGE DETECTION OPERATOR CANNY TO IMPROVE IMAGE QUALITY THORAX CT SCAN IN CASES COVID-19. *Journal Of Vocational Health Studies*, 7(2), 77. <https://doi.org/10.20473/jvhs.v7.i2.2023.77-82>
- Mekonnen, H. T., Puig, N., Elson, A., López, E., Martínez, P., Campos, S. T. C., Hernández, F. J. M., Mayor, D. J., Quilis, J., Cufí, X., Freixenet, J., Oliver, A., Lladó, X., & Martí, R. (2025). Deep learning framework for vertebral heart size and cardiothoracic ratio estimation in dogs and cats using thoracic radiographs. *Frontiers in Veterinary Science*, 12. <https://doi.org/10.3389/fvets.2025.1612338>

- Melti, E. A., Kasmawan, I. G. A., & Supardi, I. W. (2023). Pengaruh Eksposi terhadap Kualitas Citra Radiografi Berdasarkan Ketebalan Objek pada Pemeriksaan Abdomen. *BULETIN FISIKA*, 25(1), 48. <https://doi.org/10.24843/bf.2024.v25.i01.p07>
- Nasser, A. A., & Akhloufi, M. A. (2023). A Review of Recent Advances in Deep Learning Models for Chest Disease Detection Using Radiography [Review of A Review of Recent Advances in Deep Learning Models for Chest Disease Detection Using Radiography]. *Diagnostics*, 13(1), 159. Multidisciplinary Digital Publishing Institute. <https://doi.org/10.3390/diagnostics13010159>
- Oktamuliani, S., Ernando, R. A., Sofyan, H., Giovanni, V. I., & Ramadana, F. (2022). ANALISIS DOSIS EFEKTIF TERHADAP CITRA ORGAN PARU PASIEN THORAX MENGGUNAKAN OPTICALLY STIMULATED LUMINESCENCE DOSIMETER (OSLD). *JOURNAL ONLINE OF PHYSICS*, 7(2), 7. <https://doi.org/10.22437/jop.v7i2.18294>
- Osmar, A., Centuri3n, K., Mi3no, L., & Sequeira, O. R. (2017). Evaluating Cardiomegaly by Radiological Cardiothoracic Ratio as Compared to Conventional Echocardiography. *Journal of Cardiology & Current Research*, 9(2). <https://doi.org/10.15406/jccr.2017.09.00319>
- Renz, D. M., Huisinga, C., Pfeil, A., B3ttcher, J., Schwerk, N., Streitparth, F., & Weidemann, J. (2022). R3ntgenuntersuchungen des Thorax bei Kindern und Jugendlichen. *Zeitschrift F3ur Pneumologie*, 19(5), 296. <https://doi.org/10.1007/s10405-022-00466-w>
- Riandi, K. (2021). X-RAY RADIATION MONITORING IN THE CLINIC HEALTH SERVICE ENVIRONMENT TO PATIENT ABSORPTION DOSAGE WITH AGE GROUP END TEENAGES, EARLY ADULT, END ADULT. *Journal of Environmental Science and Sustainable Development*, 4(1). <https://doi.org/10.7454/jessd.v4i1.1066>
- Saiviroonporn, P., Rodbangyang, K., Tongdee, T., Chaisangmongkon, W., Yodprom, P., Siriapisith, T., Wonglaksanapimon, S., & Thiravit, P. (2021). Cardiothoracic Ratio Measurement Using Artificial Intelligence: Observer and Method Validation Studies. *Research Square (Research Square)*. <https://doi.org/10.21203/rs.3.rs-300251/v1>
- Setiawan, R., & Susilo, S. (2023). Application of Pyramidal Decomposition to Improve Digital Radiography Image Quality. *Jurnal Fisika*, 13(2), 59. <https://doi.org/10.15294/jf.v13i2.47852>
- Shafiee, M., Majdabadi, M. K., Mortazavi, H., Borzoueisileh, S., Rashidfar, R., Moghaddam, Z. M., & Salehi, Z. (2022). Beliefs and behaviors of radiographers concerning “Digital Chest Radiography”: Importance of Training Courses. *Research Square (Research Square)*. <https://doi.org/10.21203/rs.3.rs-1806948/v1>

- Šimkus, P., Gimeno, M. G., Banišauskaitė, A., Noreikaite, J., McCreavy, D., Penha, D., & Aržanauskaitė, M. (2021). Limitations of cardiothoracic ratio derived from chest radiographs to predict real heart size: comparison with magnetic resonance imaging. *Insights into Imaging*, 12(1). <https://doi.org/10.1186/s13244-021-01097-0>
- Song, Xiaomei., W. Brian. 2004. Automated region detection based on the contrast-to-noise ratio in rear-infrared tomography. Optical Society of America. New Hampshire.
- Sridharan, S., Hui, A. S. X., Venkataraman, N., Tirukonda, P., Jeyaratnam, R. P., John, S., Babu, S. S., Liew, P., Francis, J., Tzan, T. K., MIN, W.-K., Liong, G. M., & Yee, C. L. J. (2024). Real-World evaluation of an AI triaging system for chest X-rays: A prospective clinical study. *European Journal of Radiology*, 181, 111783. <https://doi.org/10.1016/j.ejrad.2024.111783>
- Suyudi, I., Utomo, Y. A., Ariantoko, I., & Ritma, M. (2024). Pengaruh variasi focus film distance (FFD) terhadap cardiothoracic ratio (CTR) dan signal-to-noise ratio (SNR). *Jurnal Kesehatan*, 15(2), 123–129. <https://doi.org/10.38165/jk.v15i2.449>
- Thunswärd, P., Österberg, K., & Åhlström, H. (2023). Ultrasound Contrast Agent Priming of Biopsy and Introducer Needles by Using a Small Syringe to Improve Needle Visibility in a Phantom Model. *CardioVascular and Interventional Radiology*, 46(8), 1066. <https://doi.org/10.1007/s00270-023-03500-3>
- Tjuanda, R., Kurniawan, A. N., Indrati, R., & Wibowo, G. M. (2021). Pemeriksaan radiografi thorax pada kasus trauma thorax. *Jurnal Imejing Diagnostik (JIImeD)*, 7(1), 48–51. <https://doi.org/10.31983/jimed.v7i1.5428>
- Torres, F. S., Eifer, D. A., Tijmes, F. S., Nguyen, E. T., & Hanneman, K. (2021). Diagnostic performance of chest radiography measurements for the assessment of cardiac chamber enlargement. *Canadian Medical Association Journal*, 193(44). <https://doi.org/10.1503/cmaj.210083>
- Truszkiewicz, K., Poręba, R., & Gać, P. (2021). Radiological Cardiothoracic Ratio in Evidence-Based Medicine [Review of *Radiological Cardiothoracic Ratio in Evidence-Based Medicine*]. *Journal of Clinical Medicine*, 10(9), 2016. Multidisciplinary Digital Publishing Institute. <https://doi.org/10.3390/jcm10092016>
- Varghese, A. P., Naik, S. R., Andrabi, S. A. U. H., Luharia, A., & Tivaskar, S. (2024). Enhancing Radiological Diagnosis: A Comprehensive Review of Image Quality Assessment and Optimization Strategies [Review of *Enhancing Radiological Diagnosis: A Comprehensive Review of Image Quality Assessment and Optimization Strategies*]. *Cureus*. Cureus, Inc. <https://doi.org/10.7759/cureus.63016>

- Yuan, D., Wang, L., Lyu, P., Zhang, Y., Gao, J., & Liu, J. (2024). Evaluation of image quality on low contrast media with deep learning image reconstruction algorithm in prospective ECG-triggering coronary CT angiography. *The International Journal of Cardiovascular Imaging*, 40(6), 1377. <https://doi.org/10.1007/s10554-024-03113-y>
- Yusriwan Tjuanda. (2021). Quality Analysis Of Thorax Radiography Images In Postero Anterior Projection (PA) With Focus Film Distance (FFD) Variations In The Radiology Installation Of Sundari General Hospital In *International Journal of Economic, Technology and Social Sciences* (Vol. 2). 653-660.