

Daftar Pustaka Bab I

- Aji. F. B, Febrianto. S, Afiati. N,. Estimasi Stok Karbon Di Padang Lamun Pulau Nyamuk Dan Pulau Kemujan, Balai Taman Nasional Karimunjawa, Jepara. 2020. J. Ilmu Dan Teknologi Kelautan Tropis, 12(3): 805-819
- Bando. N. R. S,. Carbon Stock Estimation Using Worldview-2 Imagery In The Seagrass Bed Of Kodingareng Island, Spermonde Archipelago, South Sulawesi. 2022. Computer Science Study Program Faculty Of Mathematics And Natural Sciences Bogor Agriculture University. Bogor
- Blume, A., Pertiwi, A. P., Lee, C. B., & Traganos, D. (2023). Bahamian seagrass extent and blue carbon accounting using Earth observation. *Frontiers in Marine Science*, 10, 1058460. doi: 10.3389/fmars.2023.1058460.
- Chen H, Yang L, Wu Q. Enhancing Land Cover Mapping and Monitoring: An Interactive and Explainable Machine Learning Approach Using Google Earth Engine. *Remote Sensing*. 2023; 15(18):4585. <https://doi.org/10.3390/rs15184585>
- Duarte, C. M., Losada, I. J., Hendriks, I. E., Mazarrasa, I., & Marbà, N. (2021). The role of coastal ecosystems in climate change mitigation. *Frontiers in Marine Science*, 2(3), 20-34
- F Ramdani, A Wirasatriya, A R Jalil. Monitoring The Sea Surface Temperature and Total Suspended Matter Based on Cloud-Computing Platform of Google Earth Engine and Open-Source Software. *IOP Conf. Series: Earth and Environmental Science* 750.2021. 012041. doi:10.1088/1755-1315/750/1/012041
- Ha, N. T., Manley-Harris, M., Pham, T. D., & Hawes, I. (2020). A Comparative Assessment of Ensemble-Based Machine Learning and Maximum Likelihood Methods for Mapping Seagrass Using Sentinel-2 Imagery in Tauranga Harbor, New Zealand. *Remote Sensing*, 12(3), 355. <https://doi.org/10.3390/rs12030355>
- Halim, M., Bengen, D. G., & Prartono, T. (2020). Influence of turbidity and water depth on seagrass carbon stock in Indonesian coastal waters. *Biodiversitas*, 21(9), 4125–4133.
- Kurniawan.A. Pengukuran Parameter Kualitas Udara CO₂, NO₂, SO₂, O₃, dan PM₁₀ di Bukit Kototabang Berbasis ISPU. 2017. Jurnal TeknoSains. DOI 10.22146/teknosains.34658
- Lee, C., et al. (2023). National-scale seagrass mapping using PlanetScope imagery in Seychelles. *Remote Sensing*, 15(7), 1892.
- Lee CB, Martin L, Traganos D, Antat S, Baez SK, Cupidon A, Faure A, Harlay J, Morgan M, Mortimer JA, et al. Mapping the National Seagrass Extent in Seychelles Using Planet Scope NICFI Data. *Remote Sensing*. 2023; 15(18):4500. <https://doi.org/10.3390/rs15184500>
- Liu J, Failler P, Ramrattan D. Blue carbon accounting to monitor coastal blue carbon ecosystems. *J Environ Manage*. 2024;352:120008. doi:10.1016/j.jenvman.2023.120008

- Looby, A., Lim, E. G., Murchy, K. A., Reynolds, L. K., Martin, C. W., Côté, I. M., Juanes, F., & Cox, K. D. (2026). Habitat-mediated noise pollution reduction in seagrass meadows. *Marine Pollution Bulletin*, 222(Pt 2), 118784. <https://doi.org/10.1016/j.marpolbul.2025.118784>
- Losciale, R., Day, J. C., Rasheed, M. A., & Heron, S. F. (2023). The vulnerability of World Heritage seagrass habitats to climate change. *Global Change Biology*, 30(1), e17113. <https://doi.org/10.1111/gcb.17113>
- Macreadie, P.I.; Hardy, S.S.S. Response of Seagrass 'Blue Carbon' Stocks to Increased Water Temperatures. *Diversity* 2018, 10, 115. <https://doi.org/10.3390/d10040115>
- Marbà, N., et al. (2022). Thermal thresholds of seagrasses under climate warming scenarios. *Global Change Biology*, 28(6), 2145–2158.
- Mazarrasa, I., Samper-Villarreal, J., Lavery, P. S., et al. (2020). Habitat characteristics provide insights of carbon storage in seagrass meadows. *Journal of Ecology*, 108(1), 205-217.
- Monnier, G., et al. (2021). Seagrass meadows as efficient long-term carbon sinks: belowground processes and sediment storage. *Biogeosciences*, 18, 2347–2365.
- Montero-Hidalgo M, Tuya F, Otero-Ferrer F, Haroun R, Santos-Martín F. Mapping and assessing seagrass meadows changes and blue carbon under past, current, and future scenarios. *Sci Total Environ.* 2023 May 10;872:162244. doi: 10.1016/j.scitotenv.2023.162244. Epub 2023 Feb 14. PMID: 36796703.
- Muhammad Rafly, Asril Maulana, Dimasya Deskar, Ariq Fadhlur Rahman, Ibnu Fadhil Ramadhan, Attala Adha, Vickie Devon Attala. Analisis Pengaruh Globalisasi Dan Perubahan Iklim Terhadap Perekonomian Indonesia Yang Berkelanjutan. 2023. Publiciana Volume – No – Hal 1 – 48 ISSN : 1979 – 0295 | E-ISSN : 2502 – 7336 | DOI : <https://doi.org/10.36563/p>
- Murugan R, Balachandar K, Boopathy NS, Nagarajan R, Ramasubramanian R. Assessment of blue carbon in seagrass meadows in Pulicat Lake, Andhra Pradesh, India. *Mar Pollut Bull.* 2024;198:115868. doi:10.1016/j.marpolbul.2023.115868
- Nazmi. A. N,. Pemanfaatan Data Citra Satelit Sentinel-2 Untuk Estimasi Stok Karbon Atas Padang Lamun Di Gili Petarando, Lombok Timur. 2020. Departemen Ilmu Dan Teknologi Kelautan Fakultas Perikanan Dan Ilmu Kelautan Institut Pertanian Bogor
- Niu, X., Chen, B., Sun, W., Feng, T., Yang, X., Liu, Y., Liu, W., & Fu, B. (2024). Estimation of Coastal Wetland Vegetation Aboveground Biomass by Integrating UAV and Satellite Remote Sensing Data. *Remote Sensing*, 16(15), 2760. <https://doi.org/10.3390/rs16152760>
- Nurdin N, Komatsu T, Agus, Akbar M.AS, Djalil AR, Amri K. Multisensor and multitemporal data from Landsat images to detect damage to coral reefs, small

islands in the Spermonde Archipelago, Indonesia. *Ocean Science Journal*. 2015;50(2): 1-9.

Nurdin N, Amri K, Mashoreng S, Komatsu T. Estimation of Seagrass Biomass by In Situ Measurement and Remote Sensing Technology on Small Islands, Indonesia. *Ocean Science Journal*. 2022, 57(1), pp. 118–129.

Nurdin N, Komatsu T, Rani C, Supriadi, Fakhriyyah S, Agus. Coral reef destruction of small island in 44 years and destructive fishing in Spermonde Archipelago, Indonesia. *IOP Conference Series: Earth and Environmental Science*. 2016;47(1): 012011. Available from: <http://iopscience.iop.org/article/10.1088/1755-1315/47/1/012011>.

Nurdin N, Prasyad H, Rani C, Al Azizi S.Q, Pulubuhu D.A.T, Aris A, Aushaf S.T, Nurdin N & Komatsu T. Tracking coral loss in the Spermonde Archipelago of Indonesia: 32 years of satellite monitoring from 1990 to 2022, *International Journal of Remote Sensing*.2023. DOI: 10.1080/01431161.2023.2268823

Nurdin N. Informasi Geospasial Gugusan Pulau Kecil Kepulauan Spermonde. Penerbit Andi. 2020. ISBN: 6230107554, 9786230107559.

Orth, R. J., Carruthers, T. J. B., Dennison, W. C., Duarte, C. M., Fourqurean, J. W., Heck, K. L., Hughes, A. R., Kendrick, G. A., Kenworthy, W. J., Olyarnik, S., Short, F. T., Waycott, M., & Williams, S. L. (2006). A global crisis for seagrass ecosystems. *BioScience*, 56(12), 987–996.

Pendleton, L., Donato, D. C., Murray, B. C., Crooks, S., Jenkins, W. A., Sifleet, S., Craft, C., Fourqurean, J. W., Kauffman, J. B., Marbà, N., Magonigal, P., Pidgeon, E., Herr, D., Gordon, D., & Baldera, A. (2012). Estimating global “blue carbon” emissions from conversion and degradation of vegetated coastal ecosystems. *PLoS ONE*, 7(9), e43542.

Ramadona. D. N, Ain. C, Febrianto. S, Suryanti, Nurul Latifah. N . Potensi Simpanan Karbon Padang Lamun Di Pantai Pokemon, Karimunjawa. *J. Ilmu Dan Teknologi Kelautan Tropis*.2021, 13(2): 319-332

Roelfsema, C., et al. (2020). Multi-scale mapping of seagrass habitats using satellite remote sensing. *Remote Sensing*, 12(18), 2973.

Rustan.A, Adi. N.S, Daulat. A, Kiswara. W, Yusuf. D. S, Rappe. R. A,. Pedoman Pengukuran Karbon di Ekosistem Padang Lamun. 2019. ITB Press

Salsabila H N, Wicaksono P, Danoedoro P. Seagrass Aboveground Carbon Stock Mapping using PlanetScope SuperDove Imagery in Nemberala, Rote Island, East Nusa Tenggara. 2024. *IOP Conf. Ser.: Earth Environ. Sci.* 1291 012013.

Samper-Villarreal, J., Lovelock, C. E., Saunders, M. I., Roelfsema, C., & Mumby, P. J. (2016). Organic carbon in seagrass sediments is influenced by seagrass canopy

complexity, turbidity, wave height, and water depth. *Limnology and Oceanography*, 61(3), 938-952. <https://doi.org/10.1002/lno.10262>

Savenets, M. Air pollution in Ukraine: a view from the Sentinel-5P satellite. *Quarterly Journal of the Hungarian Meteorological Service* Vol. 125, No. 2, April – June, 2021, pp. 271–290. DOI:10.28974/idojaras.2021.2.6

Sjafrie, N. D. M., Hernawan, U. E., Prayudha, B., Iswari, M. Y., Rahmat, Anggraini, K., Rahmawati, S., Suyarso, & Supriyadi, I. H. (2018). *Status padang lamun Indonesia 2018*. Jakarta: Pusat Penelitian Oseanografi LIPI.

Sullivan, E., Papagiannopoulos, N., Clewley, D., Groom, S., Raitos, D. E., & Hoteit, I. (2025). Mapping Coastal Marine Habitats Using UAV and Multispectral Satellite Imagery in the NEOM Region, Northern Red Sea. *Remote Sensing*, 17(3), 485. <https://doi.org/10.3390/rs17030485>

Serrano, O., Lavery, P. S., Rozaimi, M., & Mateo, M. A. (2019). Influence of water depth and sediment characteristics on blue carbon stocks in seagrass meadows. *Science of the Total Environment*, 658, 1003–1013.

Traganos, D., Lee, C. B., Blume, A., Poursanidis, D., Čížmek, H., Deter, J., Mačić, V., Montefalcone, M., Pergent, G., Pergent-Martini, C., Ricart, A. M., & Reinartz, P. (2022). Spatially Explicit Seagrass Extent Mapping Across the Entire Mediterranean. *Frontiers in Marine Science*, 9. <https://doi.org/10.3389/fmars.2022.871799>

Veiras-Yanes J, Martin-Garcia L, Casas E, Arbelo M. Mapping Seagrass Meadows and Assessing Blue Carbon Stocks Using Sentinel-2 Satellite Imagery: A Case Study in the Canary Islands, Spain. *Environmental Sciences Proceedings*. 2024; 29(1):10. <https://doi.org/10.3390/ECRS2023-15856>

Viedra, G. G. Z , Sukojo, B. M., Analysis of The Effect of Deforestation Rates on Air Pollution Concentration and Land Surface Temperature Using Landsat-8 Imagery with Google Earth Engine Kalimantan Province, 2019-2020). *IOP Conf. Series: Earth and Environmental Science* 1127 (2023) 012032. doi:10.1088/1755-1315/1127/1/012032

Walden, L., Serrano, O., Zhang, M. et al. Multi-scale mapping of Australia's terrestrial and blue carbon stocks and their continental and bioregional drivers. *Commun Earth Environ* 4, 189 (2023). <https://doi.org/10.1038/s43247-023-00838-x>

Waycott, M., Duarte, C. M., Carruthers, T. J. B., Orth, R. J., Dennison, W. C., Olyarnik, S., Calladine, A., Fourqurean, J. W., Heck, K. L., Hughes, A. R., Kendrick, G. A., Kenworthy, W. J., Short, F. T., & Williams, S. L. (2009). Accelerating loss of seagrasses across the globe threatens coastal ecosystems. *Proceedings of the National Academy of Sciences*, 106(30), 12377–12381.

Yi, Y., Zhao, F., Hou, C., Zhang, C., & Tang, C. (2024). Mechanism and threshold of environmental stressors on seagrass in high-turbidity estuary: case of *Zostera japonica* in Yellow River Estuary, China. *Frontiers in Marine Science*, 11. <https://doi.org/10.3389/fmars.2024.1432106>

Daftar Pustaka Bab II

- Aji. F. B, Febrianto. S, Afiati. N., Estimasi Stok Karbon Di Padang Lamun Pulau Nyamuk Dan Pulau Kemujan, Balai Taman Nasional Karimunjawa, Jepara. 2020. *J. Ilmu Dan Teknologi Kelautan Tropis*, 12(3): 805-819
- Bando. N. R. S., Carbon Stock Estimation Using Worldview-2 Imagery In The Seagrass Bed Of Kodingareng Island, Spermonde Archipelago, South Sulawesi. 2022. Computer Science Study Program Faculty Of Mathematics And Natural Sciences Bogor Agriculture University. Bogor
- Berger, A. C., Berg, P., Mcglathery, K. J., & Delgard, M. L. (2020). Long-term trends and resilience of seagrass metabolism: A decadal aquatic eddy covariance study. *Limnology and Oceanography*, 65(7), 1423–1438. <https://doi.org/10.1002/lno.11397>
- Blume, A., Pertiwi, A. P., Lee, C. B., & Traganos, D. Bahamian seagrass extent and blue carbon accounting using Earth observation. *Frontiers in Marine Science*, 10, 1058460. doi: 10.3389/fmars.2023.1058460.
- Chen H, Yang L, Wu Q. Enhancing Land Cover Mapping and Monitoring: An Interactive and Explainable Machine Learning Approach Using Google Earth Engine. *Remote Sensing*. 2023; 15(18):4585. <https://doi.org/10.3390/rs15184585>
- Colvin, T., & Snelgrove, P. (2025). Role of seagrass physical structure in macrofaunal biodiversity-ecosystem functioning relationships. *Marine Ecology Progress Series*, 754, 35–49. <https://doi.org/10.3354/meps14774>
- Fan, L.-F., Kang, E.-C., Natividad, M. B., Hung, C.-C., Shih, Y.-Y., Huang, W.-J., & Chou, W.-C. (2024). The Role of Benthic TA and DIC Fluxes on Carbon Sequestration in Seagrass Meadows of Dongsha Island. *Journal of Marine Science and Engineering*, 12(11), 2061. <https://doi.org/10.3390/jmse12112061>
- Fonseca, M., Whitfield, P. E., Kelly, N. M., & Bell, S. S. (2002). MODELING SEAGRASS LANDSCAPE PATTERN AND ASSOCIATED ECOLOGICAL ATTRIBUTES. *Ecological Applications*, 12(1), 218–237. [https://doi.org/10.1890/1051-0761\(2002\)012\[0218:mslpaa\]2.0.co;2](https://doi.org/10.1890/1051-0761(2002)012[0218:mslpaa]2.0.co;2)
- Fortes, M. D., Ooi, J. L. S., Tan, Y. M., Prathep, A., Bujang, J. S., & Yaakub, S. M. (2018). Seagrass in Southeast Asia: A review of status and knowledge gaps, and a road map for conservation. *Botanica Marina*, 61(3), 269–288. <https://doi.org/10.1515/bot-2018-0008>
- Fourqurean, J. W., Duarte, C. M., Kennedy, H., Marbà, N., Holmer, M., Mateo, M. A., Apostolaki, E. T., Kendrick, G. A., Krause-Jensen, D., McGlathery, K. J., & Serrano, O. (2012). Seagrass ecosystems as a globally significant carbon stock. *Nature Geoscience*, 5(7), 505–509. <https://doi.org/10.1038/ngeo1477>
- Hakim, G. H., Taufiq-Spj, N., & Redjeki, S. (2024). Variasi Ukuran Kerang Hijau (*Perna viridis*) Di Pesisir Tambak Lorok, Semarang. *Journal of Marine Research*, 13(4), 617–624. <https://doi.org/10.14710/jmr.v13i4.43127>

- Hilmi, N., Chami, R., Sutherland, M. D., Hall-Spencer, J. M., Lebleu, L., Benitez, M. B., & Levin, L. A. (2021). The Role of Blue Carbon in Climate Change Mitigation and Carbon Stock Conservation. *Frontiers in Climate*, **3**(September). <https://doi.org/10.3389/fclim.2021.710546>
- Hirst, A. J., Giri, K., Ball, D., & Lee, R. S. (2017). Determination of the physical drivers of *Zostera* seagrass distribution using a spatial autoregressive lag model. *Marine and Freshwater Research*, **68**(9), 1752–1763. <https://doi.org/10.1071/mf16252>
- Hossain, M. S., Bujang, J. S., Zakaria, M. H., & Hashim, M. (2015). The application of remote sensing to seagrass ecosystems: an overview and future research prospects. *International Journal of Remote Sensing*, **36**(1), 61–114. <https://doi.org/10.1080/01431161.2014.990649>
- Iza Fajarendra, Y., Rizal Fauzan, Y., & 'Uyun, S. (2024). KLASIFIKASI CITRA EUROSAT MENGGUNAKAN ALGORITMA KNN, DECISION TREE DAN RANDOM FOREST. *JATI (Jurnal Mahasiswa Teknik Informatika)*, **8**(4), 7754–7761. <https://doi.org/10.36040/jati.v8i4.10458>
- Jerome, T. S., Ballard, M. S., Lee, K. M., Capistrant-Fossa, K. A., Mcneese, A. R., Cushing, C. W., Taylor, R. T., Dunton, K. H., & Wilson, P. S. (2025). Bayesian inference for acoustic monitoring of above-ground biomass in a seagrass meadow over two annual cycles. *The Journal of the Acoustical Society of America*, **158**(6), 4802–4815. <https://doi.org/10.1121/10.0041880>
- Krause, J. R., Cameron, C., Arias-Ortiz, A., Cifuentes-Jara, M., Crooks, S., Dahl, M., Friess, D. A., Kennedy, H., Lim, K. E., Lovelock, C. E., Marbà, N., Mcglathery, K. J., Oreska, M. P. J., Pidgeon, E., Serrano, O., Vanderklift, M. A., Wong, L.-W., Yaakub, S. M., & Fourqurean, J. W. (2025). Global seagrass carbon stock variability and emissions from seagrass loss. *Nature Communications*, **16**(1), 3798. <https://doi.org/10.1038/s41467-025-59204-4>
- Lee CB, Martin L, Traganos D, Antat S, Baez SK, Cupidon A, Faure A, Harlay J, Morgan M, Mortimer JA, et al. Mapping the National Seagrass Extent in Seychelles Using Planet Scope NICFI Data. *Remote Sensing*. 2023; **15**(18):4500. <https://doi.org/10.3390/rs15184500>
- Marziliano, P. A., Laforteza, R., Medicamento, U., Lorusso, L., Giannico, V., Colangelo, G., & Sanesi, G. (2015). Estimating belowground biomass and root/shoot ratio of *Phillyrea latifolia* L. in the Mediterranean forest landscapes. *Annals of Forest Science*, **72**(5), 585–593. <https://doi.org/10.1007/s13595-015-0486-5>
- Mashoreng, S., Nafie, Y. A. L., Selamat, B., Isyrini, R., & Amri, K. (2021). Changes in seagrass carbon stock: Implications of decreasing area and percentage cover of seagrass beds in Barranglompo Island, Spermonde archipelago, South Sulawesi, Indonesia. *IOP Conference Series: Earth and Environmental Science*, **763**(1). <https://doi.org/10.1088/1755-1315/763/1/012014>
- Nabil Akbar, M., Faizal, A., Anugrah La Nafie, Y., Werorilangi, S., & Mashoreng, S. (2021). Seagrass carbon stock estimation in Panrangluhu coastal waters using

remote sensing technology. *IOP Conference Series: Earth and Environmental Science*, **860**(1). <https://doi.org/10.1088/1755-1315/860/1/012085> United Nations Environment Programme (2020). *Out Of The Blue: The Value Of Seagrasses To The Environment And To People*. Nairobi: UNEP

Nazmi. A. N., Pemanfaatan Data Citra Satelit Sentinel-2 Untuk Estimasi Stok Karbon Atas Padang Lamun Di Gili Petarando, Lombok Timur. 2020. Departemen Ilmu Dan Teknologi Kelautan Fakultas Perikanan Dan Ilmu Kelautan Institut Pertanian Bogor

Rahman, F. A., Qayim, I., & Wardiatno, Y. (2018). Carbon storage variability in seagrass meadows of Marine Poton Bako, East Lombok, West Nusa Tenggara, Indonesia. *Biodiversitas Journal of Biological Diversity*, **19**(5), 1626–1631. <https://doi.org/10.13057/biodiv/d190505>

Ricart, A. M., York, P. H., Bryant, C. V., Rasheed, M. A., Ierodiaconou, D., & Macreadie, P. I. (2020). High variability of Blue Carbon storage in seagrass meadows at the estuary scale. *Scientific Reports*, **10**(1), 5865. <https://doi.org/10.1038/s41598-020-62639-y>

Rustan, A. Adi. N.S, Daulat. A, Kiswara. W, Yusuf. D. S, Rappe. R. A., Pedoman Pengukuran Karbon di Ekosistem Padang Lamun. 2019. ITB Press

Sagar, S., et al. (2021). "Satellite-based mapping of carbon stocks in seagrass meadows: a machine learning approach." *Remote Sensing of Environment*

Salsabila H N, Wicaksono P, Danoedoro P. Seagrass Aboveground Carbon Stock Mapping using PlanetScope SuperDove Imagery in Nemberala, Rote Island, East Nusa Tenggara. 2024. IOP Conf. Ser.: Earth Environ. Sci. 1291 012013.

Short, F. T., Polidoro, B., Livingstone, S. R., Carpenter, K. E., Bandeira, S., Bujang, J. S., Calumpong, H. P., Carruthers, T. J. B., Coles, R. G., Dennison, W. C., Erftemeijer, P. L. A., Fortes, M. D., Freeman, A. S., Jagtap, T. G., Kamal, A. H. M., Kendrick, G. A., Kenworthy, W. J., La Nafie, Y. A., Nasution, I. M., ... Zieman, J. C. (2015). Extinction risk assessment of the world's seagrass species. *Biological Conservation*, **144**(7), 1961–1971. <https://doi.org/10.1016/j.biocon.2011.04.010>

Tanaya, T., Watanabe, K., Yamamoto, S., Hongo, C., Kayanne, H., & Kuwae, T. (2018). Contributions of the direct supply of belowground seagrass detritus and trapping of suspended organic matter to the sedimentary organic carbon stock in seagrass meadows. *Biogeosciences*, **15**(13), 4033–4045. <https://doi.org/10.5194/bg-15-4033-2018>

Trevathan-Tackett, S. M., Wessel, C., Cebrián, J., Ralph, P. J., Masqué, P., & Macreadie, P. I. (2018). Effects of small-scale, shading-induced seagrass loss on blue carbon storage: Implications for management of degraded seagrass ecosystems. *Journal of Applied Ecology*, **55**(3), 1351–1359. <https://doi.org/10.1111/1365-2664.13081>

Unsworth, R. K. F., Collier, C. J., Henderson, G. M., & McKenzie, L. J. (2012). Tropical seagrass meadows modify seawater carbon chemistry: Implications for

coral reefs impacted by ocean acidification. *Environmental Research Letters*, 7(2), 024026. <https://doi.org/10.1088/1748-9326/7/2/024026>

- Veiras-Yanes J, Martin-Garcia L, Casas E, Arbelo M. Mapping Seagrass Meadows and Assessing Blue Carbon Stocks Using Sentinel-2 Satellite Imagery: A Case Study in the Canary Islands, Spain. *Environmental Sciences Proceedings*. 2024; 29(1):10. <https://doi.org/10.3390/ECRS2023-15856>
- Vo, T.-T., Lau, K., Liao, L. M., & Nguyen, X.-V. (2020). Satellite image analysis reveals changes in seagrass beds at Van Phong Bay, Vietnam during the last 30 years. *Aquatic Living Resources*, 33, 4. <https://doi.org/10.1051/alr/2020005>
- Wahyudi, A. J., Rahmawati, S., Irawan, A., Hadiyanto, H., Prayudha, B., Hafizt, M., Afdal, A., Adi, N. S., Rustam, A., Hernawan, U. E., Rahayu, Y. P., Iswari, M. Y., Supriyadi, I. H., Solihudin, T., Ati, R. N. A., Kepel, T. L., Kusumaningtyas, M. A., Daulat, A., Salim, H. L.,Kiswara, W. (2020). Assessing Carbon Stock and Sequestration of the Tropical Seagrass Meadows in Indonesia. *Ocean Science Journal*, 55(1), 85–97. <https://doi.org/10.1007/s12601-020-0003-0>
- Wicaksono, P., & Lazuardi, W. (2018). Assessment of PlanetScope images for benthic habitat and seagrass species mapping in a complex optically shallow water environment. *International Journal of Remote Sensing*, 39(17), 5739–5765. <https://doi.org/10.1080/01431161.2018.1506951>
- Yang, Y., & Tilman, D. (2020). Soil and root carbon storage is key to climate benefits of bioenergy crops. *Biofuel Research Journal*, 7(2), 1143–1148. <https://doi.org/10.18331/brj2020.7.2.2>
- Zhang, X., Zhao, C., Yu, S., Jiang, Z., Liu, S., Wu, Y., & Huang, X. (2020). Rhizosphere Microbial Community Structure Is Selected by Habitat but Not Plant Species in Two Tropical Seagrass Beds. *Frontiers in Microbiology*, 11(e804), 161. <https://doi.org/10.3389/fmicb.2020.00161>

Daftar Pustaka Bab III

- Ahmed, H. S. (2024). Descriptive statistics for cardiothoracic surgeons: part 2 - the foundation of data interpretation. *Indian Journal of Thoracic and Cardiovascular Surgery*, 41(1), 89–110. <https://doi.org/10.1007/s12055-024-01855-x>
- Alongi, D. M. (2020). *Coastal Ecosystem Processes*. Crc. <https://doi.org/10.1201/9781003057864>
- Anwari, M. S. (2015). Pengaruh Faktor Lingkungan Terhadap Kelestarian Kerang Bakau (Polymesoda Erosa Lightfoot 1786) Di Kawasan Mangrove Segaraanakan Disertasi Program Studi Ilmu Lingkungan Diajukan Oleh : Sekolah Pascasarjana.
- Bass JD, Marchant JK, de Sam Lazaro SL, Baum CM. Application of the Person-Environment-Occupation-Performance Model: A Scoping Review. *OTJR (Thorofare N J)*. 2024 Jul;44(3):521-540. doi: 10.1177/15394492241238951. Epub 2024 Mar 22. PMID: 38519867; PMCID: PMC11180417.
- Burd, A., & Dunton, K. (2001). Field verification of a light-driven model of biomass changes in the seagrass *Halodule wrightii*. *Marine Ecology Progress Series*, 209, 85–98. <https://doi.org/10.3354/meps209085>
- Chaeran, M. 2015. Global Warming. *Jurnal Sains dan Teknologi Maritim*, 13(2): 76-85. DOI: 10.33556/jstm.v0i2.34.
- Chartrand, K. M., Bryant, C. V., Carter, A. B., Ralph, P. J., & Rasheed, M. A. (2016). Light Thresholds to Prevent Dredging Impacts on the Great Barrier Reef Seagrass, *Zostera muelleri* ssp. *capricorni*. *Frontiers in Marine Science*, 3. <https://doi.org/10.3389/fmars.2016.00106>
- Collier, C. J., Langlois, L., Ow, Y., Johansson, C., Giammusso, M., Adams, M. P., O'Brien, K. R., & Uthicke, S. (2018). Losing a winner: thermal stress and local pressures outweigh the positive effects of ocean acidification for tropical seagrasses. *New Phytologist*, 219(3), 1005–1017. <https://doi.org/10.1111/nph.15234>
- Dedea M, Millary Agung Widiawaty, Nurhanifahb , Arif Ismail, Ajeng Randhita P. Artati Amniar Ati, Yanuar Rizky Ramadhan. 2020. Estimasi Perubahan Kualitas Udara Berbasis Citra Satelit Penginderaan Jauh Di Sekitar Pltu Cirebon. *Jambura Geoscience Review* (2020) Vol. 2 (2): 78-87 DOI: 10.34312/jgeosrev.v2i2.5951
- Emekwuru, N., & Ejohwomu, O. (2023). Temperature, Humidity and Air Pollution Relationships during a Period of Rainy and Dry Seasons in Lagos, West Africa. *Climate*, 11(5), 113. <https://doi.org/10.3390/cli11050113>
- ESA. 2020. Sentinel-5. Diakses pada 5 Oktober 2020. <https://sentinel.esa.int/web/sentinel/missions/sentinel-5>
- F Ramdani, A Wirasatriya, A R Jalil. Monitoring The Sea Surface Temperature and Total Suspended Matter Based on Cloud-Computing Platform of Google Earth Engine and Open-Source Software. *IOP Conf. Series: Earth and Environmental Science* 750.2021. 012041. doi:10.1088/1755-1315/750/1/012041

- Gullström, M., De La Torre Castro, M., Bandeira, S. O., Björk, M., Dahlberg, M., Kautsky, N., Rönnbäck, P., & Öhman, M. C. (2002). Seagrass Ecosystems in the Western Indian Ocean. *AMBIO: A Journal of the Human Environment*, 31(7), 588–596. <https://doi.org/10.1579/0044-7447-31.7.588>
- Hu, Y., Yu, S., Zheng, W., Qi, X., Wang, Q., & Yao, H. (2019). An overview of multiple linear regression model and its application. *Zhonghua Yu Fang Yi Xue Za Zhi [Chinese Journal of Preventive Medicine]*, 53(6), 653–656. <https://doi.org/10.3760/cma.j.issn.0253-9624.2019.06.021>
- Kennish, M. J. (2021). Drivers of Change in Estuarine and Coastal Marine Environments: An Overview. *Open Journal of Ecology*, 11(03), 224–239. <https://doi.org/10.4236/oje.2021.113017>
- Kurniawan, A. Pengukuran Parameter Kualitas Udara CO₂, NO₂, SO₂, O₃, dan PM₁₀) di Bukit Kototabang Berbasis ISPU. 2017. Jurnal TeknoSains. DOI 10.22146/teknosains.34658
- Lee CB, Martin L, Traganos D, Antat S, Baez SK, Cupidon A, Faure A, Harlay J, Morgan M, Mortimer JA, et al. Mapping the National Seagrass Extent in Seychelles Using Planet Scope NICFI Data. *Remote Sensing*. 2023; 15(18):4500. <https://doi.org/10.3390/rs15184500>
- Li, X., Wang, H., Zang, Y., Xue, S., Xin, J., Liu, L., Tang, X., & Chen, J. (2025). Exploring the structure and assembly of seagrass microbial communities in rhizosphere and phyllosphere. *Applied and Environmental Microbiology*, 91(3), e0243724. <https://doi.org/10.1128/aem.02437-24>
- Lu, Y., & Yuan, J. (2018). *Major threats of pollution and climate change to global coastal ecosystems and enhanced management for sustainability*. Center for Open Science. <https://doi.org/10.31230/osf.io/8c2ks>
- Martin, R. V. (2008). Satellite remote sensing of surface air quality. *Atmospheric Environment*, 42, 7823–7843.
- Matharaarachchi, S., Manawadu, L., & Gunatilake, J. (2016). Evaluation of urban air pollution distribution in the Colombo Municipal Council Area, Sri Lanka. In *Geostatistical and Geospatial Approaches for the Characterization of Natural Resources in the Environment: Challenges, Processes and Strategies*. New Delhi: Springer.
- Mahmood, S. (2024). Estimating Models and Evaluating their Efficiency under Multicollinearity in Multiple Linear Regression: A Comparative Study. *Zanco Journal of Humanity Sciences*, 28(5), 264–277. <https://doi.org/10.21271/zjhs.28.5.17>
- Midway, S., & White, J. W. (2025). Testing for normality in regression models: mistakes abound (but may not matter). *Royal Society Open Science*, 12(4), 241904. <https://doi.org/10.1098/rsos.241904>
- Morillas, C., Álvarez, S., Pires, J., et al. (2024). TROPOMI NO₂ Sentinel-5P data in the Community of Madrid. *MethodsX*, 12, 102545.

- Nguyen, T. T. N., Bui, H. Q., Pham, H. V., Luu, H. V., Man, C. D., Pham, H. N., & Le, H. T. (2015). Particulate matter concentration mapping from MODIS satellite data: A Vietnamese case study. *Environmental Research Letters*, 10, 9, 095016.
- Rahman, F. A., Qayim, I., & Wardiatno, Y. (2018). Carbon storage variability in seagrass meadows of Marine Poton Bako, East Lombok, West Nusa Tenggara, Indonesia. *Biodiversitas Journal of Biological Diversity*, 19(5), 1626–1631. <https://doi.org/10.13057/biodiv/d190505>
- Risandi, J., Rifai, H., Lukman, K. M., Sondak, C. F. A., Hernawan, U. E., Quevedo, J. M. D., Hidayat, R., Ambo-Rappe, R., Lanuru, M., Mckenzie, L., Kohsaka, R., & Nadaoka, K. (2023). Hydrodynamics across seagrass meadows and its impacts on Indonesian coastal ecosystems: A review. *Frontiers in Earth Science*, 11. <https://doi.org/10.3389/feart.2023.1034827>
- Said, N., Webster, C., Strydom, S., Dunham, N., Adams, M. P., & McMahon, K. (2026). Seagrasses are most vulnerable to marine heatwaves in tropical zones: local-scale and broad climatic zone variation in thermal tolerances. *The New Phytologist*, 249(6), 2835–2851. <https://doi.org/10.1111/nph.70742>
- Saputra H, Nugraha. M.A, Hudatwi M. 2024. Penilaian Stok Karbon Ekosistem Padang Lamun Di Pesisir Tukak, Kabupaten Bangka Selatan. *Journal of Marine Research* Vol 13, No. 1 Februari 2024, pp. 1-10 DOI : 10.14710/jmr.v13i1.33988
- Septiani E.F , Ghofar A, Febrianto S. Pemetaan Karbon Di Padang Lamun Pantai Prawean Bandengan Jepara. *Majalah Ilmiah Globe* Volume 20 No 2 Oktober 2018: 117-124
- Schober, P., Boer, C., & Schwarte, L. A. (2018). Correlation Coefficients: Appropriate Use and Interpretation. *Anesthesia & Analgesia*, 126(5), 1763–1768. <https://doi.org/10.1213/ane.0000000000002864>
- Shi, M., Zhou, Y., Chen, J., Liu, C., Shi, J., Zhang, Y., Ye, J., & Fu, S. (2025). Impact of the Nitrogen Emission Control Area policy on reducing NO₂ concentrations in coastal cities: evidence from a spatial difference-in-differences model. *Maritime Policy & Management*, ahead-of-print(ahead-of-print), 1–26. <https://doi.org/10.1080/03088839.2025.2584122>
- Souhardya, S. M., Kumar, U., Iqbal, M. M., Kabir, I. E., Billah, M. M., Das, C., Barman, S., Das, S., Shawlin, J. F., Ahmed, S. I., & Das, J. (2025). Phytoplankton in contrasting ecosystems of the southeastern coast of Bangladesh: effects of seasonality and environmental factors. *Environmental Monitoring and Assessment*, 197(3), 260. <https://doi.org/10.1007/s10661-025-13699-y>
- Supratman, O. & Adi, W. 2018. Distribusi dan Kondisi Komunitas Lamun di Bangka Selatan, Kepulauan Bangka Belitung. *Jurnal Ilmu dan Teknologi Kelautan Tropis*, 10(3):561-573. DOI: 10.29244/jitkt.v10i3.20614.
- Savenets ,M .Air pollution in Ukraine: a view from the Sentinel-5P satellite. *Quarterly Journal of the Hungarian Meteorological Service* Vol. 125, No. 2, April – June, 2021, pp. 271–290. DOI:10.28974/idojaras.2021.2.6

- Tonion, F., et al. (2022). Sentinel-5P NO₂ data: Cross-validation and comparison with ground measurements. *ISPRS Archives*, XLIII-B3-2022, 749–756.
- Trevathan-Tackett, S. M., et al. (2021). "Organic carbon storage in seagrass meadows: The role of bulk density and environmental drivers." *Global Change Biology*
- Prichilia Putu Makarti , Abdul Karim. Seminar Nasional Pendidikan, Sains dan Teknologi ISBN : 978-602-61599-6-0 Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Muhammadiyah Semarang
- Wallace, R. B., Peterson, B. J., & Gobler, C. J. (2021). Ecosystem Metabolism Modulates the Dynamics of Hypoxia and Acidification Across Temperate Coastal Habitat Types. *Frontiers in Marine Science*, 8. <https://doi.org/10.3389/fmars.2021.611781>
- Van Dam B, Lopes C, Zeller MA, Ribas-Ribas M, Wang H and Thomas H (2021) Overstated Potential for Seagrass Meadows to Mitigate Coastal Ocean Acidification. *Front. Mar. Sci.* 8:729992. doi: 10.3389/fmars.2021.729992
- Viedra, G. G. Z , Sukojo, B. M., Analysis of The Effect of Deforestation Rates on Air Pollution Concentration and Land Surface Temperature Using Landsat-8 Imagery with Google Earth Engine Kalimantan Province, 2019-2020). *IOP Conf. Series: Earth and Environmental Science* 1127 (2023) 012032. doi:10.1088/1755-1315/1127/1/012032
- Zega, A., Susanti, N., Tillah, R., Laoli, D., Telaumbanua, B., Zebua, R., Dawolo, J., Zebua, O., & Gea, A. (2024). Strategi Inovatif Dalam Menghadapi Degradasi Ekosistem: Kajian Terbaru Tentang Peran Vital Hutan Mangrove Dalam Konservasi Lingkungan. *Zoologi: Jurnal Ilmu Peternakan, Ilmu Perikanan, Ilmu Kedokteran Hewan*, 2(2), 71–83. <https://doi.org/10.62951/zoologi.v2i2.65>
- Zhang, X., Zhao, C., Yu, S., Jiang, Z., Liu, S., Wu, Y., & Huang, X. (2020). Rhizosphere Microbial Community Structure Is Selected by Habitat but Not Plant Species in Two Tropical Seagrass Beds. *Frontiers in Microbiology*, 11(e804), 161. <https://doi.org/10.3389/fmicb.2020.00161>

Daftar Pustaka Bab IV

- Ahmad M, Tobing BPL, Purnomo BH, Suntoro T, Ilham, Mursal T, Ernawati, P AM, Ramadhan D, Prambadha YB, et al. 2018. Pedoman Penghitungan dan Pelaporan Inventarisasi Gas Rumah Kaca Bidang Energi - Sub Bidang Ketenagalistrikan. :1–136.
- Ahmad M, Tobing BPL, Purnomo BH, Suntoro T, Ilham, Mursal T, Ernawati, P AM, Ramadhan D, Prambadha YB, et al. 2018. Pedoman Penghitungan dan Pelaporan Inventarisasi Gas Rumah Kaca Bidang Energi - Sub Bidang Ketenagalistrikan. :1–136.
- Bates NR, Best MHP, Neely K, Garley R, Dickson AG, Johnson RJ. 2012. Detecting anthropogenic carbon dioxide uptake and ocean acidification in the North Atlantic Ocean. *Biogeosciences*. 9(7):2509–2522.doi:10.5194/bg-9- 2509-2012.
- Donato DC, Kauffman JB, Murdiyarso D, Kurnianto S, Stidham M, Kanninen M. 2011. Mangroves are among the most carbon-rich forests in the tropics. *Nat. Geosci*. 4(5):293–297.doi:10.1038/ngeo1123.
- Duarte, B., Martins, I., Rosa, R., Matos, A. R., Roleda, M. Y., Reusch, T. B. H., Engelen, A. H., Serrão, E. A., Pearson, G. A., Marques, J. C., Caçador, I., Duarte, C. M., & Jueterbock, A. (2018). Climate change impacts on seagrass meadows and macroalgal forests: An integrative perspective on acclimation and adaptation potential. *Frontiers in Marine Science*, 5, 190. <https://doi.org/10.3389/fmars.2018.00190>
- Fourqurean JW, Duarte CM, Kennedy H, Marbà N, Holmer M, Mateo MA, Apostolaki ET, Kendrick GA, Krause-Jensen D, McGlathery KJ, et al. 2012. Seagrass ecosystems as a globally significant carbon stock. *Nat. Geosci*. 5(7):505–509.doi:10.1038/ngeo1477
- Ganefiani A, Suryanti, Latifah N. 2019. Potensi Padang Lamun Sebagai Penyerap Karbon Di Perairan Pulau Karimunjawa, Taman Nasional Karimunjawa. *Indones. J. Fish. Sci. Technol. Saintek Perikan*. 14(2):115–122.
- Gürel, E., & Tat, M. (2017). SWOT analysis: A theoretical review. *The Journal of International Social Research*, 10(51), 994–1006. <https://doi.org/10.17719/jisr.2017.1832>
- Havard, L., Brigand, L., & Cariño, M. (2015). Stakeholder participation in decision-making processes for marine and coastal protected areas: Case studies of the south-western Gulf of California, Mexico. *Ocean & Coastal Management*, 116, 116–131. <https://doi.org/10.1016/j.ocecoaman.2015.06.017>
- Hickmah N, Maslukah L, Wulandari SY, Sugianto DN, Wirasatriya A. 2021. Kajian Stok Karbon Organik dalam Sedimen di Area Vegetasi Mangrove Karimunjawa. *Indones. J. Oceanogr*. 3(4):419–426.
- Howard JL, Perez A, Lopes CC, Fourqurean JW. 2016. Fertilization Changes Seagrass Community Structure but not Blue Carbon Storage: Results from a 30-Year Field Experiment. *Estuaries and Coasts*. 39(5):1422– 1434.doi:10.1007/s12237-016-0085-1.
- Kamal AHM, Al-Asif A, Idris MH, Bhuiyan MKA, Rahman AFMA. 2023. Trends in Seagrass Research and Conservation in Malaysian Waters. *J. Trop. Life Sci*. 13(1):93–114.doi:10.11594/jtls.13.01.10.
- Lamb JB, Van De Water JAJM, Bourne DG, Altier C, Hein MY, Fiorenza EA, Abu N, Jompa J, Harvell CD. 2017. Seagrass ecosystems reduce exposure to bacterial pathogens of humans, fishes, and invertebrates. *Science (80-.)*. 355(6326):731–733.doi:10.1126/science.aal1956.

- Macreadie PI, Hughes AR, Kimbro DL. 2013. Loss of “Blue Carbon” from Coastal Salt Marshes Following Habitat Disturbance. *PLoS One*. 8(7):1–8.[doi:10.1371/journal.pone.0069244](https://doi.org/10.1371/journal.pone.0069244).
- Macreadie, P. I., Costa, M. D. P., Atwood, T. B., Friess, D. A., Kelleway, J. J., Kennedy, H., Lovelock, C. E., Serrano, O., & Duarte, C. M. (2021). Blue carbon as a natural climate solution. *Nature Reviews Earth & Environment*, 2(12), 826–839. <https://doi.org/10.1038/s43017-021-00224-1>
- McLeod E, Chmura GL, Bouillon S, Salm R, Björk M, Duarte CM, Lovelock CE, Schlesinger WH, Silliman BR. 2011. A blueprint for blue carbon: Toward an improved understanding of the role of vegetated coastal habitats in sequestering CO₂. *Front. Ecol. Environ*. 9(10):552–560.[doi:10.1890/110004](https://doi.org/10.1890/110004).
- Montero-Hidalgo, M., Tuya, F., Otero-Ferrer, F., Haroun, R., & Santos-Martín, F. (2023). Mapping and assessing seagrass meadows changes and blue carbon under past, current, and future scenarios. *Science of The Total Environment*, 872, 162244. <https://doi.org/10.1016/j.scitotenv.2023.162244>
- Pazzaglia, J., Santillán-Sarmiento, A., Helber, S. B., Ruocco, M., Terlizzi, A., Marin-Guirao, L., & Procaccini, G. (2020). Does warming enhance the effects of eutrophication in the seagrass *Posidonia oceanica*? *Frontiers in Marine Science*, 7, 564805. <https://doi.org/10.3389/fmars.2020.564805>
- Phadermrod, B., Crowder, R. M., & Wills, G. B. (2019). Importance-performance analysis based SWOT analysis. *International Journal of Information Management*, 44, 194–203. <https://doi.org/10.1016/j.ijinfomgt.2016.03.009>
- Putra IGNAB. 2019. Analisis swot sebagai strategi meningkatkan keunggulan pada ud. kacang sari di Desa Tamblang. *J. Pendidik. Ekon. Undiksha*. 9(2):397.[doi:10.23887/jjpe.v9i2.20106](https://doi.org/10.23887/jjpe.v9i2.20106).
- Rangkuti, F. (2015). *Analisis SWOT: Teknik membedah kasus bisnis cara perhitungan bobot, rating, dan OCAI*. Gramedia Pustaka Utama.
- Satriani. 2024. Potensi Sedimen Lamun Dalam Menyimpan Karbon Di Sekitar Kawasan Ekonomi Khusus (Kek) Likupang Barat, Sulawesi Utara. *Pengelolaan Sumberdaya Perairan Fakultas Perikanan Dan Ilmu Kelautan Institut Pertanian Bogor*
- Unsworth RKF, McKenzie LJ, Collier CJ, Cullen-Unsworth LC, Duarte CM, Eklöf JS, Jarvis JC, Jones BL, Nordlund LM. 2019. Global challenges for seagrass conservation. *Ambio*. 48(8):801–815.[doi:10.1007/s13280-018-1115-y](https://doi.org/10.1007/s13280-018-1115-y).
- Valdez, S. R., Zhang, Y. S., van der Heide, T., Vanderklift, M. A., Tarquinio, F., Orth, R. J., & Silliman, B. R. (2020). Positive ecological interactions and the success of seagrass restoration. *Frontiers in Marine Science*, 7, 91. <https://doi.org/10.3389/fmars.2020.00091>
- Wang, X., Bai, J., Yan, J., Cui, B., & Shao, D. (2022). How turbidity mediates the combined effects of nutrient enrichment and herbivory on seagrass ecosystems. *Frontiers in Marine Science*, 9, 787041. <https://doi.org/10.3389/fmars.2022.787041>

