

DAFTAR PUSTAKA

- Al Ghiffari, M. R., Y. Sudiyanto, D. M. Nurjaman, N. Wicaksono, H. E. Fatahillah, F. Septiawan, R. N. Pratama, T. Widiaputra, M. L. Aziz, W. Hidayat, W. Garinas, Y. Anantasena, and V. Nursanti (2025), Groundwater characteristics in nickel laterite deposits in the Pomalaa Region, Kolaka Regency, Southeast Sulawesi: Insights from resistivity, pumping test, and water chemistry, *Iraqi Geological Journal*, 58(1F), 120–137, <https://doi.org/10.46717/igj.2025.58.1F.9>
- Antonelli, F., Stevanato, R., Fries, M., Abreu, G. C., Ferreira, F. J. F., & Serrano, V. D. (2019). Resistivity and Induced Polarization applied to epithermal gold deposit in the Torre Target, at Castro Basin-PR. In *Proceedings of the 16th International Congress of the Brazilian Geophysical Society* (pp. xx–xx). Rio de Janeiro, Brazil: SBGf. DOI: [10.22564/16cisbqf2019.135](https://doi.org/10.22564/16cisbqf2019.135)
- Arboleda-Zapata M, Guillemoteau J, Tronicke J (2022). A comprehensive workflow to analyze ensembles of globally inverted 2D electrical resistivity models. *Journal of Applied Geophysics*.;196:104512. DOI: [10.1016/j.jappgeo.2021.104512](https://doi.org/10.1016/j.jappgeo.2021.104512)
- Asare A, Owusu-Nimo F, Ali B, Ampofo BA. (2024). Estimating the depth of investigation in electrical resistivity survey: Laboratory measurements. *Journal of Science and Technology*. 42(1). DOI: [10.4314/jst.v42i1.2](https://doi.org/10.4314/jst.v42i1.2)
- Cai, J. T., Ruan, B. Y., Zhao, G. Z., & Zhu, G. P. 2013. Two-Dimensional Modeling of Complex Resistivity Using Finite Element Method. *Chinese Journal of Geophysics*, 50(6), 1615-1624.
- Coggon. J. H (1971). Electromagnetic And Electrical Modeling By The Finite Element Method. *Geophysics*, Vol. 36, No.1, 132-155.
- Dahlin, T., & Zhou, B. (2004). A numerical comparison of 2D resistivity imaging with 10 electrode arrays. *Geophysical Prospecting*, 52(5), 379–398. DOI: [10.1111/j.1365-2478.2004.00423.x](https://doi.org/10.1111/j.1365-2478.2004.00423.x)
- Doyoro, Y. G., Chang, P.-Y., & Puntu, J. M. (2021). Uncertainty of the 2D resistivity survey on the subsurface cavities. *Applied Sciences*, 11(7), Article 3054. <https://doi.org/10.3390/app11073143>
- Elias, M. (2002), Nickel laterite deposits—Geological overview, resources and exploitation, in *Giant Ore Deposits: Characteristics, Genesis and Exploration*, edited by D. R. Cooke and J. Pongratz, CODES Special Publication 4, pp. 205–220, Centre for Ore Deposit Research, University of Tasmania, Hobart, Australia.
- Fediuk, A., Wilken, D., Thorwart, M., Wunderlich, T., Erkul, E., & Rabbel, W. (2020). The applicability of an inverse Schlumberger array for near-surface targets in shallow water environments. *Remote Sensing*, 12(13), 2132. ; <https://doi.org/10.3390/rs12132132>

- Fitri, A. (2023), Comparative analysis of water content in laterite nickel in the Limonite and Saprolite zones in the North Morowali mine area, *American Journal of Engineering Research (AJER)*, 12(8), 49–53.
- Grandis, H. 2009. Pengantar Inversi Geofisika. Himpunan Ahli Geofisika Indonesia (HAGI): Bandung
- Gunther, T. (2004). *Inversion methods and resolution analysis for the 2D/3D reconstruction of resistivity structures from DC measurements* (Dissertation, Doctor rerum naturalium). Technische Universität Bergakademie Freiberg, Freiberg, Germany.
- Günther, T., Rücker, C., & Spitzer, K. (2006). Three-dimensional modelling and inversion of DC resistivity data incorporating topography—II. Inversion. *Geophysical Journal International*, 166(2), 506–517. <https://doi.org/10.1111/j.1365-246X.2006.03011.x>
- Hernandi, D., Ardiyanto, P., Hakim, M., Hidayat, I., and Noor, M. E. S. (2017), Ni laterite electrical resistivity tomography (ERT) geological model, in *Proceedings of the Joint Convention Malang 2017 (HAGI–IAGI–IAFMI–IATMI)*, Malang, Indonesia, 25–28 September.
- Humphreys, E., & Clayton, R. W. (1988). Adaptation of back projection tomography to seismic travel time problems. *Journal of Geophysical Research: Solid Earth*, 93(B2), 1073–1085. DOI: [10.1029/JB093iB02p01073](https://doi.org/10.1029/JB093iB02p01073)
- Ilyas, A., & Koike, K. (2012). *Geostatistical modeling of ore grade distribution from geomorphic characterization in a laterite nickel deposit*. Natural Resources Research, 21(2), 157–170. <https://doi.org/10.1007/s11053-012-9170-8>
- Larson, M. G., and F. Bengzon (2013), *The Finite Element Method: Theory, Implementation, and Applications*, Springer, Heidelberg, Germany, <https://doi.org/10.1007/978-3-642-33287-6>
- Liu, J.-L. (2011). *Poisson's equation in electrostatics*. Department of Applied Mathematics, National Hsinchu University of Education.
- Loke, M. H. (2022). *Tutorial: 2-D and 3-D electrical imaging surveys* (Rev. ed., January 15, 2022). Geotomo Software. <http://www.geotomosoft.com>
- Loke, M. H., Wilkinson, P. B., & Chambers, J. E. (2013). Fast computation of optimized electrode arrays for 2-D resistivity surveys. *Geophysical Journal International*, 193(1), 439–451. DOI: [10.1016/j.jageo.2010.03.016](https://doi.org/10.1016/j.jageo.2010.03.016)
- Muttaqy, F., Nugraha, A. D., Mori, J., Puspito, N. T., Supendi, P., & Rohadi, S. (2022). Seismic imaging of lithospheric structure beneath Central-East Java Region,

- Indonesia: Relation to recent earthquakes. *Frontiers in Earth Science*, 10, 756806. <https://doi.org/10.3389/feart.2022.756806>
- Nazilatunni'mah, Yatini, Y., and Wicaksono, M. A. (2024), Delineation of nickel laterite deposits based on geoelectric method in Area "X", Southeast Sulawesi, Indonesia, *Engineering and Technology Journal*, 9(8), 4871–4877, <https://doi.org/10.47191/etj/v9i08.36>
- Nurjayanty, Y., Djamaluddin, & Budiman, A. A. (2022). *Block model of laterite nickel reserve in the Sorowako Village research area, South Sulawesi Province*. *Journal of Geology & Exploration*, 1(1), 18–21. DOI:[10.58227/jge.v1i1.5](https://doi.org/10.58227/jge.v1i1.5)
- Oldenburg, D. W., & Li, Y. (1999). Estimating depth of investigation in DC resistivity and IP surveys. *Geophysics*, 64(2), 403–416. DOI:[10.1190/1.1444545](https://doi.org/10.1190/1.1444545)
- Pahlawantika, I. A., Yatini, Y., & Wicaksono, M. A. (2025). *Integration of electrical resistivity tomography and borehole data for mapping laterite–Bedrock boundaries in a nickel deposit, "PHO" Block, Southeast Sulawesi*. *Indonesian Journal of Applied Physics*, (April 2025). <https://doi.org/10.13057/ijap.v15i1.93950>
- Patadungan, E., Azikin, B., & Pachri, H. (2024). *Characteristics of laterite nickel based on geochemical data and Electrical Resistivity Tomography (ERT) of ultramafic rocks in the Sorowako Area, East Luwu Regency*. *Journal of Geology & Exploration*, x(x), 65–76. <https://doi.org/10.58227/jge.v3i2.179>
- Rücker C, Günther T, Wagner FM. pyGIMLi: An open-source library for modelling and inversion in geophysics. *Comput Geosci*. 2017; 104:106–123. <https://doi.org/10.1016/j.cageo.2017.07.011>.
- Ruslan, A. R. N., Yatini, Y., and Wicaksono, M. A. (2025), Delineation of nickel laterite based on electrical resistivity tomography (ERT) method at Kolaka Regency, Southeast Sulawesi, *Jambura Geoscience Review*, 7(1), 48–59, <https://doi.org/10.37905/jgeosrev.v7i1.22109>.
- Sasaki, Y. (1992). Resolution of resistivity tomography inferred from numerical simulation. *Geophysical Prospecting*, 40(4), 453–464. <https://doi.org/10.1111/j.1365-2478.1992.tb00536.x>
- Sharma, P.V. (1986). *Geophysical Methods in Geology*, Elsevier Science, New York, USA.
- Tang, J.-T., Wang, F.-Y., & Ren, Z.-Y. (2010). 2.5-D DC resistivity modeling by adaptive finite-element method with unstructured triangulation. *Chinese Journal*

- of *Geophysics*, 53(3), 708–716. <https://doi.org/10.3969/j.issn.0001-5733.2010.03.026>
- Varfinezhad, R., & Oskooi, B. (2019). 2D DC resistivity forward modeling based on the integral equation method and a comparison with the RES2DMOD results. *Journal of Earth and Space Physics*, 45(4), 1–12. <https://doi.org/10.22059/jesphys.2019.260824.1007020>
- Vu, M. T., and A. Jardani. “Convolutional Neural Networks with SegNet Architecture Applied to Three-Dimensional Tomography of Subsurface Electrical Resistivity (CNN-3D-ERT).” *Geophysical Journal International*, vol. 224, no. 2, 2021, pp. 1440–1456. <https://doi.org/10.1093/gji/ggab024>.
- Wessel, P., Luis, J. F., Uieda, L., Scharroo, R., Wobbe, F., Smith, W. H. F., & Tian, D. (2019). *The Generic Mapping Tools version 6*. Geochemistry, Geophysics, Geosystems, 20(11), 5556–5564. <https://doi.org/10.1029/2019GC008515>
- Wicaksono, M. A., Mordekhai, Sumargono, D., and Rahmat, A. S. (2023), Integrating resistivity and geochemical component data with Bayesian inference to characterize nickel laterites: A case study from Pomalaa region using large-scale borehole data, in *Proceedings of the Joint Convex Pangkalpinang 2023 (IAGI–IAFMI–HAGI–IATMI–PERHAPI)*, Pangkalpinang, Indonesia, 23–26 October.
- Zalsabilla, I. (2024). *Perbandingan Metode Electrical Resistivity Tomography (ERT) dan Metode Ground Penetrating Radar (GPR) dalam Penentuan Batas dan Ketebalan Lapisan Laterit*. Program Studi Geofisika, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Hasanuddin, Maka
- Zhao, D., Hasegawa, A., & Horiuchi, S. (1992). Tomographic imaging of P and S wave velocity structure beneath northeastern Japan. *Journal of Geophysical Research: Solid Earth*, 97(B13), 19909–19928. <https://doi.org/10.1029/92JB00603>
- Zhdanov, M. S. (2002). *Geophysical inverse theory and regularization problems*. Methods in Geochemistry and Geophysics, 36.
- Zhou, B. & Greenhalgh, S.A., 2001. Finite element three-dimensional direct current resistivity modelling: accuracy and efficiency considerations. *Geophysical Journal International*, 146(3), pp.611–623. DOI:[10.1046/j.0956-540x.2001.01412.x](https://doi.org/10.1046/j.0956-540x.2001.01412.x)
- Zhou, M., Tian, X., Yang, Z., Liu, Q., & Gao, Z. (2023). The 3-D shallow velocity structure and sedimentary structure of 2017 Ms6.6 Jinghe earthquake source area derived from dense array observations of ambient noise. *Frontiers in Earth Science*, 11, 1112132. <https://doi.org/10.3389/feart.2023.1112132>