

DAFTAR PUSTAKA

- Betts, J. A., Toone, R. J., Stokes, K. A., & Thompson, D. (2009). Systemic indices of skeletal muscle damage and recovery of muscle function after exercise: Effect of combined carbohydrate-protein ingestion. *Applied Physiology, Nutrition and Metabolism*, 34(4), 773–784. <https://doi.org/10.1139/H09-070>
- Bruno Bordon, Matthew Varacallo, (2013), Anatomy, Pelvic Bones and Lower Legs: Quadriceps Muscles of the Thigh, StatPearls
- Betts, J. A., Toone, R. J., Stokes, K. A., & Thompson, D. (2009). Systemic indices of skeletal muscle damage and recovery of muscle function after exercise: Effect of combined carbohydrate-protein ingestion. *Applied Physiology, Nutrition and Metabolism*, 34(4), 773–784. <https://doi.org/10.1139/H09-070>
- Brancaccio, P., Lippi, G., Ematochimica, U. O. D., & Ospedaliero-, A. (2010). *Biochemical markers of muscular damage*. 48(6), 757–767. <https://doi.org/10.1515/CCLM.2010.179>
- Buckley, J. D., Thomson, R. L., Coates, A. M., Howe, P. R. C., DeNichilo, M. O., & Rowney, M. K. (2010). Supplementation with a whey protein hydrolysate enhances recovery of muscle force-generating capacity following eccentric exercise. *Journal of Science and Medicine in Sport*, 13(1), 178–181. <https://doi.org/10.1016/j.jsams.2008.06.007>
- Burd, N. A., Mitchell, C. J., Churchward-Venne, T. A., & Phillips, S. M. (2012). Bigger weights may not beget bigger muscles: Evidence from acute muscle protein synthetic responses after resistance exercise. *Applied Physiology, Nutrition and Metabolism*, 37(3), 551–554. <https://doi.org/10.1139/H2012-022>
- Chalik, M., Usnizar, F., & Suciati, T. (2014). Kadar CK-MB Pasien Penyakit Jantung Koroner Yang Dirawat Inap di Bagian Penyakit Dalam RS. Muhammad Hoesin Palembang Berdasarkan Waktu Pengambilan Darah. *Majalah Kedokteran Sriwijaya*, 46(3), 216–221.
- Cheah, K. J., & Cheah, L. J. (2023). Benefits and side effects of protein supplementation and exercise in sarcopenic obesity: A scoping review. *Nutrition Journal*, 22(1), 1–13. <https://doi.org/10.1186/s12937-023-00880-7>
- Cheng, A. J., Jude, B., & Lanner, J. T. (2020). Intramuscular

- mechanisms of overtraining. *Redox Biology*, 35(February), 101480. <https://doi.org/10.1016/j.redox.2020.101480>
- Cheung, K., Hume, P. A., & Maxwell, L. (2003). *Treatment Strategies and Performance Factors*. 33(2), 145–164.
- Christopher C. Kaeding, J. R. B. (2014). Hamstring and Quadriceps Injuries in Athletes. *Hamstring and Quadriceps Injuries in Athletes*. <https://doi.org/10.1007/978-1-4899-7510-2>
- Cintineo, H. P., Arent, M. A., Antonio, J., & Arent, S. M. (2018). Effects of Protein Supplementation on Performance and Recovery in Resistance and Endurance Training. *Frontiers in Nutrition*, 5(September), 4–7. <https://doi.org/10.3389/fnut.2018.00083>
- Clarkson, P. M., & Hubal, M. J. (2002). Exercise-Induced Muscle Damage in Humans. *American Journal of Physical Medicine & Rehabilitation*, 81(11). https://journals.lww.com/ajpmr/fulltext/2002/11001/exercise_induced_muscle_damage_in_humans.7.aspx
- Clemente, F. M., Soylu, Y., Arslan, E., Kilit, B., Garrett, J., van den Hoek, D., Badicu, G., & Silva, A. F. (2022). Can high-intensity interval training and small-sided games be effective for improving physical fitness after detraining? A parallel study design in youth male soccer players. *PeerJ*, 10. <https://doi.org/10.7717/peerj.13514>
- Cooke, M. B., Rybalka, E., Stathis, C. G., Cribb, P. J., & Hayes, A. (2010). Whey protein isolate attenuates strength decline after eccentrically-induced muscle damage in healthy individuals. *Journal of the International Society of Sports Nutrition*, 7(May 2022). <https://doi.org/10.1186/1550-2783-7-30>
- Crowther, F., Sealey, R., Crowe, M., Edwards, A., & Halson, S. (2017). *Influence of recovery strategies upon performance and perceptions following fatiguing exercise : a randomized controlled trial*. 1–9. <https://doi.org/10.1186/s13102-017-0087-8>
- Drobnic, F., Lizarraga, M. A., Caballero-García, A., & Cordova, A. (2022). Coenzyme Q10 Supplementation and Its Impact on Exercise and Sport Performance in Humans: A Recovery or a Performance-Enhancing Molecule? *Nutrients*, 14(9). <https://doi.org/10.3390/nu14091811>
- Farup, J., Rahbek, S. K., Vendelbo, M. H., Matzon, A., Hindhede, J.,

- Bejder, A., Ringgard, S., Vissing, K., & P, t. (2013). *Whey protein hydrolysate augments tendon and muscle hypertrophy independent of resistance exercise contraction mode*. 1–11. <https://doi.org/10.1111/sms.12083>
- Gene-Morales, J., Saez-Berlanga, A., Bermudez, M., Flández, J., Fritz, N., & Colado, J. C. (2021). Incidence and prevalence of injuries in futsal: A systematic review of the literature. *Journal of Human Sport and Exercise*, 16(Proc3), S1467–S1480. <https://doi.org/10.14198/jhse.2021.16.Proc3.63>
- Gomes, M., Silas, W., Dias, S., Regioli, T., Eduardo, D. A., Fernandes, V., Gomes, A., Vinicius, B., Milanez, F., Inocente, E., Solange, J., & Ramos, D. P. (2021). The use of BCAA to decrease delayed - onset muscle soreness after a single bout of exercise: a systematic review and meta - analysis. *Amino Acids*, 53(11), 1663–1678. <https://doi.org/10.1007/s00726-021-03089-2>
- Graha, A. S., Fitrian, Z. A., & Nasrulloh, A. (2023). Exploring the Benefits of Combined Effleurage and Tapotement Techniques for Alleviating Delayed Onset Muscle Soreness (DOMS) in Futsal Players. *International Journal of Human Movement and Sports Sciences*, 11(6), 1383–1390. <https://doi.org/10.13189/saj.2023.110624>
- Harty, P. S., Cottet, M. L., Malloy, J. K., & Kerksick, C. M. (2019). Nutritional and Supplementation Strategies to Prevent and Attenuate Exercise-Induced Muscle Damage: a Brief Review. *Sports Medicine - Open*, 5(1), 1–17. <https://doi.org/10.1186/s40798-018-0176-6>
- Jäger, R., Kerksick, C. M., Campbell, B. I., Cribb, P. J., Wells, S. D., Skwiat, T. M., Purpura, M., Ziegenfuss, T. N., Ferrando, A. A., Arent, S. M., Smith-Ryan, A. E., Stout, J. R., Arciero, P. J., Ormsbee, M. J., Taylor, L. W., Wilborn, C. D., Kalman, D. S., Kreider, R. B., Willoughby, D. S., ... Antonio, J. (2017). International Society of Sports Nutrition Position Stand: Protein and exercise. *Journal of the International Society of Sports Nutrition*, 14(1), 1–25. <https://doi.org/10.1186/s12970-017-0177-8>
- Karaku, M., & Akkurt, S. (2020). *The effect of use of protein supplements on muscle damage*. 22(3), 194–198. <https://doi.org/10.23751/pn.v22i1-S.9882>
- Kozik, I., & Wikerd, Z. (2023). Extremely elevated creatine kinase

- associated with rhabdomyolysis-induced acute kidney injury in a patient with Huntington's disease: a case report. *Journal of Medical Case Reports*, 17(1), 1–5. <https://doi.org/10.1186/s13256-023-04018-5>
- Kritikos, S., Papanikolaou, K., Draganidis, D., Batsilas, D., Batrakoulis, A., Deli, C. K., & Fatouros, G. (2021). *on recovery kinetics following speed endurance training in competitive male soccer players: a randomized controlled trial Effect of whey vs . soy protein supplementation on recovery kinetics following speed endurance training in competitive male soccer players: a randomized controlled trial*. 2783. <https://doi.org/10.1186/s12970-021-00420-w>
- Li, L., Wong, S. H. S., & Sun, F. H. (2015). Effects of protein addition to carbohydrate-electrolyte solutions on postexercise rehydration. *Journal of Exercise Science and Fitness*, 13(1), 8–15. <https://doi.org/10.1016/j.jesf.2014.11.001>
- Lima, Y. (2022). Comparison of dynamic balance among football, futsal, and beach soccer players. *Turkish Journal of Sports Medicine*, 58(1), 2–7. <https://doi.org/10.47447/tjism.0693>
- Mardiana, M., Rachmawati, L., Sari, N. P., & Amien, T. N. Al. (2022). Whey Protein, Daun Kelor, Kurma, Dan Kelelahan Otot. *Bookchapter Kesehatan Masyarakat Universitas Negeri Semarang*, 2, 153–180. <https://doi.org/10.15294/km.v1i2.78>
- Marsuki, M., Idris, I., Aras, D., & Sinrang, A. W. (2023). *Analysis of Changes In Creatine Kinase Myocardial Band (CK-MB) And F 2 -Isoprostane Levels After A 30 Km Cycling Event In The Makassar Bike Community*. 15(1), 84–103.
- Matin, S. S., & Veria, V. A. (2013). Body Mass Index (Bmi) Sebagai Salah Satu Faktor Yang Berkontribusi Terhadap Prestasi Belajar Remaja. *Jurnal Visikes*, 12(2), 163–169.
- Mckinlay, B. J., Theocharidis, A., Adebero, T., Kurgan, N., Fajardo, V. A., Roy, B. D., Josse, A. R., Logan-sprenger, H. M., Falk, B., & Klentrou, P. (2020). *E ff ects of Post-Exercise Whey Protein Consumption on Recovery Indices in Adolescent Swimmers*. 10–17.
- Mielgo-ayuso, J., & Fern, D. (2021). *Nutrition and Muscle Recovery*. 10–13.

- Morton, R. W., Murphy, K. T., McKellar, S. R., Schoenfeld, B. J., Henselmans, M., Helms, E., Aragon, A. A., Devries, M. C., Banfield, L., Krieger, J. W., & Phillips, S. M. (2018). A systematic review, meta-analysis and meta-regression of the effect of protein supplementation on resistance training-induced gains in muscle mass and strength in healthy adults. *British Journal of Sports Medicine*, 52(6), 376–384. <https://doi.org/10.1136/bjsports-2017-097608>
- Nieman, D. C., Zwetsloot, K. A., Simonson, A. J., Hoyle, A. T., Wang, X., Nelson, H. K., Lefranc-Millot, C., & Guérin-Deremaux, L. (2020). Effects of whey and pea protein supplementation on post-eccentric exercise muscle damage: A randomized trial. *Nutrients*, 12(8), 1–14. <https://doi.org/10.3390/nu12082382>
- Nurhayati, F., Jasmani, S. P., & Keolahragaan, F. I. (2017). *Faridha Nurhayati*. 05, 406–412.
- Pasiakos, S. M., Lieberman, H. R., & Mclellan, T. M. (2014). *Effects of Protein Supplements on Muscle Damage , Soreness and Recovery of Muscle Function and Physical Performance: A Systematic Review*. 655–670. <https://doi.org/10.1007/s40279-013-0137-7>
- Peake, J. M., Neubauer, O., Gatta, P. A. D., & Nosaka, K. (2017). Muscle damage and inflammation during recovery from exercise. *Journal of Applied Physiology*, 122(3), 559–570. <https://doi.org/10.1152/japplphysiol.00971.2016>
- Pearson, A. G., Hind, K., & Macnaughton, L. S. (2023). The impact of dietary protein supplementation on recovery from resistance exercise-induced muscle damage: A systematic review with meta-analysis. In *European Journal of Clinical Nutrition* (Vol. 77, Issue 8, pp. 767–783). Springer US. <https://doi.org/10.1038/s41430-022-01250-y>
- Phillips, S. M. (2006). Dietary protein for athletes: From requirements to metabolic advantage. *Applied Physiology, Nutrition and Metabolism*, 31(6), 647–654. <https://doi.org/10.1139/H06-035>
- Purwanto, B. (2014). AdIn – perpustakaan universitas airlangga. *Universitas Airlangga, Surabaya, September*, 1–21. <https://doi.org/10.1002/14651858.CD004439.pub2.De>
- Ramdan, I. M., Duma, K., & Setyowati, D. L. (2019). Reliability and

- Validity Test of the Indonesian Version of the Nordic Musculoskeletal Questionnaire (NMQ) to Measure Musculoskeletal Disorders (MSD) in Traditional Women Weavers. *Global Medical & Health Communication (GMHC)*, 7(2), 123–130. <https://doi.org/10.29313/gmhvc.v7i2.4132>
- Ravichandran, H., Janakiraman, B., Sundaram, S., Fisseha, B., & Yitayeh, A. (2017). *Active Release Technique in Hamstrings Strain : Rehabilitation and Return to Play – A Case Study*. 71–74. <https://doi.org/10.4103/amhs.amhs>
- Ruiz-Pérez, I., López-Valenciano, A., Jiménez-Loaisa, A., Elvira, J. L. L., Croix, M. D. S., & Ayala, F. (2019). Injury incidence, characteristics and burden among female sub-elite futsal players: A prospective study with three-year follow-up. *PeerJ*, 2019(11), 1–21. <https://doi.org/10.7717/peerj.7989>
- Salem, A., Ben Maaoui, K., Jahrami, H., AlMarzooqi, M. A., Boukhris, O., Messai, B., Clark, C. C. T., Glenn, J. M., Ghazzaoui, H. A., Bragazzi, N. L., Ammar, A., Trabelsi, K., & Chtourou, H. (2024). Attenuating Muscle Damage Biomarkers and Muscle Soreness After an Exercise-Induced Muscle Damage with Branched-Chain Amino Acid (BCAA) Supplementation: A Systematic Review and Meta-analysis with Meta-regression. *Sports Medicine - Open*, 10(1). <https://doi.org/10.1186/s40798-024-00686-9>
- Sari, reno siska. (2014). *EFEK PEMBERIAN WHEY PROTEIN TERHADAP KEKUATAN OTOT TUNGKAI DAN ROM SENDI LUTUT SETELAH AKTIVITAS EKSENTRIK*. 8–11.
- Sari, R. S. (2019). Reno Siska Sari. *JURNAL SPORTA SAINTIKA*, 4, 5–24.
- Siracusa, J., Koulmann, N., Bourdon, S., Goriot, M. E., & Banzet, S. (2016). Circulating miRNAs as Biomarkers of Acute Muscle Damage in Rats. *American Journal of Pathology*, 186(5), 1313–1327. <https://doi.org/10.1016/j.ajpath.2016.01.007>
- Sobotta, J., Paulsen, F., Waschke, J. (Jens), Klonisch, T., & Hombach-Klonisch, S. (Sabine). (2013). Sobotta Atlas of Human Anatomy : Tables of Muscles, Joints, and Nerves. In *Sobotta Atlas of Human Anatomy : Tables of Muscles, Joints, and Nerves*.
- Spyrou, K., Freitas, T. T., Marín-Cascales, E., & Alcaraz, P. E. (2020). Physical and Physiological Match-Play Demands and Player

Characteristics in Futsal: A Systematic Review. *Frontiers in Psychology*, 11(November).
<https://doi.org/10.3389/fpsyg.2020.569897>

Waskiw-ford, M., Hannaian, S., Duncan, J., Kato, H., Sawan, S. A., Locke, M., Kumbhare, D., & Moore, D. (2020). *Leucine-Enriched Essential Amino Acids Improve Recovery from Post-Exercise Muscle Damage Independent of Increases in Integrated Myofibrillar Protein Synthesis in Young Men*.

Xu, F., Zeng, J., Liu, X., Lai, J., & Xu, J. (2022). Exercise-Induced Muscle Damage and Protein Intake: A Bibliometric and Visual Analysis. *Nutrients*, 14(20), 1–20.
<https://doi.org/10.3390/nu14204288>