

DAFTAR PUSTAKA

- ACI Committee 226 (1988). *Use of Fly ash in Concrete*. Farmington Hills, MI: American Concrete Institute.
- ASTM C33-86. (2003). *Standard Specification For Concrete Aggregates*. ASTM International. West Conshohocken.
- ASTM Standard C618-19., (2019) *Standard Specification for Coal Fly ash and Raw or Calcined Natural Pozzolan for Use in Concrete*. doi :10.1520/C0618
- ASTM C33-86. (1986). *Standard Specification for Concrete Aggregates*. America Society for Testing Materials.
- ASTM C33. (2003). *Standard Specification for Concrete Aggregates, Annual Books of ASTM standards* (pp. 1–7).
- Babalu, R., Anil, A., Sudarshan, K., & Amol, P. (2023). Compressive strength, flexural strength, and durability of high-volume fly ash concrete. *Innovative Infrastructure Solutions*, 8(5), 154. <https://doi.org/10.1007/s41062-023-01120-x>
- Badan Standardisasi Nasional. (2011). *SNI 2493: 2011 Tata cara pembuatan dan perawatan benda uji beton di laboratorium*. Badan Standardisasi Nasional.
- Badan Standardisasi Nasional. (2012). *SNI 7656:2012 Tata cara pemilihan campuran untuk beton normal, beton berat dan beton massa*. Badan Standardisasi Nasional.
- Badan Standardisasi Nasional. (2014). *SNI 2460:2014 Spesifikasi abu terbang batubara dan pozolan alam mentah atau yang telah dikalsinasi untuk digunakan dalam beton*. Badan Standardisasi Nasional.
- Badan Standardisasi Nasional. (2019). *SNI 2847:2019 Persyaratan Beton Struktural untuk Bangunan Gedung*. Badan Standardisasi Nasional.
- Bashir, A., Jibril, M., Muhammad, U. J., Abba, S., & Malami, S. (2024). *A new strategy using intelligent hybrid learning for prediction of water binder ratio of concrete with rice husk ash as a supplementary cementitious material*. <https://doi.org/10.21203/rs.3.rs-4770030/v1>
- British Standard Institution. (1982). *Methods for Sampling and Testing of Material Aggregates Sands and Fillers* (p. Part 1-4). BSI.
- Caronge, M. A., Tjaronge, M. W., Hamada, H., & Irmawaty, R. (2017). Effect of water curing duration on strength behaviour of portland composite cement (PCC) mortar. *IOP Conference Series: Materials Science and Engineering*, 271(1), 12018. <https://doi.org/10.1088/1757-899X/271/1/012018>
- Edi, B. M., & Mokhtar, A. (2022). Pengaruh Pencampuran Beton Dengan Unsur Agregat Kasar Hanya Menggunakan Batu Pecah 1-1 Terhadap Mutu Beton Berdasarkan Hasil Try and Error Pada Batching Plant PT. Sriwijaya Delapan Tujuh. *Seminar Keinsinyuran Program Studi Program Profesi Insinyur*, 2(1). <https://doi.org/10.22219/skpsppi.v3i1.4978>
- Febriasto, R., Paramita, N. L. P. S. P., & Wibawati, W. (2020). Prediksi Kuat Tekan Semen Untuk Produk Portland Composite Cement (PCC) Di PT. Semen Indonesia (Persero) Tbk. Menggunakan Support Vector Regression (SVR) Dengan Feature Selection. *Jurnal Sains Dan Seni Its*, 8(2).

<https://doi.org/10.12962/j23373520.v8i2.43071>

- Fu, K., Ren, X. Y., Lin, J. Q., & Yue, P. (2013). Comparative Analysis of Environmental Impacts Between Dregs Disposal and Conventional Cement Production by Life Cycle Assessment (LCA). *Advanced Materials Research*, 777, 461–466. <https://doi.org/10.4028/www.scientific.net/amr.777.461>
- Hamdi, F., Lopian, F. E. P., Tumpu, M., Mabui, D. S. S., Raidyarto, A., Sila, A. A., & Rangan, P. R. (2022). *TEKNOLOGI BETON*. TOHAR MEDIA. <https://books.google.co.id/books?id=QahnEAAAQBAJ>
- Hasyim, R. C., Sebayang, S., & Kusnadi, A. (2018). Pengaruh Abu Terbang Sebagai Bahan Pengganti Semen Pada Bata Beton Beragregat Bottom Ash. *Jurnal Rekayasa Sipil Dan Desain*, 5(4). <https://doi.org/10.23960/jrsdd.v5i4.769>
- Herath, C., Gunasekara, C., Law, D. W., & Setunge, S. (2021). Long term mechanical performance of nano-engineered high volume fly ash concrete. *Journal of Building Engineering*, 43, 103168. <https://doi.org/https://doi.org/10.1016/j.jobe.2021.103168>
- Hu, J., Gao, F., Wang, Z. H., & Gong, X. Z. (2014). Life Cycle Assessment of Steel Production. *Materials Science Forum*, 787, 102–105. <https://doi.org/10.4028/www.scientific.net/msf.787.102>
- Isaia, G. C., & Gastaldini, A. L. G. (2004). Perspectivas ambientais e econômicas do concreto com altos teores de adições minerais: um estudo de caso. *Ambiente Construído*, 4(2), 19–30. <https://www.seer.ufrgs.br/ambienteconstruido/article/download/3537/1937>
- Julmile, E. M., Phengkarsa, F., & Tonapa, S. R. (2023). Pengaruh Silica Fume Dan Pecahan Batu Marmer Sebagai Bahan Substitusi Pada Campuran Beton. *Paulus Civil Engineering Journal*, 5(1), 29–39. <https://doi.org/10.52722/pcej.v5i1.588>
- Kanta Rao, M., & Ch, N. S. K. (2022). Evaluation of Strength Properties of the Concrete Prepared from Class F Fly ash. *IOP Conference Series: Earth and Environmental Science*, 982(1), 12012. <https://doi.org/10.1088/1755-1315/982/1/012012>
- Kim, T., Tae, S., & Chae, C. U. (2016). Analysis of Environmental Impact for Concrete Using LCA by Varying the Recycling Components, the Compressive Strength and the Admixture Material Mixing. In *Sustainability* (Vol. 8, Issue 4, p. 389). <https://doi.org/10.3390/su8040389>
- Kumar, D., Vikrant, D., Memon, K. R., & Mandokhail, A. K. (2025). Combine effect of fly ash and aggregate size on flexural strength of reinforced concrete. *Mehran University Research Journal of Engineering and Technology*, 44(1), 1. <https://doi.org/10.22581/muet1982.2713>
- Kurda, R., Silvestre, J. D., & de Brito, J. (2018). Toxicity and environmental and economic performance of fly ash and recycled concrete aggregates use in concrete: A review. *Heliyon*, 4(4), e00611. <https://doi.org/https://doi.org/10.1016/j.heliyon.2018.e00611>
- Laurin, L., & Dhaliwal, H. (2017). *Life Cycle Environmental Impact Assessment* (M. A. B. T.-E. of S. T. Abraham (ed.); pp. 225–232). Elsevier. <https://doi.org/https://doi.org/10.1016/B978-0-12-409548-9.10060-0>

- Lavagna, L., & Nisticò, R. (2022). An Insight Into the Chemistry of Cement—A Review. *Applied Sciences*, 13(1), 203. <https://doi.org/10.3390/app13010203>
- Lukas, A. Y., & Rafael, J. W. M. (2023). Uji Ultrasonic Pulse Velocity Pada Beton Normal Yang Menggunakan Batu Karang Sebagai Pengganti Kerikil. *Menara Jurnal Teknik Sipil*, 19(1), 17–27. <https://doi.org/10.21009/jmenara.v19i1.35591>
- Mahmood, E., Basher, M., & Agha, A. (2018). EFFECTE OF FLY ASH AS A SUSTAINABLE MATERIAL ON LIGHTWEIGHT FOAMED CONCRETE MIXES. *Journal of Engineering and Sustainable Development*, 22, 108–124. <https://doi.org/10.31272/jeasd.2018.2.54>
- Miller, S. A., Horvath, A., Monteiro, P. J. M., & Ostertag, C. P. (2015). Greenhouse gas emissions from concrete can be reduced by using mix proportions, geometric aspects, and age as design factors. *Environmental Research Letters*, 10(11), 114017. <https://doi.org/10.1088/1748-9326/10/11/114017>
- Mohamad, D., Beddu, S., Mohd Kamal, N. L., Meena, & Karim, S. (2024). The combination of conventional Roller Compacted Concrete (RCC) with the substitution of fly ash for fine aggregate replacement. *MATEC Web Conf.*, 400. <https://doi.org/10.1051/matecconf/202440001006>
- Mousavinezhad, S., Garcia, J. M., Toledo, W. K., & Newton, C. M. (2023). A Locally Available Natural Pozzolan as a Supplementary Cementitious Material in Portland Cement Concrete. *Buildings*, 13(9), 2364. <https://doi.org/10.3390/buildings13092364>
- Mubarak, F., Solikin, M., & Sunarjono, S. (2023). PERBANDINGAN TINGKAT KEHALUSAN FLY ASH TERHADAP DURABILITAS DAN SIFAT MEKANIS HIGH VOLUME FINE FLY ASH-SELF COMPACTING CONCRETE. *Wahana Teknik Sipil: Jurnal Pengembangan Teknik Sipil*, 28(2), 277–289. <https://doi.org/10.32497/wahanats.v28i2.5243>
- Munawir, M., & Khalid, K. (2024). Pengaruh Jenis Semen Terhadap Perkembangan Kuat Tekan Beton Dengan Menggunakan Bahan Tambahan Sikament Nn 1,5%. *Tameh Journal of Civil Engineering*, 7(1), 48–58. <https://doi.org/10.37598/kxngzs31>
- Murphy, F., Devlin, G., & McDonnell, K. (2013). Miscanthus production and processing in Ireland: An analysis of energy requirements and environmental impacts. *Renewable and Sustainable Energy Reviews*, 23, 412–420. <https://doi.org/https://doi.org/10.1016/j.rser.2013.01.058>
- Muttaqien, A., Martono, D. N., & Gusdini, N. (2023). Analisis Daur Hidup Produksi Beton Fly ash sebagai Upaya Mengurangi Dampak Emisi CO2. *Jurnal Ilmu Lingkungan*, 21(1), 68–75. <https://doi.org/10.14710/jil.21.1.68-75>
- Navaratnam, S., Tushar, Q., Jahan, I., & Zhang, G. (2023). Environmental Sustainability of Industrial Waste-Based Cementitious Materials: A Review, Experimental Investigation and Life-Cycle Assessment. In *Sustainability* (Vol. 15, Issue 3, p. 1873). <https://doi.org/10.3390/su15031873>
- Ndihokubwayo, A. (2011). Compressive and Flexural Strengths for Considerable Volume Fly-Ash Concrete. *Journal of Civil Engineering Research*, 1(1), 21–23. <https://doi.org/10.5923/j.jce.20110101.03>
- Niyigena, C., Amziane, S., Chateauneuf, A., Arnaud, L., Bessette, L., Collet, F.,

- Lanos, C., Escadeillas, G., Lawrence, M., Magniont, C., Marceau, S., Pavia, S., Peter, U., Picandet, V., Sonebi, M., & Walker, P. (2016). Variability of the mechanical properties of hemp concrete. *Materials Today Communications*, 7, 122–133. <https://doi.org/https://doi.org/10.1016/j.mtcomm.2016.03.003>
- Nugraha, A., Niken, C., Wahono, E. P., & Isneini, M. (2023). Pengaruh Air Payau Terhadap Kuat Tekan Beton Dengan Semen PCC. *Jurnal Rekayasa Sipil Dan Desain*, 11(4), 759–768. <https://doi.org/10.23960/jrsdd.v11i4.3823>
- Nugraha, E., & Kusdian, R. D. (2023). Uji Coba Campuran Untuk Mendapat Beton Normal (Studi Kasus Penggunaan Semen Dominant) (Uji Laboratorium Universitas Sangga Buana (Usb)-Ypkp). *Sistem Infrastruktur Teknik Sipil (Simteks)*, 3(1), 1. <https://doi.org/10.32897/simteks.v3i1.1058>
- Paaver, P., Järvik, O., & Kirsimäe, K. (2021). Design of High Volume CFBC Fly ash Based Calcium Sulphoaluminate Type Binder in Mixtures With Ordinary Portland Cement. *Materials*, 14(19), 5798. <https://doi.org/10.3390/ma14195798>
- Pane, F. P., Tanudjaja, H., & Windah, R. S. (2015). Pengujian Kuat Tarik Lentur Beton Dengan Variasi Kuat Tekan Beton. *Jurnal Sipil Statik*, 3(5).
- Park, W.-J., Kim, R., Roh, S., & Ban, H. (2020). Analysis of Major Environmental Impact Categories of Road Construction Materials. In *Sustainability* (Vol. 12, Issue 17, p. 6951). <https://doi.org/10.3390/su12176951>
- Park, W.-J., Kim, T., Roh, S., & Kim, R. (2019). Analysis of Life Cycle Environmental Impact of Recycled Aggregate. In *Applied Sciences* (Vol. 9, Issue 5, p. 1021). <https://doi.org/10.3390/app9051021>
- Permana, R. (2021). *BETON READY MIX (Studi Kasus : PT Adhimix RMC Indonesia Plant Sentul , Bogor)*. 1(1), 291–300. [https://doi.org/Permana, R. \(2021\). Kajian dampak lingkungan terhadap kegiatan produksi beton ready mix. Prosiding KIIJK.https://prosiding.uika-bogor.ac.id/index.php/kijk/article/view/362](https://doi.org/Permana, R. (2021). Kajian dampak lingkungan terhadap kegiatan produksi beton ready mix. Prosiding KIIJK.https://prosiding.uika-bogor.ac.id/index.php/kijk/article/view/362)
- Purnawirati, I. G. A. N., & Herlambang, F. S. (2022). Tinjauan Kuat Tekan Beton Akibat Curing Pada Beton Yang Dicor Di Lapangan. *Jurnal Talenta Sipil*, 5(1), 165. <https://doi.org/10.33087/talantasipil.v5i1.110>
- Rahmayanti, R., Bahar, F. F., & Nuklirullah, M. (2023). Pemanfaatan dan Pengaruh Fly ash Batu Bara Sebagai Substitusi Sebagian Semen Terhadap Nilai Kuat Tekan Bata Ringan Jenis Cellular Lightweight Concrete (CLC). *Siklus : Jurnal Teknik Sipil*, 9(2), 218–228. <https://doi.org/10.31849/siklus.v9i2.11438>
- Rajendran, R., Mariappan, S., Sivasubramani, D. N., & Natarajan, S. (2025). Correlation of strength parameters, microstructure, and eco-strength efficiency in lightweight concrete using waste polyurethane foam aggregate. *Matéria (Rio de Janeiro)*, 30. <https://doi.org/10.1590/1517-7076-rmat-2025-0564>
- Roh, S., Kim, R., Park, W.-J., & Ban, H. (2020). Environmental Evaluation of Concrete Containing Recycled and By-Product Aggregates Based on Life Cycle Assessment. In *Applied Sciences* (Vol. 10, Issue 21, p. 7503). <https://doi.org/10.3390/app10217503>
- Subedi, Sujata, Arce, Gabriel A, Hassan, Marwa M, Huang, Oscar, Radovic, Miladin, & Hossain, Zahid. (2022). Evaluation of Alternative Sources of Supplementary Cementitious Materials for Concrete Materials. *Transportation Research Record*, 2676(6), 287–301.

<https://doi.org/10.1177/03611981221074373>

- Tsai, W. (2017). Fate of Chloromethanes in the Atmospheric Environment: Implications for Human Health, Ozone Formation and Depletion, and Global Warming Impacts. *Toxics*, 5(4), 23. <https://doi.org/10.3390/toxics5040023>
- Xing, W., Tam, V. W. Y., Le, K. N., Hao, J. L., & Wang, J. (2023). Life cycle assessment of sustainable concrete with recycled aggregate and supplementary cementitious materials. *Resources, Conservation and Recycling*, 193, 106947. <https://doi.org/https://doi.org/10.1016/j.resconrec.2023.106947>
- Zulkarnain, F. (2021). Teknologi Beton. Medan: Umsu Press. Diambil Dari <https://Publication.Umsu.Ac.Id/Index.Php/Ht/Article/Download/4455/4257/8398>.