

## DAFTAR PUSTAKA

- Ahmad I, El-Boghdadly K, Bhagrath R, et al. Difficult Airway Society guidelines for awake tracheal intubation (ATI) in adults. *Anaesthesia*. 2020;75(4). doi:10.1111/anae.14904
- Alessandri F, Antenucci G, Piervincenzi E, et al. Ultrasound as a new tool in the assessment of airway difficulties: An observational study. *Eur J Anaesthesiol*. 2019;36(7). doi:10.1097/EJA.0000000000000989
- Andruszkiewicz P, Wojtczak J, Sobczyk D, Stach O, Kowalik I. Effectiveness and validity of sonographic upper airway evaluation to predict difficult laryngoscopy. *Journal of Ultrasound in Medicine*. 2016;35(10). doi:10.7863/ultra.15.11098
- Apfelbaum JL, Hagberg CA, Connis RT, et al. 2022 American Society of Anesthesiologists Practice Guidelines for Management of the Difficult Airway. *Anesthesiology*. 2022;136(1). doi:10.1097/ALN.0000000000004002
- Artawan IM, Rante SDT, Sagita S. Comparison of the Thyromental Distance, Thyrohyoid Distance, and Mallampati Scores in Prediction of Difficult Intubation in Patients Undergoing General Anaesthesia: An Observational Study. *Bali Journal of Anesthesiology*. 2024;8(3):154-157. doi:10.4103/bjoa.bjoa\_116\_24
- Badhe KV, Govind Deogaonkar S, Vilasrao Tambe M, Singla A, Vinayak Shidhaye R, Professor A. Clinical comparison of five different predictor tests for difficult intubation. *PAIN & INTENSIVE CARE*. 2014;18(1).
- Beale T, Twigg VM, Horta M, Morley S. High-resolution laryngeal US: Imaging technique, normal anatomy, and spectrum of disease. *Radiographics*. 2020;40(3). doi:10.1148/rg.2020190160
- Bhat MG, Bangera A, Bhat SGK, Shivakumar KG. Relevance of ratio of neck circumference to thyromental distance in predicting difficult intubation. *Int J Health Sci (Qassim)*. Published online April 28, 2022:4515-4524. doi:10.53730/ijhs.v6ns6.11627
- Butterworth JF, Mackey DC, Wasnick JD. *Morgan & Mikhail's Clinical Anesthesia*. Seventh edition. McGraw Hill LLC; 2022.
- Carsetti A, Sorbello M, Adrario E, Donati A, Falcetta S. Airway Ultrasound as Predictor of Difficult Direct Laryngoscopy: A Systematic Review and Meta-analysis. *Anesth Analg*. 2022;134(4). doi:10.1213/ANE.0000000000005839
- Cullen BF., Stock MChristine, Ortega RA., et al. *Barash, Cullen, and Stoelting's Clinical Anesthesia*. Ninth edition. (Donellan keith, Fischer A, eds.). Wolters Kluwer; 2024.

- Chou HC, Wu TL. Rethinking the three axes alignment theory for direct laryngoscopy [1]. *Acta Anaesthesiol Scand*. 2001;45(2). doi:10.1034/j.1399-6576.2001.450221.x
- Calder I, Picard J, Chapman M, O'Sullivan C, Crockard HA. Mouth Opening. *Anesthesiology*. 2003;99(4). doi:10.1097/00000542-200310000-00009
- Dabo-Trubelja A. Point-of-Care Ultrasound: A Review of Ultrasound Parameters for Predicting Difficult Airways. *Journal of Visualized Experiments*. 2023;2023(194). doi:10.3791/64648
- Detsky ME, Jivraj N, Adhikari NK, et al. Will this patient be difficult to intubate? the rational clinical examination systematic review. *JAMA - Journal of the American Medical Association*. 2019;321(5). doi:10.1001/jama.2018.21413
- Firdaus R, Perdana A, Effendi R. Difficult Intubation Predictor: Comparison Between Ratio Of Height To Thyromental Distance, Mallampati Score And Thyromental Distance. *J Indon Med Assoc*. 2023;73(1).
- Furman WR. Hagberg and Benumof's Airway Management, 4th ed. *Anesth Analg*. 2018;127(2). doi:10.1213/ane.00000000000003475
- Gadepalli C, Stepien KM, Tol G. Hyo-mental angle and distance: an important adjunct in airway assessment of adult mucopolysaccharidosis. *J Clin Med*. 2021;10(21). doi:10.3390/jcm10214924
- Galway U, Wang M, Deeby M, Zura A, Riter Q, Abdelmalak B. Recognition and management of the difficult airway—a narrative review and update on the latest guidelines. *Journal of Oral and Maxillofacial Anesthesia*. 2023;2. doi:10.21037/joma-23-3
- Giordano G, Alessandri F, Zulian A, Bilotta F, Pugliese F. Pre-operative ultrasound prediction of difficult airway management in adult patients: A systematic review of clinical evidence. *Eur J Anaesthesiol*. 2023;40(5):313-325. doi:10.1097/EJA.0000000000001805
- Gomes SH, Simões AM, Nunes AM, et al. Useful Ultrasonographic Parameters to Predict Difficult Laryngoscopy and Difficult Tracheal Intubation—A Systematic Review and Meta-Analysis. *Front Med (Lausanne)*. 2021;8. doi:10.3389/fmed.2021.671658
- Kalezić N, Lakićević M, Miličić B, Stojanović M, Sabljak V, Marković D. Hyomental distance in the different head positions and hyomental distance ratio in predicting difficult intubation. *Bosn J Basic Med Sci*. 2016;16(3). doi:10.17305/BJBMS.2016.1217
- Kim WH, Ahn HJ, Lee CJ, et al. Neck circumference to thyromental distance ratio: A new predictor of difficult intubation in obese patients. *Br J Anaesth*. 2011;106(5):743-748. doi:10.1093/bja/aer024
- Kundra P, Mishra SK, Ramesh A. Ultrasound of the airway. *Indian J Anaesth*. 2011;55(5):456-462. doi:10.4103/0019-5049.89868

- Kot P, Rovira L, Granell M, et al. Sonoanatomy of the difficult airway. A case-control study. *Rev Esp Anesthesiol Reanim*. 2025;72:101642. doi:10.1016/j.redare.2024.101642
- Kwon YS, Lee CA, Park S, Ha SO, Sim YS, Baek MS. Incidence and outcomes of cricothyrotomy in the “cannot intubate, cannot oxygenate” situation. *Medicine*. 2019;98(42). doi:10.1097/MD.00000000000017713
- Lin J, Bellinger R, Shedd A, et al. Point-of-Care Ultrasound in Airway Evaluation and Management: A Comprehensive Review. *Diagnostics*. 2023;13(9). doi:10.3390/diagnostics13091541
- Mallampati SR, Gatt SP, Gugino LD, et al. A clinical sign to predict difficult tracheal intubation; a prospective study. *Can Anaesth Soc J*. 1985;32(4). doi:10.1007/BF03011357
- Musba AMT, Nurdin H, Hardiynti R. *PANDUAN KETERAMPILAN KLINIK PROGRAM PENDIDIKAN DOKTER SPESIALIS PROGRAM STUDI ANESTESIOLOGI DAN TERAPI INTENSIF FAKULTAS KEDOKTERAN UNHAS*. first. Bakhita Sukses Mandiri; 2021.
- Namratha B, Gupta A, Devi SP, Vasudev V, Gupta R. Thyromental distance is a good difficult airway indicator: Truth or a misconception-A prospective observational study. *Indian Journal of Clinical Anaesthesia*. 2023;10(2):175-181. doi:10.18231/ijca.2023.034
- Osman A, Sum KM. Role of upper airway ultrasound in airway management. *J Intensive Care*. 2016;4(1). doi:10.1186/s40560-016-0174-z
- Pandit JJ, Heidegger T. Putting the ‘point’ back into the ritual: a binary approach to difficult airway prediction. *Anaesthesia*. 2017;72(3). doi:10.1111/anae.13720
- Petrișor C, Trancă S, Szabo R, Simon R, Prie A, Bodolea C. Clinical versus Ultrasound Measurements of Hyomental Distance Ratio for the Prediction of Difficult Airway in Patients with and without Morbid Obesity. *Diagnostics*. 2020;10(3). doi:10.3390/diagnostics10030140
- Pantaleo G CA. Difficult Intubation in Patient with Short Thyromental Distance: Usefulness of Tongue Traction Maneuver. *J Anesth Clin Res*. 2014;05(12). doi:10.4172/2155-6148.1000491
- Petrișor C, Szabo R, Constantinescu C, Prie A, Hagău N. Ultrasound-based assessment of hyomental distances in neutral, ramped, and maximum hyperextended positions, and derived ratios, for the prediction of difficult airway in the obese population: A pilot diagnostic accuracy study. *Anesthesiol Intensive Ther*. 2018;50(2). doi:10.5603/AIT.2018.0017
- Pradeep S, Bhar Kundu S, Nivetha C. Evaluation of neck-circumference-thyromental- distance ratio as a predictor of difficult intubation: A prospective, observational study. *Indian J Anaesth*. 2023;67(5):445-451. doi:10.4103/ija.ija\_631\_22

- Rao ST. Hyomental Distance Ratio as a Diagnostic Predictor of Difficult Laryngoscopy. *Article in Indian Journal Of Applied Research*. Published online 2013. <https://www.researchgate.net/publication/255965512>
- Ramachandran SK, Mathis MR, Tremper KK, Shanks AM, Kheterpal S. Predictors and clinical outcomes from failed laryngeal mask airway unique™: A study of 15,795 patients. *Anesthesiology*. 2012;116(6). doi:10.1097/ALN.0b013e318255e6ab
- Roth D, Pace NL, Lee A, et al. Airway physical examination tests for detection of difficult airway management in apparently normal adult patients. *Cochrane Database of Systematic Reviews*. 2018;2018(5). doi:10.1002/14651858.CD008874.pub2
- Ray S, Sanyal R, Chakraverty P, Kanti Bhattacharya M. Comparision of airway assessment by Mallampati classification and cormack and lehane grading in Indian population. *Indian Journal of Clinical Anaesthesia*. 2019;6(1). doi:10.18231/2394-4994.2019.0026
- Seo SH, Lee JG, Yu SB, Kim DS, Ryu SJ, Kim KH. Predictors of difficult intubation defined by the intubation difficulty scale (IDS): Predictive value of 7 airway assessment factors. *Korean J Anesthesiol*. 2012;63(6):491-497. doi:10.4097/kjae.2012.63.6.491
- Sood P, Saroa R, Palta S, Saxena P, Gill RK. Comparison of sonographic hyomental distance ratio and thyromental height as predictors of difficult intubation. *Trends in Anaesthesia and Critical Care*. 2025;60. doi:10.1016/j.tacc.2025.101520
- Sorbello M, Falcetta S. Time to include ultrasounds in pre-procedural airway evaluation? *Trends in Anaesthesia and Critical Care*. 2021;38. doi:10.1016/j.tacc.2021.02.006
- Sotoodehnia M, Rafiemanesh H, Mirfazaelian H, Safaie A, Baratloo A. Ultrasonography indicators for predicting difficult intubation: a systematic review and meta-analysis. *BMC Emerg Med*. 2021;21(1). doi:10.1186/s12873-021-00472-w
- Tantri AR, Firdaus R, Salomo ST. Predictors of difficult intubation among malay patients in Indonesia. *Anesth Pain Med*. 2016;6(2). doi:10.5812/aapm.34848
- Wu H, Wang H. Diagnostic Efficacy and Clinical Value of Ultrasonography in Difficult Airway Assessment: Based on a Prospective Cohort Study. *Contrast Media Mol Imaging*. 2022;2022. doi:10.1155/2022/4706438
- Wang B, Wang M, Yang F, et al. Predicting difficult intubation: the hyomental distance ultrasound evaluation is superior to the thyromental distance. *Anaesth Crit Care Pain Med*. 2022;41(6). doi:10.1016/j.accpm.2022.101144
- Wojtczak JA. Submandibular sonography: Assessment of hyomental distances and ratio, tongue size, and floor of the mouth musculature using portable

sonography. *Journal of Ultrasound in Medicine*. 2012;31(4). doi:10.7863/jum.2012.31.4.523

Yemam D, Melese E, Ashebir Z. Comparison of modified mallampati classification with Cormack and Lehane grading in predicting difficult laryngoscopy among elective surgical patients who took general anesthesia in Werabie comprehensive specialized hospital - Cross sectional study. Ethiopia, 2021. *Annals of Medicine and Surgery*. 2022;79. doi:10.1016/j.amsu.2022.103912