

DAFTAR PUSTAKA

1. Rudd KE, Johnson SC, Agesa KM, et al. Global, regional, and national sepsis incidence and mortality, 1990–2017: analysis for the Global Burden of Disease Study. *The Lancet*. 2020;395(10219). doi:10.1016/S0140-6736(19)32989-7
2. Singer M, Deutschman CS, Seymour C, et al. The third international consensus definitions for sepsis and septic shock (sepsis-3). *JAMA - Journal of the American Medical Association*. 2016;315(8):801-810. doi:10.1001/jama.2016.0287
3. Kounatidis D, Tzivaki I, Daskalopoulou S, et al. Sepsis-Associated Acute Kidney Injury: What's New Regarding Its Diagnostics and Therapeutics? *Diagnostics*. 2024;14(24). doi:10.3390/diagnostics14242845
4. Peerapornratana S, Manrique-Caballero CL, Gómez H, Kellum JA. Acute kidney injury from sepsis: current concepts, epidemiology, pathophysiology, prevention and treatment. *Kidney Int*. 2019;96(5):1083-1099. doi:10.1016/j.kint.2019.05.026
5. Lameire NH, Levin A, Kellum JA, et al. Harmonizing acute and chronic kidney disease definition and classification: report of a Kidney Disease: Improving Global Outcomes (KDIGO) Consensus Conference. In: *Kidney International*. Vol 100. Elsevier B.V.; 2021:516-526. doi:10.1016/j.kint.2021.06.028
6. Devarajan P. Biomarkers for the early detection of acute kidney injury. *Curr Opin Pediatr*. 2011;23(2):194-200. doi:10.1097/MOP.0b013e328343f4dd
7. Liu Y, Li C, Yang X, et al. Neutrophil Gelatinase-Associated Lipocalin and Interleukin-18 in the Prediction of Acute Kidney Injury in Sepsis Patients. *Int J Gen Med*. 2024;Volume 17:6335-6341. doi:10.2147/ijgm.s489826
8. Cosentino N, Genovese S, Campodonico J, et al. High-sensitivity C-reactive protein and acute kidney injury in patients with acute myocardial infarction: A prospective observational study. *J Clin Med*. 2019;8(12). doi:10.3390/jcm8122192
9. Song MJ, Jang Y, Legrand M, et al. Epidemiology of sepsis-associated acute kidney injury in critically ill patients: a multicenter, prospective, observational cohort study in South Korea. *Crit Care*. 2024;28(1). doi:10.1186/s13054-024-05167-9
10. Zarbock A, Gomez H, Kellum JA. Sepsis-induced acute kidney injury revisited: Pathophysiology, prevention and future therapies. *Curr Opin Crit Care*. 2014;20(6):588-595. doi:10.1097/MCC.000000000000153

11. Manrique-Caballero CL, Del Rio-Pertuz G, Gomez H. Sepsis-Associated Acute Kidney Injury. *Crit Care Clin.* 2021;37(2):279-301. doi:10.1016/j.ccc.2020.11.010
12. Bellomo R, Kellum JA, Ronco C, et al. Acute kidney injury in sepsis. *Intensive Care Med.* 2017;43(6):816-828. doi:10.1007/s00134-017-4755-7
13. Fani F, Regolisti G, Delsante M, et al. Recent advances in the pathogenetic mechanisms of sepsis-associated acute kidney injury. *J Nephrol.* 2018;31(3):351-359. doi:10.1007/s40620-017-0452-4
14. He FF, Wang YM, Chen YY, Huang W, Li ZQ, Zhang C. Sepsis-induced AKI: From pathogenesis to therapeutic approaches. *Front Pharmacol.* 2022;13. doi:10.3389/fphar.2022.981578
15. Van Der Poll T, Van De Veerdonk FL, Scicluna BP, Netea MG. The immunopathology of sepsis and potential therapeutic targets. *Nat Rev Immunol.* 2017;17(7):407-420. doi:10.1038/nri.2017.36
16. Pais T, Jorge S, Lopes JA. Acute Kidney Injury in Sepsis. *Int J Mol Sci.* 2024;25(11). doi:10.3390/ijms25115924
17. Kuwabara S, Goggins E, Okusa MD. The Pathophysiology of Sepsis-Associated AKI. *Clinical Journal of the American Society of Nephrology.* 2022;17(7):1059-1069. doi:10.2215/CJN.00850122
18. Patel S, Puri N, Dellinger RP. Sepsis Management for the Nephrologist. *Clinical Journal of the American Society of Nephrology.* 2022;17(6):880-889. doi:10.2215/CJN.14381121
19. Nagendran M, Russell JA, Walley KR, et al. Vasopressin in septic shock: an individual patient data meta-analysis of randomised controlled trials. *Intensive Care Med.* 2019;45(6):844-855. doi:10.1007/s00134-019-05620-2
20. Gordon AC, Mason AJ, Thirunavukkarasu N, et al. Effect of early vasopressin vs norepinephrine on kidney failure in patients with septic shock: The VANISH randomized clinical trial. *JAMA - Journal of the American Medical Association.* 2016;316(5):509-518. doi:10.1001/jama.2016.10485
21. Lankadeva YR, Okazaki N, Evans RG, Bellomo R, May CN. Renal Medullary Hypoxia: A New Therapeutic Target for Septic Acute Kidney Injury? *Semin Nephrol.* 2019;39(6):543-553. doi:10.1016/j.semnephrol.2019.10.004
22. Meersch M, Küllmar M, Schmidt C, et al. Long-term clinical outcomes after early initiation of RRT in critically ill patients with AKI. *Journal of the American Society of Nephrology.* 2018;29(3):1011-1019. doi:10.1681/ASN.2017060694

23. Gaudry S, Hajage D, Schortgen F, et al. Initiation Strategies for Renal-Replacement Therapy in the Intensive Care Unit. *New England Journal of Medicine*. 2016;375(2):122-133. doi:10.1056/nejmoa1603017
24. Gaudry S, Hajage D, Schortgen F, et al. Timing of renal support and outcome of septic shock and acute respiratory distress syndrome: A post Hoc analysis of the AKIKI randomized clinical trial. *Am J Respir Crit Care Med*. 2018;198(1):58-66. doi:10.1164/rccm.201706-1255OC
25. Payen DM, Guilhot J, Launey Y, et al. Early use of polymyxin B hemoperfusion in patients with septic shock due to peritonitis: a multicenter randomized control trial. *Intensive Care Med*. 2015;41(6):975-984. doi:10.1007/s00134-015-3751-z
26. Dellinger RP, Bagshaw SM, Antonelli M, et al. Effect of Targeted Polymyxin B Hemoperfusion on 28-Day Mortality in Patients with Septic Shock and Elevated Endotoxin Level: The EUPHRATES Randomized Clinical Trial. *JAMA - Journal of the American Medical Association*. 2018;320(14):1455-1463. doi:10.1001/jama.2018.14618
27. Romejko K, Markowska M, Niemczyk S. The Review of Current Knowledge on Neutrophil Gelatinase-Associated Lipocalin (NGAL). *Int J Mol Sci*. 2023;24(13). doi:10.3390/ijms241310470
28. Zhou H, Cui J, Lu Y, Sun J, Liu J. Meta-analysis of the diagnostic value of serum, plasma and urine neutrophil gelatinase-associated lipocalin for the detection of acute kidney injury in patients with sepsis. *Exp Ther Med*. 2021;21(4). doi:10.3892/etm.2021.9817
29. Zhang CF, Wang HJ, Tong ZH, et al. The diagnostic and prognostic values of serum and urinary kidney injury molecule-1 and neutrophil gelatinase-associated lipocalin in sepsis induced acute renal injury patients. *Eur Rev Med Pharmacol Sci*. 2020;24(10). doi:10.26355/eurrev_202005_21346
30. KLEMENTA V, PETEJOVA N, ZADRAZIL J, et al. Prediction of Acute Kidney Injury Development in Critically Ill Septic Patients Based on NGAL Determination. *Physiol Res*. 2024;73(6):1001-1011. doi:10.33549/physiolres.935336
31. Sproston NR, Ashworth JJ. Role of C-reactive protein at sites of inflammation and infection. *Front Immunol*. 2018;9(APR). doi:10.3389/fimmu.2018.00754
32. Banait T, Wanjari A, Danade V, Banait S, Jain J. Role of High-Sensitivity C-reactive Protein (Hs-CRP) in Non-communicable Diseases: A Review. *Cureus*. Published online October 12, 2022. doi:10.7759/cureus.30225

33. Tang Y, Mak SK, Xu AP, Lan HY. Role of C-reactive protein in the pathogenesis of acute kidney injury. *Nephrology*. 2018;23:50-52. doi:10.1111/nep.13454
34. Jung CY, Jung J, Lim JH, et al. Association between systemic inflammation biomarkers and mortality in patients with sepsis-associated acute kidney injury receiving intensive care and continuous kidney replacement therapy: results from the RENERGY (REsearches for NEphRology and epidemioloGY) study. *Kidney Res Clin Pract*. 2024;43(4):433-443. doi:10.23876/j.krcp.23.321
35. Ma J, Li K. Systemic immune-inflammation index is associated with coronary heart disease: a cross-sectional study of NHANES 2009–2018. *Front Cardiovasc Med*. 2023;10. doi:10.3389/fcvm.2023.1199433
36. Lagunas-Alvarado M, Mijangos-Huesca FJ, Terán-González JO, et al. Índice de inmunidad-inflamación sistémica en sepsis. *Medicina Interna de Mexico*. 2017;33(3).
37. EL-Zoghby I, Ahmed R, Fatthy M, Ibrahim M, Hamed M. The systemic immune-inflammation index (SII) as a predictor of acute kidney injury and in-hospital mortality in patients with sepsis and septic shock. *The Egyptian Journal of Critical Care Medicine*. 2025;12(1). doi:10.1007/s44349-025-00018-0
38. Sun J, Qi Y, Wang W, Meng P, Han C, Chen B. Systemic Immune-Inflammation Index (SII) as a Predictor of Short-Term Mortality Risk in Sepsis-Associated Acute Kidney Injury: A Retrospective Cohort Study. *Medical Science Monitor*. 2024;30. doi:10.12659/MSM.943414
39. Zhang L, Liu L, Yan G, et al. Predictive Value of the Systemic Immune-Inflammation Index in the 28-Day Mortality for Patients with Sepsis-Associated Acute Kidney Injury and Construction of a Prediction Model. *Journal of Inflammation Research* . 2024;17:8727-8739. doi:10.2147/JIR.S488900
40. Khawaja, S. et al., 2019. The utility of neutrophil gelatinase-associated lipocalin (NGAL) as a marker of acute kidney injury (AKI) in critical ill patients. *Biomarker Research*, 7(4), pp. 1-7.
41. Lombi, F., Muryan, A., Canzonieri, R. & Trimarchi, H., 2016. Biomarkers in acute kidney injury: Evidence or paradigm?. *Nefrologia*, 36(4), pp. 339-346.
42. Tomblom, S. et al., 2020. Urine NGAL as a biomarker for septic AKI: a critical appraisal of clinical utility - data from the observational FINNAKI study. *Ann Intensive Care*, 10(51), pp. 1-10.

43. Xie, Y. et al., 2021. Biomarkers for the diagnosis of sepsis-associated acute kidney injury: systematic review and meta-analysis. *Ann Palliat Med*, pp. 4159-73.