DAFTAR PUSTAKA

Al-Jawadi, A. A., Priliani, L., Oktavianthi, S., Febinia, C. A., Daya, M., Artika, I. M., & Malik, S. G. (2021a). Association of FTO rs1421085 single nucleotide polymorphism with fat and fatty acid intake in Indonesian adults. *BMC Research Notes*, *14*(1). https://doi.org/10.1186/s13104-021-05823-1

Al-Jawadi, A. A., Priliani, L., Oktavianthi, S., Febinia, C. A., Daya, M., Artika, I. M., & Malik, S. G. (2021b). Association of FTO rs1421085 single nucleotide polymorphism with fat and fatty acid intake in Indonesian adults. *BMC Research Notes 2021 14:1*, *14*(1), 411-. https://doi.org/10.1186/S13104-021-05823-1

Ayu, D., Dita, A., Yunita, E., Ocktaviani, R. D., Melati, P., Fisiologi, D., Kedokteran, F., Kesehatan, I., Bengkulu, U., Biokimia, D., Molekuler, B., & Kedokteran, P. S. (n.d.). KAJIAN PUSTAKA: POLIMORFISME GENETIK SEBAGAI FAKTOR RISIKO OBESITAS. In *Jurnal Ilmu Kedokteran dan Kesehatan* (Vol. 10, Number 7). Retrieved http://ejurnalmalahayati.ac.id/index.php/kesehatanPag

Ayuningtyas, D., Kusuma, D., Amir, V., Tjandrarini, D. H., & Andarwati, P. (2022). Disparities in Obesity Rates among Adults: Analysis of 514 Districts in Indonesia. *Nutrients*, *14*(16). https://doi.org/10.3390/nu14163332

BATLIBANGKES. (2014). *BUKU FOTO MAKANAN*.

Bego, T., Čaušević, A., Dujić, T., Malenica, M., Velija-Asimi, Z., Prnjavorac, B., Marc, J., Nekvindová, J., Palička, V., & Semiz, S. (2019). Association of FTO Gene Variant (rs8050136) with Type 2 Diabetes and Markers of Obesity, Glycaemic Control and Inflammation. *Journal of Medical Biochemistry*, *38*(2), 153–163. https://doi.org/10.2478/jomb-2018-0023

Biskup, M., Macek, P., Król, H., Kowalik, A., Madej, Ł., Żak, M., & Góźdź, S. (2020). *The role of the rs1421085 polymorphism in the pathogenesis of obesity Rola polimorfizmu rs1421085 w patogenezie otyłości*. https://doi.org/10.5114/ms.2020.96790

Cha, S. W., Choi, S. M., Kim, K. S., Park, B. L., Kim, J. R., Kim, J. Y., & Shin, H. D. (2008). Replication of genetic effects of FTO polymorphisms on BMI in a Korean population. *Obesity*, *16*(9), 2187–2189. https://doi.org/10.1038/oby.2008.314

Claussnitzer, M., Dankel, S. N., Kim, K.-H., Quon, G., Meuleman, W., Haugen, C., Glunk, V., Sousa, I. S., Beaudry, J. L., Puviindran, V., Abdennur, N. A., Liu, J., Svensson, P.-A., Hsu, Y.-H., Drucker, D. J., Mellgren, G., Hui, C.-C., Hauner, H., & Kellis, M. (2015a). FTO Obesity Variant Circuitry and Adipocyte Browning in Humans . *New England Journal of Medicine*, *373*(10), 895–907. https://doi.org/10.1056/nejmoa1502214

Claussnitzer, M., Dankel, S. N., Kim, K.-H., Quon, G., Meuleman, W., Haugen, C., Glunk, V., Sousa, I. S., Beaudry, J. L., Puviindran, V., Abdennur, N. A., Liu, J., Svensson, P.-A., Hsu, Y.-H., Drucker, D. J., Mellgren, G., Hui, C.-C., Hauner, H., & Kellis, M. (2015b). FTO Obesity Variant Circuitry and Adipocyte Browning in Humans . *New England Journal of Medicine*, *373*(10), 895–907. https://doi.org/10.1056/NEJMOA1502214;PAGE:STRING:ARTICLE/CHAPTER

Czajkowski, P., Adamska-Patruno, E., Bauer, W., Fiedorczuk, J., Krasowska, U., Moroz, M., Gorska, M., & Kretowski, A. (2020). The impact of FTO genetic variants on obesity and its metabolic consequences is dependent on daily macronutrient intake. *Nutrients*, *12*(11), 1–25. https://doi.org/10.3390/nu12113255

Daya, M., Pujianto, D. A., Witjaksono, F., Priliani, L., Susanto, J., Lukito, W., & Malik, S. G. (2019). Obesity risk and preference for high dietary fat intake are determined by FTO rs9939609 gene polymorphism in selected Indonesian adults. *Asia Pacific Journal of Clinical Nutrition*, *28*(1), 183–191. https://doi.org/10.6133/APJCN.201903_28(1).0024

Doaei, S., Kalantari, N., Izadi, P., Salonurmi, T., Mosavi Jarrahi, A., Rafieifar, S., Azizi Tabesh, G., Rahimzadeh, G., Gholamalizadeh, M., & Goodarzi, M. O. (2019). Changes in FTO and IRX3 gene expression in obese and overweight male adolescents undergoing an intensive lifestyle intervention and the role of FTO genotype in this interaction. *Journal of Translational Medicine*, *17*(1). https://doi.org/10.1186/s12967-019-1921-4

Fawcett, K. A., & Barroso, I. (2010). The genetics of obesity: FTO leads the way. In *Trends in Genetics* (Vol. 26, Number 6, pp. 266–274). https://doi.org/10.1016/j.tig.2010.02.006

Haq, A., Maharani, N., Mahati, E., Winarni, T. I., & Pramono, A. (2026). The diet–gene interaction: FTO rs9939609 and its role in obesity and metabolic syndrome among Asian populations. *Egyptian Journal of Medical Human Genetics 2026 27:1*, *27*(1), 13-. https://doi.org/10.1186/s43042-026-00840-w

Hebbar, P., Abu-Farha, M., Mohammad, A., Alkayal, F., Melhem, M., Abubaker, J., Al-Mulla, F., & Thanaraj, T. A. (2020). FTO Variant rs1421085 Associates With Increased Body Weight, Soft Lean Mass, and Total Body Water Through Interaction With Ghrelin and Apolipoproteins in Arab Population. *Frontiers in Genetics*, *10*. https://doi.org/10.3389/fgene.2019.01411

Heymsfield, S. B., & Wadden, T. A. (2017). Mechanisms, Pathophysiology, and Management of Obesity. *New England Journal of Medicine*, *376*(3), 254–266. https://doi.org/10.1056/nejmra1514009

Huđek, A., Škara, L., Smolkovič, B., Kazazić, S., Ravlić, S., Nanić, L., Osvatić, M. M., Jelčić, J., Rubelj, I., & Bačun-Družina, V. (2018). Higher prevalence of FTO gene risk genotypes AA rs9939609, CC rs1421085, and GG rs17817449 and saliva containing Staphylococcus aureus in obese women in Croatia. *Nutrition Research*, *50*, 94–103. https://doi.org/10.1016/j.nutres.2017.12.005

Inandiklioğlu, N., & Yaşar, A. (2021a). Association between rs1421085 and rs9939609 Polymorphisms of Fat Mass and Obesity-Associated Gene with High-Density Lipoprotein Cholesterol and Triglyceride in Obese Turkish Children and Adolescents. *Journal of Pediatric Genetics*, *10*(01), 009–015. https://doi.org/10.1055/s-0040-1713154

Inandiklioğlu, N., & Yaşar, A. (2021b). Association between rs1421085 and rs9939609 Polymorphisms of Fat Mass and Obesity-Associated Gene with High-Density Lipoprotein Cholesterol and Triglyceride in Obese Turkish Children and Adolescents. *Journal of Pediatric Genetics*, *10*(01), 009–015. https://doi.org/10.1055/s-0040-1713154

IPAQ. (2022). *IPAQ - Score*. https://sites.google.com/view/ipaq/score?authuser=0

Joseph, G. H. (2017). ANALISIS POLA KONSUMSI PANGAN DI PROPINSI SULAWESI UTARA. *Jurnal Ilmiah Sains*, *17*.

Joseph, G. H., Pengkajian, B., Pertanian, T., Utara, S., Kampus, J., & Kalasey, P. (2017). ANALISIS POLA KONSUMSI PANGAN DI PROPINSI SULAWESI UTARA. *Jurnal Ilmiah Sains*, *17*(2), 176–188. https://doi.org/10.35799/JIS.17.2.2017.18005

Kandou, G. D. (2009). Makanan Etnik Minahasa dan Kejadian Penyakit Jantung Koroner. *Kesmas: National Public Health Journal*, *4*(1), 42. https://doi.org/10.21109/kesmas.v4i1.200

KEMENTERIAN KESEHATAN REPUBLIK INDONESIA. (2019). *Profil-Kesehatan-Indonesia-2019*.

KEMENTRIAN KESEHATAN RI. (n.d.). *Fact Sheet Obesitas*. Retrieved 29 October 2024, from https://p2ptm.kemkes.go.id/uploads/cEdQdm1WVXZuRXhad3FtVXduOW1WUT09/2024/03/Factsheet%20HOS%202022%20(1).pdf

Kementrian Kesehatan RI. (2018). *HASIL UTAMA RISKESDAS 2018*.

Laber, S., Forcisi, S., Bentley, L., Petzold, J., Moritz, F., Smirnov, K. S., Al Sadat, L., Williamson, I., Strobel, S., Agnew, T., Sengupta, S., Nicol, T., Grallert, H., Heier, M., Honecker, J., Mianne, J., Teboul, L., Dumbell, R., Long, H., … Cox, R. D. (2021). Linking the FTO obesity rs1421085 variant circuitry to cellular, metabolic, and organismal phenotypes in vivo. In *Sci. Adv* (Vol. 7). http://3dgenome.org

Livingstone, K. M., Celis-Morales, C., Navas-Carretero, S., San-Cristobal, R., Forster, H., O'Donovan, C. B., Woolhead, C., Marsaux, C. F. M., MacReady, A. L., Fallaize, R., Kolossa, S., Tsirigoti, L., Lambrinou, C. P., Moschonis, G., Godlewska, M., Surwiłło, A., Drevon, C. A., Manios, Y., Traczyk, I., … Mathers, J. C. (2016). Fat mass- and obesity-associated genotype, dietary intakes and anthropometric measures in European adults: the Food4Me study. *British Journal of Nutrition*, *115*(3), 440–448. https://doi.org/10.1017/S0007114515004675

Ludwig, D. S., Hu, F. B., Tappy, L., & Brand-Miller, J. (2018). Dietary carbohydrates: role of quality and quantity in chronic disease. *BMJ (Clinical Research Ed.)*, *361*. https://doi.org/10.1136/bmj.k2340

Maharani, C., & Puspasari, A. (2025). View of AT Genotype of FTO rs9939609 Enhances Risk for Central Obesity Under Obesogenic Lifestyle. *Jambi Medical Journal*, *13*.

Mera-Charria, A., Nieto-Lopez, F., Francès, M. P., Arbex, P. M., Vila-Vecilla, L., Russo, V., Silva, C. C. V., & De Souza, G. T. (2023). Genetic variant panel allows predicting both obesity risk, and efficacy of procedures and diet in weight loss. *Frontiers in Nutrition*, *10*. https://doi.org/10.3389/fnut.2023.1274662

Najd-Hassan-Bonab, L., Safarpour, M., Moazzam-Jazi, M., Azizi, F., & Daneshpour, M. S. (2022). The role of FTO variant rs1421085 in the relationship with obesity: a systematic review and meta-analysis. In *Eating and Weight Disorders* (Vol. 27, Number 8, pp. 3053–3062). Springer Science and Business Media Deutschland GmbH. https://doi.org/10.1007/s40519-022-01509-0

Nasreddine, L., Akika, R., Mailhac, A., Tamim, H., & Zgheib, N. K. (2019). The interaction between genetic polymorphisms in FTO and TCF7L2 genes and dietary intake with regard to body mass and composition: An exploratory study. *Journal of Personalized Medicine*, *9*(1). https://doi.org/10.3390/jpm9010011

Nindrea, R. D., & Thongwichian, P. (2024). FTO gene polymorphisms rs9939609 and the risk of obesity among adults in Western and Asian countries: A systematic review and meta-analysis. *Clinical Epidemiology and Global Health*, *27*, 101621. https://doi.org/10.1016/j.cegh.2024.101621

Obradovic, M., Sudar-Milovanovic, E., Soskic, S., Essack, M., Arya, S., Stewart, A. J., Gojobori, T., & Isenovic, E. R. (2021). Leptin and Obesity: Role and Clinical Implication. In *Frontiers in Endocrinology* (Vol. 12). Frontiers Media S.A. https://doi.org/10.3389/fendo.2021.585887

Peng, S., Zhu, Y., Xu, F., Ren, X., Li, X., & Lai, M. (2011). *FTO gene polymorphisms and obesity risk: a meta-analysis*. http://www.biomedcentral.com/1741-7015/9/71

Ponce-Gonzalez, J. G., Martínez-Ávila, Á., Velázquez-Díaz, D., Perez-Bey, A., Gómez-Gallego, F., Marín-Galindo, A., Corral-Pérez, J., & Casals, C. (2023). Impact of the FTO Gene Variation on Appetite and Fat Oxidation in Young Adults. *Nutrients*, *15*(9). https://doi.org/10.3390/nu15092037

Popović, A. M., Huđek Turković, A., Žuna, K., Bačun-Družina, V., Rubelj, I., & Matovinović, M. (2023a). FTO Gene Polymorphisms at the Crossroads of Metabolic Pathways of Obesity and Epigenetic Influences. *Food Technology and Biotechnology*, *61*(1), 14–26. https://doi.org/10.17113/ftb.61.01.23.7594

Popović, A. M., Huđek Turković, A., Žuna, K., Bačun-Družina, V., Rubelj, I., & Matovinović, M. (2023b). FTO Gene Polymorphisms at the Crossroads of Metabolic Pathways of Obesity and Epigenetic Influences. *Food Technology and Biotechnology*, *61*(1), 14–26. https://doi.org/10.17113/ftb.61.01.23.7594

Puspasari, A., Maharani, C., Hastuti, P., Sadewa, A. H., Mus, R., Enis, R. N., Halim, R., Perkasa, T. A. B., & Shafira, N. N. A. (2025). Polymorphism of FTO rs1421085 as risk of metabolic syndrome; case-control study in two ethnics, Javanese and Malay population, Indonesia. *Egyptian Journal of Medical Human Genetics 2025 26:1*, *26*(1), 182-. https://doi.org/10.1186/S43042-025-00810-8

Qi, L., & Cho, Y. A. (2008). Gene-environment interaction and obesity. *Nutrition Reviews*, *66*(12), 684–694. https://doi.org/10.1111/J.1753-4887.2008.00128.X

RIA HASNITA. (2017). IDENTIFIKASI VARIASI GEN FTO rs9939609 SEBAGAI FAKTOR RISIKO OBESITAS DI POPULASI BALI. *PROGRAM STUDI BIOLOGI FAKULTAS MATEMATIKA DAN ILMU PENGETAHUAN ALAM UNIVERSITAS NEGERI JAKARTA*.

Sekar, P., Ventura, E. F., Dhanapal, A. C. T. A., Cheah, E. S. G., Loganathan, A., Quen, P. L., Appukutty, M., Taslim, N. A., Hardinsyah, H., Md Noh, M. F., Lovegrove, J. A., Givens, I., & Vimaleswaran, K. S. (2023). Gene–Diet Interactions on Metabolic Disease-Related Outcomes in Southeast Asian Populations: A Systematic Review. In *Nutrients* (Vol. 15, Number 13). Multidisciplinary Digital Publishing Institute (MDPI). https://doi.org/10.3390/nu15132948

Shuster, A., Patlas, M., Pinthus, J. H., & Mourtzakis, M. (2012a). The clinical importance of visceral adiposity: A critical review of methods for visceral adipose tissue analysis. In *British Journal of Radiology* (Vol. 85, Number 1009, pp. 1–10). https://doi.org/10.1259/bjr/38447238

Shuster, A., Patlas, M., Pinthus, J. H., & Mourtzakis, M. (2012b). The clinical importance of visceral adiposity: A critical review of methods for visceral adipose tissue analysis. *British Journal of Radiology*, *85*(1009), 1–10. https://doi.org/10.1259/BJR/38447238

Soewondo, P. (2013). Prevalence and trends of overweight and obesity among Indonesian adults. *Public Health Nutrition*, *16*(10), 1804–1812.

T1_412014021_Isi. (n.d.).

Van Der Klaauw, A. A., & Farooqi, I. S. (2015). The hunger genes: Pathways to obesity. In *Cell* (Vol. 161, Number 1, pp. 119–132). Cell Press. https://doi.org/10.1016/j.cell.2015.03.008

Wardle, J., Carnell, S., Haworth, C. M. A., Farooqi, I. S., O'Rahilly, S., & Plomin, R. (2008). Obesity associated genetic variation in FTO is associated with diminished satiety. *Journal of Clinical Endocrinology and Metabolism*, *93*(9), 3640–3643. https://doi.org/10.1210/jc.2008-0472

West, N. R., Dorling, J., Thackray, A. E., Hanson, N. C., Decombel, S. E., Stensel, D. J., & Grice, S. J. (2018). Effect of Obesity-Linked FTO rs9939609 Variant on Physical Activity and Dietary Patterns in Physically Active Men and Women. *Journal of Obesity*, *2018*, 7560707. https://doi.org/10.1155/2018/7560707

WHO. (2021). *Obesity and overweight*. https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight

Yang, Z., Yu, G. li, Zhu, X., Peng, T. hong, & Lv, Y. cheng. (2022). Critical roles of FTO-mediated mRNA m6A demethylation in regulating adipogenesis and lipid metabolism: Implications in lipid metabolic disorders. In *Genes and Diseases* (Vol. 9, Number 1, pp. 51–61). Chongqing University. https://doi.org/10.1016/j.gendis.2021.01.005