

DAFTAR PUSTAKA

- Alizadeh, A., Dyck, S. M., & Karimi-Abdolrezaee, S. (2019). Traumatic Spinal Cord Injury: An Overview of Pathophysiology, Models and Acute Injury Mechanisms. *Frontiers in neurology*, 10, 282. <https://doi.org/10.3389/fneur.2019.00282>
- Bennett, J., M Das, J., & Emmady, P. D. (2022). Spinal Cord Injuries. In StatPearls. StatPearls Publishing.
- World Health Organization. (2013). *Spinal Cord Injury*. World Health Organization. Retrieved March 23, 2023, from <https://www.who.int/news-room/fact-sheets/detail/spinal-cord-injury>.
- Kang Y, Ding H, Zhou HX, Wei ZJ, Liu L, Pan DY, Feng SQ. Epidemiology of worldwide spinal cord injury: a literature review. (2018). *Journal of Neurorestoratology*, 6(1-9) <https://doi.org/10.2147/JN.S143236>
- Abbaszadeh, F., Fakhri, S., & Khan, H. (2020). Targeting apoptosis and autophagy following spinal cord injury: Therapeutic approaches to polyphenols and candidate phytochemicals. *Pharmacological research*, 160, 105069. <https://doi.org/10.1016/j.phrs.2020.105069>
- Anjum, A., Yazid, M. D., Fauzi Daud, M., Idris, J., Ng, A. M. H., Selvi Naicker, A., Ismail, O. H. R., Athi Kumar, R. K., & Lokanathan, Y. (2020). Spinal Cord Injury: Pathophysiology, Multimolecular Interactions, and Underlying Recovery Mechanisms. *International journal of molecular sciences*, 21(20), 7533. <https://doi.org/10.3390/ijms21207533>
- Pan, Q. L., Lin, F. X., Liu, N., & Chen, R. C. (2022). The role of aquaporin 4 (AQP4) in spinal cord injury. *Biomedicine & pharmacotherapy = Biomedecine & pharmacotherapie*, 145, 112384. <https://doi.org/10.1016/j.biopha.2021.112384>
- Oshio, K.; Binder, D.K.; Yang, B.; Schechter, S.; Verkman, A.S.; Manley, G.T. (2004). Expression of aquaporin water channels in mouse spinal cord. *Neuroscience*, 127, 685–693.
- Hubbard, J.A.; Hsu, M.S.; Seldin, M.M.; Binder, D.K. (2015). Expression of the astrocyte water channel aquaporin-4 in the mouse brain. *ASN Neuro*, 7.
- Thrane, A.S.; Rappold, P.M.; Fujita, T.; Torres, A.; Bekar, L.K.; Takano, T.; Peng, W.; Wang, F.; Rangroo Thrane, V.; Enger, R.; et al. (2011). Critical role of aquaporin-4 (AQP4) in astrocytic Ca²⁺ signaling events elicited by cerebral edema. *Proc. Natl. Acad. Sci. USA*, 108, 846–851.

- Nagelhus, E. A., & Ottersen, O. P. (2013). Physiological roles of aquaporin-4 in brain. *Physiological reviews*, 93(4), 1543–1562. <https://doi.org/10.1152/physrev.00011.2013>
- Jia, Z., Zhu, H., Li, J. et al. Oxidative stress in spinal cord injury and antioxidant-based intervention. *Spinal Cord* 50, 264–274 (2012). <https://doi.org/10.1038/sc.2011.111>
- Cheignon, C., Tomas, M., Bonnefont-Rousselot, D., Faller, P., Hureau, C., & Collin, F. (2018). Oxidative stress and the amyloid beta peptide in Alzheimer's disease. *Redox biology*, 14, 450–464. <https://doi.org/10.1016/j.redox.2017.10.014>
- Heurteaux, C., Widmann, C., Moha ou Maati, H., Quintard, H., Gandin, C., Borsotto, M., Veyssiere, J., Onteniente, B., & Lazdunski, M. (2013). NeuroAiD: properties for neuroprotection and neurorepair. *Cerebrovascular diseases (Basel, Switzerland)*, 35 Suppl 1, 1–7. <https://doi.org/10.1159/000346228>
- Cao, S., Hou, G., Meng, Y., Chen, Y., Xie, L., & Shi, B. (2022). Network Pharmacology and Molecular Docking-Based Investigation of Potential Targets of Astragalus membranaceus and Angelica sinensis Compound Acting on Spinal Cord Injury. *Disease markers*, 2022, 2141882. <https://doi.org/10.1155/2022/2141882>
- Heurteaux, C., Gandin, C., Borsotto, M., Widmann, C., Brau, F., Lhuillier, M., Onteniente, B., & Lazdunski, M. (2010). Neuroprotective and neuroproliferative activities of NeuroAid (MLC601, MLC901), a Chinese medicine, in vitro and in vivo. *Neuropharmacology*, 58(7), 987–1001. <https://doi.org/10.1016/j.neuropharm.2010.01.001>
- Maati, H.M.O., Borsotto, M., Chatelain, F., Widmann, C., Lazdunski, M., & Heurteaux, C. (2012). Activation of ATP-sensitive potassium channels as an element of the neuroprotective effects of the Traditional Chinese Medicine MLC901 against oxygen glucose deprivation. *Neuropharmacology*, 63(4), 692–700. <https://doi.org/10.1016/j.neuropharm.2012.05.035>
- Fauzi, A.A., Prihastomo, K.T., Ranuh, A.R., Apriawan, T., Wahyuhadi, J., Parenrengi, M.A., Turchan, A., Bajamal, A.H., Notobroto, H.B. (2020). Clinical Outcomes of MLC601 (NeuroAiDTM) in Traumatic Brain Injury: A Pilot Study. *Brain Sciences*, 10(2):60.
- Kusuma, G.F.P., Maliawan, S., Mahadewa, T.G.B., Budayanti. S. (2022). “Pengaruh Terapi MLC901 terhadap Kadar Neutrophil-to Lymphocyte-Ratio, Platelet-to Lymphocyte-Ratio, BDNF, Skor MOCA-INA, dan BarthelIndex Pasien Cedera Otak Traumatik.” (disertasi). Denpasar: Program Studi Doktor Ilmu Kedokteran Universitas Udayana.

- Rosyidi (2020). "Pengaruh Pemberian MLC 901 Terhadap Ekspresi Messenger Ribonucleic Acid Brain Derived Neurotrophic Factor (mRNA BDNF), Kadar Brain Derived Neurotrophic Factor (BDNF), Kadar Tumor Necrosis Factor Alpha (TNF- α) Plasma dan Gambaran Histopatologis Otak Pada Tikus Sprague Dawley Yang Mengalami Cedera Otak Traumatik" (disertasi). Makassar: Program Studi Doktor Ilmu Kedokteran Universitas Hasanuddin.
- Kumar, R., Ohnmar, H., Azmi, B., Rhani, S.A., Ibrahim, K., Nanra, J.S., Gsangaya, M., Harun, H., Kandar, K., Balan, M., Peh, S., Pokharkar, Y., Ingole, A., Ariffin, M.H. (2022). Spinal Cord Injury-Assessing Tolerability and Use of Combined Rehabilitation and NeuroAiD (SATURN) study. *Journal of Spinal Cord Medicine*. 1-5
- Wahyudi, Islam, A.A., Hatta, M., Adhimarta, W., Faris, M., Mustamir, N., Bukhari, A., Prihantono, Kaelan, C., Hendarto, J., Imran, N.H., Rosyidi, R.M. (2022). The Role of MLC901 in Reducing VEGF as a Vascular Permeability Marker in Rats with Spinal Cord Injury. *Annals of Medicine and Surgery*, 75:103344
- Fu, J., Fan, H. B., Guo, Z., Wang, Z., Li, X. D., Li, J., & Pei, G. X. (2013). Salvianolic acid B attenuates spinal cord ischemia-reperfusion-induced neuronal injury and oxidative stress by activating the extracellular signal-regulated kinase pathway in rats. *The Journal of surgical research*, 188(1), 222–230. <https://doi.org/10.1016/j.jss.2013.11.1118>
- Huang, Z., Wang, J., Li, C., Zheng, W., He, J., Wu, Z., & Tang, J. (2022). Application of natural antioxidants from traditional Chinese medicine in the treatment of spinal cord injury. *Frontiers in pharmacology*, 13, 976757. <https://doi.org/10.3389/fphar.2022.976757>
- Zhang, Y., Li, Y., Gao, X., Wang, L., Duan, X. (2017). Aqueous Extract from Radix astragali Ameliorates Osteoporosis Subsequent to Spinal Cord Injury. *Biomedical Research*, 28(5):2056-2060
- McDaid, D., Park, A. L., Gall, A., Purcell, M., & Bacon, M. (2019). Understanding and modelling the economic impact of spinal cord injuries in the United Kingdom. *Spinal cord*, 57(9), 778–788. <https://doi.org/10.1038/s41393-019-0285-1>
- Norenberg, M.D.; Smith, J.; Marcillo, A. (2004). The pathology of human spinal cord injury: Defining the problems. *J. Neurotrauma*, 21, 429–440.
- Ditunno, J.F.; Little, J.W.; Tessler, A.; Burns, A.S. (2004). Spinal shock revisited: A four-phase model. *Spinal Cord*, 42, 383–395.

- Xun, C.; Mamat, M.; Guo, H.; Mamati, P.; Sheng, J.; Zhang, J.; Xu, T.; Liang, W.; Cao, R.; Sheng, W. (2017). Tocotrienol alleviates inflammation and oxidative stress in a rat model of spinal cord injury via suppression of transforming growth factor- β . *Exp. Ther. Med.* 14, 431–438.
- Jing, N.; Fang, B.; Wang, Z.L.; Ma, H. (2017). Remote ischemia preconditioning attenuates blood-spinal cord barrier breakdown in rats undergoing spinal cord ischemia-reperfusion injury: Associated with activation and upregulation of CB1 and CB2 receptors. *Cell. Physiol. Biochem*, 43, 2516–2524.
- Liu, X., Zhang, Y., Wang, Y., & Qian, T. (2021). Inflammatory Response to Spinal Cord Injury and Its Treatment. *World neurosurgery*, 155, 19–31. <https://doi.org/10.1016/j.wneu.2021.07.148>
- LaPlaca, M. C., Simon, C. M., Prado, G. R., & Cullen, D. K. (2007). CNS injury biomechanics and experimental models. *Progress in brain research*, 161, 13–26. [https://doi.org/10.1016/S0079-6123\(06\)61002-9](https://doi.org/10.1016/S0079-6123(06)61002-9)
- Choo, A. M., Liu, J., Lam, C. K., Dvorak, M., Tetzlaff, W., & Oxland, T. R. (2007). Contusion, dislocation, and distraction: primary hemorrhage and membrane permeability in distinct mechanisms of spinal cord injury. *Journal of neurosurgery. Spine*, 6(3), 255–266. <https://doi.org/10.3171/spi.2007.6.3.255>
- Pineau, I., & Lacroix, S. (2007). Proinflammatory cytokine synthesis in the injured mouse spinal cord: multiphasic expression pattern and identification of the cell types involved. *The Journal of comparative neurology*, 500(2), 267–285. <https://doi.org/10.1002/cne.21149>
- Ahuja, C. S., Wilson, J. R., Nori, S., Kotter, M. R. N., Druschel, C., Curt, A., & Fehlings, M. G. (2017). Traumatic spinal cord injury. *Nature reviews. Disease primers*, 3, 17018. <https://doi.org/10.1038/nrdp.2017.18>
- Kwon, B. (2004). Pathophysiology and pharmacologic treatment of acute spinal cord injury. *Spine J.* 4, 451–464. <https://doi.org/10.1016/j.spinee.2003.07.007>
- Dizdaroglu, M., Jaruga, P., Birincioglu, M., & Rodriguez, H. (2002). Free radical-induced damage to DNA: mechanisms and measurement. *Free radical biology & medicine*, 32(11), 1102–1115. [https://doi.org/10.1016/s0891-5849\(02\)00826-2](https://doi.org/10.1016/s0891-5849(02)00826-2)
- Hausmann O. N. (2003). Post-traumatic inflammation following spinal cord injury. *Spinal cord*, 41(7), 369–378. <https://doi.org/10.1038/sj.sc.3101483>
- Liu, M., Wu, W., Li, H., Li, S., Huang, L. T., Yang, Y. Q., Sun, Q., Wang, C. X., Yu, Z., & Hang, C. H. (2015). Necroptosis, a novel type of programmed cell death, contributes

- to early neural cells damage after spinal cord injury in adult mice. *The journal of spinal cord medicine*, 38(6), 745–753.
<https://doi.org/10.1179/2045772314Y.0000000224>
- Wang, Y., Wang, H., Tao, Y., Zhang, S., Wang, J., & Feng, X. (2014). Necroptosis inhibitor necrostatin-1 promotes cell protection and physiological function in traumatic spinal cord injury. *Neuroscience*, 266, 91–101.
<https://doi.org/10.1016/j.neuroscience.2014.02.007>
- Li, S., Mealing, G. A., Morley, P., & Stys, P. K. (1999). Novel injury mechanism in anoxia and trauma of spinal cord white matter: glutamate release via reverse Na⁺-dependent glutamate transport. *The Journal of neuroscience : the official journal of the Society for Neuroscience*, 19(14), RC16.
<https://doi.org/10.1523/JNEUROSCI.19-14-j0002.1999>
- Li, S. & Stys, P. K. (2000). Mechanisms of ionotropic glutamate receptor-mediated excitotoxicity in isolated spinal cord white matter. *J. Neurosci.* 20, 1190–1198.
- Norenberg, M. D., Smith, J. & Marcillo. (2004). A. The pathology of human spinal cord injury: defining the problems. *J. Neurotrauma* 21, 429–440.
- Tator C. H. (1995). Update on the pathophysiology and pathology of acute spinal cord injury. *Brain pathology (Zurich, Switzerland)*, 5(4), 407–413.
<https://doi.org/10.1111/j.1750-3639.1995.tb00619.x>
- Milhorat, T. H., Capocelli, A. L., Jr, Anzil, A. P., Kotzen, R. M., & Milhorat, R. H. (1995). Pathological basis of spinal cord cavitation in syringomyelia: analysis of 105 autopsy cases. *Journal of neurosurgery*, 82(5), 802–812.
<https://doi.org/10.3171/jns.1995.82.5.0802>
- Cregg, J. M., DePaul, M. A., Filous, A. R., Lang, B. T., Tran, A., & Silver, J. (2014). Functional regeneration beyond the glial scar. *Experimental neurology*, 253, 197–207. <https://doi.org/10.1016/j.expneurol.2013.12.024>
- Silver, J. & Miller, J. H. (2004). Regeneration beyond the glial scar. *Nat. Rev. Neurosci.* 5, 146–156. An in-depth review of the glial scar, ECM proteoglycans and the behaviour of regenerating neurons in the injured CNS microenvironment
- Wanner, I. B., Anderson, M. A., Song, B., Levine, J., Fernandez, A., Gray-Thompson, Z., Ao, Y., & Sofroniew, M. V. (2013). Glial scar borders are formed by newly proliferated, elongated astrocytes that interact to corral inflammatory and fibrotic cells via STAT3-dependent mechanisms after spinal cord injury. *The Journal of*

neuroscience : the official journal of the Society for Neuroscience, 33(31), 12870–12886. <https://doi.org/10.1523/JNEUROSCI.2121-13.2013>

Anderson, M. A., Burda, J. E., Ren, Y., Ao, Y., O'Shea, T. M., Kawaguchi, R., Coppola, G., Khakh, B. S., Deming, T. J., & Sofroniew, M. V. (2016). Astrocyte scar formation aids central nervous system axon regeneration. *Nature*, 532(7598), 195–200. <https://doi.org/10.1038/nature17623>

Rolls, A., Shechter, R., & Schwartz, M. (2009). The bright side of the glial scar in CNS repair. *Nature reviews. Neuroscience*, 10(3), 235–241. <https://doi.org/10.1038/nrn2591>

Fehlings, M. G. & Tator, C. H. (1995). The relationships among the severity of spinal cord injury, residual neurological function, axon counts, and counts of retrogradely labeled neurons after experimental spinal cord injury. *Exp. Neurol.* 132, 220–228. 41.

Tator, C. H. & Fehlings, M. G. (1991). Review of the secondary injury theory of acute spinal cord trauma with emphasis on vascular mechanisms. *J. Neurosurg.* 75, 15–26.

Kotter, M. R., Li, W. W., Zhao, C. & Franklin, R. J. (2006). Myelin impairs CNS remyelination by inhibiting oligodendrocyte precursor cell differentiation. *J. Neurosci.* 26, 328–332.

Syed, Y. A. et al. (2016). Antibody-mediated neutralization of myelin-associated EphrinB3 accelerates CNS remyelination. *Acta Neuropathol.* 131, 281–298.

Kotter, M. R., Setzu, A., Sim, F. J., Van Rooijen, N. & Franklin, R. J. (2001). Macrophage depletion impairs oligodendrocyte remyelination following lysolecithin induced demyelination. *Glia* 35, 204–212.

Bieber, A. J., Warrington, A., Pease, L. R. & Rodriguez, M. (2001). Humoral autoimmunity as a mediator of CNS repair. *Trends Neurosci.* 24, S39–S44.

Jeffery, N. D. & Blakemore, W. F. (1991). Locomotor deficits induced by experimental spinal cord demyelination are abolished by spontaneous remyelination. *Brain* 120, 27–37.

Lynskey, J. V., Belanger, A. & Jung, R. (2008). Activity dependent plasticity in spinal cord injury. *J. Rehabil. Res. Dev.* 45, 229–240.

- Raineteau, O. & Schwab, M. E. (2001). Plasticity of motor systems after incomplete spinal cord injury. *Nat. Rev. Neurosci.* 2, 263–273.
- M. Beattie, Hermann GE, Rogers RC, and Bresnahan JC. (2002). Cell death in models of spinal cord injury. *Prog Brain Res* 137. 37-47. [https://doi.org/10.1016/S0079-6123\(02\)37006-7](https://doi.org/10.1016/S0079-6123(02)37006-7)
- Beattie, M. S., Farooqui, A. A., & Bresnahan, J. C. (2000). Review of current evidence for apoptosis after spinal cord injury. *Journal of neurotrauma*, 17(10), 915–925. <https://doi.org/10.1089/neu.2000.17.915>
- Kuzhandaivel, A., Nistri, A., Mazzone, G. L., & Mladinic, M. (2011). Molecular Mechanisms Underlying Cell Death in Spinal Networks in Relation to Locomotor Activity After Acute Injury in vitro. *Frontiers in cellular neuroscience*, 5, 9. <https://doi.org/10.3389/fncel.2011.00009>
- Elmore S. (2007). Apoptosis: a review of programmed cell death. *Toxicologic pathology*, 35(4), 495–516. <https://doi.org/10.1080/01926230701320337>
- J.C. Reed. (2000). Mechanisms of apoptosis, *The American journal of pathology* 157(5)-1415-1430. [https://doi.org/10.1016/S0002-9440\(10\)64779-7](https://doi.org/10.1016/S0002-9440(10)64779-7)
- Leibowitz, B., & Yu, J. (2010). Mitochondrial signaling in cell death via the Bcl-2 family. *Cancer biology & therapy*, 9(6), 417–422. <https://doi.org/10.4161/cbt.9.6.11392>
- Garrido, C., Galluzzi, L., Brunet, M., Puig, P. E., Didelot, C., & Kroemer, G. (2006). Mechanisms of cytochrome c release from mitochondria. *Cell death and differentiation*, 13(9), 1423–1433. <https://doi.org/10.1038/sj.cdd.4401950>
- Loreto, C., La Rocca, G., Anzalone, R., Caltabiano, R., Vespasiani, G., Castorina, S., Ralph, D. J., Cellek, S., Musumeci, G., Giunta, S., Djinovic, R., Basic, D., & Sansalone, S. (2014). The role of intrinsic pathway in apoptosis activation and progression in Peyronie's disease. *BioMed research international*, 2014, 616149. <https://doi.org/10.1155/2014/616149>
- Sosna, J., Voigt, S., Mathieu, S., Lange, A., Thon, L., Davarnia, P., Herdegen, T., Linkermann, A., Rittger, A., Chan, F. K., Kabelitz, D., Schütze, S., & Adam, D. (2014). TNF-induced necroptosis and PARP-1-mediated necrosis represent distinct routes to programmed necrotic cell death. *Cellular and molecular life sciences : CMLS*, 71(2), 331–348. <https://doi.org/10.1007/s00018-013-1381-6>
- Z. Hongmei, Extrinsic and intrinsic apoptosis signal pathway review. (2012). *Apoptosis and medicine*, InTechOpen. doi: 10.5772/50129.

- Radi, R., Cassina, A., Hodara, R., Quijano, C., & Castro, L. (2002). Peroxynitrite reactions and formation in mitochondria. *Free radical biology & medicine*, 33(11), 1451–1464. [https://doi.org/10.1016/s0891-5849\(02\)01111-5](https://doi.org/10.1016/s0891-5849(02)01111-5)
- N.P. Visavadiya, S.P. Patel, J.L. VanRooyen, P.G. Sullivan, A.G. Rabchevsky. (2016). Cellular and subcellular oxidative stress parameters following severe spinal cord injury, *Redox biology* 8-59-67. <https://doi.org/10.1016/j.redox.2015.12.011>
- Meng, X., Song, W., Deng, B., Xing, Z., & Zhang, W. (2015). 3-aminobenzamide, one of poly(ADP-ribose)polymerase-1 inhibitors, rescues apoptosis in rat models of spinal cord injury. *International journal of clinical and experimental pathology*, 8(10), 12207–12215.
- Keane, R. W., Kraydieh, S., Lotocki, G., Bethea, J. R., Krajewski, S., Reed, J. C., & Dietrich, W. D. (2001). Apoptotic and anti-apoptotic mechanisms following spinal cord injury. *Journal of neuropathology and experimental neurology*, 60(5), 422–429. <https://doi.org/10.1093/jnen/60.5.422>
- Gao, R., Li, X., Xi, S., Wang, H., Zhang, H., Zhu, J., Shan, L., Song, X., Luo, X., Yang, L., & Huang, J. (2016). Exogenous Neuritin Promotes Nerve Regeneration After Acute Spinal Cord Injury in Rats. *Human gene therapy*, 27(7), 544–554. <https://doi.org/10.1089/hum.2015.159>
- Scholpa, N. E., & Schnellmann, R. G. (2017). Mitochondrial-Based Therapeutics for the Treatment of Spinal Cord Injury: Mitochondrial Biogenesis as a Potential Pharmacological Target. *The Journal of pharmacology and experimental therapeutics*, 363(3), 303–313. <https://doi.org/10.1124/jpet.117.244806>
- Lammertse D. P. (2004). Update on pharmaceutical trials in acute spinal cord injury. *The journal of spinal cord medicine*, 27(4), 319–325. <https://doi.org/10.1080/10790268.2004.11753769> Hermann et al. 2001).
- Genovese, T., Esposito, E., Mazzon, E., Di Paola, R., Caminiti, R., Bramanti, P., Cappelani, A., & Cuzzocrea, S. (2009). Absence of endogenous interleukin-10 enhances secondary inflammatory process after spinal cord compression injury in mice. *Journal of neurochemistry*, 108(6), 1360–1372. <https://doi.org/10.1111/j.1471-4159.2009.05899.x>
- Shen, Y., Tenney, A. P., Busch, S. A., Horn, K. P., Cuascut, F. X., Liu, K., He, Z., Silver, J., & Flanagan, J. G. (2009). PTPsigma is a receptor for chondroitin sulfate proteoglycan, an inhibitor of neural regeneration. *Science (New York, N.Y.)*, 326(5952), 592–596. <https://doi.org/10.1126/science.1178310>

- Hsu, LC.,ENZLER, T., Seita, J. et al. (2011). IL-1 β -driven neutrophilia preserves antibacterial defense in the absence of the kinase IKK β . *Nat Immunol* 12, 144–150. <https://doi.org/10.1038/ni.1976>.
- Tei, R., Kaido, T., Nakase, H., & Sakaki, T. (2008). Protective effect of C1 esterase inhibitor on acute traumatic spinal cord injury in the rat. *Neurological research*, 30(7), 761–767. <https://doi.org/10.1179/174313208X284241>
- Filipp, M. E., Travis, B. J., Henry, S. S., Idzikowski, E. C., Magnuson, S. A., Loh, M. Y., Hellenbrand, D. J., & Hanna, A. S. (2019). Differences in neuroplasticity after spinal cord injury in varying animal models and humans. *Neural regeneration research*, 14(1), 7–19. <https://doi.org/10.4103/1673-5374.243694>
- Zhang, B., & Gensel, J. C. (2014). Is neuroinflammation in the injured spinal cord different than in the brain? Examining intrinsic differences between the brain and spinal cord. *Experimental neurology*, 258, 112–120. <https://doi.org/10.1016/j.expneurol.2014.04.007>
- Yoshizaki, S., Kijima, K., Hara, M., Saito, T., Tamaru, T., Tanaka, M., Konno, D. J., Nakashima, Y., & Okada, S. (2019). Tranexamic acid reduces heme cytotoxicity via the TLR4/TNF axis and ameliorates functional recovery after spinal cord injury. *Journal of neuroinflammation*, 16(1), 160. <https://doi.org/10.1186/s12974-019-1536-y>
- Fleming JC, Norenberg MD, Ramsay DA, et al. (2006). The cellular inflammatory response in human spinal cords after injury. *Brain*. 129: 3249-3269.
- Bradl, M., Bauer, J., Flügel, A., Wekerle, H., & Lassmann, H. (2005). Complementary contribution of CD4 and CD8 T lymphocytes to T-cell infiltration of the intact and the degenerative spinal cord. *The American journal of pathology*, 166(5), 1441–1450. [https://doi.org/10.1016/S0002-9440\(10\)62361-9](https://doi.org/10.1016/S0002-9440(10)62361-9)
- Potas, J. R., Zheng, Y., Moussa, C., Venn, M., Gorrie, C. A., Deng, C., & Waite, P. M. (2006). Augmented locomotor recovery after spinal cord injury in the athymic nude rat. *Journal of neurotrauma*, 23(5), 660–673. <https://doi.org/10.1089/neu.2006.23.660>
- Milich, L. M., Ryan, C. B., & Lee, J. K. (2019). Correction to: The origin, fate, and contribution of macrophages to spinal cord injury pathology. *Acta neuropathologica*, 137(5), 799–800. <https://doi.org/10.1007/s00401-019-02016-w>
- Devanney, N. A., Stewart, A. N., & Gensel, J. C. (2020). Microglia and macrophage metabolism in CNS injury and disease: The role of immunometabolism in

- neurodegeneration and neurotrauma. *Experimental neurology*, 329, 113310. <https://doi.org/10.1016/j.expneurol.2020.113310>
- Detloff, M. R., Fisher, L. C., McGaughy, V., Longbrake, E. E., Popovich, P. G., & Basso, D. M. (2008). Remote activation of microglia and pro-inflammatory cytokines predict the onset and severity of below-level neuropathic pain after spinal cord injury in rats. *Experimental neurology*, 212(2), 337–347. <https://doi.org/10.1016/j.expneurol.2008.04.009>
- Losey, P., Young, C., Krimholtz, E., Bordet, R., & Anthony, D. C. (2014). The role of hemorrhage following spinal-cord injury. *Brain research*, 1569, 9–18. <https://doi.org/10.1016/j.brainres.2014.04.033>
- Liddelow, S. A., & Barres, B. A. (2017). Reactive Astrocytes: Production, Function, and Therapeutic Potential. *Immunity*, 46(6), 957–967. <https://doi.org/10.1016/j.immuni.2017.06.006>.
- Gaudet, A. D., & Fonken, L. K. (2018). Glial Cells Shape Pathology and Repair After Spinal Cord Injury. *Neurotherapeutics : the journal of the American Society for Experimental NeuroTherapeutics*, 15(3), 554–577. <https://doi.org/10.1007/s13311-018-0630-7>
- Verkhatsky, A., & Nedergaard, M. (2018). Physiology of Astroglia. *Physiological reviews*, 98(1), 239–389. <https://doi.org/10.1152/physrev.00042.2016>
- Okada, S., Hara, M., Kobayakawa, K., Matsumoto, Y., & Nakashima, Y. (2018). Astrocyte reactivity and astrogliosis after spinal cord injury. *Neuroscience research*, 126, 39–43. <https://doi.org/10.1016/j.neures.2017.10.004>
- Paixão, S., & Klein, R. (2010). Neuron-astrocyte communication and synaptic plasticity. *Current opinion in neurobiology*, 20(4), 466–473. <https://doi.org/10.1016/j.conb.2010.04.008>
- Bloom O, Herman PE, Spungen AM. (2020). Systemic inflammation in traumatic spinal cord injury. *Exp Neurol*; 325:113143.
- Nagelhus, E. A., & Ottersen, O. P. (2013). Physiological roles of aquaporin-4 in brain. *Physiological reviews*, 93(4), 1543–1562. <https://doi.org/10.1152/physrev.00011.2013>
- Badaut, J., Lasbennes, F., Magistretti, P. J., & Regli, L. (2002). Aquaporins in brain: distribution, physiology, and pathophysiology. *Journal of cerebral blood flow and*

metabolism: official journal of the International Society of Cerebral Blood Flow and Metabolism, 22(4), 367–378. <https://doi.org/10.1097/00004647-200204000-00001>

- O. Nesic, J. Lee, Z. Ye, G.C. Unabia, D. Rafati, C.E. Hulsebosch, J.R. Perez-Polo. (2006). Acute and chronic changes in aquaporin 4 expression after spinal cord injury, *Neuroscience* 143 (3)-779–792.
- S. Shibuya, H. Hara, Y. Wakayama, M. Inoue, T. Jimi, Y. Matsuzaki. (2008). Aquaporin 4 mRNA levels in neuromuscular tissues of wild-type and dystrophin-deficient mice, *Tohoku J. Exp. Med.* 215 (4)-313–319.
- Smith, A. J., & Verkman, A. S. (2015). Superresolution Imaging of Aquaporin-4 Cluster Size in Antibody-Stained Paraffin Brain Sections. *Biophysical journal*, 109(12), 2511–2522. <https://doi.org/10.1016/j.bpj.2015.10.047>
- O. Nesic, J.D. Guest, D. Zivadinovic, P.A. Narayana, J.J. Herrera, R.J. Grill, V. U. Mokkapati, B.B. Gelman, J. Lee. (2010). Aquaporins in spinal cord injury: the janus face of aquaporin 4, *Neuroscience* 168 (4)-1019–1035.
- Leonard, A. V., Thornton, E., & Vink, R. (2013). Substance P as a mediator of neurogenic inflammation after balloon compression induced spinal cord injury. *Journal of neurotrauma*, 30(21), 1812–1823. <https://doi.org/10.1089/neu.2013.2993>
- L. Sun, M. Li, X. Ma, H. Feng, J. Song, C. Lv, Y. He. (2017). Inhibition of HMGB1 reduces rat spinal cord astrocytic swelling and AQP4 expression after oxygen-glucose deprivation and reoxygenation via TLR4 and NF-κB signaling in an IL-6-dependent manner, *J. Neuroinflamm.* 14 (1)-231.
- Halsey, A. M., Conner, A. C., Bill, R. M., Logan, A., & Ahmed, Z. (2018). Aquaporins and Their Regulation after Spinal Cord Injury. *Cells*, 7(10), 174. <https://doi.org/10.3390/cells7100174>
- Oklinski, M.K.; Lim, J.S.; Choi, H.J.; Oklinska, P.; Skowronski, M.T.; Kwon, T.H. (2014) Immunolocalization of Water Channel Proteins AQP1 and AQP4 in Rat Spinal Cord. *J. Histochem. Cytochem.* 62, 598–611.
- Bozzo, A.; Marcoux, J.; Radhakrishna, M.; Pelletier, J.; Goulet, B. (2011). The Role of Magnetic Resonance Imaging in the Management of Acute Spinal Cord Injury. *J. Neurotrauma*. 28, 1401–1411
- Miyanji, F.; Furlan, J.C.; Aarabi, B.; Arnold, P.M.; Fehlings, M.G. (2007). Acute Cervical Traumatic Spinal Cord Injury: MR Imaging Findings Correlated with Neurologic Outcome—Prospective Study with 100 Consecutive Patients 1. *Radiology*, 243, 820–827

- Leonard, A.V.; Vink, R. (2015). Reducing intrathecal pressure after traumatic spinal cord injury: A potential clinical target to promote tissue survival. *Neural Regen. Res*, 10, 380–382.
- Wu, Q.; Zhang, Y.J.; Gao, J.Y.; Li, X.M.; Kong, H.; Zhang, Y.P.; Xiao, M.; Shields, C.B.; Hu, G. (2014). Aquaporin-4 mitigates retrograde degeneration of rubrospinal neurons by facilitating edema clearance and glial scar formation after spinal cord injury in mice. *Mol. Neurobiol*, 49, 1327–1337.
- Simard, J.M.; Kent, T.A.; Chen, M.; Tarasov, K.V.; Gerzanich, V. (2007). Brain oedema in focal ischaemia: Molecular pathophysiology and theoretical implications. *Lancet Neurol*, 6, 258–268.
- Savage, D.F.; Egea, P.F.; Robles-Colmenares, Y.; O'Connell, J.D.; Stroud, R.M. (2003). Architecture and selectivity in aquaporins: 2.5 Å X-ray structure of aquaporin Z. *PLoS Biol*, 1, e72.
- Bozzo, J. Marcoux, M. Radhakrishna, J. Pelletier, B. Goulet. (2011). The role of magnetic resonance imaging in the management of acute spinal cord injury, *J. Neurotrauma* 28 (8)- 1401–1411.
- Miyanji, F., Furlan, J. C., Aarabi, B., Arnold, P. M., & Fehlings, M. G. (2007). Acute cervical traumatic spinal cord injury: MR imaging findings correlated with neurologic outcome--prospective study with 100 consecutive patients. *Radiology*, 243(3), 820–827. <https://doi.org/10.1148/radiol.2433060583>
- Flanders, A. E., Spettell, C. M., Friedman, D. P., Marino, R. J., & Herbison, G. J. (1999). The relationship between the functional abilities of patients with cervical spinal cord injury and the severity of damage revealed by MR imaging. *AJNR. American journal of neuroradiology*, 20(5), 926–934.
- Huang, S., Jiang, H., Hu, H., & Lv, D. (2021). Targeting AQP4 localization as a novel therapeutic target in CNS edema. *Acta biochimica et biophysica Sinica*, 53(2), 269–272. <https://doi.org/10.1093/abbs/gmaa158>
- Papadopoulos, M. C., Manley, G. T., Krishna, S., & Verkman, A. S. (2004). Aquaporin-4 facilitates reabsorption of excess fluid in vasogenic brain edema. *FASEB journal: official publication of the Federation of American Societies for Experimental Biology*, 18(11), 1291–1293. <https://doi.org/10.1096/fj.04-1723fje>
- Halstead, M. R., & Geocadin, R. G. (2019). The Medical Management of Cerebral Edema: Past, Present, and Future Therapies. *Neurotherapeutics: the journal of the American Society for Experimental NeuroTherapeutics*, 16(4), 1133–1148. <https://doi.org/10.1007/s13311-019-00779-4>.

- Lo, W. D., Betz, A. L., Schielke, G. P., & Hoff, J. T. (1987). Transport of sodium from blood to brain in ischemic brain edema. *Stroke*, 18(1), 150–157. <https://doi.org/10.1161/01.str.18.1.150/>
- Rungta, R. L., Choi, H. B., Tyson, J. R., Malik, A., Dissing-Olesen, L., Lin, P. J. C., Cain, S. M., Cullis, P. R., Snutch, T. P., & MacVicar, B. A. (2015). The cellular mechanisms of neuronal swelling underlying cytotoxic edema. *Cell*, 161(3), 610–621. <https://doi.org/10.1016/j.cell.2015.03.029>
- Jayakumar, A. R., Liu, M., Moriyama, M., Ramakrishnan, R., Forbush, B., 3rd, Reddy, P. V., & Norenberg, M. D. (2008). Na-K-Cl Cotransporter-1 in the mechanism of ammonia-induced astrocyte swelling. *The Journal of biological chemistry*, 283(49), 33874–33882. <https://doi.org/10.1074/jbc.M804016200>
- Jayakumar, A. R., & Norenberg, M. D. (2010). The Na-K-Cl Co-transporter in astrocyte swelling. *Metabolic brain disease*, 25(1), 31–38. <https://doi.org/10.1007/s11011-010-9180-3>
- Obrenovitch, T. P., & Urenjak, J. (1997). Is high extracellular glutamate the key to excitotoxicity in traumatic brain injury? *Journal of neurotrauma*, 14(10), 677–698. <https://doi.org/10.1089/neu.1997.14.677>
- Schneider, G. H., Baethmann, A., & Kempfski, O. (1992). Mechanisms of glial swelling induced by glutamate. *Canadian journal of physiology and pharmacology*, 70 Suppl, S334–S343. <https://doi.org/10.1139/y92-280>
- Illarionova, N. B., Gunnarson, E., Li, Y., Brismar, H., Bondar, A., Zelenin, S., & Aperia, A. (2010). Functional and molecular interactions between aquaporins and Na,K-ATPase. *Neuroscience*, 168(4), 915–925. <https://doi.org/10.1016/j.neuroscience.2009.11.062>
- A.W. Unterberg, J. Stover, B. Kress, K.L. Kiening. (2004). Edema and brain trauma, *Neuroscience* 129 (4)-1021–1029.
- Durward, Q. J., Del Maestro, R. F., Amacher, A. L., & Farrar, J. K. (1983). The influence of systemic arterial pressure and intracranial pressure on the development of cerebral vasogenic edema. *Journal of neurosurgery*, 59(5), 803–809. <https://doi.org/10.3171/jns.1983.59.5.0803>
- X. Yan, J. Liu, X. Wang, W. Li, J. Chen, H. Sun. (2018). Pretreatment with AQP4 and NKCC1 inhibitors concurrently attenuated spinal cord edema and tissue damage after spinal cord injury in rats, *Front. Physiol.* 9-6.

- Tradtrantip, L., Jin, B. J., Yao, X., Anderson, M. O., & Verkman, A. S. (2017). Aquaporin-Targeted Therapeutics: State-of-the-Field. *Advances in experimental medicine and biology*, 969, 239–250. https://doi.org/10.1007/978-94-024-1057-0_16
- Verkman, A. S., Smith, A. J., Phuan, P. W., Tradtrantip, L., & Anderson, M. O. (2017). The aquaporin-4 water channel as a potential drug target in neurological disorders. *Expert opinion on therapeutic targets*, 21(12), 1161–1170. <https://doi.org/10.1080/14728222.2017.1398236>
- MacAulay N. (2021). Molecular mechanisms of brain water transport. *Nature reviews. Neuroscience*, 22(6), 326–344. <https://doi.org/10.1038/s41583-021-00454-8>.
- Leonard, A. V., Thornton, E., & Vink, R. (2015). The relative contribution of edema and hemorrhage to raised intrathecal pressure after traumatic spinal cord injury. *Journal of neurotrauma*, 32(6), 397–402. <https://doi.org/10.1089/neu.2014.3543>
- Q. Wu, Y. Jing, X. Yuan, X. Zhang, B. Li, M. Liu, B. Wang, H. Li, S. Liu, R. Xiu. (2014). Melatonin treatment protects against acute spinal cord injury-induced disruption of blood spinal cord barrier in mice, *J. Mol. Neurosci.* 54 (4)-714–722.
- Ayala, A., Muñoz, M. F., & Argüelles, S. (2014). Lipid peroxidation: production, metabolism, and signaling mechanisms of malondialdehyde and 4-hydroxy-2-nonenal. *Oxidative medicine and cellular longevity*, 2014, 360438. <https://doi.org/10.1155/2014/360438>
- Jettawatana S. (2005). Malodialdehyde (MDA), a lipid oxidation product. *Spring*. 77-(222):1-10.
- Tukoza N, Erdamar H, Seven I. (2006). Measurement of total malondialdehyde in plasma and tissues by high-performance liquid chromatography and thiobarbituric acid assay. *Firat Tip Dergisi*. 11 (2): 88-92/
- Al-Dalaen S, A-Qtaitat Al. (2014). Review article: oxidative stress versus antioxidants. *BIO-2(5)*: 60-71.
- Yoshikawa T, Naito Y. (2002). What is oxidative stress? *JMAJ*. 45 (7): 271-6.
- Jackson, J. H., Schraufstatter, I. U., Hyslop, P. A., Vosbeck, K., Sauerheber, R., Weitzman, S. A., & Cochrane, C. G. (1987). Role of hydroxyl radical in DNA damage. *Transactions of the Association of American Physicians*, 100, 147–157.
- Muller K, Gurster D. (1993). Hydroxyl radical damage to DNA sugar and model membranes induced by anthralin (dithranol). *Biochem Pharmacol*; 46: 1695–1704.

- Liu, D., Liu, J., Sun, D., & Wen, J. (2004). The time course of hydroxyl radical formation following spinal cord injury: the possible role of the iron-catalyzed Haber-Weiss reaction. *Journal of neurotrauma*, 21(6), 805–816. <https://doi.org/10.1089/0897715041269650>
- Taoka, Y., Naruo, M., Koyanagi, E., Urakado, M., & Inoue, M. (1995). Superoxide radicals play important roles in the pathogenesis of spinal cord injury. *Paraplegia*, 33(8), 450–453. <https://doi.org/10.1038/sc.1995.98>
- Wingrave, J. M., Schaecher, K. E., Sribnick, E. A., Wilford, G. G., Ray, S. K., Hazen-Martin, D. J., Hogan, E. L., & Banik, N. L. (2003). Early induction of secondary injury factors causing activation of calpain and mitochondria-mediated neuronal apoptosis following spinal cord injury in rats. *Journal of neuroscience research*, 73(1), 95–104. <https://doi.org/10.1002/jnr.10607>
- Sekhon, L. H., & Fehlings, M. G. (2001). Epidemiology, demographics, and pathophysiology of acute spinal cord injury. *Spine*, 26(24 Suppl), S2–S12. <https://doi.org/10.1097/00007632-200112151-00002>
- Hamann, K., Durkes, A., Ouyang, H., Uchida, K., Pond, A., & Shi, R. (2008). Critical role of acrolein in secondary injury following ex vivo spinal cord trauma. *Journal of neurochemistry*, 107(3), 712–721. <https://doi.org/10.1111/j.1471-4159.2008.05622.x>
- Hall, E. D., Yonkers, P. A., Andrus, P. K., Cox, J. W., & Anderson, D. K. (1992). Biochemistry and pharmacology of lipid antioxidants in acute brain and spinal cord injury. *Journal of neurotrauma*, 9 Suppl 2, S425–S442.
- Yune, T. Y., Lee, J. Y., Jiang, M. H., Kim, D. W., Choi, S. Y., & Oh, T. H. (2008). Systemic administration of PEP-1-SOD1 fusion protein improves functional recovery by inhibition of neuronal cell death after spinal cord injury. *Free radical biology & medicine*, 45(8), 1190–1200. <https://doi.org/10.1016/j.freeradbiomed.2008.07.016>
- Hamann, K., & Shi, R. (2009). Acrolein scavenging: a potential novel mechanism of attenuating oxidative stress following spinal cord injury. *Journal of neurochemistry*, 111(6), 1348–1356. <https://doi.org/10.1111/j.1471-4159.2009.06395.x>
- Pisoschi, A. M., & Pop, A. (2015). The role of antioxidants in the chemistry of oxidative stress: A review. *European journal of medicinal chemistry*, 97, 55–74. <https://doi.org/10.1016/j.ejmech.2015.04.040>
- Oyinbo C. A. (2011). Secondary injury mechanisms in traumatic spinal cord injury: a nugget of this multiply cascade. *Acta neurobiologiae experimentalis*, 71(2), 281–299.

- Chen, K., Liu, J., Assinck, P., Bhatnagar, T., Streijger, F., Zhu, Q., Dvorak, M. F., Kwon, B. K., Tetzlaff, W., & Oxland, T. R. (2016). Differential Histopathological and Behavioral Outcomes Eight Weeks after Rat Spinal Cord Injury by Contusion, Dislocation, and Distraction Mechanisms. *Journal of neurotrauma*, 33(18), 1667–1684. <https://doi.org/10.1089/neu.2015.4218>
- Heurteaux, C., Gandin, C., Borsotto, M., Widmann, C., Brau, F., Lhuillier, M., Onteniente, B., Lazdunski, M. (2010). Neuroprotective and Neuroproliferative Activities of Neuroaid (MLC601, MLC901), a Chinese medicine, in vitro. *Neuropharmacology*, 58:987-1001. DOI: 10.1016/j.neuropharm.2010.01.001
- Ranuh, I. G. M. A. R., Sari, G. M., Utomo, B., Suroto, N. S., & Fauzi, A. A. (2021). Systematic Review and Meta-Analysis of the Efficacy of MLC901 (NeuroAiD IITM) for Acute Ischemic Brain Injury in Animal Models. *Journal of evidence-based integrative medicine*, 26, 2515690X211039219. <https://doi.org/10.1177/2515690X211039219>
- Guo, Z.W., Peng, R., Song, J.D. (2021). Potential Mechanism of Astragali radixAngelicae sinensis radix in the Treatment of Spinal Cord Injury based on Network Pharmacology and Molecular Docking. *TMR Pharmacol Res*, 1(2):7.
- Zhang, Y., Li, Y., Gao, X., Wang, L., Duan, X. (2017). Aqueous Extract from Radix astragali Ameliorates Osteoporosis Subsequent to Spinal Cord Injury. *Biomedical Research*, 28(5):2056-2060.
- Zhou, L., Song, Z., Zhou, L., Qiu, Y., Hu, N., Hu, Y., & Hu, X. (2018). Protective role of astragalus injection in spinal cord ischemia-reperfusion injury in rats. *Neurosciences (Riyadh, Saudi Arabia)*, 23(2), 116–121. <https://doi.org/10.17712/nsj.2018.4.20170391>
- Yu, Q., Bai, Y. S., & Lin, J. (2010). Zhongguo Zhong xi yi jie he za zhi Zhongguo Zhongxiyi jiehe zazhi = Chinese journal of integrated traditional and Western medicine, 30(4), 393–397.
- Lu, Y., Yang, J., Wang, X., Ma, Z., Li, S., Liu, Z., & Fan, X. (2020). Research progress in use of traditional Chinese medicine for treatment of spinal cord injury. *Biomedicine & pharmacotherapy = Biomedecine & pharmacotherapie*, 127, 110136. <https://doi.org/10.1016/j.biopha.2020.110136>
- Zhang, Q., Yang, H., An, J., Zhang, R., Chen, B., & Hao, D. J. (2016). Therapeutic Effects of Traditional Chinese Medicine on Spinal Cord Injury: A Promising Supplementary Treatment in Future. *Evidence-based complementary and alternative medicine : eCAM*, 2016, 8958721. <https://doi.org/10.1155/2016/8958721>

- Wang, Y., Ren, Q., Zhang, X., Lu, H., & Chen, J. (2018). Neuroprotective Mechanisms of Calycosin Against Focal Cerebral Ischemia and Reperfusion Injury in Rats. *Cellular physiology and biochemistry : international journal of experimental cellular physiology, biochemistry, and pharmacology*, 45(2), 537–546. <https://doi.org/10.1159/000487031>
- Gu, Y., Chen, X., Fu, S., Liu, W., Wang, Q., Liu, K. J., & Shen, J. (2021). Astragali Radix Isoflavones Synergistically Alleviate Cerebral Ischemia and Reperfusion Injury Via Activating Estrogen Receptor-PI3K-Akt Signaling Pathway. *Frontiers in pharmacology*, 12, 533028. <https://doi.org/10.3389/fphar.2021.533028>
- Lim, C., Lee, B., Lim S., Lee, S.E., Cho, S. (2019). Astragali Radix Reduces Ischemia-induced Brain Injury by Inhibiting Edema and Expression of Aquaporin-4 in Mice. *Phcog Mag*, 15:335-341.
- Fu, J., Fan, H. B., Guo, Z., Wang, Z., Li, X. D., Li, J., & Pei, G. X. (2014). Salvianolic acid B attenuates spinal cord ischemia-reperfusion-induced neuronal injury and oxidative stress by activating the extracellular signal-regulated kinase pathway in rats. *The Journal of surgical research*, 188(1), 222–230. <https://doi.org/10.1016/j.jss.2013.11.1118>
- Zhong, J., Zhou, J., Sun, H., Wu, Y., Wu, Y., & Li, M. (2021). Effects of Salvia miltiorrhiza injection on apoptosis of Schwann cells induced by hydrogen peroxide. *Annals of palliative medicine*, 10(1), 625–632. <https://doi.org/10.21037/apm-20-2580>
- Kim, J.H., Song, J.W., Joo, H., Park, J.W., Lee, B.J., Cho, J.H., Lee, K., Lee, H., Park, J., Jeong, J.W., Kim, E.J., Bu, Y. (2022). A Review on the Pharmacological Activities of Salvia Miltiorrhizae Radix Using International Classification of Disease, 10th Revision (ICD-10) Codes. *Processes*, 10(9):1860-1890.
- Jiao, F., Varghese, K., Wang, S., Liu, Y., Yu, H., Booz, G. W., Roman, R. J., Liu, R., & Fan, F. (2021). Recent Insights Into the Protective Mechanisms of Paeoniflorin in Neurological, Cardiovascular, and Renal Diseases. *Journal of cardiovascular pharmacology*, 77(6), 728–734. <https://doi.org/10.1097/FJC.0000000000001021>
- Chen, X., Wang, Y., Ma, Y., Wang, R., & Zhao, D. (2021). To explore the Radix Paeoniae Rubra-Flos Carthami herb pair's potential mechanism in the treatment of ischemic stroke by network pharmacology and molecular docking technology. *Medicine*, 100(49), e27752. <https://doi.org/10.1097/MD.00000000000027752>
- Tao, B., Wang, Q., Cao, J., Yasen, Y., Ma, L., Sun, C., Shang, J., & Feng, S. (2021). The mechanisms of Chuanxiong Rhizoma in treating spinal cord injury based on network

- pharmacology and experimental verification. *Annals of translational medicine*, 9(14), 1145. <https://doi.org/10.21037/atm-21-2529>
- Cao, S., Hou, G., Meng, Y., Chen, Y., Xie, L., & Shi, B. (2022). Network Pharmacology and Molecular Docking-Based Investigation of Potential Targets of *Astragalus membranaceus* and *Angelica sinensis* Compound Acting on Spinal Cord Injury. *Disease markers*, 2022, 2141882. <https://doi.org/10.1155/2022/2141882>
- Xu, J., E, X. Q., Liu, H. Y., Tian, J., & Yan, J. L. (2015). *Angelica Sinensis* attenuates inflammatory reaction in experimental rat models having spinal cord injury. *International journal of clinical and experimental pathology*, 8(6), 6779–6785.
- Xie, Y., Zhang, H., Zhang, Y., Wang, C., Duan, D., & Wang, Z. (2018). Chinese *Angelica Polysaccharide* (CAP) Alleviates LPS-Induced Inflammation and Apoptosis by Down-Regulating COX-1 in PC12 Cells. *Cellular physiology and biochemistry: international journal of experimental cellular physiology, biochemistry, and pharmacology*, 49(4), 1380–1388. <https://doi.org/10.1159/000493415>
- Zhou, D., Liu, B., Xiao, X., Dai, P., Ma, S., & Huang, W. (2013). The effect of safflower yellow on spinal cord ischemia reperfusion injury in rabbits. *Oxidative medicine and cellular longevity*, 2013, 692302. <https://doi.org/10.1155/2013/692302>
- Wang, L., Botchway, B. O. A., & Liu, X. (2021). The Repression of the HMGB1-TLR4-NF- κ B Signaling Pathway by Safflower Yellow May Improve Spinal Cord Injury. *Frontiers in neuroscience*, 15, 803885. <https://doi.org/10.3389/fnins.2021.803885>
- Rakkhitawatthana, V., Sillapachaiyaporn, C., Nilkhet, S., Brimson, J.M. (2022). Effect of Thai Medicinal Plants *Acanthus ebreteatus* and *Streblus asper* Lour. On Neurite Outgrowth Activity. *Journal of Associated Medical Sciences*, 56(1):71-84.
- Seo, K.H., Choi, S.Y., Jin, Y., Son, H., Kang, Y.S., Jung, S.H., Kim, Y.I., Eum, S., Bach, T.T., Yoo, H.M., Whang, W.K., Jung, S.Y., Kang, W., Ko, H.M., Lee, S.H. (2019). Anti-inflammatory role of *Prunus Persica* L. Batsch methanol extract on lipopolysaccharide-stimulated glial cell. *Molecular Medicine Reports*, 21:2030-2040.
- Kim, T.W., Lim, H.H., Song, Y.K, Kim, S.E., Lee, J.W, Lee, M.H, Seo, J.H., Shin, M.S., Lim, B.K., Kim, C.J. (2008). Effects of Amygdalin on the Functional Recovery and C-Fos Expression in the Ventrolateral Periaqueductal Gray Region after Sciatic Crushed Nerve Injury in Rats, *Oriental Pharmacy and Experimental Medicine*, 7(5):556–563.
- Kant, R, Shukla, R.K., Shukla, A. (2018). A review on Peach (*Prunus persica*): a Asset of Medicinal Phytochemicals. *IJRASET*, 6(1): 2186-2200.

- Elshamy, A. I., Abdallah, H. M. I., El Gendy, A. E. G., El-Kashak, W., Muscatello, B., De Leo, M., & Pistelli, L. (2019). Evaluation of Anti-inflammatory, Antinociceptive, and Antipyretic Activities of *Prunus persica* var. *nucipersica* (Nectarine) Kernel. *Planta medica*, 85(11-12), 1016–1023. <https://doi.org/10.1055/a-0955-5876>
- Kuboyama, T., Hirotsu, K., Arai, T., Yamasaki, H., Tohda, C. (2017). *Polygalae Radix* Extract Prevents Axonal Degeneration and Memory Deficits in a Transgenic Mouse Model of Alzheimer's Disease. *Front. Pharmacol*, 8:805.
- Lin, Z., Gu, J., Xiu, J., Mi, T., Dong, J., & Tiwari, J. K. (2012). Traditional chinese medicine for senile dementia. Evidence-based complementary and alternative medicine : eCAM, 2012, 692621. <https://doi.org/10.1155/2012/692621>
- Kuboyama, T., Kominato, S., Nagumo, M., Tohda, C. (2021). Recovery from Spinal Cord Injury via M2 Microglial Polarization induced by *Polygalae Radix*. *Phytomedicine*. 82:153452.
- Song, Z., Yin, F., Xiang, B., Lan, B., & Cheng, S. (2018). Systems Pharmacological Approach to Investigate the Mechanism of *Acori Tatarinowii Rhizoma* for Alzheimer's Disease. Evidence-based complementary and alternative medicine : eCAM, 2018, 5194016. <https://doi.org/10.1155/2018/5194016>
- Yan, L., Liu, Z., Xu, L., Qian, Y., Song, P., & Wei, M. (2020). Identification of volatile active components in *Acori Tatarinowii Rhizome* essential oil from different regions in China by C6 glioma cells. *BMC complementary medicine and therapies*, 20(1), 255. <https://doi.org/10.1186/s12906-020-03020-4>
- Zhang, Y., Wu, Y., Fu, Y., Lin, L., Lin, Y., Zhang, Y., Ji, L., & Li, C. (2020). Anti-Alzheimer's Disease Molecular Mechanism of *Acori Tatarinowii Rhizoma* Based on Network Pharmacology. *Medical science monitor basic research*, 26, e924203. <https://doi.org/10.12659/MSMBR.924203>
- Young, S. H., Zhao, Y., Koh, A., Singh, R., Chan, B. P., Chang, H. M., Venketasubramanian, N., Chen, C., & CHIMES Investigators (2010). Safety profile of MLC601 (Neuroaid) in acute ischemic stroke patients: A Singaporean substudy of the Chinese medicine neuroaid efficacy on stroke recovery study. *Cerebrovascular diseases (Basel, Switzerland)*, 30(1), 1–6. <https://doi.org/10.1159/000313398>
- Venketasubramanian, N., Moorakonda, R. B., Lu, Q., Chen, C. L. H., & On behalf of the CHIMES Investigators (2020). Frequency and Clinical Impact of Serious Adverse Events on Post-Stroke Recovery with NeuroAiD (MLC601) versus Placebo: The

- CHinese Medicine Neuroaid Efficacy on Stroke Recovery Study. *Cerebrovascular diseases* (Basel, Switzerland), 49(2), 192–199. <https://doi.org/10.1159/000506070>
- Fabiaña, N. L., Chen, C. L., Venketasubramanian, N., Lee, C. F., Wong, K. S., & De Silva, D. A. (2016). Sex and the treatment effect in the Chinese Medicine NeuroAiD Efficacy on Stroke recovery (CHIMES) trial. *Journal of clinical neuroscience : official journal of the Neurosurgical Society of Australasia*, 33, 269–270. <https://doi.org/10.1016/j.jocn.2016.04.013>
- Quintard, H., Lorivel, T., Gandin, C., Heurteaux, C. (2014). MLC901, A Traditional Chinese Medicine Induces Neuroprotective and Neuroregenerative Benefit after Traumatic Brain Injury in Rats. *Neuroscience*, 277:72-86
- Theadom, A., Barker-Collo, S., Jones, K. M., Parmar, P., Bhattacharjee, R., & Feigin, V. L. (2018). MLC901 (NeuroAiD II™) for cognition after traumatic brain injury: a pilot randomized clinical trial. *European journal of neurology*, 25(8), 1055–e82. <https://doi.org/10.1111/ene.13653>
- Gan, R., Lambert, C., Lianting, J., Chan, E.S.Y., Venketasubramanian, N., Chen, C., Chan, B.P.L., Samama, M.M., Bousser, M.G. (2008). Danqi Piantan Jiaonang Does Not Modify Hemostasis, Hematology, and Biochemistry in Normal Subjects and Stroke Patients. *Cerebrovasc Dis*, 25:450-456.
- Ghandehari, K., Mood, Z. I., Ebrahimzadeh, S., Picard, D. (2011). NeuroAid (MLC601) versus Piracetam in the Recovery of Post-infarct Homonymous Hemianopsia. *Neural Regen Res*, 6(6):418-422
- Bennett, D. J., Gorassini, M., Fouad, K., Sanelli, L., Han, Y., & Cheng, J. (1999). Spasticity in rats with sacral spinal cord injury. *Journal of neurotrauma*, 16(1), 69–84. <https://doi.org/10.1089/neu.1999.16.69>
- Rosenzweig, E. S., & McDonald, J. W. (2004). Rodent models for treatment of spinal cord injury: research trends and progress toward useful repair. *Current opinion in neurology*, 17(2), 121–131. <https://doi.org/10.1097/00019052-200404000-00007>
- Rivlin, A. S., & Tator, C. H. (1978). Effect of duration of acute spinal cord compression in a new acute cord injury model in the rat. *Surgical neurology*, 10(1), 38–43.
- Vanický, I., Urdzíková, L., Saganová, K., Cízková, D., & Gálik, J. (2001). A simple and reproducible model of spinal cord injury induced by epidural balloon inflation in the rat. *Journal of neurotrauma*, 18(12), 1399–1407. <https://doi.org/10.1089/08977150152725687>

- Carlson, G. D., Minato, Y., Okada, A., Gorden, C. D., Warden, K. E., Barbeau, J. M., Biro, C. L., Bahuik, E., Bohlman, H. H., & Lamanna, J. C. (1997). Early time-dependent decompression for spinal cord injury: vascular mechanisms of recovery. *Journal of neurotrauma*, 14(12), 951–962. <https://doi.org/10.1089/neu.1997.14.951>
- Dimar, J. R., 2nd, Glassman, S. D., Raque, G. H., Zhang, Y. P., & Shields, C. B. (1999). The influence of spinal canal narrowing and timing of decompression on neurologic recovery after spinal cord contusion in a rat model. *Spine*, 24(16), 1623–1633. <https://doi.org/10.1097/00007632-199908150-00002>
- Dolan, E. J., Tator, C. H., & Endrenyi, L. (1980). The value of decompression for acute experimental spinal cord compression injury. *Journal of neurosurgery*, 53(6), 749–755. <https://doi.org/10.3171/jns.1980.53.6.0749>
- Fehlings, M. G., & Perrin, R. G. (2005). The role and timing of early decompression for cervical spinal cord injury: update with a review of recent clinical evidence. *Injury*, 36 Suppl 2, B13–B26. <https://doi.org/10.1016/j.injury.2005.06.011>
- Gruner J. A. (1992). A monitored contusion model of spinal cord injury in the rat. *Journal of neurotrauma*, 9(2), 123–128. <https://doi.org/10.1089/neu.1992.9.123>
- Metz, G. A., Curt, A., van de Meent, H., Klusman, I., Schwab, M. E., & Dietz, V. (2000). Validation of the weight-drop contusion model in rats: a comparative study of human spinal cord injury. *Journal of neurotrauma*, 17(1), 1–17. <https://doi.org/10.1089/neu.2000.17.1>
- Mills, C. D., Hains, B. C., Johnson, K. M., & Hulsebosch, C. E. (2001). Strain and model differences in behavioral outcomes after spinal cord injury in rat. *Journal of neurotrauma*, 18(8), 743–756. <https://doi.org/10.1089/089771501316919111>
- Kjell, J., Sandor, K., Josephson, A., Svensson, C. I., & Abrams, M. B. (2013). Rat substrains differ in the magnitude of spontaneous locomotor recovery and in the development of mechanical hypersensitivity after experimental spinal cord injury. *Journal of neurotrauma*, 30(21), 1805–1811. <https://doi.org/10.1089/neu.2013.2998>
- Clark, F. M., & Proudfit, H. K. (1992). Anatomical evidence for genetic differences in the innervation of the rat spinal cord by noradrenergic locus coeruleus neurons. *Brain research*, 591(1), 44–53. [https://doi.org/10.1016/0006-8993\(92\)90976-g](https://doi.org/10.1016/0006-8993(92)90976-g)
- Watson C., Paxinos G. and Kayalioglu G. (2009). In *The Spinal Cord: A Christopher and Dana Reeve Foundation Text and Atlas*. Elsevier. [Google Scholar].

- Kjell, J., & Olson, L. (2016). Rat models of spinal cord injury: from pathology to potential therapies. *Disease models & mechanisms*, 9(10), 1125–1137. <https://doi.org/10.1242/dmm.025833>
- Cheriyian, T., Ryan, D. J., Weinreb, J. H., Cheriyian, J., Paul, J. C., Lafage, V., Kirsch, T., & Errico, T. J. (2014). Spinal cord injury models: a review. *Spinal cord*, 52(8), 588–595. <https://doi.org/10.1038/sc.2014.91>
- Gruner J. A. (1992). A monitored contusion model of spinal cord injury in the rat. *Journal of neurotrauma*, 9(2), 123–128. <https://doi.org/10.1089/neu.1992.9.123>.
- Arifin, W.N. dan Zahiruddin, W.M. 2017. Sample Size Calculation in Animal Studies using Resource Equation Approach. *Malays J Med Sci*, 24(5):101– 105.
- Anjum, A., Yazid, M. D., Daud, M. F., Idris, J., Ng, A. M. H., Naicker, A. S., Ismail, O. H. R., Kumar, R. K. A., & Lokanathan, Y. (2024). NeuroAiDTM-II (MLC901) Promoted Neurogenesis by Activating the PI3K/AKT/GSK-3 β Signaling Pathway in Rat Spinal Cord Injury Models. *Biomedicines*, 12, 1920.
- Bi, C., Tham, D. K. L., Perronnet, C., Joshi, B., Nabi, I. R., & Moukhles, H. (2017). The oxidative stress-induced increase in the membrane expression of the water-permeable channel aquaporin-4 in astrocytes is regulated by caveolin-1 phosphorylation. *Frontiers in Cellular Neuroscience*, 11(December), 1–11. <https://doi.org/10.3389/fncel.2017.00412>
- Chen, C. L. H., Sharma, P. R., Tan, B. Y., Low, C., & Venketasubramanian, N. (2019). The Alzheimer's disease THERapy with NEuroaid (ATHENE) study protocol: Assessing the safety and efficacy of Neuroaid II (MLC901) in patients with mild-to-moderate Alzheimer's disease stable on cholinesterase inhibitors or memantine—A randomized, double-blind, placebo-controlled trial. *Alzheimer's and Dementia: Translational Research and Clinical Interventions*, 5, 38–45. <https://doi.org/10.1016/j.trci.2018.12.001>
- Guo, S., Song, Z., He, J., Yin, G., Zhu, J., Liu, H., Yang, L., Ji, X., Xu, X., Liu, Z., & Liu, J. (2022). Akt/Aquaporin-4 Signaling Aggravates Neuropathic Pain by Activating Astrocytes after Spinal Nerve Ligation in Rats. *Neuroscience*, 482, 116–131. <https://doi.org/10.1016/j.neuroscience.2021.12.015>
- Haro Girón, S., Monserrat Sanz, J., Ortega, M. A., Garcia-Montero, C., Fraile-Martínez, O., Gómez-Lahoz, A. M., Boaru, D. L., de Leon-Oliva, D., Guijarro, L. G., Atienza-Perez, M., Diaz, D., Lopez-Dolado, E., & Álvarez-Mon, M. (2023). Prognostic Value of Malondialdehyde (MDA) in the Temporal Progression of Chronic Spinal Cord Injury. *Journal of Personalized Medicine*, 13(4). <https://doi.org/10.3390/jpm13040626>

- Li, N., Yuan, H., Li, H., & Luo, B. (2021). Mechanism of Aquaporin-4 Up-Regulation After Traumatic Brain Injury and Preventative Action of Astragalus Polysaccharides in Mice. *Journal of Biomaterials and Tissue Engineering*, 11(6), 1037–1045.
- Lim, C., Lee, B., Lim, S., Lee, S.-E., & Cho, S. (2018). Astragali Radix Reduces Ischemia-Induced Brain Injury by Inhibiting Edema and Expression of Aquaporin-4 in Mice. *Pharmacognosy Magazine*, 15(61), 341. <https://doi.org/10.4103/pm.pm>
- Liu, L., Lu, Y., Kong, H., Li, L., Marshall, C., Xiao, M., Ding, J., Gao, J., & Hu, G. (2012). Aquaporin-4 deficiency exacerbates brain oxidative damage and memory deficits induced by long-term ovarian hormone deprivation and D-galactose injection. *International Journal of Neuropsychopharmacology*, 15(1), 55–68. <https://doi.org/10.1017/S1461145711000022>
- Nesic, O., Lee, J., Ye, Z., Unabia, G. C., Rafati, D., Hulsebosch, C. E., & Perez-Polo, J. R. (2006). Acute and Chronic Changes in Aquaporin 4 Expression After Spinal Cord Injury. *Neuroscience*, 143(3), 779–792.
- Ohnmar, H., Kumar, R., Baharudin, A., Ariffin, H., Gsangaya, M., Harun, H., Kandar, K., & Balan, M. (2021). Safety and efficacy of MLC601/MLC901 (NeuroAiD) amongst patients who sustain severe spinal cord injury (SATURN study). *Journal of the Neurological Sciences*, 429(2021), 118574. <https://doi.org/10.1016/j.jns.2021.118574>
- Pan, Q. L., Lin, F. X., Liu, N., & Chen, R. C. (2022). The role of aquaporin 4 (AQP4) in spinal cord injury. *Biomedicine and Pharmacotherapy*, 145(September 2021), 112384. <https://doi.org/10.1016/j.biopha.2021.112384>
- Quintard, H., Borsotto, M., Veyssiere, J., Gandin, C., Labbal, F., Widmann, C., Lazdunski, M., & Heurteaux, C. (2011). MLC901, a Traditional Chinese Medicine protects the brain against global ischemia. *Neuropharmacology*, 61(4), 622–631. <https://doi.org/10.1016/j.neuropharm.2011.05.003>
- Quintard, H., Lorivel, T., Gandin, C., Lazdunski, M., & Heurteaux, C. (2014). MLC901, a Traditional Chinese Medicine induces neuroprotective and neuroregenerative benefits after traumatic brain injury in rats. *Neuroscience*, 277(October), 72–86. <https://doi.org/10.1016/j.neuroscience.2014.06.047>
- Ren, X., Leng, X., Yang, Y., & Xu, X. (2006). Neuro-protective effect of astragalus root on experimental injury of spinal cord in rats. *Chinese Journal of Clinical Rehabilitation*, 10(7), 31–33.
- Shin, T. (2007). Increases in the phosphorylated form of caveolin-1 in the spinal cord of rats with clip compression injury. *Brain Research*, 1141(1), 228–234. <https://doi.org/10.1016/j.brainres.2007.01.009>

- Soto-Domínguez, A., Salas-Treviño, D., Guillén-Meléndez, G. A., Castillo-Velázquez, U., Ballesteros-Elizondo, R. G., Montes-de-Oca-Saucedo, C. R., Villa-Cedillo, S. A., Morales-Ávalos, R., Rodríguez-Tovar, L. E., Montes-de-Oca-Luna, R., & Saucedo-Cárdenas, O. (2023). Histopathological, ultrastructural, and biochemical traits of apoptosis induced by peroxisomicine A1 (toxin T-514) from *Karwinskia parvifolia* in kidney and lung. *Toxicon*: X, 17(July 2022). <https://doi.org/10.1016/j.toxcx.2022.100148>
- Wisnu Wardhana, D. P., Maliawan, S., Bagus Mahadewa, T. G., Islam, A. A., Jawi, I. M., Wiradewi Lestari, A. A., Kamasan Nyoman Arijana, I. G., Rosyidi, R. M., & Wiranata, S. (2024). Effects of Moleac 901 after severe spinal cord injury on chronic phase in Wistar rats. *Heliyon*, 10(7), e28522. <https://doi.org/10.1016/j.heliyon.2024.e28522>