DAFTAR PUSTAKA

Anesthesia UK. The Psycochemcial of Local Anesthetics. Anesthesia UK. 2009

Arias MG. Levobupivacaine: A long acting local anaesthetic, with less cardiac and neurotoxicity. Update.anesthesiologists.org. 2007:1-3

Arias MG. Levobupivacaine: A long acting local anaesthetic, with less cardiac and neurotoxicity. Update.anesthesiologists.org. 2013:1-3

Chatrath V, et al. Fentanyl Versus Tramadol With Levobupivacaine For Combined Spinal-Epidural Analgesia In Labor. Saudi Journal of Anesthesia. 2015; 9(3); 263-7

Chumsang L, Thongmee S. Levobupivacaine and Bupivacaine in Spinal Anesthesia for Transurethral Endoscopic Surgery. J Med Assoc Thai. 2006;89(8):1133-9

Duggal R, Kapoor R, Moyal G. A comparison of intrathecal levobupivacaine with hyperbaric bupivacaine for elective cesarean section: A prospective randomized double-blind study. Journal of Obstetric Anaesthesia and Critical Care. 2015. p 78-83

Foster RH, Markhamm A, Levobupivacaine a review of its pharmacology and use as a local anaesthetic. 2000;59:551-79

Frizelle H. Mechanism of postoperative pain-nociceptive in postoperative pain management: an evidence-based guide to practice. Philadelphia: Saunder Elseiver, 2013;27-33.

Guler G, Gokhan Cakir, Ulgey, Fatih Ugur, Cihangir Bicer, Isın Gunes, Adem Boyaci. A Comparison of Spinal Anesthesia with Levobupivacaine and Hyperbaric Bupivacaine for Cesarean Sections: A Randomized Trial. Open Journal of Anesthesiology. 2012 (2): 84-89.

Hadzic A, NYSORA. Textbook of Regional Anesthesia and Acute Pain Management. NYSORA. The McGraw-Hill Companies. 2019.

Hadzic A. Text Book of Regional Anesthesia and Pain Management. hina. The McGraw-Hill Companies. 2019:Chapter 13

ochamat, Yusmein Uyun, Bambang S. Suwondo. Comparison of trathecal Use of Isobaric and Hyperbaric Bupivacaine during ower Abdomen Surgery. Journal of Anesthesiology. 2014. Vol: 1-4

Herrera Rose, Jose De Andres, Luis Estane, Francisco J Morales, Inocencia Martinez. Hemodynamic impact of isobaric levobupivacaine versus hyperbaric bupivacaine for subarachnoid anesthesia in patients aged 65 and older undergoing hip surgery. BMC Anesthesiology. 2014; 14:97

Honca M, et al. Low-dose levobupivacaine plus fentanyl combination for spinal anesthesia in anorectal surgery. Revista Brasilera De Anestesiologia. 2015; 65(6); 461-5

John F. Butterworth IV, David CM. Spinal, epidural & caudal blocks in morgan & mikhail's clinical anesthesiology. 5th edition. New York: Mc Graw-Hill, 2013;952-90.

John F. Butterworth IV, David CM. Spinal, epidural & caudal blocks in morgan & mikhail's clinical anesthesiology. 5th edition. New York: Mc Graw-Hill, 2013;952-90.

Kalaria R, Upadhyay M. Spinal Anaesthesia for Lower Abdominal Surgery: Levobupivacaine versus Racemic Bupivacaine. Journal of Critical and Diagnostic Research. 2018; 12(3); 9-13

Kanvee V, Rina G, Shruti S. A Comparative Evaluation of Dexmedetomidine and Clonidine as an Adjunct with Intrathecal Inj. Levobupivacaine in Spinal Anaesthesia. Journal of Research In Medical and Dental Science. 2015; 3(1); 12-16.

Khan A, Nanda HS, Chadra R. Levobupivacaine versus Ropivacaine: A Comparative Study of the Analgesic and Hemodynamic Spectrum. International Journal of Scientific Study. 2014; 4 (1); 190-5

Kurmanadh K. A Comparison Of Spinal Anaesthesia With Levobupivacaine And Hyperbaric Bupivacaine Combined With Fentanyl In Caesarean Section. J Evidence Based Medical Health. 2016; 3(85) ; 4662-7

Maheshwari N, et al. Comparative Study of Different Doses of Clonidine as an Adjuvant with Isobaric Levobupivacaine for Spinal Anaesthesia in Patients Undergoing Caesarean Section. Journal of Obstetric and Critical Care. 2019; 9(1); 9-13

Marshall R. Local Anesthetics. Departemen Of Pharmacology College of Medicine. University of Illinois at Chicago.2009:1-5

GE, Mikhail MS, Murray MJ. Local Anesthetics. Clinical nesthesiology. 5thedition. New York: Mc Graw Hill Lange Medical ooks: 2013, 151-52, 263-75

Nainggolan Hunter D., Iwan Fuadi, Redjeki Ike Sri. Perbandingan Anestesi Spinal Menggunakan Ropivacaine Hiperbarik 13,5 mg dengan Ropivacaine Isobarik 13,5 mg terhadap Mula dan Lama Kerja Blokade Sensorik. Jurnal Anestesi Perioperatif . 2014;2 (1): 45-54

Parpaglioni R, Frigo MG, Lemma A, Sebastian M, Barbati, Celleno D. Minimum Local Anesthesthic Dose (MLAD) of Intratechal Levobupivacaine and Ropivacaine for Cesarean Section. Anesthesia. 2006;61:110-5

Sen H, Sizlan A, Ates F, Dree K, Dere L, Gundu L, Ozkan S, Dagli. Comparison of Three Different Doses of Intratechal LevobupivacaineIn Urological Surgery. 2009;26(3):214-9

Setiabudi A. Perbandingan Ekspresi Sel T CD4+ di Jaringan Sekitar Luka dengan dan Tanpa Infiltrasi Levobupivacaine pada Nyeri Pasca Insisi Studi Imunohistokimia pada Tikus Wistar. UNDIP. 2014:1-75

Subasi d, et al. Comparison of intrathecal hyperbaric bupivacaine and levobupivacaine with fentanyl for caesarean section.2012; 27(1):22-29

Tanra AH, Rehatta NM, Musbah MT. Lintasan nyeri. Dalam: Penatalaksanaan nyeri. Edisi 1. Makassar: Bagian ilmu anestesi perawatan intensif dan manajemen nyeri fakultas kedokteran universitas hasanuddin. 2013;2-10.

The American Society of Anesthesiologist task force on acute pain management. Practice guidelines for acute pain management in the perioperatif setting. Br J Anesth 2014;100:1574-81.

Tsen, L.C. *Anesthesia for Cesarean Delivery*. In: Chestnut, D.H., Polley, L.S., Tsen, L.C., Wong, C.A., editor. Chestnut's Obstetric Anesthesia: principles and Practice, 4th Ed. Philadelphia. Mosby Elsevier. 2012. p.521

Ture P, et al. Comparative Evaluation Of Anaesthetic Efficacy And Haemodynamic Effects Of A Combination Of Isobaric Bupivacaine With Buprenorphine Vs. Isobaric Levobupivacaine With Buprenorphine For Spinal Anaesthesia – A Double Blinded Randomised Clinical Trial. Indian Journal of Anaesthesia. 2019; 63(1); 49-54

H, et al. A randomized controlled prospective study comparing a w dose bupivacaine and fentanyl mixture to a conventional dose f hyperbaric bupivacaine for cesarean section. Saudi Journal of nesthesia. 2015; 9(2):122-7.

Vises R, et al. Effects Of Bupivacaine Or Levobupivacaine On Cerebral Oxygenation During Spinal Anesthesia In Elderly Patients Undergoing Orthopedic Surgery For Hip Fracture: A Randomized Controlled Trial. BMC Anesthesiology. 2019; 19 (17); 1-11

Wong CA. Physiologic effects of neuroaxial anesthesia in spinal and epidural anesthesia. New York: Mgraw-Hill, 2014;119-37.

Yadav A. Short textbook of anaesthesia, 2nd Ed. New Delhi: Academa Publishers; 2018. p.116-27.

Yagan O, et al. A comparison of different densities of levobupivacaine solutions for unilateral spinal anaesthesia. Revista Brasileira De Anestesiologia. 2014. p 1-8