

DAFTAR PUSTAKA

- Addas carvalho M, V. J. O. S. (2013). The association of IL4 and RANTES gene polymorphism with occurrence of allergic transfusion reactions (ATR). *Vox Sanguinis*, 105(s1), 1–64. <https://doi.org/https://doi.org/10.1111/vox.12047>
- Afkarian, M., Sedy, J. R., Yang, J., Jacobson, N. G., Cereb, N., Yang, S. Y., Murphy, T. L., & Murphy, K. M. (2002). T-bet is a STAT1-induced regulator of IL-12R expression in naive CD4+ T cells. *Nature Immunology*, 3(6), 549–557.
- Ajmani, P. S. (2020). Transfusion Reactions. In P. S. Ajmani (Ed.), *Immunohematology and Blood banking: Principles and Practice* (pp. 175–195). Springer Singapore. https://doi.org/10.1007/978-981-15-8435-0_15
- Al-Saqladi, A.-W. M., & Albanna, T. A. (2021). A Study of Blood Transfusion in Pediatric Patients at a Teaching Hospital, Aden, Yemen. *International Journal of Clinical Transfusion Medicine, Volume 9*, 1–9. <https://doi.org/10.2147/ijctm.s293720>
- Aryati, Parwati, R. D., Muhashonah, I., & Habsari, T. J. (2015). Kaitan IgE spesifik metode imunoblot terhadap elisa pada Rinitis alergi. *Indonesian Journal Of Clinical Pathology And Medical Laboratory*, 21(3).
- Bayrak Degirmenci, P., Aksun, S., Altin, Z., Bilgir, F., Arslan, I. B., Colak, H., Ural, B., Solakoglu Kahraman, D., Diniz, G., Ozdemir, B., & Kirmaz, C. (2018). Allergic Rhinitis and Its Relationship with IL-10, IL-17, TGF- β , IFN- γ , IL 22, and IL-35. *Disease Markers*, 2018, 9131432. <https://doi.org/10.1155/2018/9131432>
- Bochner, B. S. (2000). Systemic activation of basophils and eosinophils: Markers and consequences. *Journal of Allergy and Clinical Immunology*, 106(5), S292–S302. <https://doi.org/10.1067/mai.2000.110164>
- Bodoor, K., Al-Qarqaz, F., Heis, L. Al, Alfaqih, M. A., Oweis, A. O., Almomani, R., & Obeidat, M. A. (2020). IL-33/13 Axis and IL-4/31 Axis Play Distinct Roles in Inflammatory Process and Itch in Psoriasis and Atopic Dermatitis. *Clinical, Cosmetic and Investigational Dermatology*, 13, 419–424. <https://doi.org/10.2147/CCID.S257647>
- Boureau, A.-S., & de Decker, L. (2019). Blood transfusion in older patients. *Transfusion et Biologique*, 26(3), 160–163. <https://doi.org/10.1016/j.tracli.2019.06.190>
- Roberts, J. A., Britten, K. M., Montefort, S., Djukanovic, R., Mueller, R., C. H., Howarth, P. H., & Holgate, S. T. (1994). Interleukin-4,-5, and-6 and



tumor necrosis factor-alpha in normal and asthmatic airways: evidence for the human mast cell as a source of these cytokines. *American Journal of Respiratory Cell and Molecular Biology*, 10(5), 471–480.

Branicka, O., Rogala, B., & Glück, J. (2020). Eosinophil/neutrophil/platelet-to-lymphocyte ratios in various types of immediate hypersensitivity to NSAIDs: A preliminary study. *International Archives of Allergy and Immunology*, 181(10), 774–782.

Chang, C. C., Lee, T. C., Su, M. J., Lin, H. C., Cheng, F. Y., Chen, Y. T., Yen, T. H., & Chu, F. Y. (2018). Transfusion-associated adverse reactions (TAARs) and cytokine accumulations in the stored blood components: The impact of prestorage versus poststorage leukoreduction. *Oncotarget*, 9(4), 4385–4394. <https://doi.org/10.18632/oncotarget.23136>

Commins, S. P., Borish, L., & Steinke, J. W. (2010). Immunologic messenger molecules: Cytokines, interferons, and chemokines. *Journal of Allergy and Clinical Immunology*, 125(2), S53–S72. <https://doi.org/10.1016/j.jaci.2009.07.008>

Curtis, J. L. (2006). Interleukins| IL-4. In G. J. Laurent & S. D. Shapiro (Eds.), *Encyclopedia of Respiratory Medicine* (pp. 354–359). Academic Press. <https://doi.org/https://doi.org/10.1016/B0-12-370879-6/00475-0>

Davoine, F., & Lacy, P. (2014). Eosinophil cytokines, chemokines, and growth factors: emerging roles in immunity. *Frontiers in Immunology*, 5, 570. <https://doi.org/10.3389/fimmu.2014.00570>

Degirmenci, P. B., Kirmaz, C., Vatansever, S., Onur, E., Nal, E., Erdin, S., & Ozyurt, B. (2017). Analysis of the association of chronic spontaneous urticaria with interleukin-4,-10, transforming growth factor- β 1, interferon- γ , interleukin-17A and-23 by autologous serum skin test. *Advances in Dermatology and Allergology/Postępy Dermatologii i Alergologii*, 34(1), 70–76.

Domen, R. E., & Hoeltge, G. A. (2003). Allergic transfusion reactions: an evaluation of 273 consecutive reactions. *Archives of Pathology & Laboratory Medicine*, 127(3), 316–320. <https://doi.org/10.5858/2003-127-0316-ATR>

Dong, F., Tan, J., & Zheng, Y. (2020). Chlorogenic acid alleviates allergic inflammatory

responses through regulating Th1/Th2 balance in ovalbumin-induced allergic mice. *Medical Science Monitor: International Medical Journal of Experimental and Clinical Research*, 26, e923358-1.



- Dos Santos, J. C., Azor, M. H., Nojima, V. Y., Lourenço, F. D., Prearo, E., Maruta, C. W., Rivitti, E. A., da Silva Duarte, A. J., & Sato, M. N. (2008). Increased circulating pro-inflammatory cytokines and imbalanced regulatory T-cell cytokines production in chronic idiopathic urticaria. *International Immunopharmacology*, 8(10), 1433–1440.
- Ekici, N. Y. (2019). Is there any correlation between allergy and hematological parameters in children with allergic rhinitis? *Kocaeli Med Jo*, 29–34.
- Elabscience. (2014a). *High sensitivity human IFN-gamma Elisa Kit*.
- Elabscience. (2014b). *Human Interleukin-4*.
- Gao, C., Chen, W.-C., Liu, W., Chen, Q., Chen, S., Xu, Y., & Song, Z. (2020). Pathogenic role of circulating CD4+ CXCR5+ cell subpopulations in patients with chronic spontaneous urticarial. *American Journal of Translational Research*, 12(8), 4434.
- Gao, Y. (2019). Interleukin-4 and interferon-gamma: the quintessence of a mutual antagonistic relationship. *Clinical Immunology*, 48(5), 459–468. <https://doi.org/10.1046/j.1365-3083.1998.00435.x>
- Gao, Y. (2024). Interleukin-4 and Interferon Gamma: Partners in Immune Regulation. *International Journal of Pediatric Otorhinolaryngology*, 182, 111996. <https://doi.org/https://doi.org/10.1016/j.ijporl.2024.111996>
- Gelaw, Y., Woldu, B., & Melku, M. (2020). Proportion of acute transfusion reaction and associated factors among adult transfused patients at felege hiwot compressive referral Hospital, Bahir Dar, Northwest Ethiopia: A Cross-Sectional Study. *Journal of Blood Medicine*, 11(null), 227–236. <https://doi.org/10.2147/JBM.S250653>
- Gombotz, H., Schreier, G., Neubauer, S., Kastner, P., & Hofmann, A. (2016). Gender disparities in red blood cell transfusion in elective surgery: a post hoc multicentre cohort study. *BMJ Open*, 6(12), e012210. <https://doi.org/10.1136/bmjopen-2016-012210>
- Gour, N., & Wills-Karp, M. (2015). IL-4 and IL-13 signaling in allergic airway disease. *Cytokine*, 75(1), 68–78. <https://doi.org/10.1016/j.cyto.2015.05.014>
- Guo, X., Liao, J., Fan, X., & Xu, M. (2023). Exploring the diagnostic value of eosinophilocyte ratio to differentiate Kawasaki disease from other febrile diseases on clinical prediction model. *Scientific Reports*, 13(1), 3399. <https://doi.org/10.1038/s41598-023-30463-9>



- Imada, M., Simons, F. E., Jay, F. T., & Hayglass, K. T. (1995). Allergen-stimulated interleukin-4 and interferon-gamma production in primary culture: responses of subjects with allergic rhinitis and normal controls. *Immunology*, 85(3), 373–380.
- Junttila, I. S. (2018). *Tuning the Cytokine Responses : An Update on interleukin (iL)-4 and iL-13 Receptor Complexes.* 9(June). <https://doi.org/10.3389/fimmu.2018.00888>
- Kant, A., & Terzioğlu, K. (2021). Allergologia et immunopathologia Association of severity of allergic rhinitis with eosinophil-to-lymphocyte ratios in adults. *Española, Sociedad Clínica, De Inmunología*, 49(5), 94–99.
- Kato, H., Uruma, M., Okuyama, Y., Fujita, H., Handa, M., Tomiyama, Y., Shimodaira, S., Kurata, Y., & Takamoto, S. (2013). Incidence of transfusion-related adverse reactions per patient reflects the potential risk of transfusion therapy in Japan. *American Journal of Clinical Pathology*, 140(2), 219–224. <https://doi.org/10.1309/AJCP6SBPOX0UWHEK>
- Kemenkes. (2022). Darah untuk kehidupan. *Mediakom Edisi 143*, 18–29.
- León, B. (2022). Understanding the development of Th2 cell-driven allergic airway disease in early life. *Frontiers in Allergy*, 3, 1080153. <https://doi.org/10.3389/falgy.2022.1080153>
- Lighvani AA, Frucht DM, Jankovic D, & et al. (2001). T-bet is rapidly induced by interferon-gamma in lymphoid and myeloid cells. *Proc Natl Acad Sci U S A.*, 26(98), 15137–15142.
- Madden, K. M., & Raval, J. S. (2020). Chapter 4 - Allergic Transfusion Reactions. In R. W. Maitta (Ed.), *Immunologic Concepts in Transfusion Medicine* (pp. 45–54). Elsevier. <https://doi.org/https://doi.org/10.1016/B978-0-323-67509-3.00004-4>
- Mak, T. W., & Saunders, M. E. (2006). 17 - Cytokines and Cytokine Receptors. In T. W. Mak & M. E. Saunders (Eds.), *The Immune Response* (pp. 463–516). Academic Press. <https://doi.org/https://doi.org/10.1016/B978-012088451-3.50019-3>
- Marpaung, E., Wahidiyat, P. A., & Iskandar, S. D. (2019). *Characteristics of Acute Transfusion Reactions and its related factors in Cipto Mangunkusumo Hospital Jakarta , Indonesia.* 10(1), 15–20.



, Wahidiyat, P. A., & Iskandar, S. D. (2019). Characteristics of Acute Transfusion Reactions and its related factors in Cipto Mangunkusumo Hospital Jakarta, Indonesia. 10(1), 15–20.

- Mertes, P., Bazin, A., Alla, F., Bienvenu, J., Caldani, C., Lamy, B., Laroche, D., Leconte des Floris, M., Py, J., Rebibo, D., Willaert, B., & Demoly, P. (2011). Hypersensitivity reactions to blood components: Document issued by the allergy committee of the French Medicines and healthcare products regulatory agency. In *J Investig Allergol Clin Immunol* (Vol. 21, Issue 3).
- Merve, F. (2021). The significance of eosinophil and eosinophil lymphocyte ratio (ELR) in predicting response to omalizumab treatment in patients with severe allergic asthma. *Tuberk Toraks*, 69(1), 39–48.
- Min, H. J., Hong, Y. H., Yang, H. S., & Kim, K. S. (2016). The correlation of serum eosinophil cationic protein level with eosinophil count, and total IgE level in Korean adult allergic rhinitis patients. *Asian Pacific Journal of Allergy and Immunology*, 34(1), 33–37. <https://doi.org/10.12932/AP0746>
- Minhajati, R., Djaharuddin, I., Halim, R., Benyamin, A. F., & Bakri, S. (2017). Drugs hypersensitivity reaction in patient with Human Immunodeficiency Virus (HIV) infection. *Journal of Allergy & Therapy*, 08(01). <https://doi.org/10.4172/2155-6121.1000252>
- Negi, G., Gaur, D. S., & Kaur, R. (2015). Blood transfusion safety: A study of adverse reactions at the blood bank of a tertiary care center. *Advanced Biomedical Research*, 4(1), 237.
- Nurfaizah, S., Arief, M., & Bahrin, U. (2021). Analysis of interleukin-4 in thrombocytopenia autoimmune patients. *Biomedika*, 13(2), 131–135. <https://doi.org/10.31001/biomedika.v13i2.708>
- Obeagu, E. I., Babar, Q., & Obeagu, G. U. (2021). Allergic blood Transfusion reaction: A Review. *Int. J. Curr. Res. Med. Sci*, 7(5), 25–33.
- Payung, W., Arif, M., & Muhidin, R. M. (2016). Factors in acute transfusion reaction. *Indonesian Journal Of Clinical Pathology And Medical Laboratory* , 22(3), 274–278. <http://www.indonesianjournalofclinicalpathology.or.id>
- Reisinger, J., Triendl, A., K uchler, E., Bohle, B., Krauth, M. T., Rauter, I., Valent, P., Koenig, F., Valenta, R., & Niederberger, V. (2005). IFN-gamma-enhanced allergen penetration across respiratory epithelium augments allergic inflammation. *The Journal of Allergy and Clinical Immunology*, 115(5), 973–981. <https://doi.org/10.1016/j.jaci.2005.01.021>
- 22). *Tietz Textbook of Laboratory Medicine-E-Book*. Elsevier Health



- Romagnani, S. (2000). The role of lymphocytes in allergic disease. *The Journal of Allergy and Clinical Immunology*, 105(3), 399–408. <https://doi.org/10.1067/mai.2000.104575>
- Samad, R., Arif, M., & Kusriyanti. (2014). Waktu penyimpanan trombosit terkait jumlah di konsentrat trombosit'. *Indonesian Journal Of Clinical Pathology And Medical Laboratory* , 20(3), 224–226.
- Savage, W. J., Tobian, A. A. R., Savage, J. H., Wood, R. A., Schroeder, J. T., & Ness, P. M. (2013). Scratching the surface of allergic transfusion reactions. *Transfusion*, 53(6), 1361–1371.
- Savage, W. J., Tobian, A. A., Fuller, A. K., Wood, R. A., King, K. E., & Ness, P. M. (2011). Allergic transfusion reactions to platelets are associated more with recipient and donor factors than with product attributes. *Transfusion*, 51(8), 1716–1722. <https://doi.org/10.1111/j.1537-2995.2010.03009.x>
- Sepvianti, W., Widyaswara, G., Rahman, A., Zain, K. R., Tirtana, A., Pebriana, R., & Kodo, J. A. L. (2023). Evaluasi kualitas Packed Red Cell (PRC) berdasarkan kadar pH darah selama masa penyimpanan 36 hari. *Jurnal Kesehatan Rajawali*, 12(2), 31–34. <https://doi.org/10.54350/jkr.v12i2.149>
- Teixeira, L. K., Fonseca, B. P. F., Barboza, B. A., & Viola, J. P. B. (2005). The role of interferon- γ on immune and allergic responses. *Memorias Do Instituto Oswaldo Cruz*, 100(SUPPL. 1), 137–144. <https://doi.org/10.1590/S0074-02762005000900024>
- Umetsu, D. T., & DeKruyff, R. H. (2007). Th1 and Th2 CD4+ cells in human allergic diseases. *Journal of Allergy and Clinical Immunology*, 100(1), 1–6. [https://doi.org/10.1016/S0091-6749\(97\)70186-6](https://doi.org/10.1016/S0091-6749(97)70186-6)
- Xu, X., Li, J., Zhang, X., Xi, L., Gao, Y., Li, X., Zhang, Y., & Zhang, L. (2024). Blood and local eosinophil levels in chronic rhinitis: Observations during seasonal allergen exposure and non-exposure. *World Allergy Organization Journal* , 17(7). <https://doi.org/10.1016/j.waojou.2024.100930>
- Yalim, S. A., Kalpaklioglu, A. F., Baccioglu, A., Poyraz, M., Alpagat, G., & Dumanoglu, B. (2024). Evaluation of systemic inflammation markers in patients with rhinitis. *Journal International*, 33(1), 24–31. <https://doi.org/10.1007/s40629-023->



- Yao, Y., Chen, C.-L., Yu, D., & Liu, Z. (2021). Roles of follicular helper and regulatory T cells in allergic diseases and allergen immunotherapy. *Allergy*, 76(2), 456–470. <https://doi.org/10.1111/all.14639>
- Yenigun, A., Sezen, S., Calim, O. F., & Ozturan, O. (2016). Evaluation of the eosinophil-to-lymphocyte ratio in pediatric patients with allergic rhinitis. *American Journal of Rhinology & Allergy*, 30(2), e21-5. <https://doi.org/10.2500/ajra.2016.30.4296>
- Yenigun, A., Sezen, S., Calim, O. F., & Ozturan, O. (2016). Evaluation of the eosinophil-to-lymphocyte ratio in pediatric patients with allergic rhinitis. *American Journal of Rhinology & Allergy*, 30(2), e21–e25.
- Zheng, R., Qian, L., Yu, J., Li, M., & Qian, Q. (2017). Analysis of the changes in Th9 cells and related cytokines in the peripheral blood of spontaneous urticaria patients. *Biomedical Reports*, 6(6), 633–639.

