

DAFTAR PUSTAKA

1. Berriós-Torres SI, Umscheid CA, Bratzler DW, Leas B, Stone EC, Kelz RR, et al. Centers for disease control and prevention guideline for the prevention of surgical site infection, 2017. JAMA Surgery. 2017.
2. Meng J, Zhu Y, Li Y, Sun T, Zhang F, Qin S, et al. Incidence and risk factors for surgical site infection following elective foot and ankle surgery: A retrospective study. J Orthop Surg Res. 2020;
3. Al-Mulhim FA, Baragbah MA, Sadat-Ali M, Alomran AS, Azam MQ. Prevalence of surgical site infection in orthopedic surgery: A 5-year analysis. Int Surg. 2014;
4. Gajdács M. The continuing threat of methicillin-resistant Staphylococcus Aureus. Antibiotics. 2019.
5. Latha T, Anil B, Manjunatha H, Chiranjay M, Elsa D, Baby N, et al. MRSA: The leading pathogen of orthopedic infection in a tertiary care hospital, South India. Afr Health Sci. 2019;
6. Oche DA, Abdulrahim U, Oheagbulem AS, Olayinka BO. Isolation of Biofilm Producing Methicillin-Resistant Staphylococcus aureus from Hospitalized Orthopaedic Patients in Kano State, Nigeria. Niger J Basic Appl Sci. 2021;
7. Anderson DG, Salm SN, Allen DP, Nester EW. NESTER'S MICROBIOLOGY: A HUMAN PERSPECTIVE, EIGHTH EDITION. Foreign Affairs. 2016.
8. Rodríguez-Merchán EC, Davidson DJ, Liddle AD. Recent strategies to combat infections from biofilm-forming bacteria on orthopaedic implants. International Journal of Molecular Sciences. 2021.
9. Nafees A, W. Lawrence D, Michael L, C. George R, Paul P, L. Barth R, et al. Sherris Medical Microbiology, Sixth Edition. Sherris Medical Microbiology. 2014.
10. Bashier El L, Ali Hamid A, Abuzar Al A, Abdalgader I, Aldoum Ibr M, Abdelghani S, et al. Nasal Carriage of MRSA in Healthcare Workers: A Pivotal Role in Controlling Hospital-Acquired Infections. Int J Pharmacol. 2021;



Chen SY, Lu JJ, Chang CJ, Chang Y, Hsieh PH. Nasal colonization and bacterial on of mobile phones carried by medical staff in the operating room. PLoS One. 2017;

tzger A, Strauss T, Rubin C, Jaber H, Dulitzky M, Reiss-Mandel A, et al. Clinical

- evaluation of early acquisition of Staphylococcus aureus carriage by newborns. *Int J Infect Dis.* 2017;
13. Bhattacharya S, Mondal AS. Clinical microbiology in the intensive care unit: Strategic and operational characteristics. *Indian Journal of Medical Microbiology.* 2010.
 14. Lee AS, De Lencastre H, Garau J, Kluytmans J, Malhotra-Kumar S, Peschel A, et al. Methicillin-resistant Staphylococcus aureus. *Nat Rev Dis Prim.* 2018;
 15. A T, H A, F Z. A Systemic Review on Surgical Site Infections: Classification, Risk Factors, Treatment Complexities, Economical and Clinical Scenarios. *J Bioequiv Availab.* 2016;
 16. Bagnall NM, Vig S, Trivedi P. Surgical-site infection. *Surgery.* 2009.
 17. Motifard M, Teimouri M, Shirani K, Hatami S, Yadegari M. Prevalence of Bacterial surgical site infection in traumatic patients undergoing orthopedic surgeries: a cross-sectional study. *Int J Burns Trauma* [Internet]. 2021;11(3):191–6. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/34336384><http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC8310873>
 18. Bebko SP, Green DM, Awad SS. Effect of a preoperative decontamination protocol on surgical site infections in patients undergoing elective orthopedic surgery with hardware implantation. *JAMA Surg.* 2015;
 19. Ansari S, Hassan M, Barry HD, Bhatti TA, Hussain SZM, Jabeen S, et al. Risk Factors Associated with Surgical Site Infections: A Retrospective Report from a Developing Country. *Cureus.* 2019;
 20. Wiewiorski M, Barg A, Hoerterer H, Voellmy T, Henninger HB, Valderrabano V. Risk factors for wound complications in patients after elective orthopedic foot and ankle surgery. *Foot Ankle Int.* 2015;
 21. National Institute for Health and Care Excellence. Surgical site infections: prevention and treatment NICE guideline (NG125). <https://www.nice.org.uk/terms>. 2019;



ardad MS, Khan A, Ahmed S, Awan AS, Mohammad T. Surgical Site Infection In : Implants And Its Common Bacteria With Their Sensitivities To Antibiotics, In Open Internal Fixation. *J Ayub Med Coll Abbottabad.* 2017;

n A, Childs A, Dylewski S, Sabesan VJ. Biofilm disrupting technology for orthopedic

- implants: What's on the horizon? *Frontiers in Medicine*. 2014.
24. Leaper DJ, Edmiston CE. World Health Organization: global guidelines for the prevention of surgical site infection. *Journal of Hospital Infection*. 2017.
 25. Alverdy JC, Hyman N, Gilbert J. Re-examining causes of surgical site infections following elective surgery in the era of asepsis. *The Lancet Infectious Diseases*. 2020.
 26. Shukla S, Nixon M, Acharya M, Korim MT, Pandey R. Incidence of MRSA surgical-site infection in MRSA carriers in an orthopaedic trauma unit. *J Bone Jt Surg - Ser B*. 2009;
 27. Choi SW, Lee JC, Kim J, Kim JE, Baek MJ, Park SY, et al. Prevalence and risk factors for positive nasal methicillin-resistant *Staphylococcus aureus* carriage among orthopedic patients in Korea. *J Clin Med*. 2019;
 28. Walrath JJ, Hennrikus WL, Zalonis C, Dyer AM, Latorre JE. The Prevalence of MRSA Nasal Carriage in Preoperative Pediatric Orthopaedic Patients. In: *Advances in Orthopedics*. 2016.
 29. Yano K, Minoda Y, Sakawa A, Kuwano Y, Kondo K, Fukushima W, et al. Positive nasal culture of methicillin-resistant *staphylococcus aureus* (MRSA) is a risk factor for surgical site infection in orthopedics. *Acta Orthop*. 2009;
 30. Kuntaman K, Hadi U, Setiawan F, Koendori EB, Rusli M, Santosaningsih D, et al. Prevalence of methicillin resistant *staphylococcus aureus* from nose and throat of patients on admission to medical wards of Dr Soetomo hospital, Surabaya, Indonesia. *Southeast Asian J Trop Med Public Health*. 2016;
 31. Giri N, Maharjan S, Thapa TB, Pokhrel S, Joshi G, Shrestha O, et al. Nasal Carriage of Methicillin-Resistant *Staphylococcus aureus* among Healthcare Workers in a Tertiary Care Hospital, Kathmandu, Nepal. *Int J Microbiol*. 2021;
 32. Nizet V, Alexander EC. Analysis of the Effects of Cigarette Smoke on *Staphylococcal* Virulence. 2015;83(6):2443–52.



ahir N, Akalin S, Akin F. American Journal of Infection Control Prevalence and risk methicillin-resistant *Staphylococcus aureus* colonization in a diabetic outpatient A prospective cohort study. *Am J Infect Control* [Internet]. 2012;40(4):365–8. <http://dx.doi.org/10.1016/j.ajic.2011.05.009>

34. Yang J, Zhang X, Liang W. A retrospective analysis of factors affecting surgical site infection in orthopaedic patients. *J Int Med Res.* 2020;
35. Bhat AK, Acharya A, Parikh NK. Orthopaedic surgical site infections: A prospective cohort study. *Can J Infect Control.* 2018;
36. Le J, Dong Z, Liang J, Zhang K, Li Y, Cheng M, et al. Surgical site infection following traumatic orthopaedic surgeries in geriatric patients: Incidence and prognostic risk factors. *Int Wound J.* 2020;
37. Kalmeijer MD, Nieuwland-Bollen E van, Bogaers-Hofman D, Baere GAJ de, Kluytmans JAJW. Nasal Carriage of *Staphylococcus aureus* : Is a Major Risk Factor for Surgical-Site Infections in Orthopedic Surgery . *Infect Control Hosp Epidemiol.* 2000;
38. Peng HM, Wang LC, Zhai JL, Weng XS, Feng B, Wang W. Effectiveness of preoperative decolonization with nasal povidone iodine in Chinese patients undergoing elective orthopedic surgery: A prospective crosssectional study. *Brazilian J Med Biol Res.* 2018;
39. Hacek DM, Robb WJ, Paule SM, Kudrna JC, Stamos VP, Peterson LR. *Staphylococcus aureus* nasal decolonization in joint replacement surgery reduces infection. In: *Clinical Orthopaedics and Related Research.* 2008.

