

DAFTAR PUSTAKA

- Ashraf, A., Khan, H., & Iqbal, N. (2018). Correlation of Nasolabial angle with Maxillary Incisor Inclination and Upper lip thickness. *Pakistan Oral & Dental Journal*, 38(3), 317-319.
- Almurtadha, R. H., Alhammadi, M. S., Fayed, M. M., Abou-El-Ezz, A., & Halboub, E. (2018). Changes in soft tissue profile after orthodontic treatment with and without extraction: A systematic review and meta-analysis. *Journal of Evidence Based Dental Practice*, 18(3), 193-202.
- Alqahtani, N. D., Alshammari, R., Almoammar, K., Almosa, N., Almahdy, A., & Albarakati, S. F. (2019). Post-orthodontic cephalometric variations in bimaxillary protrusion cases managed by premolar extraction—A retrospective study. *Nigerian journal of clinical practice*, 22(11), 1530-1538.
- Alicia Chacón Moreno and Nelly Huasco Huarcaya. (2023) Changes in the position and inclination Of the upper incisor and upper lip postorthodontic Treatment: case reports. *Rev Cient Odontol (Lima)*. 2023; 11(3): e170
- Aparna M, Nivethigaa B, Rakshagan V. (2021) Nasolabial Angle in Patients with Maxillary Incisor Proclination- A Retrospective Study. *Journal of Contemporary issues in Business and Government* Vol.2. 2021.
- Arya Brahmanta and Jusuf Sjamsudin.(2011) Orthodontic treatment with skeletal anchorage system. *Dental Journal, Majalah Kedokteran Gigi* Vol. 44. No. 2 June 2011
- Ashish Kumar Singh, Sanjay V. Ganeshkar, Praveen Mehrotra, Jitendra Bhagchandani. (2013). Comparison of different parameters for recording sagittal maxillo mandibular relation using natural head posture: A cephalometric study. *Journal of Orthodontic Science* Vol. 2 Issue 1 Jan-Mar 2013
- Cavdar, K., Ciger S., dan Oz Zeynep, A. (2011) A Comparison Of Conventional And Computrized Cephalometric Methods. *Clinical Dentistry And Research*;35(1):33-40.
- Celikoglu, M., Yavuz, I., Unal, T., Oktay, H., & Erdem, A. (2015). Comparison of the soft and hard tissue effects of two different protraction mechanisms in class III patients: a randomized clinical trial. *Clinical oral investigations*, 19, 2115-2122.
- Chinar, D., Mittal, S., Teja, PH., & Gulia, K. (2023). Malocclusion indices- A review. *Arch Dent Res*, 13(2):77-82
- Ching-Wei Wang, Cheng-Ta Huang, Meng-Che Hsieh, Chung-Hsing Li, Sheng-Wei Chang, Wei-Cheng Li, Rémy Vandaele, Raphaël Marée, Sébastien Jodogne, Pierre Geurts, Cheng Chen, Guoyan Zheng, Chengwen Chu, Hengameh Mirzaalian, Ghassan Hamarneh, Tomaz Vrtovec, Bulat Ibragimov. (2015). Evaluation and Comparison of Anatomical Landmark Detection Methods for Cephalometric X-Ray Images: A Grand Challenge. *IEEE Trans Med Imaging*. 2015 Sep;34(9):1890-900.
- Farhad B. Naini, Shaadi Manouchehri, Zaid B. Al-Bitar, Daljit S. Gill, Umberto Garagiola, David Wertheim. (2019) The maxillary incisor labial face tangent: clinical evaluation of maxillary incisor inclination in profile smiling view and idealized aesthetics. *Maxillofacial Plastic and Reconstructive Surgery* 41:31.
- Freitas, B. V., Rodrigues, V. P., Rodrigues, M. F., de Melo, H. V., & Dos Santos, P. C. (2019). Soft tissue facial profile changes after orthodontic treatment with or without tooth extractions in Class I malocclusion patients: A comparative study. *Journal of oral biology and craniofacial research*, 9(2), 172-176.

- Garg, H., Khundrakpam, D., Saini, V., Rukshana, R., Kaldhari, K., & Kaur, J. (2022). Relationship of nasolabial angle with maxillary incisor proclination and upper lip thickness in north Indian population. *International Journal of Clinical Pediatric Dentistry*, 15(5), 489.
- Graber, T. M., Vanarsdall, R. L., & Vig, K. (2017). Current principles and techniques. *Orthodontic Book, USA*, 607-11.
- Gita Gayatri, Andriani Harsanti, Yuliawati Zenab, Iwa Rahmat Sunaryo . (2016) Steiner cephalometric analysis discrepancies between conventional and digital methods using CephNinja application software * Gayatri et al., 2016) *Padjadjaran Journal of Dentistry* 2016;28(3):154-158.
- Goyal M, Rastogi S, et al. (2018) Importance of pilot and co-pilots in diagnosis and treatment planning of young ortho patients. *Int J Scien Res* 13;6(5):39–41.
- Hourfar, J., Lisson, J. A., Gross, U., Frye, L., & Kinzinger, G. S. M. (2018). Soft tissue profile changes after Functional Mandibular Advancer or Herbst appliance treatment in class II patients. *Clinical oral investigations*, 22, 971-980.
- Helal, N. M., Basri, O. A., & Baeshen, H. A. (2019). Significance of cephalometric radiograph in orthodontic treatment plan decision. *J Contemp Dent Pract*, 20(7), 789-7793.
- H. Alqahtani. (2020): Evaluation of an online website-based platform for cephalometric analysis. *J Stomatol Oral Maxillofac Surg* 2020 Feb;121(1):53-57
- Hemant Garg, Daizy Khundrakpam, Vaishali Saini³ Rashmi Rukshana, Kailash Kaldhari, Jagjit Kaur. (2022). Relationship of Nasolabial Angle with Maxillary Incisor Proclination and Upper Lip Thickness in North Indian Population. *International Journal of Clinical Pediatric Dentistry*, Volume 15 Issue 5 (September–October 2022
- Isiekwe, G. I., & Isiekwe, M. C. (2011). A cephalometric assessment of the nasolabial angle of an adult Nigerian population. *Nigerian Dental Journal*, 19(2), 80-83.
- João Frank Carvalho Dantas, Sergio Henrique Gonçalves de Carvalho, Luciana Soares de Andrade Freitas Oliveira, Danilo Batista Martins Barbosa, Raphael Freitas de Souza, Viviane Almeida Sarmiento. (2015) Accuracy of Two Cephalometric Analyses in the Treatment of Patients with Skeletal Class III Malocclusion. *Brazilian Dental Journal* 26(2): 186-192
- José Tarcísio Lima Ferreira, Carlos de Souza Telles. (2002) Evaluation of the Reliability of Computerized Profile Cephalometric Analysis. *Braz Dent J* (2002) 13(3): 201-204
- Jankowska, A., Janiszewska-Olszowska, J., & Grocholewicz, K. (2021). Nasal morphology and its correlation to craniofacial morphology in lateral cephalometric analysis. *International Journal of Environmental Research and Public Health*, 18(6), 3064.
- Kashif Iqbal, Taimoor Safdar Chaudry, Ali Akhtar Khan, Abdullah Jan, Javed Iqbal B, Khurram Waheed. (2024) Nasolabial Angle-A: Correlation Between Anatomic Point Tracing Method and Mean Tangential Lines Tracing Method. *Pak Armed Forces Med J* 2024; 74(4):917
- Kula, e.al. (2018) *Cephalometry in Orthodontics 2D and 3D*. 1st Edition Book. Quintessence Publishing United Kingdom.
- Kharbanda, O. P. (2019). *Orthodontics: Diagnosis and Management of Malocclusion and Dentofacial Deformities, E-Book*. Elsevier Health Sciences.
- Kirschneck, C., Proff, P., Reicheneder, C., & Lippold, C. (2016). Short-term

- effects of systematic premolar extraction on lip profile, vertical dimension and cephalometric parameters in borderline patients for extraction therapy—a retrospective cohort study. *Clinical Oral Investigations*, 20, 865-874.
- Kommi, P. B., Venkatesan, R., Keerthi, N., Kumar, A. N., Kumar, S., & Gopinath, V. (2016). A cephalometric assessment of ideal nasolabial angle range for south Indian population. *Journal of International Oral Health*, 8(2), 205-207.
- Littlewood, S. J., & Mitchell, L. (2019). *An introduction to orthodontics*. Oxford university press.
- Mahto, R. K., Kafle, D., Rai, D., Sakha, R., & Rajbhandari, N. (2022). Evaluation of Nasolabial Angle—A Cephalometric Study in Nepalese Adults with Normal Occlusion and Pleasing Facial Profile Visiting A Tertiary Level Hospital. *Orthodontic Journal of Nepal*, 12(1), 3-6.
- MananBharat Atit, SonaliVijay Deshmukh, Jayesh Rahalkar,ijay Subramanian, Charudatt Nai, Milind Darda (2013). Mean values of Steiner, Tweed, Ricketts and McNamara analysis in Maratha ethnic population: A cephalometric study. *APOS Trends in Orthodontics* September 2013, Vol 3, Issue 5
- Magnani, M. B. B. D. A., Nouer, D. F., Nouer, P. R. A., Pereira Neto, J. S., Garbui, I. U., & Böeck, E. M. (2004). Assessment of the nasolabial angle in young Brazilian black subjects with normal occlusion. *Brazilian oral research*, 18, 233-237.
- Maria Beatriz Borges de Araújo Magnani, Darcy Flávio Nouer, Paulo Roberto Aranha Nouer, João Sarmiento Pereira Neto*Ivana Uglik Garbui, Eloísa Marcantonio Böeck. (2004) Assessment of the nasolabial angle in young Brazilian black subjects with normal occlusion. *Braz Oral Res*18(3):233-7
- Mayury Kuramae, Maria Beatriz Borges De Araújo Magnani, Eloísa Marcantonio Boeck, Adriana Simoni Lucato. (2017) Jarabak 's Cephalometric Analysis of Brazilian Black Patients. *Braz Dent J* 18(3) 2007.
- Mustafa Erkan, Hakan Gurcan Gurel, Metin Nur, Baris Demirel. (2012) Reliability of four different computerized cephalometric analysis programs. *Eur J Orthod.* 2012 Jun;34(3):318-21
- Narmin M Helal, Osama A Basri, Hosam A Baeshen. (2019) Significance of Cephalometric Radiograph in Orthodontic Treatment Plan Decision. *The Journal of Contemporary Dental Practice*, Volume 20 Issue 7 (July 2019)
- Nor Farid Mohd Noor , Rehana Basri , Mohammad Khursheed Alam , Sanjida Haque , Melvin Saw Jian Hao , Maisarah Abu Talib. (2020) Soft Tissue Cephalometric Measurements Among Malaysian Malays and Chinese . *Pesqui. Bras. Odontopediatria Clín. Integr.* 2020; 20:e4978
- N. Shah, D. J. Spary, W. P. Rock. (2005) A jig for measuring incisor inclination. *European Journal of Orthodontics* 27, 252–257.
- Noor, N. F. M., Basri, R., Alam, M. K., Haque, S., Hao, M. S. J., & Talib, M. A. (2020). Soft tissue cephalometric measurements among Malaysian Malays and Chinese. *Pesquisa Brasileira em Odontopediatria e Clínica Integrada*, 20, e4978.
- Novianty, S. I., Melynda, V. T., Yusuf, M., & Putranto, R. (2023). The Relationship of Facial Soft Tissue A± B Angle and Facial Hard Tissue ANB Angle in Determination of Skeletal Relations. *Odonto: Dental Journal*, 10, 34-41.
- Omar, Z., Short, L., Banting, D. W., & Saltaji, H. (2018). Profile changes following extraction orthodontic treatment: A comparison of first versus second premolar extraction. *International orthodontics*, 16(1), 91-104.
- Ontiveros, P. O., Najera, R. I. S., Villarreal, H., Garza, H. F. M. A., Lozano, A. S.,

- Ancona, M. S. B., ... & Soto, J. M. S. (2023). Cephalometric analysis by Ricketts, McNamara, Steiner and Jarabak.
- Pamir Meric and _ (2020) Web-based Fully Automated Cephalometric Analysis: Comparisons between App-aided, Computerized, and Manual Tracings. . 2020 Aug 11;33(3):142-149.
- P Hlongwa. (2019) Cephalometric analysis: manual tracing of a lateral cephalogram. South African Dental Journal July 2019, Vol. 74 No. 6 p318 - p322
- Park, C. O., Sa'aed, N. L., Bayome, M., Park, J. H., Kook, Y. A., Park, Y. S., & Han, S. H. (2017). Comparison of treatment effects between the modified C-palatal plate and cervical pull headgear for total arch distalization in adults. *Korean Journal of Orthodontics*, 47(6), 375.
- Phulari, B. (2013). *An atlas on cephalometric landmarks*. JP Medical Ltd.
- Proffit, W. R., Fields, H., Msd, D. M., Larson, B., & Sarver, D. M. (2019). *Contemporary Orthodontics, 6e: South Asia Edition-E-Book*. Elsevier India.
- Prashantha G Shivamurthy, Sathyashree Krishnamurthy, Pooja Mehta, ilju Mathew . (2017) Equation between Incisor Inclination Correction and Anteroposterior Movement of Point A to determine the Actual Magnitude of Maxillomandibular Difference. *World Journal of Dentistry*, July-August 2017;8(4):300-303 301.
- Preeti Paryani, Sunil S. Agrawal, Achint Chachada, Megha Jain, Samkit Bothra, Shreya Shrivastava, Heena Sahni. (2023) Correlation between Nasolabial Angle and Maxillary Incisors Inclination in 18–25-Year-Old Chhattisgarh Population Using Pre- and Post-Treatment Lateral Cephalograms: A Retrospective Study. *Indian Journal of Dental Research*. Volume 34 | Issue 4 | October-December
- Quinzi, V., Paskay, L. C., D'Andrea, N., Albani, A., Monaco, A., & Saccomanno, S. (2021). Evaluation of the nasolabial angle in orthodontic diagnosis: a systematic review. *Applied Sciences*, 11(6), 2531.
- Raj, J. R. (2021). Nivethigaa. B, Nivedhitha MS Prevalence And Gender Association Among Different Types Of Nasolabial Angles. *Int J Dentistry Oral Sci*, 8(7), 3002-3005.
- Rasha Al-Abdwania, David R. Molesb, Joseph Harold Noarc. (2009). Change of Incisor Inclination Effects on Points A and B. *Angle Orthodontist*, Vol 79, No 3
- Ravi Kumar Mahto, Dashrath Kafle, Diwash Rai, Rabina Sakha, Nikita Rajbh. (2022) Evaluation of Nasolabial Angle – A Cephalometric Study in Nepalese Adults with Normal Occlusion and Pleasing Facial Profile Visiting A Tertiary Level Hospital *Orthodontic Journal of Nepal*, Vol. 12 No. 1 January - June 2022.
- Ricardo de Lima Navarro, Paula Vanessa Pedron Oltramari-Navarro, Thais Maria Freire Fernandes, Giovani Fidelis de Oliveira, Ana Cláudia de Castro Ferreira Conti, Marcio Rodrigues de Almeida, Renato Rodrigues de Almeida. (2013) Comparison of manual, digital and lateral CBCT cephalometric analyses. *J Appl Oral Sci*. 2013 Mar-Apr;21(2):167-76.
- Rissa Anuar Shindy, Olivia Piona Sahelangi. 2020. Gambaran Hasil Analisis Sefalometri Pada Pasien Ras Deutro Melayu Usia 8-12 Tahun Menggunakan Analisis Ricketts *Jurnal Kedokteran Gigi Terpadu* Vol.2,Nomor 1, July (2020), 19-22
- Rudi Darwis, Tiara Editiawarni (2018) Hubungan antara sudut interinsisal terhadap profil jaringan lunak wajah pada foto sefalometri. *Jurnal kedokteran Gigi Unpad*. Vol 30, No 1

- Sakolia, A., Kaur, G., & Aggarwal, P. Recent Advances in Orthodontic Diagnostic AIDS. *International Journal of Health Sciences*, 252-260.
- Samar Bou Assi, Anthony Macari, Antoine Hanna, Roula Tarabay, Ziad Salameh. (2020) Cephalometric Evaluation of Maxillary Incisors Inclination, Facial, and Growth Axes in Different Vertical and Sagittal Patterns: An Original Study. *Journal of International Society of Preventive and Community Dentistry* Volume 10 Issue 3 May-June 2020
- Sara Palmares, Rui Caseiro, Rui Pereira, Luís Jardim (2024). Perception of maxillary incisor inclination and its correlation with dental cephalometric measurements *Journal of Orthodontics* 2024, Vol. 51(4) 354–365.
- Shwetneel Singh, Seema Lahoti, Siddharth Singh, Maitreye Priyadarshini, Sneha Hanna Mathew. (2023) Evaluation of upper and lower components of nasolabial angle in different malocclusions- A cephalometric study. *Int J Orthod Rehabil* 2023; 14 (4) 1-7.
- S C Setiawan, R Widayati and S Sumardi. (2018) Correlation in changes in the upper and lower incisor inclinations toward the nasolabial angle and mentolabial angle in non-extraction Class I malocclusion orthodontic treatment. *IOP Conf. Series: Journal of Physics: Conf. Series* 1073 (2018) 062002
- S Nandini, CS Prashanth, Sanju K Somiah, SRK Reddy. (2011) An Evaluation of Nasolabial Angle and the Relative Inclinations of the Nose and Upper Lip. *The Journal of Contemporary Dental Practice, May-June 2011;12(3):152-157* 153
- Seixas, M. R., & Câmara, C. A. (2021). The smile arc: review and synthesis. *Dental Press Journal of Orthodontics*, 26, e21spe3.
- Sodagar, A., Emadian Razavi, E. S., & Yazdani, Y. (2012). Relationship of cephalometric hard tissue parameters and nasolabial angle. *Iranian Journal of Orthodontics*, 7(3), 20-25.
- Sunda, S., Munjal, S., Singh, S., & Singh, H. (2020). Soft Tissue Analysis–A Review Article. *Journal of Advanced Medical and Dental Sciences Research*, 8(5), 48-51.
- Torun, G. (2017). Soft tissue changes in the orofacial region after rapid maxillary expansion. *Journal of Orofacial Orthopedics/Fortschritte der Kieferorthopadie*, 78(3).
- Tita Ratya Utari, Nur Izzatul Mujida. (2023) Comparison of Cephalometric Measurements Between Hand Tracing and Digital Tracing Based on Android OneCeph. *Insisiva Dental Journal: Majalah Kedokteran Gigi Insisiva*, 12(2), November 2023, 52-60
- Verma, S. L., Sharma, V. P., Tandon, P., & Singh, G. P. (2014). The impact of extraction vs nonextraction treatment on soft tissue profile in borderline class i malocclusion: a cephalometric study. *Journal of Indian Orthodontic Society*, 48(1), 47-53.
- Vinay Dua, Shilpa Gupta, Chanjyot Sing. (2010) Evaluation of the nasolabial angle in the Indian population. *Contemporary Clinical Dentistry* Apr-Jun 2010 Vol 1. Issue 2
- Vincenzo Quinzi, Licia Coceani Paskay, Nicola D'Andrea, Arianna Albani, Annalisa Monaco, Sabina Saccomanno. (2021) Evaluation of the Nasolabial Angle in Orthodontic Diagnosis: A Systematic Review . *Appl. Sci.*, 11, 2531
- Xu, F. Y., Kwon, T. G., Rong, H., Kyung, H. M., Bing, L., & Wu, X. P. (2018). Morphological changes of skeletal class iii malocclusion in mixed dentition with protraction combined activities. *Int J Morphol [Internet]*, 36(2), 430-434.
- Xuan, J., Bing, L., Li, S. F., Ma, Y. N., Kwon, T. G., & Wu, X. P. (2018).

Morphological characteristics of soft tissue profile of angle's class II division I malocclusion before and after orthodontic treatment. *Int J Morphol*, 36(01), 26-30.

- Yashwant V, A., K, R., & Arumugam, E. (2016). Comparative evaluation of soft tissue changes in Class I borderline patients treated with extraction and nonextraction modalities. *Dental press journal of orthodontics*, 21(04), 50-59.
- Z.Tabatabaei, H.Aghili, M. Danesh Ardekani, F. Ghadiri. (2011) Correlation between nasolabial angle and antero-posterior position of maxilla in orthodontic patients. *Iranian Journal of Orthodontics*, Vol. 6, 2011, 7-12