

DAFTAR PUSTAKA

- Abbaspour, N., Hurrell, R. and Kelishadi, R., 2014. Review on iron and its importance for human health. *J. Res. Med. Sci.*, 19 (2), 164–174.
- Abirami, R.G. and Kowsalya, S., 2011. Nutrient and nutraceutical potentials of seaweed biomass *Ulva lactuca* and *Kappaphycus alvarezii*. *Agric. Sci. Technol.*, 5 (1), 1–7.
- Abu-Khudir, R., Ismail, G.A. and Diab, T., 2021. Antimicrobial, Antioxidant, and Anti-Tumor Activities of *Sargassum linearifolium* and *Cystoseira crinita* from Egyptian Mediterranean Coast. *Nutr. Cancer*, 73 (5), 829–844. doi:10.1080/01635581.2020.1764069.
- Adharini, R.I., Suyono, E.A., Suadi, Jayanti, A.D. and Setyawan, A.R., 2019. A comparison of nutritional values of *Kappaphycus alvarezii*, *Kappaphycus striatum*, and *Kappaphycus spinosum* from the farming sites in Gorontalo Province, Sulawesi, Indonesia. *J. Appl. Phycol.*, 31 (1), 725–730. doi:10.1007/s10811-018-1540-0.
- Afonso, N.C., Catarino, M.D., Silva, A.M.S. and Cardoso, S.M., 2019. Brown Macroalgae as Valuable Food Ingredients. *Antioxidants*, 8 (9), 365. doi:10.3390/antiox8090365.
- Al-Tameemi, K., Nassour, R. and Hamad, A., 2022. The Medical Importance Chlorophyll and Their Derivatives. *World J. Pharm. Med. Res.*, 8 (10), 04–08.
- Álvarez-Gomez, F., Korbee, N. and Figueroa, F.L., 2016. Analysis of antioxidant capacity and bioactive compounds in marine macroalgal and lichenic extracts using different solvents and evaluation methods. *Ciencias Mar.*, 42 (4), 271–288. doi:10.7773/cm.v42i4.2677.
- Alwiah, T., 2022. Karakteristik Morfologi dan Substrat *Sargassum* sp. pada Daerah Intertidal di Pulau Lae Lae, Kota Makassar. Skripsi, Dep. Ilmu Kelautan, Univ. Hasanuddin.
- Amaranggana, L. and Wathoni, N., 2017. Manfaat Alga Merah (Rhodophyta) Sebagai Sumber Obat dari Bahan Alam. *Maj. Farmasetika*, 2 (1), 16–19. doi:10.24198/farmasetika.v2i1.13203.



and Aoyagi, H., 2019. Screening of phosphate-accumulating potential use in Chronic kidney disorder. *Food Sci. Technol. Res.*, doi:10.3136/fstr.25.89.

Imir, D.F., Yee, T.C., Harisson, F.S., Heng, G.M., Abdullah, C.A., Ali, A.M., Latip, J., Kikuzaki, H. and Mohamad, H., 2016. Activities of isolated compounds from three edible Malaysian red

- seaweeds, *Gracilaria changii*, *G. manilaensis* and *Gracilaria* sp. *Nat. Prod. Commun.*, 11 (8), 1117–1120. doi:10.1177/1934578x1601100822.
- Anindya Aryatikta, R., Winarni, S., Nugroho Widyo Pramono, S., Soedarto, J., Undip Tembalang, K. and Resmi, L., 2022. Review of *Sargassum* sp. Potential as a Nutraceutical. *Food Sci. J. Food Sci. Technol.*, 2 (2), 139–159. doi:10.33830/fsj.v2i1.3083.2022.
- Arai, S., Yasuoka, A. and Abe, K., 2008. Functional food science and food for specified health use policy in Japan: State of the art. *Curr. Opin. Lipidol.*, 19 (1), 69–73. doi:10.1097/MOL.0b013e3282f3f505.
- Arepally, D., Reddy, R.S., Goswami, T.K. and Datta, A.K., 2020. Biscuit baking: A review. *Lwt*, 131, 109726. doi:10.1016/j.lwt.2020.109726.
- Arma, N.R., Illijas, I.M., Ardiansyah and Ridwan, 2009. Identifikasi alga coklat dan kandungan bahan aktif fukoidan di perairan Pangkep dan Selayar. *Lap. Has. Penelit. Politek. Pertan. Negeri Pangkep*, 11.
- Arunkumar, K., Sivakumar, S. and Rengasamy, R., 2010. Review on Bioactive Potential in Seaweeds (Marine Macroalgae): A Special Emphasis on Bioactivity of Seaweeds Against Plant Pathogens. *Asian J. Plant Sci.*, 9 (5), 227–240. doi:10.3923/ajps.2010.227.240.
- Ate, J.N.B., da Costa, J.F. and Elingsetyo S., T.P., 2017. Analisis Kandungan Nutrisi *Gracilaria Edule* (S.G. Gmelin) P.C. Silva dan *Gracilaria Coronopifolia* J. Agardh untuk Pengembangan Perekonomian Masyarakat Pesisir. *J. Ilmu Kesehatan.*, 5 (2), 94–103. doi:https://doi.org/10.30650/jik.v5i2.57.
- Atmadja, W.S., 1992. Seaweeds as Medicine. *Oseana*, XVII (1), 1–8.
- Atmadja, W.S., 1996. Pengenalan jenis algae coklat (Phaeophyta). In: Atmadja, W. S., Kadi, A., Sulistijo, & Satari, R. (Eds), *Pengenalan Jenis-Jenis Rumput Laut Indonesia*. Puslitbang Oseanologi-LIPI, Jakarta, pp. 42–52.
- Ayu, S.M. and Nandiyanto, A.B.D., 2023. The Importance of Vitamin and Mineral Intake for 12- Year-Old Child Growth. *Indones. J. Educ. Res. Technol.*, 3 (2), 127–134.
- Baiq, D., Wandansari, A.L.N.A., Mulyani, N.S. and Kimia, J., 2013. Fermentasi Rumput Laut *Euclima cottonii* Oleh *Lactobacillus plantarum*. *Chem Info*, 1 (1), 64–69.
- Har, J.I. and Kumar, R.N., 2019. An Evaluation of the Nutritional Seaweeds as Potential Source of Food and Feed. *Natl. Acad. Sci.*, 459–464. doi:10.1007/s40009-019-0783-x.
- Ratiwi, N.A., 2019. Pengembangan Minuman Berbasis Teh Dan Gai Minuman Fungsional. *J. Ind. Kreat. dan Kewirausahaan*, 10.36441/kewirausahaan.v1i2.129.



- Baweja, P., Kumar, S., Sahoo, D. and Levine, I., 2016. Biology of Seaweeds. In: Fleurence, J. & Levine, I. (Eds), *Seaweed in Health and Disease Prevention*. Academic Press, Cambridge, USA, pp. 41–106.
- Bedoux, G., Hardouin, K., Burlot, A.S. and Bourgougnon, N., 2014. Chapter Twelve - Bioactive Components from Seaweeds: Cosmetic Applications and Future Development. In: Bourgougnon, N. (Ed), *Advances in Botanical Research*. Vol.71 Elsevier, Amsterdam, pp. 345–378.
- Begum M., A.J., Selvaraju, P. and Vijayakumar, A., 2016. Evaluation of antifungal activity of seaweed extract (*Turbinaria conoides*) against *Fusarium oxysporum*. *J. Appl. Nat. Sci.*, 8 (1), 60–62. doi:10.31018/jans.v8i1.747.
- Bendary, E., Francis, R.R., Ali, H.M.G., Sarwat, M.I. and El Hady, S., 2013. Antioxidant and structure–activity relationships (SARs) of some phenolic and anilines compounds. *Ann. Agric. Sci.*, 58 (2), 173–181. doi:10.1016/j.aosas.2013.07.002.
- Bhatia, S., Sharma, K., Sharma, A., Nagpal, K. and Bera, T., 2015. Anti-inflammatory, Analgesic and Antiulcer properties of *Porphyra vietnamensis*. *Avicenna J. Phytomedicine*, 5 (1), 69–77.
- Bigliardi, B. and Galati, F., 2013. Innovation trends in the food industry: The case of functional foods. *Trends Food Sci. Technol.*, 31 (2), 118–129. doi:10.1016/j.tifs.2013.03.006.
- Bikker, P., van Krimpen, M.M., van Wikselaar, P., Houweling-Tan, B., Scaccia, N., van Hal, J.W., Huijgen, W.J.J., Cone, J.W. and López-Contreras, A.M., 2016. Biorefinery of the green seaweed *Ulva lactuca* to produce animal feed, chemicals and biofuels. *J. Appl. Phycol.*, 28 (6), 3511–3525. doi:10.1007/s10811-016-0842-3.
- Bocanegra, A., Bastida, S., Benedí, J., Ródenas, S. and Sánchez-Muniz, F.J., 2009. Characteristics and nutritional and cardiovascular-health properties of seaweeds. *J. Med. Food*, 12 (2), 236–258. doi:10.1089/jmf.2008.0151.
- Brand-Williams, W., Cuvelier, M.E. and Berset, C., 1995. Use of a free radical method to evaluate antioxidant activity. *LWT - Food Sci. Technol.*, 28 (1), 25–30. doi:10.1016/S0023-6438(95)80008-5.
- Budhiyanti, S.A., Raharjo, S., Marseno, D.W. and Lelana, I.Y.B., 2012. Antioxidant activity of algae *Sargassum* species extract from the coastline of Java. *J. Agric. Biol. Sci.*, 7 (3), 337–346. doi:10.1080/10885460.2012.337.346.
- Choudhary, A. and Malcata, F., 2019. Potential industrial applications and biorefinery of microalgae in the functional food and feed industries: A review. *J. Appl. Pharm. Drugs*, 17 (6). doi:10.3390/md17060312.



- Campos, V., Tappy, L., Bally, L., Sievenpiper, J.L. and Lê, K.-A., 2022. Importance of Carbohydrate Quality: What Does It Mean and How to Measure It? *J. Nutr.*, 152 (5), 1200–1206. doi:10.1093/jn/nxac039.
- Caporgno, M.P. and Mathys, A., 2018. Trends in Microalgae Incorporation Into Innovative Food Products With Potential Health Benefits. *Front. Nutr.*, 5 (July), 1–10. doi:10.3389/fnut.2018.00058.
- Cascais, M., Monteiro, P., Pacheco, D., Cotas, J., Pereira, L., Marques, J.C. and Gonçalves, A.M.M., 2021. Effects of Heat Treatment Processes: Health Benefits and Risks to the Consumer. *Appl. Sci.*, 11 (18), 8740. doi:10.3390/app11188740.
- Chan, P.T. and Matanjun, P., 2016. Chemical composition and physicochemical properties of tropical red seaweed, *Gracilaria changii*. *Food Chem.* doi:10.1016/j.foodchem.2016.10.066.
- Chan, Y.Y., Kim, K.H. and Cheah, S.H., 2011. Inhibitory effects of *Sargassum polycystum* on tyrosinase activity and melanin formation in B16F10 murine melanoma cells. *J. Ethnopharmacol.*, 137 (3), 1183–1188. doi:10.1016/j.jep.2011.07.050.
- Chapman, R.L., 2013. Algae: The world's most important 'plants'-an introduction. *Mitig. Adapt. Strateg. Glob. Chang.*, 18 (1), 5–12. doi:10.1007/s11027-010-9255-9.
- Chapman, V.J., Chapman, D.J., Chapman, V.J. and Chapman, D.J., 1980. Sea Vegetables (Algae as Food for Man). *Seaweeds their Uses*, 62–97. doi:10.1007/978-94-009-5806-7_3.
- Chattopadhyay, N., Ghosh, T., Sinha, S., Chattopadhyay, K., Karmakar, P. and Ray, B., 2010. Polysaccharides from *Turbinaria conoides*: Structural Features and Antioxidant Capacity. *Food Chem.*, 118 (3), 823–829. doi:10.1016/j.foodchem.2009.05.069.
- Chemodanov, A., Robin, A., Jinjikhshvily, G., Yitzhak, D., Liberzon, A., Israel, A. and Golberg, A., 2019. Feasibility study of *Ulva* sp. (Chlorophyta) intensive cultivation in a coastal area of the Eastern Mediterranean Sea. *Biofuels, Bioprod. Biorefining*, 13 (4), 864–877. doi:10.1002/bbb.1995.
- Chirapart, A. and Ratana-Arporn, P., 2014. Nutritional Evaluation of Tropical Green Algae *Ulva lactuca* and *Ulva reticulata*. *Kasetsart J (Nat. Sci)*, 40 (1), 75–83.
- Chirapart, A., Kim, H.S., Eom, J.S., Kim, D.H. and Lee, S.S., 2020. The Nutritional and Health Value of *Sargassum fulvellum* as a Feed Ingredient for Aquaculture. *Algal Res.*, 45 (September 2019), 101761. doi:10.1016/j.algal.2019.101761.



- Chuah, L.O., Shamila-Syuhada, A.K., Liong, M.T., Rosma, A., Thong, K.L. and Rusul, G., 2016. Physio-chemical, microbiological properties of tempoyak and molecular characterisation of lactic acid bacteria isolated from tempoyak. *Food Microbiol.*, 58, 95–104. doi:10.1016/j.fm.2016.04.002.
- Ciosek, Ž., Kot, K., Kosik-Bogacka, D., Łanocha-Arendarczyk, N. and Rotter, I., 2021. The Effects of Calcium, Magnesium, Phosphorus, Fluoride, and Lead on Bone Tissue. *Biomolecules*, 11 (4), 506. doi:10.3390/biom11040506.
- Correia, B., Sousa, M.I., Branco, A.F., Rodrigues, A.S. and Ramalho-Santos, J., 2022. Leucine and Arginine Availability Modulate Mouse Embryonic Stem Cell Proliferation and Metabolism. *Int. J. Mol. Sci.*, 23 (22). doi:10.3390/ijms232214286.
- Cronin, G. and Hay, M.E., 1996. Effects of Light and Nutrient Availability on the Growth, Secondary Chemistry, and Resistance to Herbivory of Two Brown Seaweeds. *Oikos*, 77 (1), 93–106. doi:10.2307/3545589.
- Cyriac, B. and Eswaran, K., 2016. Anti- hyperglycemic effect of aqueous extract of *kappaphycus alvarezii* (Doty) doty ex. p. silva in alloxan-induced diabetic rats. *J. Appl. Phycol.*, 28 (4), 2507–2513. doi:10.1007/s10811-015-0762-7.
- Damayanti, P.K., Husni, A. and Budhiyanti, S.A., 2021. Antioxidant Activity and Consumer Preference of Brown Algae *Sargassum hystrix* Juice as a Functional Drink. *agriTECH*, 41 (3), 231–237. doi:10.22146/agritech.26665.
- Darfiah, Kasmianti and Latama, G., 2021. Antibacterial Activity and Identification of Active Compounds of Seaweed Extract *Sargassum* sp., *Halimeda opuntia* and *Halymenia* sp. from Lae-Lae Island of South Sulawesi. *Int. J. Environ. Agric. Biotechnol.*, 6 (6), 187–195. doi:10.22161/ijeab.
- Dawidowicz, A.L., Wianowska, D. and Olszowy, M., 2012. On practical problems in estimation of antioxidant activity of compounds by DPPH method (Problems in estimation of antioxidant activity). *Food Chem.*, 131 (3), 1037–1043. doi:10.1016/j.foodchem.2011.09.067.
- Dhanya, K.I., Swati, V.I., Vanka, K.S. and Osborne, W.J., 2016. Antimicrobial activity of *Ulva reticulata* and its endophytes. *J. Ocean Univ. China*, 15 (2), 363–369. doi:10.1007/s11802-016-2803-7.
- Diachanty, S., Nurjanah and Abdullah, A., 2017. Aktivitas antioksidan berbagai jenis klat dari perairan Kepulauan Seribu. *J. Pengolah. Has. Ikan* (3), 305–318.
- z, D. and Andarwulan, N., 2019. Chemical and Minerals Dried Seaweed *Euclima spinosum* Collected from Indonesia regions. *Int. J. Ocean. Oceanogr.*, 13 (1), 65–71.



- Djamaludin, H. and Chamidah, A., 2021. Fatty Acid Composition Analysis of Oil Extract Microalgae *Spirulina* sp. with Different Extraction Methods. *JFMR-Journal Fish. Mar. Res.*, 5 (2), 254–261. doi:10.21776/ub.jfmr.2021.005.02.10.
- Djunaidah, I.S., 2017. Tingkat Konsumsi Ikan di Indonesia: Ironi di Negeri Bahari. *J. Penyul. Perikan. dan Kelaut.*, 11 (1), 12–24. doi:10.33378/jppik.v11i1.82.
- Dwimayasanti, R., 2018. Rumput Laut: Antioksidan Alami Penangkal Radikal Bebas. *Oseana*, 43 (2), 13–23. doi:10.14203/oseana.2018.vol.43no.2.17.
- Erniati, E., Zakaria, F.R., Prangdimurti, E. and Adawiyah, D.R., 2016. Potensi Rumput Laut: Kajian Komponen Bioaktif dan Pemanfaatannya Sebagai Pangan Fungsional. *Acta Aquat. Aquat. Sci. J.*, 3 (1), 12. doi:10.29103/aa.v3i1.332.
- European Food Safety Authority, 2012. Scientific Opinion on Dietary Reference Values for protein. *EFSA J.*, 10 (2), 1–66.
- Felix, N. and Brindo, R.A., 2014. Effects of raw and fermented seaweed, *Padina tetrastomatica* on the growth and food conversion of giant freshwater prawn *Macrobrachium rosenbergii*. *Int. J. Fish. Aquat. Stud.*, 1 (4), 108–113.
- Fidai, Y.A., Dash, J., Tompkins, E.L. and Tonon, T., 2020. A systematic review of floating and beach landing records of *Sargassum* beyond the Sargasso Sea. *Environ. Res. Commun.*, 2 (12), 122001. doi:10.1088/2515-7620/abd109.
- Fleurence, J., 1999. Seaweed Proteins: Biochemical, Nutritional Aspects and Potential Uses. *Proteins Food Process. Second Ed.*, 10, 25–28. doi:10.1016/B978-0-08-100722-8.00010-3.
- Fleurence, J., Morançais, M. and Dumay, J., 2018. Seaweed proteins. In: Yada, R. Y. (Ed), *Proteins in Food Processing*. Vol.10 Woodhead Publishing, Cambridge, USA, pp. 245–262.
- Fleurence, J., Morançais, M., Dumay, J., Decottignies, P., Turpin, V., Munier, M., Garcia-Bueno, N. and Jaouen, P., 2012. What Are The Prospects for Using Seaweed in Human Nutrition and For Marine Animals Raised Through Aquaculture? *Trends Food Sci. Technol.*, 27 (1), 57–61. doi:10.1016/j.tifs.2012.03.004.
- Foster, G.G. and Hodgson, A.N., 1998. Consumption and apparent dry matter digestibility of six intertidal macroalgae by *Turbo sarmaticus* (Mollusca: Turbinidae). *Aquaculture*, 167 (3–4), 211–227. doi:10.1016/S0044-8486(98)00315-9.
- Abdelkareem, A., Said, H.A., El-Belely, E.F., Alkhalifah, D.H.M., and Hassan, S.E.-D., 2022. Phyco-Synthesized Zinc Oxide Using Marine Macroalgae, *Ulva fasciata* Delile,



- Characterization, Antibacterial Activity, Photocatalysis, and Tanning Wastewater Treatment. *Catalysts*, 12 (7), 756. doi:10.3390/catal12070756.
- de Gaillande, C., Payri, C., Remoissenet, G. and Zubia, M., 2017. Caulerpa consumption, nutritional value and farming in the Indo-Pacific region. *J. Appl. Phycol.*, 29 (5), 2249–2266. doi:10.1007/s10811-016-0912-6.
- Ganesan, K., Suresh Kumar, K., Subba Rao, P. V., Tsukui, Y., Bhaskar, N., Hosokawa, M. and Miyashita, K., 2014. Studies on chemical composition of three species of *Enteromorpha*. *Biomed. Prev. Nutr.*, 4 (3), 365–369. doi:10.1016/j.bionut.2014.04.001.
- García, A.B., Viñuela Prieto, J.M., Lopez González, L. and Candel, F.J., 2017. Correlation between resistance mechanisms in *Staphylococcus aureus* and cell wall and septum thickening. *Infect. Drug Resist.*, 10, 353–356. doi:10.2147/IDR.S146748.
- Gazali, M., Nurjanah, N. and Zamani, N.P., 2018. Eksplorasi Senyawa Bioaktif Alga Cokelat *Sargassum* sp. Agardh sebagai Antioksidan dari Pesisir Barat Aceh. *J. Pengolah. Has. Perikan. Indones.*, 21 (1), 167–178. doi:10.17844/jphpi.v21i1.21543.
- Gazali, M., Zamani, N., Nurjanah, N., Zulfadhli, Z. and Safutra, E., 2017. Eksplorasi Potensi Senyawa Bioaktif Makroalga Laut *Sargassum* sp. Asal Pesisir Aceh Barat Sebagai Agen Antioksidan. *J. Aceh Aquat. Sci.*, 1 (1), 43–52. doi:10.35308/v1i1.412.
- Genesio, L., Bassi, R. and Miglietta, F., 2021. Plants with less chlorophyll: A global change perspective. *Glob. Chang. Biol.*, 27 (5), 959–967. doi:10.1111/gcb.15470.
- Giacalone, D., Wendin, K., Kremer, S., Frøst, M.B., Bredie, W.L.P., Olsson, V., Otto, M.H., Skjoldborg, S., Lindberg, U. and Risvik, E., 2016. Health and quality of life in an aging population - Food and beyond. *Food Qual. Prefer.*, 47, 166–170. doi:10.1016/j.foodqual.2014.12.002.
- Ginting, R.F.B. and Husni, A., 2020. Karakteristik Flakes dengan Fortifikasi Tepung *Sargassum hystrix* sebagai Pangan Fungsional. *Ind. J. Teknol. dan Manaj. Agroindustri*, 9 (3), 241–261. doi:10.21776/ub.industria.2020.009.03.8.
- Gomes-Dias, J.S., Teixeira-Guedes, C.I., Teixeira, J.A. and Rocha, C.M.R., 2024. *Sargassum* biorefinery: The influence of sequential extractions on the properties of extracted agars and porphyrans. *Int. J. Biol. Macromol.*, doi:10.1016/j.ijbiomac.2023.128479.
- Prieto Lage, M.A., Jimenez-Lopez, C., Mejuto, J.C. and Simal-Gandara, J., 2019. The Potential of Seaweeds as a Source of Functional Compounds with Prebiotic and Antioxidant Value. *Antioxidants*, 8 (9), 406. doi:10.3390/antiox8090406.



- Gosch, B.J., Magnusson, M., Paul, N.A. and de Nys, R., 2012. Total lipid and fatty acid composition of seaweeds for the selection of species for oil-based biofuel and bioproducts. *GCB Bioenergy*, 4 (6), 919–930. doi:10.1111/j.1757-1707.2012.01175.x.
- Gruszecki, R. and Stawiarz, A., 2021. Biostimulants Containing Amino Acids in Vegetable Crop Production. *Acta Sci. Pol. Hortorum Cultus*, 20 (6), 45–57. doi:10.24326/ASPHC.2021.6.6.
- Guiry, M.D., 2012. How many species of algae are there? *J. Phycol.*, 48 (5), 1057–1063. doi:10.1111/j.1529-8817.2012.01222.x.
- Hamed, I., Özogul, F., Özogul, Y. and Regenstein, J.M., 2015. Marine Bioactive Compounds and Their Health Benefits: A Review. *Compr. Rev. Food Sci. Food Saf.*, 14 (4), 446–465. doi:10.1111/1541-4337.12136.
- Handayani, R. and Aminah, S., 2011. Variasi Substitusi Rumput Laut terhadap Kadar Serat dan Mutu Organoleptik Cake Rumput Laut (*Euचेuma cottonii*). *J. Pangan dan Gizi*, 02 (03), 67–74.
- Handayani, T., 2006. Protein Pada Rumput Laut. *Oseana*, XXXI (4), 23–30.
- Handayani, T., 2017. Karakteristik Dan Dampak Makroalga Introduksi. *Oseana*, 42 (4), 70–80. doi:10.14203/oseana.2017.vol.42no.4.75.
- Harb, T.B. and Chow, F., 2022. An overview of beach-cast seaweeds: Potential and opportunities for the valorization of underused waste biomass. *Algal Res.*, 62, 102643. doi:10.1016/j.algal.2022.102643.
- Harborne, A.J., 1998. *Phytochemical Methods A Guide to Modern Techniques of Plant Analysis*. Springer Dordrecht, London, 302 pp.
- Heffernan, N., Smyth, T.J., Soler-Villa, A., Fitzgerald, R.J. and Brunton, N.P., 2014. Phenolic content and antioxidant activity of fractions obtained from selected Irish macroalgae species (*Laminaria digitata*, *Fucus serratus*, *Gracilaria gracilis* and *Codium fragile*). *J. Appl. Phycol.*, 27 (1), 519–530. doi:10.1007/s10811-014-0291-9.
- Hilwatullisan, Zaman, M., Husaini, A. and Chodijah, S., 2020. Diversification of Biscuit Product using *Moringa oleifera* Flour as an Additional Source of Nutrition. *J. Phys. Conf. Ser.*, 1500 (1), 012047. doi:10.1088/1742-6596/1500/1/012047.
- Hilwatullisan, Zaman, M., Husaini, A., Chodijah, S., and Syarif, W., 2011. Bioactive compounds in seaweed: Functional food and legislation. *J. Appl. Phycol.*, 23 (3), 543–597. doi:10.1007/s10811-010-9632-5.
- Hilwatullisan, Zaman, M., Husaini, A. and Syarif, W., 2019. Sensory And Nutrition Characteristics of Ice Cream Made with Seaweed Extract Addition (*Sargassum* sp.) for Ice Cream Making as a Novel Product. *Int. Conf. Cullinary, Fash. Beauty Tour.*, 44–49.



- Husni, A., Ariani, D. and Budhiyanti, S.A., 2015a. Aktivitas Antioksidan dan Tingkat Penerimaan Konsumen Pada Minuman Instan Yang Diperkaya Dengan Ekstrak *Sargassum polycystum* (Antioxidant Activity and Consumer Preference of Instant Drink Enriched with *Sargassum polycystum* Extract). *J. Agritech*, 35 (04), 368. doi:10.22146/agritech.9320.
- Husni, A., Madalena, M. and Ustadi, U., 2015b. Aktivitas Antioksidan dan Tingkat Penerimaan Konsumen pada Yoghurt yang Diperkaya dengan Ekstrak *Sargassum polycystum*. *J. Pengolah. Has. Perikan. Indones.*, 18 (2), 108–118. doi:10.17844/jphpi.2015.18.2.108.
- Hutomo, M. and Moosa, M.K., 2005. Indonesian marine and coastal biodiversity: Present status. *Indian J. Mar. Sci.*, 34 (1), 88–97.
- Ito, K. and Hori, K., 1989. Seaweed: Chemical Composition and Potential Food Uses. *Food Rev. Int.*, 5 (1), 101–144. doi:10.1080/87559128909540845.
- Ivanova, N.G., Nikitin, I.A., Terentyev, S.E., Ushakova, S.G. and Mitrokhin, M.A., 2022. Butter biscuit technology for specialized nutrition. *IOP Conf. Ser. Earth Environ. Sci.*, 949 (1), 012058. doi:10.1088/1755-1315/949/1/012058.
- Jamshidi, M., Keramat, J., Hamdami, N. and Farhadian, O., 2018. Optimization of protein extraction from *Gelidiella acerosa* by carbohydrases using response surface methodology. *Phycol. Res.*, 66 (3), 231–237. doi:10.1111/pre.12226.
- Japa, L., Muhammad Lutfiawan and Karnan, 2015. Analisis Pertumbuhan *Sargassum* sp. dengan Sistem Budidaya yang Berbeda di Teluk Ekas Lombok Timur Sebagai Bahan Pengayaan Mata Kuliah Ekologi Tumbuhan. *J. Biol. Trop.*, 15 (2), 135–144. doi:10.29303/jbt.v15i2.202.
- Jasmadi, Kusnadi, A., Kumayanjati, B., Triandiza, T., Pesilette, R.N., Ainarwowa, A., Yamko, A.K., Pary, B.R. and Kurnianto, D., 2022. Nutritional values of *Sargassum* sp., *Ulva* sp., and *Padina* sp. from South East Molluca Island waters. *IOP Conf. Ser. Earth Environ. Sci.*, 1119 (1), 012043. doi:10.1088/1755-1315/1119/1/012043.
- Jocom, E.G., Wowor, P.M. and Wuisan, J., 2015. Pengaruh Pemberian Teh Cina dan Teh Melati Terhadap Penurunan Kadar Gula Darah Tikus Wistar. *J. Kedokt. Komunitas dan Trop.*, 3 (3), 160–163.
- Jomova, K., Makova, M., Alomar, S.Y., Alwasel, S.H., Nepovimova, E., Kuca, K., and Valko, M., 2022. Essential metals in health and disease. *Eract.*, 367, 110173. doi:10.1016/j.cbi.2022.110173.
- npbell, I., Sondak, C.F.A., Nor, A.R.M., Lim, P.E. and Cottier-20. An analysis of the current status and future of biosecurity r the Indonesian seaweed industry. *J. Appl. Phycol.*, 32 (4), i:10.1007/s10811-019-02020-3.



- Kaur, S. and Das, M., 2011. Functional foods: An overview. *Food Sci. Biotechnol.*, 20 (4), 861–875. doi:10.1007/s10068-011-0121-7.
- Kesuma, C.P., Adi, A.C. and Muniroh, L., 2015. Pengaruh substitusi rumput laut (*Eucheuma cottonii*) dan jamur tiram (*Pleurotus ostreatus*) terhadap daya terima dan kandungan serat pada biskuit. *Media Gizi Indones.*, 10 (2), 146–150.
- Ko, S.-C., Kang, S.-M., Ahn, G., Yang, H.-P., Kim, K.-N. and Jeon, Y.-J., 2010. Antioxidant Activity of Enzymatic Extracts from *Sargassum coreanum*. *J. Korean Soc. Food Sci. Nutr.*, 39 (4), 494–499. doi:10.3746/jkfn.2010.39.4.494.
- Kosanić, M., Ranković, B. and Stanojković, T., 2019. Brown macroalgae from the Adriatic Sea as a promising source of bioactive nutrients. *J. Food Meas. Charact.*, 13 (1), 330–338. doi:10.1007/s11694-018-9948-4.
- Kovač, D.J., Simeunović, J.B., Babić, O.B., Mišan, A.Č. and Milovanović, I.L., 2013. Algae in food and feed. *Food Feed Res.*, 40 (1), 21–31.
- Kristiandi, K., Rozana, R., Junardi, J. and Maryam, A., 2021. Analisis Kadar Air, Abu, Serat dan Lemak Pada Minuman Sirop Jeruk Siam (*Citrus nobilis* var. *microcarpa*). *J. Keteknikan Pertan. Trop. dan Biosist.*, 9 (2), 165–171. doi:10.21776/ub.jkptb.2021.009.02.07.
- Kumar, K.S., Kumari, S., Singh, K. and Kushwaha, P., 2021. Influence of Seasonal Variation on Chemical Composition and Nutritional Profiles of Macro- and Microalgae. In: Rajauria, G. & Yuan, Y. V. (Eds), *Recent Advances in Micro and Macroalgal Processing. Food and Health Perspectives*. Wiley Blackwell, Chichester, UK, pp. 14–71.
- Kumar, M., Gupta, V., Kumari, P., Reddy, C.R.K. and Jha, B., 2011. Assessment of nutrient composition and antioxidant potential of *Caulerpaceae* seaweeds. *J. Food Compos. Anal.*, 24 (2), 270–278. doi:10.1016/j.jfca.2010.07.007.
- Kumar, S., Sahoo, D. and Levine, I., 2015. Assessment of nutritional value in a brown seaweed *Sargassum wightii* and their seasonal variations. *Algal Res.*, 9, 117–125. doi:10.1016/j.algal.2015.02.024.
- Kumar, Y., Tarafdar, A., Kumar, D. and Badgujar, P.C., 2019. Effect of Indian brown seaweed *Sargassum wightii* as a functional ingredient on the phytochemical content and antioxidant activity of coffee beverage. *J. Food Sci. Technol.*, 56 (5). doi:10.1007/s13197-019-03943-y.
- Mantri, V.A., Reddy, C.R.K. and Jha, B., 2013. Fatty acid composition of chemical marine macroalgae: An analysis from chemotaxonomic and phytochemical perspectives. *Phytochemistry*, 86, 44–56. doi:10.1016/j.phytochem.2012.10.015.



- Kusumayanti, H., Triaji, R. and Bagus, S., 2018. Pangan Fungsional Dari Tanaman Lokal Indonesia. *Metana - Media Komun. Rekayasa Proses dan Teknol. Tepat Guna*, 12 (01), 26–30. doi:10.14710/metana.v12i1.17512.
- Lafarga, T., Fernández-Sevilla, J.M., González-López, C. and Acién-Fernández, F.G., 2020. Spirulina for the food and functional food industries. *Food Res. Int.*, 137 (May), 109356. doi:10.1016/j.foodres.2020.109356.
- Lailatussifa, R., Husni, A. and Isnansetyo, A., 2017. Antioxidant Activity and Proximate Analysis of Dry Powder from Brown Seaweed *Sargassum hystrix*. *J. Perikan. Univ. Gadjah Mada*, 19 (1), 29–37. doi:10.22146/jfs.23885.
- Lange, K.W., 2021. Food science and COVID-19. *Food Sci. Hum. Wellness*, 10 (1), 1–5. doi:10.1016/j.fshw.2020.08.005.
- Larsen, R., Eilertsen, K.E. and Elvevoll, E.O., 2011. Health benefits of marine foods and ingredients. *Biotechnol. Adv.*, 29 (5), 508–518. doi:10.1016/j.biotechadv.2011.05.017.
- Lattimer, J.M. and Haub, M.D., 2010. Effects of Dietary Fiber and Its Components on Metabolic Health. *Nutrients*, 2 (12), 1266–1289. doi:10.3390/nu2121266.
- Leandro, A., Pacheco, D., Cotas, J., Marques, J.C., Pereira, L. and Gonçalves, A.M.M., 2020. Seaweed's Bioactive Candidate Compounds to Food Industry and Global Food Security. *Life*, 10 (8), 140. doi:10.3390/life10080140.
- Lewis, J.N., Teratanavat, R., Beckley, J. and Jeltema, M.A., 2010. Using a consumer-driven rapid product navigation process to develop an optimal product. *Food Qual. Prefer.*, 21 (8), 1052–1058. doi:10.1016/j.foodqual.2010.07.008.
- Likert, R., 1932. A Technique for the Measurement of Attitudes. *Arch. Psychol.*, 22, 1–55.
- Lim, S.J., Mustapha, W.A.W. and Maskat, M.Y., 2017. Seaweed Tea: Fucoidan-Rich functional food product development from Malaysian brown seaweed, *Sargassum binderi*. *Sains Malaysiana*, 46 (9), 1573–1579. doi:10.17576/jsm-2017-4609-28.
- Liu, Z., Gao, T., Yang, Y., Meng, F., Zhan, F., Jiang, Q. and Sun, X., 2019. Anti-Cancer Activity of Porphyran and Carrageenan from Red Seaweeds. *Molecules*, 24 (23), 4286. doi:10.3390/molecules24234286.



my, K.R.R. and Mahomoodally, M.F., 2021. Functional foods ingredients harnessed from the ocean: current status and future. *Food Sci. Nutr.*

Fraga-Corral, M., Jimenez-Lopez, C., Pereira, A.G., Garcia-Carpena, M., Prieto, M.A. and Simal-Gandara, J., 2020. Macroalgae and Its Applications in the Cosmetic Industry: A

- Circular Economy Approach. *Resources*, 9 (9), 101. doi:10.3390/resources9090101.
- Lozano Muñoz, I. and Díaz, N.F., 2022. Minerals in edible seaweed: health benefits and food safety issues. *Crit. Rev. Food Sci. Nutr.*, 62 (6), 1592–1607. doi:10.1080/10408398.2020.1844637.
- Mabeau, S. and Fleurence, J., 1993. Seaweed in food products: biochemical and nutritional aspects. *Trends Food Sci. Technol.*, 4 (4), 103–107. doi:10.1016/0924-2244(93)90091-N.
- El Maghraby, D.M. and Fakhry, E.M., 2015. Lipid content and fatty acid composition of Mediterranean macro-algae as dynamic factors for biodiesel production. *Oceanologia*, 57 (1), 86–92. doi:10.1016/j.oceano.2014.08.001.
- Mæhre, H.K., Malde, M.K., Eilertsen, K.E. and Elvevoll, E.O., 2014. Characterization of protein, lipid and mineral contents in common Norwegian seaweeds and evaluation of their potential as food and feed. *J. Sci. Food Agric.*, 94 (15), 3281–3290. doi:10.1002/jsfa.6681.
- Makoto Ono and Akinori Ono, 2015. Impacts of the FOSHU (Food for Specified Health Uses) System on Food Evaluations in Japan. *Electronic Libr.*, 7 (411), 397–412.
- Mamuaaja, C.F., 2016. *Pengawasan Mutu Dan Keamanan Pangan*. Unsrat Press, Manado, 193 pp.
- Mannheim, C.H., Liu, J.X. and Gilbert, S.G., 1994. Control of Water in Foods During Storage. In: Fito, P. & Mulet, A. (Eds), *Water in Foods. Fundamental Aspects and Their Significance in Relation to Processing of Foods*. Pergamon, Oxford, UK, pp. 509–532.
- Mansauda, K.L.R., Anwar, E. and Nurhayati, T., 2018. Antioxidant and anti-collagenase activity of sargassum plagyophyllum extract as an anti-wrinkle cosmetic ingredient. *Pharmacogn. J.*, 10 (5), 932–936. doi:10.5530/pj.2018.5.157.
- Manteu, S.H., Nurjanah and Nurhayati, T., 2018. Karakteristik Rumpuk Laut Cokelat (*Sargassum polycystum* dan *Padina minor*) dari Perairan Pohuwato Provinsi Gorontalo. *J. Pengolah. Has. Perikan. Indones.*, 21 (3), 396–405.
- Marasabessy, I., Sudirjo, F., Hamid, S.K. and Irmawaty, Y., 2018. Produksi Enbal spy yang Difortifikasi Serat Rumpuk Laut. *J. ABDIMAS*, 11 (3), <https://doi.org/10.36412/abdimas.v11i3.894.g813>.
- Wu, G., 2009. Glutamine, arginine, and leucine signaling in the o Acids, 37 (1), 111–122. doi:10.1007/s00726-008-0225-4.
- da Costa, E., Conde, T., Rego, A., Ribeiro, A.I., Abreu, M.H. es, M.R., 2021. Seaweed Blends as a Valuable Source of



- Polyunsaturated and Healthy Fats for Nutritional and Food Applications. *Mar. Drugs*, 19 (12), 684. doi:10.3390/md19120684.
- Martirosyan, D., Lampert, T. and Ekblad, M., 2022. Classification and regulation of functional food proposed by the Functional Food Center. *Funct. Food Sci.*, 2 (2), 25. doi:10.31989/ffs.v2i2.890.
- Matanjun, P., Mohamed, S., Mustapha, N.M. and Muhammad, K., 2009. Nutrient content of tropical edible seaweeds, *Euचेuma cottonii*, *Caulerpa lentillifera* and *Sargassum polycystum*. *J. Appl. Phycol.*, 21 (1), 75–80. doi:10.1007/s10811-008-9326-4.
- Mendis, E. and Kim, S.K., 2011. 64 Advances in Food and Nutrition Research Present and future prospects of seaweeds in developing functional foods. 1st ed. Elsevier Inc., 1–15 pp.
- Michalak, I. and Chojnacka, K., 2015. Algae as production systems of bioactive compounds. *Eng. Life Sci.*, 15 (2), 160–176. doi:10.1002/elsc.201400191.
- Miguel, S.P., D'Angelo, C., Ribeiro, M.P., Simões, R. and Coutinho, P., 2023. Chemical Composition of Macroalgae Polysaccharides from Galician and Portugal Coasts: Seasonal Variations and Biological Properties. *Mar. Drugs*, 21 (11), 589. doi:10.3390/md21110589.
- Mohamed, S., Matanjun, P., Hashim, S.N., Rahman, H.A. and Mustapha, N.M., 2011. Edible seaweeds: A functional food with organ protective and other therapeutic applications. In: Pomin, V. H. (Ed), *Seaweed: Ecology, Nutrient Composition and Medicinal Uses*. Nova Science Pub Inc; UK ed. edition, New York, pp. 107–115.
- Moreira, A., Cruz, S., Marques, R. and Cartaxana, P., 2022. The underexplored potential of green macroalgae in aquaculture. *Rev. Aquac.*, 14 (1), 5–26. doi:10.1111/raq.12580.
- Moritz, T., 2015. Fishes of a stranded *Sargassum* meadow at Punta Cana, Dominican Republic. *Bull. Fish Biol.*, 15 (1–2), 141–146.
- Muhtar, N.I., Asnani and Rejeki, S., 2019. Analisis Sensori, Antioksidan, dan Kandungan Serat Minuman Fungsional Rumput Laut *Euचेuma spinosum* bahan Rumput Laut *Sargassum* sp. *J. Fish Protech*, 2 (2), 274–281. doi.org/10.33772/jfp.v2i2.9481.
- S. and Las, I., 2016. Potensi dan Ketersediaan Sumberdaya Mendukung Ketahanan Pangan. *J. Penelit. dan Pengemb.*, 73–80. doi:10.21082/jp3.v30n2.2011.p73-80.



- Mulyati, S., 2021. Manfaat Pangan Fungsional dan Pangan Herbal dalam Meningkatkan Imunitas Tubuh di Masa Pandemic Covid-19. *J. Pengabd. Din.*, 8 (1), 4.
- Munteanu, C. and Schwartz, B., 2022. The relationship between nutrition and the immune system. *Front. Nutr.*, 9, 1082500. doi:10.3389/fnut.2022.1082500.
- Muscogiuri, G., Barrea, L., Savastano, S. and Colao, A., 2020. Nutritional recommendations for CoVID-19 quarantine. *Eur. J. Clin. Nutr.*, 74 (6), 850–851. doi:10.1038/s41430-020-0635-2.
- Mushlihah, H., Amri, K. and Faizal, A., 2021. Diversity and Distribution of Macroalgae to Environmental Conditions of Makassar City. *J. Ilmu Kelaut. Spermonde*, 7 (1), 16–26. doi:https://doi.org/10.20956/jiks.v7i1.14856.
- Muslimin, M. and Perdana Sari, W.K., 2018. Budidaya Rumput Laut *Sargassum* sp. dengan Metode Kantong pada Beberapa Tingkat Kedalaman di Dua Wilayah Perairan Berbeda. *J. Ris. Akuakultur*, 12 (3), 221–230. doi:10.15578/jra.12.3.2017.221-230.
- Nagai, T. and Takakiyo Yukimoto, 2003. Preparation and functional properties of beverages made from sea algae. *Food Chem.*, 81 (3), 327–332.
- Nagappan, T. and Vairappan, C.S., 2014. Nutritional and bioactive properties of three edible species of green algae, genus *Caulerpa* (Caulerpaceae). *J. Appl. Phycol.*, 26 (2), 1019–1027. doi:10.1007/s10811-013-0147-8.
- Nainggolan, P.F., Arthana, I.W. and Dewi, A.P.W.K., 2022. A Comparison of *Eucheuma cottonii* Seaweed Cultivation in Monoculture and Polyculture Systems. *Adv. Trop. Biodivers. Environ. Sci.*, 6 (1), 17–21. doi:10.24843/ATBES.2022.v06.i01.p04.
- Nazarudin, M.F., Alias, N.H., Balakrishnan, S., Wan Hasnan, W.N.I., Noor Mazli, N.A.I., Ahmad, M.I., Md Yasin, I.-S., Isha, A. and Aliyu-Paiko, M., 2021. Chemical, Nutrient and Physicochemical Properties of Brown Seaweed, *Sargassum polycystum* C. Agardh (Phaeophyceae) Collected from Port Dickson, Peninsular Malaysia. *Molecules*, 26 (17), 5216. doi:10.3390/molecules26175216.
- Negreanu, P.T., Marioara, M., Monica, V. and Emin, C., 2018. Antioxidant Capacity Of Some Marine Green Macroalgae Species Fluid Extracts. *Sect. Adv.* doi:10.5593/sgem2018/6.2.
- ..., 2005. Overview on ... and its control in – The input from in vivo NMR. *FEMS*, 29 (3), 531–554. doi:10.1016/j.femsre.2005.04.005.
- ..., 2019. Program Kemitraan dalam ... Pangan Lokal Singkong Krispi Rumput Laut untuk



- Pakaya, N., Harmain, R.M. and Dali, F.A., 2014. Karakteristik Produk Kue Tradisional Ongol – ongol yang Disubstitusi dengan Rumput Laut. *J. Ilm. Perikan. dan Kelaut.*, 2 (September), 120–125.
- Pakidi, C.S. and Suwono, H. suryanto, 2016. Potensi dan Pemanfaatan Bahan Aktif Alga Cokelat *Sargassum Sp. Octopus*, 5 (2), 488–498.
- Pambudi, L.T., Meinita, M.D.N. and Ariyati, R.W., 2010. Seaweed Cultivation in Indonesia: Recent Status. *J. Mar. Biosci. Biotechnol.*, 4 (1), 6–10.
- Pandey, A.K., Chauhan, O.P. and Semwal, A.D., 2020. Seaweeds – a potential source for functional foods. *Def. Life Sci. J.*, 5 (4), 315–322. doi:10.14429/dlsj.5.15632.
- Pangestuti, R., Getachew, A.T., Siahaan, E.A. and Chun, B.-S., 2019. Characterization of functional materials derived from tropical red seaweed *Hypnea musciformis* produced by subcritical water extraction systems. *J. Appl. Phycol.*, 31 (4), 2517–2528. doi:10.1007/s10811-019-1754-9.
- Pangestuti, R. and Kim, S., 2015. Seaweed proteins, peptides, and amino acids. In: Tiwari, B. K. & Troy, D. J. (Eds), *Seaweed Sustainability. Food and Non-Food Applications*. Academic Press, Cambridge, USA, pp. 125–140.
- Pareek, S., Sagar, N.A., Sharma, S., Kumar, V., Agarwal, T., González-Aguilar, G.A. and Yahia, E.M., 2017. Chlorophylls: Chemistry and biological functions. *Fruit Veg. Phytochem. Chem. Hum. Heal. Second Ed.*, 1, 269–284. doi:10.1002/9781119158042.ch14.
- Park, J.-S., Han, J.-M., Shin, Y.-N., Park, Y.-S., Shin, Y.-R., Park, S.-W., Roy, V., Lee, H.-J., Kumagai, Y., Kishimura, H. and Chun, B.-S., 2023. Exploring Bioactive Compounds in Brown Seaweeds Using Subcritical Water: A Comprehensive Analysis. *Mar. Drugs*, 21 (6), 328. doi:10.3390/md21060328.
- Patarra, R.F., Paiva, L., Neto, A.I., Lima, E. and Baptista, J., 2011. Nutritional value of selected macroalgae. *J. Appl. Phycol.*, 23 (2), 205–208. doi:10.1007/s10811-010-9556-0.
- Patra, J. and Baek, K.-H., 2016. Antibacterial Activity and Action Mechanism of the Essential Oil from *Enteromorpha linza* L. against Foodborne Pathogenic Bacteria. *Molecules*, 21 (3), 388. doi:10.3390/molecules21030388.
- Patra, J.K., Kim, S.H. and Baek, K.-H., 2015. Antioxidant and Free Radical Potential of Essential Oil from *Enteromorpha linza* L. Prepared by Assisted Hydrodistillation. *J. Food Biochem.*, 39 (1), 80–90. doi:10.1080/07376266.2014.931110.
- Pierce, S. and Pierce, F., 2007. *Defenses : From to Communities*. 51.



- Peng, Y., Xie, E., Zheng, K., Fredimoses, M., Yang, X., Zhou, X., Wang, Y., Yang, B., Lin, X., Liu, J. and Liu, Y., 2012. Nutritional and Chemical Composition and Antiviral Activity of Cultivated Seaweed *Sargassum naozhouense* Tseng et Lu. *Mar. Drugs*, 11 (12), 20–32. doi:10.3390/md11010020.
- Peruma, B., Chitra, R., Maruthupandian, A. and Viji, M., 2019. Nutritional assessment and bioactive potential of *Sargassum polycystum* C. Agardh (brown seaweed). *Indian J. Geo-Marine Sci.*, 48 (4), 492–498.
- Pioveti, L., Deffo, P., Valls, R. and Peiffer, G., 1991. Determination of sterols and diterpenoids from brown algae (Cystoseiraceae). *J. Chromatogr. A*, 588 (1–2), 99–105. doi:10.1016/0021-9673(91)85011-4.
- Pohnert, G., 2004. Chemical Defense Strategies of Marine Organisms. In: Schulz, S. (Ed), *The Chemistry of Pheromones and Other Semiochemicals I*. Springer Berlin, Heidelberg, pp. 179–219.
- Ponnan, A., Ramu, K., Marudhamuthu, M., Marimuthu, R., Siva, K. and Kadarkarai, M., 2017. Antibacterial, antioxidant and anticancer properties of *Turbinaria conoides* (J. Agardh) Kuetz. *Clin. Phytoscience*, 3 (1), 5. doi:10.1186/s40816-017-0042-y.
- Pop, M.S., Cheregi, D.C., Onose, G., Munteanu, C., Popescu, C., Rotariu, M., Turnea, M.-A., Dograru, G., Ionescu, E.V., Oprea, D., Iliescu, M.G., Minea, M., Stanciu, L.E., Silişteanu, S.C. and Oprea, C., 2023. Exploring the Potential Benefits of Natural Calcium-Rich Mineral Waters for Health and Wellness: A Systematic Review. *Nutrients*, 15 (14), 3126. doi:10.3390/nu15143126.
- Poveda-Castillo, G., Rodrigo, D., Martínez, A. and Pina-Pérez, M., 2018. Bioactivity of Fucoidan as an Antimicrobial Agent in a New Functional Beverage. *Beverages*, 4 (3), 64. doi:10.3390/beverages4030064.
- Prachyakij, P., Charernjiratrakul, W. and Kantachote, D., 2008. Improvement in the quality of a fermented seaweed beverage using an antiyeast starter of *Lactobacillus plantarum* DW3 and partial sterilization. *World J. Microbiol. Biotechnol.*, 24 (9), 1713–1720. doi:10.1007/s11274-008-9662-1.
- Pratiwi, A., Elfita and Aryawati, R., 2011. Pengaruh Waktu Fermentasi Terhadap Sifat Fisik dan Kimia pada Pembuatan Minuman Kombucha dari Rumpun Laut *Sargassum* sp. *Maspari J.*, 04 (1), 131–136.



Jati, N.A.R., Stiger-Pouvreau, V., Vandanjon, L., Widowati, I., Bedoux, G. and Bourgougnon, N., 2020. Indonesian species bioprospecting: potential applications of bioactive and challenge for sustainable development. In: Bourgougnon, N. (Ed) *Advances in Botanical Research. Seaweeds Around the World: State of the Art*. Vol.95 Academic Press, Cambridge, USA, pp. 113–161.

- Qiao, J., 2010. Antibacterial Effect of Extracts from Two Icelandic Algae (*Ascophyllum nodosum* and *Laminaria digitata*). Final Project. Reykjavik.
- Rahmani, N.Y., Ningsih, S.W., Wulandari, V.I. and Farhana, M., 2018. Pemanfaatan *Sargassum* sp. dalam Peningkatan Ekonomi Masyarakat Pesisir Desa Teluk Awur Jepara. *Semin. Nas. Kolaborasi Pengabd. Pada Masy.*, 1, 483–487.
- Raman, M. and Doble, M., 2014. Physicochemical and structural characterisation of marine algae *Kappaphycus alvarezii* and the ability of its dietary fibres to bind mutagenic amines. *J. Appl. Phycol.*, 26 (5), 2183–2191. doi:10.1007/s10811-014-0241-6.
- Rasyid, A., Ardiansyah, A. and Pangestuti, R., 2019. Nutrient Composition of Dried Seaweed *Gracilaria gracilis*. *ILMU Kelaut. Indones. J. Mar. Sci.*, 24 (1), 1. doi:10.14710/ik.ijms.24.1.1-6.
- Ravichanthiran, K., Ma, Z., Zhang, H., Cao, Y., Wang, C., Muhammad, S., Aglago, E., Zhang, Y., Jin, Y. and Pan, B., 2018. Phytochemical Profile of Brown Rice and Its Nutrigenomic Implications. *Antioxidants*, 7 (6), 71. doi:10.3390/antiox7060071.
- Reboleira, J., Freitas, R., Pinteus, S., Silva, J., Alves, C., Pedrosa, R. and Bernardino, S., 2019. Brown Seaweeds. In: Nabavi, S. M. & Silva, A. S. (Eds), *Nonvitamin and Nonmineral Nutritional Supplements*. Academic Press, pp. 171–176.
- Rehena, Z. and Ivakdalam, L.M., 2019. Pengaruh Substitusi Rumput Laut terhadap Kandungan Serat Cookies Sagu. *Agrikan J. Agribisnis Perikan.*, 12 (1), 157. doi:10.29239/j.agrikan.12.1.157-161.
- Rengasamy, K.R., Mahomoodally, M.F., Aumeeruddy, M.Z., Zengin, G., Xiao, J. and Kim, D.H., 2020. Bioactive compounds in seaweeds: An overview of their biological properties and safety. *Food Chem. Toxicol.*, 135 (September), 111013. doi:10.1016/j.fct.2019.111013.
- Reule, C.A., Scholz, C., Schoen, C., Brown, N., Siepelmeier, A. and Alt, W.W., 2017. Reduced muscular fatigue after a 12-week leucine-rich amino acid supplementation combined with moderate training in elderly: a randomised, placebo-controlled, double-blind trial. *BMJ Open Sport Exerc. Med.*, 2 (1), e000156. doi:10.1136/bmjsem-2016-000156.
- Rimmer, M.A., Larson, S., Lapong, I., Purnomo, A.H., Pong-Masak, P.R., Swanepoel, L.A., 2021. Seaweed Aquaculture in Indonesia Contributes to Economic Aspects of Livelihoods and Community Wellbeing. *Food Hydrocoll.*, 13 (19), 10946. doi:10.3390/su131910946.
- Sau, L. and Turgeon, S.L., 2017. Seaweeds: A traditional new gastronomic sensation. *Food Hydrocoll.*, 68, 255–265. doi:10.1016/j.foodhyd.2017.02.005.



- Rizkaprilisa, W., Griselda, A., Hapsari, M.W. and Paramastuti, R., 2023. Pemanfaatan Rumput Laut Sebagai Pangan Fungsional: Systematic Review. *Sci. Technol. Manag. J.*, 3 (182), 28–33.
- Roberfroid, M.B., 1999. What is beneficial for health? The concept of functional food. *Food Chem. Toxicol.*, 37 (9–10), 1039–1041. doi:10.1016/S0278-6915(99)00080-0.
- Robledo, D., Vázquez-Delfín, E., Freile-Peigrín, Y., Vázquez-Elizondo, R.M., Qui-Minet, Z.N. and Salazar-Garibay, A., 2021. Challenges and Opportunities in Relation to Sargassum Events Along the Caribbean Sea. *Front. Mar. Sci.*, 8 (July), 1–13. doi:10.3389/fmars.2021.699664.
- Rodrigues, D., Freitas, A.C., Pereira, L., Rocha-Santos, T.A.P., Vasconcelos, M.W., Roriz, M., Rodríguez-Alcalá, L.M., Gomes, A.M.P. and Duarte, A.C., 2015. Chemical composition of red, brown and green macroalgae from Buarcos bay in Central West Coast of Portugal. *Food Chem.*, 183, 197–207. doi:10.1016/j.foodchem.2015.03.057.
- Rorong, J.A. and Wilar, W.F., 2020. Keracunan Makanan oleh Mikroba. *Techno Sci. J.*, 2 (2), 47–60.
- Rosemary, T., Arulkumar, A., Paramasivam, S., Mondragon-Portocarrero, A. and Miranda, J., 2019. Biochemical, Micronutrient and Physicochemical Properties of the Dried Red Seaweeds *Gracilaria edulis* and *Gracilaria corticata*. *Molecules*, 24 (12), 2225. doi:10.3390/molecules24122225.
- Rusli, A., Metusalach, Tahir, M.M., Salengke and Syamsuar, 2016. Analysis of bioactive compounds of caulerpa recemosa, sargassum sp. And gracillaria verrucosa using different solvents. *J. Teknol.*, 78 (4–2), 15–19. doi:10.11113/jt.v78.8146.
- Salehi, B., Sharifi-Rad, J., Seca, A.M.L., Pinto, D.C.G.A., Michalak, I., Trincone, A., Mishra, A.P., Nigam, M., Zam, W. and Martins, N., 2019. Current Trends on Seaweeds: Looking at Chemical Composition, Phytopharmacology, and Cosmetic Applications. *Molecules*, 24 (22), 4182. doi:10.3390/molecules24224182.
- Salman, M.A. and Hasan, M.M., 2017. Algae As Nutrition, Medicine and Cosmetic: the Forgotten History, Present Status and Future Trends. *World J. Pharm. Pharm. Sci.* 6 (6), 1934–1959. doi:10.20959/wjpps20176-9447.



- , N.H., Firdaus, F. and Latip, J., 2019. Uji Aktivitas Antioksidan ekstrak Alga Coklat *Sargassum polycystum* dan *Turbinaria* di Pulau Dutungan Sulawesi Selatan Terhadap Radikal DPPH. (1), 1–6. doi:10.20473/jkr.v4i1.10903.
-), I., López-Cervantes, J., López-Hernández, J. and Paseiro-04. Fatty acids, total lipid, protein and ash contents of processed

edible seaweeds. *Food Chem.*, 85 (3), 439–444. doi:10.1016/j.foodchem.2003.08.001.

- Sanger, G., Kaseger, B.E., Rarung, L.K. and Damongilala, L., 2018. Potensi beberapa Jenis Rumput Laut sebagai Bahan Pangan Fungsional, Sumber Pigmen dan Antioksidan Alami. *J. Pengolah. Has. Perikan. Indones.*, 21 (2), 208. doi:10.17844/jphpi.v21i2.22841.
- Santoso, J., Yoshie, Y. and Suzuki, T., 2002. The distribution and profile of nutrients and catechins of some Indonesian seaweeds. *Fish. Sci.*, 68, 1647–1648. doi:10.2331/fishsci.68.sup2_1647.
- Santoso, J., Yoshie, Y. and Suzuki, T., 2004a. Mineral, Fatty Acid and Dietary Fiber Compositions in Several Indonesian Seaweeds. *J. Ilmu-Ilmu Perair. dan Perikan. Indones.*, 11 (1), 45–51.
- Santoso, J., Yoshie, Y. and Suzuki, T., 2004b. Polyphenolic compounds from seaweeds: Distribution and their antioxidative effect. In: Sakaguchi, M. (Ed), *Development of Food Science Volume 42: More Efficient Utilization of Fish and Fisheries Products*. Elsevier B.V., Amsterdam, pp. 169–177.
- Saravanakumar, D., 2006. Antimycobacterial activity of the red algae *Gelidium pristoides*, *Plocamium corallorhiza* and *Polysiphonia virgata*. University of Cape Town.
- Sartika, 2014. Potensi Antimikroba Protein Bioaktif dari Bakteri Simbion Alga Coklat *Sargassum* sp. Asal Perairan Pulau Lae-Lae. Universitas Hasanuddin.
- Schön, T., Idh, J., Westman, A., Elias, D., Abate, E., Diro, E., Moges, F., Kassu, A., Ayele, B., Forslund, T., Getachew, A., Britton, S., Stendahl, O. and Sundqvist, T., 2011. Effects of a food supplement rich in arginine in patients with smear positive pulmonary tuberculosis - A randomised trial. *Tuberculosis*, 91 (5), 370–377. doi:10.1016/j.tube.2011.06.002.
- Sedjati, S., Supriyantini, E., Ridlo, A., Soenardjo, N. and Santi, V.Y., 2018. Kandungan Pigmen, Total Fenolik dan Aktivitas Antioksidan *Sargassum* sp. *J. Kelaut. Trop.*, 21 (2), 137–144. doi:10.14710/jkt.v21i2.3329.
- Selim, S.A., 2012. Antimicrobial, Antiplasmid and Cytotoxicity Potentials of Marine Algae *Halimeda opuntia* and *Sarconema filiforme* Collected from Red Sea Coast. *Int. J. Mar. Environ. Sci.*, 6 (1), 24–29. doi:10.5281/zenodo.1072925.



n, A.P., 2004. Biopotentials of *Ulva Fasciata* and *Hypnea* collected from the Peninsular Coast of India. *J. Mar. Sci.* (1), 1–6. doi:10.51400/2709-6998.2214.

tos, J. and Purwaningsih, S., 2014. The Characteristics of *Eucaema cottonii* Addition as A Dietary Fiber

- Source. *J. Ilmu dan Teknol. Kelaut. Trop.*, 6 (1), 197–208. doi:10.29244/jitkt.v6i1.8641.
- Setyorini, H.B. and Puspitasari, A., 2021. Kandungan Protein dan Karbohidrat pada Makroalga di Pantai Sepanjang, Yogyakarta. *J. Ilmu dan Teknol. Kelaut. Trop.*, 13 (2), 283–293. doi:10.29244/jitkt.v13i2.33654.
- El Shafay, S.M., Ali, S.S. and El-Sheekh, M.M., 2016. Antimicrobial activity of some seaweeds species from Red sea, against multidrug resistant bacteria. *Egypt. J. Aquat. Res.*, 42 (1), 65–74. doi:10.1016/j.ejar.2015.11.006.
- Shannon, E. and Abu-Ghannam, N., 2019. Seaweeds as nutraceuticals for health and nutrition. *Phycologia*, 58 (5), 563–577. doi:10.1080/00318884.2019.1640533.
- Shao, T., Verma, H.K., Pande, B., Costanzo, V., Ye, W., Cai, Y. and Bhaskar, L.V.K.S., 2021. Physical Activity and Nutritional Influence on Immune Function: An Important Strategy to Improve Immunity and Health Status. *Front. Physiol.*, 12, 751374. doi:10.3389/fphys.2021.751374.
- Sherly, R. and Asnani, 2016. Potensi Anggur Laut Kelompok *Caulerpa racemosa* Sebagai Kandidat Sumber Pangan Fungsional Indonesia. *Oseana*, 41 (4), 50–62.
- Shibata, T., Ishimaru, K., Kawaguchi, S., Yoshikawa, H. and Hama, Y., 2007. Antioxidant activities of phlorotannins isolated from Japanese Laminariaceae. In: Borowitzka, M. A., Critchley, A. T., Kraan, S., Peters, A., Sjøtun, K., & Notoya, M. (Eds), Nineteenth International Seaweed Symposium. Developments in Applied Phycology, vol 2. Springer Netherlands, Dordrecht, pp. 255–261.
- Siddique, M.A.M., 2013. Proximate Chemical Composition and Amino Acid Profile of Two Red Seaweeds (*Hypnea pannosa* and *Hypnea musciformis*) Collected From St. Martin's Island, Bangladesh. *J. Fish. Sci.*, (March 2013), 178–186. doi:10.3153/jfscm.2013018.
- Siddique, M.A.M., Khan, M.S.K. and Bhuiyan, M.K.A., 2013. Nutritional composition and amino acid profile of a sub-tropical red seaweed *Gelidium pusillum* collected from St. Martin's Island, Bangladesh. *Int. Food Res. J.*, 20 (5), 2287–2292.



Arifin, Z. and Mawardi, M.K., 2017. Rupiah Terhadap Volume t Laut Indonesia. *J. Bus. Adm.*, 50 (3), 163–171.

Kapolna, B. and Lugasi, A., 2008. Functional food. Product marketing and consumer acceptance — A review. *Appetite*, 51, 0.1016/j.appet.2008.05.060.

- Sissini, M.N., De Barros Barreto, M.B.B., Szećhy, M.T.M., De Lucena, M.B., Oliveira, M.C., Gower, J., Liu, G., De Oliveira Bastos, E., Milstein, D., Gusmão, F., Martinelli-Filho, J.E., Alves-Lima, C., Colepicolo, P., Ameka, G., De Graftjohnson, K., Gouvea, L., Torrano-Silva, B., Nauer, F., Marcos De Castronunes, J., Bonomibarufi, J., Rörig, L., Riosmena-Rodríguez, R., Mello, T.J., Lotufo, L.V.C. and Horta, P.A., 2017. The floating Sargassum (Phaeophyceae) of the South Atlantic Ocean - Likely scenarios. *Phycologia*, 56 (3), 321–328. doi:10.2216/16-92.1.
- Smith, J.H.C. and Benitez, A., 1955. Chlorophylls: Analysis in Plant Materials. In: Paech, K. & Tracey, M. V. (Eds), *Modern Methods of Plant Analysis / Moderne Methoden der Pflanzenanalyse*. Springer Berlin Heidelberg, Berlin, Heidelberg, pp. 142–196.
- So, H.K., Kim, S., Kang, J.S. and Lee, S.J., 2021. Role of Protein Arginine Methyltransferases and Inflammation in Muscle Pathophysiology. *Front. Physiol.*, 12 (August), 1–12. doi:10.3389/fphys.2021.712389.
- Sode, S., Bruhn, A., Balsby, T.J.S., Larsen, M.M., Gottfredsen, A. and Rasmussen, M.B., 2013. Bioremediation of reject water from anaerobically digested waste water sludge with macroalgae (*Ulva lactuca*, Chlorophyta). *Bioresour. Technol.*, 146, 426–435. doi:10.1016/j.biortech.2013.06.062.
- de Souza, É.T., Pereira de Lira, D., Cavalcanti de Queiroz, A., Costa da Silva, D.J., Bezerra de Aquino, A., Campessato Mella, E., Prates Lorenzo, V., de Miranda, G.E., de Araújo-Júnior, J.X., de Oliveira Chaves, M.C., Barbosa-Filho, J.M., Filgueiras de Athayde-Filho, P., de Oliveira Santos, B.V. and Alexandre-Moreira, M.S., 2009. The Antinociceptive and Anti-Inflammatory Activities of Caulerpin, a Bisindole Alkaloid Isolated from Seaweeds of the Genus *Caulerpa*. *Mar. Drugs*, 7 (4), 689–704. doi:10.3390/md7040689.
- Subong, B.J.J. and Primavera, K.H., 2012. Antitumor Potential, Anticancer Property and Phytochemical Screening of *Padina* Minor Yamada Extracts. *Int. J. Pharm. Sci. Rev. Res.*, 13 (1), 34–37.
- Suganya, T., Nagendra Gandhi, N. and Renganathan, S., 2013. Production of algal biodiesel from marine macroalgae *Enteromorpha compressa* by two step process: Optimization and kinetic study. *Bioresour. Technol.*, 128, 392–400. doi:10.1016/j.biortech.2012.10.068.



- and Sugiyanta, S., 2021. Culture and social: herbal medicine communication to build urban community empowerment. *J. Stud. Asian J. Commun. Stud.*, 5 (1), 151. doi:10.25139/jsk.v5i1.3124.
- orne, S., Masci, P. and Gobe, G., 2015. Marine-based An innovative trend in the food and supplement industries. *Mar. Drugs*, 13 (12), 6336–6351. doi:10.3390/md13106336.

- Sulistiyono, S.T., 2012. Sumberdaya Pangan Bahari dalam Perspektif Sejarah. *J. Humanika*, 15 (9), 19. doi:<https://doi.org/10.14710/humanika.15.9>.
- Sumartini, S., Harahap, K.S. and Sthevany, S., 2020. Kajian Pengendalian Mutu Produk Tuna Loin Precooked Frozen Menggunakan Metode Skala Likert Di Perusahaan Pembekuan Tuna. *Aurelia J.*, 2 (1), 29–38. doi:10.15578/aj.v2i1.9392.
- Suparmi and Sahri, A., 2009. Mengenal Potensi Rumput Laut : Kajian Pemanfaatan Sumber Daya Rumput Laut Dari Aspek Industri Dan Kesehatan. *Maj. Ilm. Sultan Agung*, 44 (118), 95–116.
- Suratha, I.K., 2013. Dampak Alih Fungsi Lahan Pertanian Terhadap Ketahanan Pangan. *J. Chem. Inf. Model.*, 53 (9), 1689–1699.
- Suresh Kumar, K., Ganesan, K. and Subba Rao, P. V., 2015. Seasonal variation in nutritional composition of *Kappaphycus alvarezii* (Doty) Doty—an edible seaweed. *J. Food Sci. Technol.*, 52 (5), 2751–2760. doi:10.1007/s13197-014-1372-0.
- Surgya, P.I., Sirait, J. and Sipahutar, Y.H., 2022. Pengolahan Biskuit Rumput Laut (*Gracilaria* sp.) di CV Khansa Gaza, Kota Makassar. *J. Penyul. Perikan. dan Kelaut.*, 16 (2), 185–203. doi:10.33378/jppik.v16i2.342.
- Susanto, D.A., Setyoko, A.T., Harjanto, S. and Prasetyo, A.E., 2019. Pengembangan Standar Nasional Indonesia (SNI) Pangan Fungsional untuk Membantu Mengurangi Resiko Obesitas. *J. Stand.*, 21 (1), 31–44. doi:10.31153/js.v21i1.734.
- Susilowati, R., Sabdono, A. and Widowati, I., 2015. Isolation and Characterization of Bacteria Associated with Brown Algae *Sargassum* spp. from Panjang Island and their Antibacterial Activities. *Procedia Environ. Sci.*, 23, 240–246. doi:10.1016/j.proenv.2015.01.036.
- Suter, K., 2013. Pangan Fungsional dan Prospek Pengembangannya. *Teknologi Pangan*, 1–17.
- Syad, A.N., Rajamohamed, B.S., Shunmugaiah, K.P. and Kasi, P.D., 2016. Neuroprotective effect of the marine macroalga *Gelidiella acerosa*: identification of active compounds through bioactivity-guided fractionation. *Pharm. Biol.*, 54 (10), 2073–2081. doi:10.3109/13880209.2016.1145700.



D.S., Susilawaty, A., Alam, S. and Humaerah, A.M., 2019. Analisis Kandungan Zat Gizi Roti Rumput Laut *Lawi-Lawi* (*Ceuleperia rotundifolia*) Tempe sebagai Alternatif Perbaikan Gizi Masyarakat. *Jurnal Ilmiah. Sci. J.*, 11 (1), 94–106. doi:10.24252/as.v11i1.9437.

- Telles, C.B.S., Mendes-Aguiar, C., Fidelis, G.P., Frasson, A.P., Pereira, W.O., Scortecci, K.C., Camara, R.B.G., Nobre, L.T.D.B., Costa, L.S., Tasca, T. and Rocha, H.A.O., 2018. Immunomodulatory effects and antimicrobial activity of heterofucans from *Sargassum filipendula*. *J. Appl. Phycol.*, 30 (1), 569–578. doi:10.1007/s10811-017-1218-z.
- Thiyagarasaiyar, K., Mahendra, C.K., Goh, B.-H., Gew, L.T. and Yow, Y.-Y., 2021. UVB Radiation Protective Effect of Brown Alga *Padina australis*: A Potential Cosmeceutical Application of Malaysian Seaweed. *Cosmetics*, 8 (3), 58. doi:10.3390/cosmetics8030058.
- Tiwari, B.K. and Troy, D.J., 2015. Seaweed sustainability – food and nonfood applications. In: Tiwari, B. K. & Troy, D. J. (Eds), *Seaweed Sustainability. Food and Non-Food Applications*. Academic Press, Cambridge, USA, pp. 1–6.
- Torres, P., Santos, J.P., Chow, F. and dos Santos, D.Y.A.C., 2019. A comprehensive review of traditional uses, bioactivity potential, and chemical diversity of the genus *Gracilaria* (Gracilariales, Rhodophyta). *Algal Res.*, 37 (July 2018), 288–306. doi:10.1016/j.algal.2018.12.009.
- Trailokya, A., Srivastava, A., Bhole, M. and Zalte, N., 2017. Calcium and calcium salts. *J. Assoc. Physicians India*, 65, 100–103.
- Trilaksani, W. and Setyaningsih, I., 2015. Formulasi Jelly Drink Berbasis Rumpun Laut Merah dan *Spirulina Platensis*. *J. Pengolah. Has. Perikan. Indones.*, 18 (1), 74–82. doi:10.17844/jphpi.2015.18.1.74.
- Tun Norbrillinda, M., Mahanom, H., Nur Elyana, N. and Nur Intan Farina, S., 2016. Optimization of spray drying process of *Sargassum muticum* color extract. *Dry. Technol.*, 34 (14), 1735–1744. doi:10.1080/07373937.2016.1204550.
- Ulfah, M., Kasanah, N. and Handayani, N.S.N., 2018. Bioactivity and Genetic Screening of Marine Actinobacteria Associated With Red Algae *Gelidiella acerosa*. *Indones. J. Biotechnol.*, 22 (1), 13. doi:10.22146/ijbiotech.25920.
- Usov, A., 1998. Structural analysis of red seaweed galactans of agar and carrageenan groups. *Food Hydrocoll.*, 12 (3), 301–308. doi:10.1016/S0268-005X(98)00018-6.
- Utama, L.J. and Yunita, L., 2019. Formulasi, Uji Daya Terima dan Analisis Kandungan Gizi Es Krim Pangan Fungsional Tinggi Protein dan Serat ; Hitam, Kacang Merah dan Kelor. *Pros. Semnas Sanitasi*, 78–
- K. and Metusalach, M., 2021. Effect of Concentration of cystum and Fermentation Time on thickness and Yield of Nata n. *Int. J. Environ. Agric. Biotechnol.*, 6 (5), 163–167. eab.65.21.



- Valderrama, D., Cai, J., Hishamunda, N., Ridler, N., Neish, I.C., Hurtado, A.Q., Msuya, F.E., Krishnan, M., Narayanakumar, R., Kronen, M., Robledo, D., Gasca-Leyva, E. and Fraga, J., 2015. The Economics of Kappaphycus Seaweed Cultivation in Developing Countries: A Comparative Analysis of Farming Systems. *Aquac. Econ. Manag.*, 19 (2), 251–277. doi:10.1080/13657305.2015.1024348.
- Valentine, G., Sumardianto and Wijayanti, I., 2020. Karakteristik Nori dari Campuran Rumput Laut *Ulva lactuca* dan *Gelidium* sp. *J. Pengolah. Has. Perikan. Indones.*, 23 (2), 295–302. doi:10.17844/jphpi.v23i2.32340.
- Vázquez-Delfín, E., Freile-Pelegrín, Y., Salazar-Garibay, A., Serviere-Zaragoza, E., Méndez-Rodríguez, L.C. and Robledo, D., 2021. Species composition and chemical characterization of *Sargassum* influx at six different locations along the Mexican Caribbean coast. *Sci. Total Environ.*, 795. doi:10.1016/j.scitotenv.2021.148852.
- Venter, C., Eyerich, S., Sarin, T. and Klatt, K.C., 2020. Nutrition and the immune system: A complicated tango. *Nutrients*, 12 (3). doi:10.3390/nu12030818.
- Verheij, E. and Prud'homme van Reine, W.F., 1993. Seaweeds of the Spermonde Archipelago, SW Sulawesi, Indonesia. *Blumea - Biodiversity, Evol. Biogeogr. Plants*, 37 (2), 385–510.
- Verma, N., Singh, A.K. and Singh, M., 2017. L-arginine biosensors: A comprehensive review. *Biochem. Biophys. Reports*, 12 (October), 228–239. doi:10.1016/j.bbrep.2017.10.006.
- Vicentini, A., Liberatore, L. and Mastrocola, D., 2016. Functional Foods: Trends and Development of The Global Market. *Ital. J. Food Sci.*, 28 (2), 338–352. doi:10.14674/1120-1770/ijfs.v211.
- Vijayabaskar, P. and Shiyamala, V., 2011. Antibacterial Activities of Brown Marine Algae (*Sargassum wightii* and *Turbinaria ornata*) from the Gulf of Mannar Biosphere Reserve. *Adv. Biol. Res. (Rennes)*, 5 (2), 99–102.
- Vitale, M., Costabile, G., Testa, R., D'Abbronzio, G., Nettore, I.C., Macchia, P.E. and Giacco, R., 2023. Ultra-processed foods and human health: a systematic review and meta-analysis of prospective cohort studies. *Adv. Nutr.*, (May). doi:10.1016/j.advnut.2023.09.009.



., 1913. *Siboga-Expeditie Monographie LIXa* Liste des algues *xrophyceae, Chlorophyceae, Phaeophyceae*. E.J. Brill, Leiden,

, 1921. *Siboga-Expeditie Monographie LIXb* Liste de algues du *lophyceae*. E.J. Brill, Leiden, 187–310 pp.

- Wells, M.L., Potin, P., Craigie, J.S., Raven, J.A., Merchant, S.S., Helliwell, K.E., Smith, A.G., Camire, M.E. and Brawley, S.H., 2017. Algae as nutritional and functional food sources: revisiting our understanding. *J. Appl. Phycol.*, 29 (2), 949–982. doi:10.1007/s10811-016-0974-5.
- WHO, 2011. Guidelines for drinking-water quality: fourth edition incorporating the first addendum. World Health Organisation, Switzerland, 541 pp.
- Wibowo, L. and Fitriyani, E., 2012. Pengolahan Rumput Laut (*Eucheuma cottoni*) Menjadi Serbuk Minuman Instan. *Vokasi*, 8 (2), 101–109.
- Widyaswari, S.G., Metusalach, Kasmianti and Amir, N., 2021. A review: bioactive compounds of macroalgae and their application as functional beverages. *IOP Conf. Ser. Earth Environ. Sci.*, 679 (1), 012002. doi:10.1088/1755-1315/679/1/012002.
- Winarni, S., Zainuri, M., Endrawati, H., Arifan, F., Setyawan, A. and Wangi, A.P., 2021. Analysis proximate of *Sargassum* seaweed sp. *J. Phys. Conf. Ser.*, 1943 (1), 012173. doi:10.1088/1742-6596/1943/1/012173.
- Winarti, C. and Nurdjanah, N., 2005. Peluang tanaman rempah dan obat sebagai sumber pangan fungsional. *J. Litbang Pertan.*, 24 (12), 47–55.
- Wu, G., 2009. Amino acids: metabolism, functions, and nutrition. *Amino Acids*, 37 (1), 1–17. doi:10.1007/s00726-009-0269-0.
- WWF-Indonesia, 2014. BMP Budidaya Rumput Laut; Kotoni (*Kappaphycus alvarezii*) Sacol (*Kappaphycus striatum*) dan *Spinosym* (*Eucheuma denticulatum*). *Sustain. Seaf.*, ISBN (978-879-1461-36–8), 1–28.
- Yan, X., Yang, C., Lin, G., Chen, Y., Miao, S., Liu, B. and Zhao, C., 2019. Antidiabetic Potential of Green Seaweed *Enteromorpha prolifera* Flavonoids Regulating Insulin Signaling Pathway and Gut Microbiota in Type 2 Diabetic Mice. *J. Food Sci.*, 84 (1), 165–173. doi:10.1111/1750-3841.14415.
- Yangthong, M., 2017. Chemical and Mineral Compositions of *Sargassum* spp. from Bo Mao Beach, Chumphon Province, Thailand. *J. Fish. Environ.*, 41 (3), 1–5.
- Yani, I.E., Habibi, N.A.H., Sary, R.Y. and Darningsih, S., 2023. Pengaruh penambahan rumput laut terhadap kandungan serat dan mutu sensorik snack tradisional serabi. *Teknol. Pangan Media Inf. dan Komun. Ilm. Teknol. Pertan.*, 14 (1), 90–97. doi:10.35891/tp.v14i1.3448.
- Yuda, M., 2021. Effect of emulsifiers on the discoloration of their potential for use in green beverages. *J. Food Sci.*, 86 (7), doi:10.1111/1750-3841.15782.
- Vital, D., Sze Yii Chew, C. and Thau Lym Yong, W., 2014. Potential of Extracts from *Kappaphycus* Seaweeds on HeLa Cells. *Sains Malaysiana*, 43 (12), 1895–1900.



- Yip, Y.L. and Ensaff, H., 2021. Breakfast on the go: Evaluating the nutritional content of supermarket products. *Nutrition*, 84, 111098. doi:10.1016/j.nut.2020.111098.
- Yip, Z.T., Quek, R.Z.B. and Huang, D., 2020. Historical biogeography of the widespread macroalga *Sargassum* (Fucales, Phaeophyceae). *J. Phycol.*, 56 (2), 300–309. doi:10.1111/jpy.12945.
- Yu-Qing, T., Mahmood, K., Shehzadi, R. and Ashraf, M.F., 2016. *Ulva lactuca* and Its Polysaccharides: Food and Biomedical Aspects. *J. Biol. Agric. Healthc.*, 6 (1), 140–151.
- Yuan, Y. V., Westcott, N.D., Hu, C. and Kitts, D.D., 2009. Mycosporine-like amino acid composition of the edible red alga, *Palmaria palmata* (dulse) harvested from the west and east coasts of Grand Manan Island, New Brunswick. *Food Chem.*, 112 (2), 321–328. doi:10.1016/j.foodchem.2008.05.066.
- Yusuf, A.M., 2017. *Metode Penelitian Kuantitatif, Kualitatif & Penelitian Gabungan*. Kencana, Jakarta, 480 pp.
- Zang, J., Xu, Y., Xia, W. and Regenstein, J.M., 2020. Quality, functionality, and microbiology of fermented fish: a review. *Crit. Rev. Food Sci. Nutr.*, 60 (7), 1228–1242. doi:10.1080/10408398.2019.1565491.
- Zega, Y., 2010. Pengembangan Produk Jelly Drink Berbasis Teh (*Camelia sinensis*) dan Secang (*Caesalpinia sappan* L.) Sebagai Pangan Fungsional. *J. Pangan dan Agrobisnis*, 3 (7), 15–16.
- Zhang, Z., Wang, F., Wang, X., Liu, X., Hou, Y. and Zhang, Q., 2010. Extraction of the polysaccharides from five algae and their potential antioxidant activity in vitro. *Carbohydr. Polym.*, 82 (1), 118–121. doi:10.1016/j.carbpol.2010.04.031.
- Zhuang, M., Liu, J., Ding, X., He, J., Zhao, S., Wu, L., Gao, S., Zhao, C., Liu, D., Zhang, J. and He, P., 2021. *Sargassum* blooms in the East China Sea and Yellow Sea: Formation and management. *Mar. Pollut. Bull.*, 162 (November 2020), 111845. doi:10.1016/j.marpolbul.2020.111845.

