

DAFTAR PUSTAKA

1. Gyawali B, Ramakrishna K, Dhamoon AS. Sepsis: The evolution in definition, pathophysiology, and management. *SAGE Open Med.* 2019;7.
2. Thompson K, Venkatesh B, Finfer S. Sepsis and septic shock: current approaches to management. *Intern Med J.* 2019;49(2):160–70.
3. Pandolfi F, Guillemot D, Watier L, Brun-Buisson C. Trends in bacterial sepsis incidence and mortality in France between 2015 and 2019 based on National Health Data System (Système National des données de Santé (SNDS)): a retrospective observational study. *BMJ Open.* 2022;12(5).
4. Gül F, Arslantaş MK, Cinel İ, Kumar A. Changing definitions of sepsis. *Türk Anesteziyoloji ve Reanimasyon Dern Derg.* 2017;45(3):129–38.
5. Erdoğan M, Findikli HA. Prognostic value of the lactate/albumin ratio for predicting mortality in patients with pneumosepsis in intensive care units. *Med (United States).* 2022;101(4):E28748.
6. Thapa S, Prasad P, Shakya Y. Serum Lactate Albumin Ratio as a Predictor of Mortality in Severe Sepsis and Septic Shock at Tribhuvan University Teaching Hospital, Kathmandu. *Birat J Heal Sci.* 2017;2(2):191–5.
7. Iskandar A, Vincentia MI, Jaya W, Aryati A, Pramadhani A, Aprilia A. the Profile of Lactate, Albumin, and Lactate/Albumin Ratio As Predictors of Mortality in Sepsis Patients. *Russ J Infect Immun.* 2021;11(6):1095–100.
8. Kabra R, Acharya S, Shukla S, Kumar S, Wanjari A, Mahajan S, et al. Serum Lactate-Albumin Ratio: Soothsayer for Outcome in Sepsis. *Cureus.* 2023;15(3).
9. Jiang D, Bian T, Shen Y, Huang Z. Association between admission systemic immune-inflammation index and mortality in critically ill patients with sepsis: a retrospective cohort study based on MIMIC-IV database. *Clin Exp Med.* 2023;23(7):3641–50.
10. Liu C, Wu X, Deng R, Xu X, Chen C, Wu L, et al. Systemic immune-inflammation index combined with quick sequential organ failure assessment score for predicting mortality in sepsis patients. *Heliyon.*

2023;9(9):e19526.

11. Huang M, Cai S, Su J. The pathogenesis of sepsis and potential therapeutic targets. *Int J Mol Sci.* 2019;20(21).
12. Vera S, Martinez R, Gormaz JG, Gajardo A, Galleguillos F, Rodrigo R. Novel relationships between oxidative stress and angiogenesis-related factors in sepsis: New biomarkers and therapies. *Ann Med.* 2015;47(4):289–300.
13. Rudd KE, Johnson SC, Agesa KM, Shackelford KA, Tsoi D, Kievlan DR, et al. Global, regional, and national sepsis incidence and mortality, 1990–2017: analysis for the Global Burden of Disease Study. *Lancet.* 2020;395(10219):200–11.
14. Paoli CJ, Reynolds MA, Sinha M, Gitlin M, Crouser E. Epidemiology and costs of sepsis in the United States-an analysis based on timing of diagnosis and severity level. *Crit Care Med.* 2018;46(12):1889–97.
15. Fleischmann-Struzek C, Mellhammar L, Rose N, Cassini A, Rudd KE, Schlattmann P, et al. Incidence and mortality of hospital- and ICU-treated sepsis: results from an updated and expanded systematic review and meta-analysis. *Intensive Care Med.* 2020;46(8):1552–62.
16. World Health Organisation. Global report on the epidemiology and burden of sepsis: current evidence, identifying gaps and future directions. World Health Organization. 2020. 56 p.
17. Fauziyah HTA, Semedi BP, Lestari P, Maulydia M. Analisis Sistem Skoring APACHE II dan SOFA Terhadap Outcome di Intensive Care Unit RSUD Dr. Soetomo Surabaya. *JAI (Jurnal Anestesiologi Indones).* 2021;13(2):99–113.
18. Yao RQ, Ren C, Zheng LY, Xia ZF, Yao YM. Advances in Immune Monitoring Approaches for Sepsis-Induced Immunosuppression. *Front Immunol.* 2022;13(May):1–15.
19. Venet F, Monneret G. Advances in the understanding and treatment of sepsis-induced immunosuppression. *Nat Rev Nephrol.* 2018;14(2):121–37.
20. Vélez JW, Aragon DC, Donadi EA, Carlotti APCP. Risk factors for

- mortality from sepsis in an intensive care unit in Ecuador A prospective study. *Med (United States)*. 2022;101(11):1–7.
21. Song JE, Kim MH, Jeong WY, Jung IY, Oh DH, Kim YC, et al. Mortality risk factors for patients with septic shock after implementation of the surviving sepsis campaign bundles. *Infect Chemother*. 2016;48(3):199–208.
 22. Trzeciak S, Dellinger RP, Chansky ME, Arnold RC, Schorr C, Milcarek B, et al. Serum lactate as a predictor of mortality in patients with infection. *Intensive Care Med*. 2007;33(6):970–7.
 23. Shapiro NI, Howell MD, Talmor D, Nathanson LA, Lisbon A, Wolfe RE, et al. Serum lactate as a predictor of mortality in emergency department patients with infection. *Ann Emerg Med*. 2005;45(5):524–8.
 24. Bou Chebl R, Geha M, Assaf M, Kattouf N, Haidar S, Abdeldaem K, et al. The prognostic value of the lactate/albumin ratio for predicting mortality in septic patients presenting to the emergency department: a prospective study. *Ann Med*. 2021;53(1):2268–77.
 25. Yin M, Si L, Qin W, Li C, Zhang J, Yang H, et al. Predictive Value of Serum Albumin Level for the Prognosis of Severe Sepsis Without Exogenous Human Albumin Administration: A Prospective Cohort Study. *J Intensive Care Med*. 2018;33(12):687–94.
 26. Takegawa R, Kabata D, Shimizu K, Hisano S, Ogura H, Shintani A, et al. Serum albumin as a risk factor for death in patients with prolonged sepsis: An observational study. *J Crit Care*. 2019;51:139–44.
 27. Qian SZ, Jin D, Chen ZB, Ye YC, Xiang WW, Ye LM, et al. Hypoalbuminemia, a novel prognostic factor for prediction of long-term outcomes in critically ill patients with septic shock. *Int J Clin Exp Med*. 2019;12(6):7401–9.
 28. Kendall H, Abreu E, Cheng AL. Serum Albumin Trend Is a Predictor of Mortality in ICU Patients With Sepsis. *Biol Res Nurs*. 2019;21(3):237–44.
 29. Baihaqi FA, Delarosa DO, Ramadhan R. Rasio Laktat/Albumin sebagai Prediktor Mortalitas pada Pasien dengan Sepsis dan Syok Sepsis: Studi

- Meta-Analysis. *J Penyakit Dalam Indones.* 2022;9(3):146.
30. Yucel K, Gurbuz A. The effect of lactate/albumin ratio on mortality in patients with sepsis. *Med Sci | Int Med J.* 2021;10(3):939.
 31. Lagunas-Alvarado M, Mijangos-Huesca FJ, Terán-González JO, Lagunas-Alvarado MG, Martínez-Zavala N, Reyes-Franco I, et al. Índice De Inmunidad-Inflamación Sistémica En Sepsis. *Med Interna Mex.* 2017;33(3):303–9.
 32. Dimitrov E, Valchev D, Minkov G, Enchev E, Yovtchev Y. Evaluation of systemic immune inflammation index as a predictor of lethal outcome in patients with thoracic empyema. *J Emerg Med Trauma Acute Care.* 2024;2024(3).
 33. Ma K, Zhang Y, Hao J, Zhao J, Qi Y, Liu C. Correlation analysis of systemic immune inflammatory index, Serum IL-35 and HMGB-1 with the severity and prognosis of sepsis. *Pakistan J Med Sci.* 2023;39(2):497–501.
 34. Tang Y, Zeng X, Feng Y, Chen Q, Liu Z, Luo H, et al. Association of Systemic Immune-Inflammation Index With Short-Term Mortality of Congestive Heart Failure: A Retrospective Cohort Study. *Front Cardiovasc Med.* 2021;8(November):1–15.
 35. Liu Y, Zheng J, Zhang D, Jing L. Neutrophil-lymphocyte ratio and plasma lactate predict 28-day mortality in patients with sepsis. *J Clin Lab Anal.* 2019;33(7):1–6.
 36. Yeter HH, Topeli A. The Significance of Systemic Immune-Inflammatory Index and Platelet-Neutrophil Ratio on Early Mortality in Septic Shock Patients and their Association with Vitamin D and Parathyroid Hormone Ratio. *Acta Medica Cordoba.* 2022;53(4):384–93.
 37. Lingjie K, Ting A, Qingyi M. Different therapeutic strategies chosen according to different mechanism of sepsis. *Open Acces Text.*
 38. Venkata C, Kashyap R, Christopher Farmer J, Afessa B. Thrombocytopenia in adult patients with sepsis: Incidence, risk factors, and its association with clinical outcome. *J Intensive Care.* 2013;1(1):1–10.
 39. Kumar V. Immunometabolism: Another Road to Sepsis and Its Therapeutic

- Targeting. *Inflammation*. 2019;42(3):765–88.
40. Rizal TS, Fredi Heru Irwanto, Rizal Zainal, Mgs Irsan Saleh. Correlation of Platelet-Lymphocyte Ratio (PLR) as 28-Days Sepsis Mortality Predictor in Intensive Care Unit of RSMH Palembang. *J Anesthesiol Clin Res*. 2021;1(2):43–62.
 41. Lu J, Fang W, Lei Y, Yang J. Association between D-dimer-to-albumin ratio and 28-days all-cause mortality in patients with sepsis. *Sci Rep*. 2024;14(1):1–14.
 42. Gusriadi B, Salam SH, Hisbullah H, Arif SK, Rum M, Palinrungi AS. The Association of Cumulative Fluid Balance and Sepsis Patient Mortality During Treatment in the Intensive Care Unit. *Nusant Med Sci J*. 2022;7(2):88–97.
 43. Cesario EO, de Carvalho Hessel Dias VM, Gumiel YB, Moro C, Martins MCM, Carvalho DR. Early Identification of Patients at Risk of Sepsis in a Hospital Environment. *Brazilian Arch Biol Technol*. 2021;64.
 44. Ranjit PS, Elangovan A, Ramakrishnan T, Panneerselvam T, Jasmine JJ. Comparison of qSOFA, MEDS, and APACHE II Scores in Early Identification of Sepsis for Patients with 28 days Mortality and ICU Admission: A cross-sectional Study. *J Clin Diagnostic Res*. 2024;18(4):20–4.
 45. Chae MK, Choi DJ, Shin TG, Jeon K, Suh GY, Sim MS, et al. Body Mass Index and Outcomes in Patients with Severe Sepsis or Septic Shock. *Korean J Crit Care Med*. 2013;28(4):266.
 46. Alrawashdeh M, Klompas M, Simpson SQ, Kadri SS, Poland R, Guy JS, et al. Prevalence and Outcomes of Previously Healthy Adults Among Patients Hospitalized With Community-Onset Sepsis. *Chest*. 2022;162(1):101–10.
 47. Min SY, Yong HJ, Kim D. Sex or gender differences in treatment outcomes of sepsis and septic shock. *Acute Crit Care*. 2024;39(2):207–13.
 48. Angele MK, Pratschke S, Hubbard WJ, Chaudry IH. Gender differences in sepsis: Cardiovascular and immunological aspects. *Virulence*. 2014;5(1):12–9.

49. Farhanah N, Supriadi S, Wahjono H, Hadisaputro S, Gasem MH. Predictors of Mortality in Sepsis Patients Resulting from Severe and Critical COVID-19. *J Med Chem Sci.* 2023;6(9):2018–27.
50. Mumtaz H, Ejaz MK, Tayyab M, Vohra LI, Sapkota S, Hasan M, et al. APACHE scoring as an indicator of mortality rate in ICU patients: a cohort study. *Ann Med Surg.* 2023;85(3):416–21.
51. Wang J, He L, Jin Z, Lu G, Yu S, Hu L, et al. Immune Dysfunction-Associated Elevated RDW, APACHE-II, and SOFA Scores Were a Possible Cause of 28-Day Mortality in Sepsis Patients. *Infect Drug Resist.* 2024;17(March):1199–213.
52. Jiang L, Feng B, Gao D, Zhang Y. Plasma concentrations of copeptin, C-reactive protein and procalcitonin are positively correlated with APACHE II scores in patients with sepsis. *J Int Med Res.* 2015;43(2):188–95.
53. Edipoglu IS, Dogruel B, Dizi S, Tosun M, Çakar N. The association between the APACHE-II scores and age groups for predicting mortality in an intensive care unit: A retrospective study. *Rom J Anaesth Intensive Care.* 2019;26(1):53–8.
54. Yi X, Jin D, Huang S, Xie Z, Zheng M, Zhou F, et al. Association between lactate-to-albumin ratio and 28-days all-cause mortality in patients with sepsis-associated liver injury: a retrospective cohort study. *BMC Infect Dis.* 2024;24(1):1–11.
55. Chen S, Guan S, Yan Z, Ouyang F, Li S, Liu L, et al. The lactate to albumin ratio linked to all-cause mortality in critically ill patients with septic myocardial injury. *Front Cardiovasc Med.* 2023;10(September).
56. Bou Chebl R, Jamali S, Sabra M, Safa R, Berbari I, Shami A, et al. Lactate/Albumin Ratio as a Predictor of In-Hospital Mortality in Septic Patients Presenting to the Emergency Department. *Front Med.* 2020;7(September):1–11.
57. Khalil KM, Jansson L. Assessment of Correlation of Lactate /Albumin Ratio in Sepsis Patients Admitted in Icu. *J Healthc Dev Ctries.* 2021;1(1):11–6.

58. Bajaj V, Gupta N, Abraham JK, Gupta M, Dube S. ORIGINAL ARTICLE Assessment of Prognostic Value of SOFA Score and Lactate / Albumin Ratio in Sepsis. 2024;25(4):187–91.
59. Liang L. Systemic immune-inflammation index and the short-term mortality of patients with sepsis : A meta-analysis. 2025;1–12.
60. Nurulita A. Systemic immune-inflammation index as a marker for septic patients. 2025;28(1):9–16.
61. Zhang L, Liu L, Yan G, Ma X, Zhu G, Dong X, et al. Predictive Value of the Systemic Immune-Inflammation Index in the 28-Day Mortality for Patients with Sepsis-Associated Acute Kidney Injury and Construction of a Prediction Model. *J Inflamm Res* . 2024;17(November):8727–39.
62. Kumar S, Gattani SC, Baheti AH, Dubey A. Comparison of the performance of apache ii, sofa, and mnutric scoring systems in critically ill patients: 2 year cross-sectional study. *Indian J Crit Care Med*. 2020;24(11):1057–61.
63. Filho RR, Rocha LL, Corrêa TD, Souza Pessoa CM, Colombo G, Cesar Assuncao MS. Blood lactate levels cutoff and mortality prediction in sepsis - Time for a reappraisal? A retrospective cohort study. *Shock*. 2016;46(5):480–5.
64. Nofal WH, Alela SKA, Aldeeb MM, Elewa GM. Prognostic Value of Lactate / Albumin Ratio combined with had APACHE II, SAPS II and SOFA Score for Predicting Mortality in Critically Ill Patients with Septic Shock. *QJM An Int J ofMedicine*. 2021;114(1):219–20.
65. ShiHui LSL, Jing FJF, XiaoHui LXL, YiWan NYN, Yuan Y, YuanZheng ZY, et al. Clinical value of systemic immune-inflammation index in assessing the severity and prognosis of sepsis. *J Chongqing Med Univ*. 2019;44(5):622–6.
66. VijayGanapathy S, Karthikeyan VS, Sreenivas J, Mallya A, Keshavamurthy R. Validation of APACHE II scoring system at 24 hours after admission as a prognostic tool in urosepsis: A prospective observational study. *Investig Clin Urol*. 2017;58(6):453–9.



KEMENTERIAN PENDIDIKAN, KEBUDAYAAN, RISET DAN TEKNOLOGI
 UNIVERSITAS HASANUDDIN FAKULTAS KEDOKTERAN
 KOMITE ETIK PENELITIAN UNIVERSITAS HASANUDDIN
 RSPTN UNIVERSITAS HASANUDDIN
 RSUP Dr. WAHIDIN SUDIROHUSODO MAKASSAR
 Sekretariat : Lantai 2 Gedung Laboratorium Terpadu
 JL.PERINTIS KEMERDEKAAN KAMPUS TAMALANREA KM.10 MAKASSAR 90245.



Contact Person: dr. Agusalim Bukhari..MMed,PhD, SpGK TELP. 081241850858, 0411 5780103, Fax : 0411-581431

REKOMENDASI PERSETUJUAN ETIK

Nomor : 975/UN4.6.4.5.31/ PP36/ 2024

Tanggal: 8 Nopember 2024

Dengan ini Menyatakan bahwa Protokol dan Dokumen yang Berhubungan Dengan Protokol berikut ini telah mendapatkan Persetujuan Etik :

No Protokol	UH24100867	No Sponsor	
Peneliti Utama	dr. Andi M Irsyad Sulkifli Mangga Barani	Sponsor	
Judul Peneliti	PERBANDINGAN ANTARA APACHE II, RASIO LAKTAT ALBUMIN DAN SYSTEMIC IMMUNE-INFLAMMATION INDEX DALAM MEMPREDIKSI MORTALITAS PADA PASIEN SEPSIS DI INSTALASI PERAWATAN INTENSIF RSUP DR. WAHIDIN SUDIROHUSODO		
No Versi Protokol	1	Tanggal Versi	25 Oktober 2024
No Versi PSP		Tanggal Versi	
Tempat Penelitian	RSUP Dr.Wahidin Sudirohusodo Makassar		
Jenis Review	<input type="checkbox"/> Exempted <input checked="" type="checkbox"/> Expedited <input type="checkbox"/> Fullboard Tanggal	Masa Berlaku 8 Nopember 2024 sampai 8 Nopember 2025	Frekuensi review lanjutan
Ketua KEP Universitas Hasanuddin	Prof. dr. Muh Nasrum Massi,PhD,SpMK, Subsp. Bakt(K)	Tanda tangan	
Sekretaris KEP Universitas Hasanuddin	dr. Firdaus Hamid, PhD, SpMK(K)	Tanda tangan	

Kewajiban Peneliti Utama:

- Menyerahkan Amandemen Protokol untuk persetujuan sebelum di implementasikan
- Menyerahkan Laporan SAE ke Komisi Etik dalam 24 jam dan dilengkapi dalam 7 hari dan Laporan SUSAR dalam 72 jam setelah Peneliti Utama menerima laporan
- Menyerahkan Laporan Kemajuan (progress report) setiap 6 bulan untuk penelitian resiko tinggi dan setiap setahun untuk penelitian resiko rendah
- Menyerahkan laporan akhir setelah Penelitian berakhir
- Melaporkan penyimpangan dari prokol yang disetujui (protocol deviation / violation)
- Mematuhi semua peraturan yang ditentukan

CURICULUM VITAE

1. DATA PRIBADI

Nama Lengkap : dr. Andi M. Irsyad Sulkifli Mangga Barani
Tempat tanggal lahir : Polewali, 11 Mei 1991
Jenis Kelamin : Laki-laki
Kewarganegaraan : Warga Negara Indonesia
Agama : Islam
Alamat : Jl. P. Karemasang No. 48 Kab. Polewali Mandar
Email : irsyadmanggabarani@gmail.com

2. RIWAYAT PENDIDIKAN

No	Jenjang Pendidikan	Institusi	Tahun	Tempat
1	SD	SD Negeri 1 Polewali	1997-2003	Polewali
2	SMP	SMP Negeri 1 Polewali	2003-2006	Polewali
3	SMA	SMA Kartika Wirabuana 1 Makassar	2006-2009	Makassar
4	S1 & PROFESI	Fakultas Kedokteran Universitas Muslim Indonesia	2010-2016	Makassar
5	PPDS	Departemen Ilmu Anestesi, Terapi Intensif dan Manajemen Nyeri FK Universitas	2021-2025	Makassar