

## DAFTAR PUSTAKA

- Adni Pasma, R., & Sitanggang, A. F. (2024). THE ESTIMATION OF FAULT ZONE BASED ON 2D GEOELECTRIC IN ULUJADI, PALU CITY, CENTER SULAWESI. *Jurnal Geofisika Eksplorasi*, 10(01), 8030189. <https://doi.org/10.23960/jge.v9i2.333>
- Anda, S. T., Saad, R., Saidin, M., Fadhli, Z., & Syukri, M. (2021). Korelasi Antara Nilai SPT-N dan Kecepatan Gelombang Geser (Shear Wave Velocity) Dalam Bidang Engineering. *Hadron Jurnal Fisika Dan Terapan*, 3.
- Atashband, S., & Esfahanizadeh, M. (2012). *Effects Evaluation of Ambient Vibration Recording Conditions on HVTFA Results*.
- Daag, A. S., Halasan, O. P. C., Magnaye, A. A. T., Grutas, R. N., & Solidum, R. U. (2022). Empirical Correlation between Standard Penetration Resistance (SPT-N) and Shear Wave Velocity ( $V_s$ ) for Soils in Metro Manila, Philippines. *Applied Sciences (Switzerland)*, 12(16). <https://doi.org/10.3390/app12168067>
- Dehghanian, K., Çaltılı, E., Koçak Dinç, B., & Soysal, H. M. (2022). Implementation of shear wave velocity and standard penetration test correlation for Edirne district, Turkey. *Journal of Sustainable Construction Materials and Technologies*, 7(1), 24–29. <https://doi.org/10.14744/jscmt.2022.10>
- Fadhilah, F. H., Yudistira, T., & Sopyan, Y. (2022). Pemetaan Respons Dinamik Tanah Dan Pemodelan Struktur Bawah Permukaan Di Wilayah Kertajati Menggunakan Metode Horizontal-To-Vertical Spectral Ratio ( HVSR ). *Geofisika*, 20(02), 52– 61.
- Fäh, D., Wathelet, M., Kristekova, M., Havenith, H., Endrun, B., Stamm, G., Poggi, V., Burjanek, J., & Cornou, C. (2009). Report Using Ellipticity Information for Site Characterisation Using Ellipticity Information for Site Characterisation (pp. 1–54). *NETwork of Research Infrastructures for European Seismology Report*.
- Foti, S., Hollender, F., Garofalo, F., Albarello, D., Asten, M., Bard, P. Y., Comina, C., Cornou, C., Cox, B., Di Giulio, G., Forbriger, T., Hayashi, K., Lunedei, E., Martin, A., Mercerat, D., Ohrnberger, M., Poggi, V., Renalier, F., Sicilia, D., & Socco, V. (2018). Guidelines for the good practice of surface wave analysis: a product of the InterPACIFIC project. *Bulletin of Earthquake Engineering*, 16(6), 2367–2420. <https://doi.org/10.1007/s10518-017-0206-7>
- Geologi, B. (2018). Di Balik Pesona Palu Bencana Melanda Geologi Menata. *Badan an Energi dan Sumber Daya Mineral*.
- ı, C., Wathelet, M., Giulio, G. Di, Knapmeyer-Endrun, B., P.-Y., Savvaidis, A., Hailemikael, S., & Le, N. (2013). European es. *Geophysical Journal International*, 192(1), 207–229. |093/gji/ggs005i



- Irfan Ullah. (2017). *Near-surface characterization from the H/V spectral curves along with the joint inversion of the ellipticity and dispersion curves.*
- Iswanto, E. R., Ryanto, T. A., Setiaji, A. B. W., & Suntoko, H. (2021). Shear wave velocity ( $V_s$ ) at reactor building, experimental power reactor Indonesia. *Journal of Physics: Conference Series*, 2048(1). <https://doi.org/10.1088/1742-6596/2048/1/012040>
- Jhinkwan, H., Jain, P. K., & Tech Scholar, M. (2016). *PREDICTION OF SHEAR WAVE VELOCITY USING SPT-N VALUE* (Issue 3).
- JICA. (2019). *Project for Development of Regional Disaster Risk Resilience Plan in Central Sulawesi, Project Report.*
- Konno, K., & Ohmachi, T. (1998). Ground-Motion Characteristics Estimated from Spectral Ratio between Horizontal and Vertical Components of Microtremor. In *Bulletin of the Seismological Society of America* (Vol. 88, Issue 1).
- Layadi, K., Semmane, F., & Yelles-Chaouche, A. (2018). S-wave velocity structure of Chlef City, Algeria, by inversion of Rayleigh wave ellipticity. *Near Surface Geophysics*, 16(3), 328–339. <https://doi.org/10.3997/1873-0604.2018011>
- Mirzaoglu, M., & Dýkmen, Ü. (2003). Application of microtremors to seismic microzoning procedure. In *JOURNAL OF THE BALKAN GEOPHYSICAL SOCIETY* (Vol. 6, Issue 3).
- Mukhbitah, S. P., Saifuddin, S., Sungkono, S., & Minarto, E. (2024). Use of spatial autocorrelation of microtremor using L- and triangle- arrays for estimations of S-wave velocity model and soil response at ITS Surabaya. *Journal of Physics: Conference Series*, 2780(1). <https://doi.org/10.1088/1742-6596/2780/1/012003>
- Naik, S. P., Patra, N. R., & Malik, J. N. (2014). Spatial Distribution of Shear Wave Velocity for Late Quaternary Alluvial Soil of Kanpur City, Northern India. *Geotechnical and Geological Engineering*, 32(1), 131–149. <https://doi.org/10.1007/s10706-013-9698-3>
- Sambridge, M. (1999). Geophysical inversion with a neighbourhood algorithm - I. Searching a parameter space. *Geophysical Journal International*, 138(2), 479–494. <https://doi.org/10.1046/j.1365-246X.1999.00876.x>
- Shoushtari, A. V. (2016). *SEISMIC HAZARD ASSESSMENT OF PENINSULAR MALAYSIA BASED ON NEW GROUND-MOTION PREDICTION EQUATIONS SUBDUCTION EARTHQUAKES.*



[13140/RG.2.2.21912.85765](https://doi.org/10.13140/RG.2.2.21912.85765)

1. Reconnaissance Geologic Map of Palu Area, Sulawesi of Indonesia. *Directorate of Mineral Resources, Geol. Res. Bandung.*

- Sunardi, B. (2019). Vs30 Mapping and Soil Classification in The Southern Part of Kulon Progo Using Rayleigh Wave Ellipticity Inversion. *JGISE: Journal of Geospatial Information Science and Engineering*, 1(2). <https://doi.org/10.22146/jgise.39780>
- Syafitri, M. N., Ridha, S., Maryanto, S., & Martha, A. A. (2022). SHARE WAVE VELOCITY MODEL TO A DEPTH OF 30 METER (Vs30) USING HORIZONTAL VERTICAL TIME FREQUENCY ANALYSIS (HVTFA) METHOD. *Journal of Environmental Engineering & Sustainable Technology JEEEST*, 09(01), 1–09. <http://jeest.uib.ac.id>
- Tohari, A., Muttaqien, I., & Syifa, R. W. (2022). Understanding of flow liquefaction phenomena in Palu City from shear wave velocity profiles. *E3S Web of Conferences*, 340. <https://doi.org/10.1051/e3sconf/202234001011>
- Williams, R. A., Stephenson, W. J., & Odum, J. K. (2003). Comparison of P- and S-wave velocity profiles obtained from surface seismic refraction/reflection and downhole data. *Tectonophysics*, 368(1–4), 71–88. [https://doi.org/10.1016/S0040-1951\(03\)00151-3](https://doi.org/10.1016/S0040-1951(03)00151-3)

