

DAFTAR PUSTAKA

- Abduh, A.D.M., Padjung, R., Farid, M., Bahrin, A.H., Anshori, M.F., Nasaruddin, Ridwan, I., Nur, A., and Taufik, M. 2021. Interaction of genetic and cultivation technology in maize prolific and productivity increase. *Biological Sciences*. 24(6): 716–723. doi: 10.3923/pjbs.2021.716.723.
- Abrham, S. 2019. Genetic variability and heritability study of hot pepper (*Capsicum annum* L.) genotypes in Wolaita, Southern Ethiopia. *Science Frontier Research*. 19(4):3136. <https://journalofscience.org/index.php/GJSFR/article/view/2544>
- Acquaah G. 2015. Prinsip dan teknik pemuliaan tanaman konvensional. Dalam: Al-Khayri J, Jain S, Johnson D (eds). *Kemajuan Strategi Pemuliaan Tanaman: Pemuliaan, Bioteknologi dan Alat Molekuler*. Pegas, Cham. doi: 10.1007/978-3-319-22521-0_5.
- Acquaah, G 2012, Principles of plant genetics breeding, Second, Wiley-Blackwell, Oxford, UK.
- Acquaah, G. 2009. Principles of Plant Genetics and Breeding. Oxford: Blackwell Publishing.
- Akbar, M. R., Purwoko, B. S., Dewi, I. S., and Suwarno, W. B. 2018. Agronomic and drought tolerance evaluation of doubled haploid rice breeding lines derived from anthers culture. *Sabrao Journal of Breeding and Genetics*. 50(2): 115–128.
- Akfindarwan, A. K., Farid, M., Syaiful, S. A., Anshori, M. F., dan Nur, A. 2023. Selection Criteria And Index Analysis For The S2 Maize Lines Of Double-Crosses. *Biodiversitas Journal Of Biological Diversity*, 24(1).
- Aman J, Bantte K, Alamerew S, Sbhathu DB. 2020. Correlation and path coefficient analysis of yield and yield components of quality protein maize (*Zea mays* L.) hybrids at Jimma, western Ethiopia. *International Journal of Agronomy*
- Amas, A. N. K., Hardiansyah, M. Y., Musa, Y., and Amin, A. R. 2021. Selection of several hybrid maize (*Zea mays* L.) genotypes under low nitrogen conditions. *IOP Conference Series: Earth and Environmental Science*. 807(3). doi: 10.1088/1755-1315/807/3/032014.
- Amas, A. N. K., Musa, Y., Farid, M., and Anshori, M. F. 2023. Genetic characteristics of F2 populations obtained through double and three-way crosses in cayenne peppers. *Breeding and Genetics*. 55(2): 309–318. doi: 10.54910/sabrao2023.55.2.4.
- Amegbor IK, Biljon AV, Shargie N, Tarekegne A, Labuschagne MT. 2022. Heritabilitas dan hubungan antara hasil biji-bijian dan sifat-sifat kualitas pada jagung protein berkualitas (QPM) dan hibrida non-qpm. *Tanaman* 11 (6): 713. DOI: 10.3390/tanaman11060713
- Amzeri, A. 2018. A review of maize agricultural development in Madura and alternative processing into biomaterials. *Rekayasa*. 11(1): 74–86.
- Anshori M.F., B.S. Purwoko, IS. Dewi, SW. Ardie, dan WB. Suwarno, 2019. Heritabilitas, Karakterisasi, dan Analisis Clusterg Galur-Galur Padi Dihaploid Hasil Kultur Antera. *J Agron Indonesia* 46 (2) : 119 - 125.
- Anshori MF, Purwoko BS, Dewi IS, Suwarno WB, Ardie SW. 2022. Seleksi toleransi salinitas galur padi haploid ganda berdasarkan indeks seleksi dan analisis faktor. *AIMS Pangan Pertanian* 7 (3): 520-535. DOI: 10.3934/agrfood.2022032.

- Anshori, M. F., Musa, Y., Dungga, N. E., Widiyani, N., Arifin, A. S., Masniawati, A., Firmansyah, F., Farid, M., Dirpan, A., and Amas, A. N. K. 2024. A new approach for selecting transgressive segregants in F3 populations based on selection index and anthocyanin content in cayenne pepper. *Frontiers Sustainable Food Systems*. 8(7): 1–14. doi: 10.3389/fsufs.2024.1288579.
- Archana, K. A., Deshpande, S. K., Bhat, J. S., Kachapur, R. M., Mummigatti, U. V., & Hosamani, J. 2021. Identification Of Transgressive Segregants Among Newly Derived F4 Inbred Maize Lines (*Zea Mays* L.) For Baby Corn Characteristics. *Journal Of Pharmacognosy And Phytochemistry*, 10(2), 404-411.
- Azizah E, Setyawan A, Kadapi M, Yuwariah Y, Ruswandi D. 2017. Identifikasi morfologi dan agronomi jagung hibrida Unpad hasil tumpang sari dengan padi hitam di lahan Arjasari, Jawa Barat. *Jurnal contoh* 16 (1): 260-264. DOI: 10.24198/kltv.v16i1.11718.
- Bahtiar, Arsyad, M., Salman, D., Azrai, M., Tenrirawe, A., Yasin, M., Gaffar, A., Sebayang, A and Ochieng, P. J. 2023. Promoting the New Superior Variety of National Hybrid Maize: Improve Farmer Satisfaction to Enhance Production. *Agriculture*. 13: 1–18. doi: 10.3390/agriculture13010174.
- Balai Pusat Statistik, 2020. Produksi dan Produktivitas jagung
- Chaerunnisa, A. N. J., Farid, M., Nasaruddin, A. M., & Messa, J. 2024. Transgressive Segregant Of Tomato F4 Populations Based On Fruit Yield And Lycopene Content. *Sabrao J. Breed. Genet*, 56(1), 129-141.
- Chatterjee, S., Mukherjee, D., and Choudhuri, P. 2018. Path Analysis and Quality Character Studies in Some Mid-Late and Late Cauliflower (*Brassica oleracea* var. botrytis L.) Genotypes. *Applied Science and Technology*. 31(1): 1–7. doi: 10.9734/CJAST/2018/45869.
- Chen, W., Chen, L., Zhang, X., Yang, N., Guo, J., Wang, M., Ji, S., Zhao, X., Yin, P., Cai, L., Xu, J., Zhang, L., Han, Y., Xiao, Y., Xu, G., Wang, Y., Wang, S., Wu, S., Yang, F., Jackson, D.P., Cheng, J., Chen, S., Sun, C., Qin, F., Tian, F., Fernie, A.R., Li, J., Yan, J., & Yang, X. (2022). Convergent Selection Of A Wd40 Protein That Enhances Grain Yield In Maize And Rice. *Science*, 375.
- Crowder, L. V. 1979. *Genetika Tumbuhan* Terjemahan oleh L Kusdiarti dan Sutarso 1986. Yogyakarta: Gajah Mada University Press. Halaman: : 323 - 351.
- Deptan. 2019. Produksi Jagung. Tersedia pada : <http://www.deptan.go.id>.
- Dossa, E. N., Shimelis, H., Mrema, E., Shayanowako, A. T. I., & Laing, M. 2023. Genetic Resources And Breeding Of Maize For Striga Resistance: A Review. *Frontiers In Plant Science*, 14, 1163785.
- Effendi, M.A., Asyari, H. and Gultom, T. 2018. Identification of species diversity of Cayenne pepper (*Capsicum frutescens* L.) based on morphological characters in Deli Serdang Regency. *Proceedings of the National Biology Seminar*. Medan State University, Indonesia. pp. 2656–1670
- Elfiani, E. 2015. Efektifitas Metode Seleksi Massa Pada Populasi Bersari Bebas Jagung Manis. *Jurnal Dinamika Pertanian*, 30(3), 209-214.
- Fadhilah, A. N., Farid, M., Ridwan, I., Anshori, M. F., and Yassi, A. 2022. Genetic parameters and selection index of high-yielding tomato F2 populations. *Sabrao Journal of Breeding and Genetics*. 54(5): 1026–1036. doi: 10.54910/sabrao2022.54.5.6.

- Fadhli N, Farid M, Rafiuddin, Effendi R, Azrai M, Anshori MF. 2020. Multivariate analysis to determine secondary trait in selecting adaptive hybrid corn lines under drought stress. *Biodiversitas* 21: 3617-3624.
- Fadli, M. U. H., Farid, M. U. H., Yassi, A. M. I. R., Nasaruddin, N., Anshori, M. F., Nur, A. M. I. N., & Suratman, S. 2022. Evaluation Of The Advanced Yield Trial On Tropical Wheat (*Triticum Aestivum*) Mutant Lines Using Selection Index And Multivariate Analysis. *Biodiversitas Journal Of Biological Diversity*, 23(1).
- Fadli, M., Farid, M., Yassi, A., Nasaruddin, N., Anshori, M. F., Nur, A., and Suratman, S. 2022. Evaluation of the advanced yield trial on tropical wheat (*Triticum aestivum*) mutant lines using selection index and multivariate analysis. *Biodiversitas*. 23(1): 540–547. doi: 10.13057/biodiv/d230158.
- Farid, M., M.F. Anshori, K. Mantja, I. Ridwan, A. Adnan, et al. 2024. Selection of Lowland Tomato Advanced Lines Using Selection Indices Based on Pca, Path Analysis, and the Smith-Hazel Index. *Sabrao J. Breed. Genet.* 56(2): 708–718. doi: 10.54910/sabrao2024.56.2.22.
- Farid, M., Musa, Y., Jamil, H., Ridwan, I., Pati, S., Wahid, A., and Anshori, M. F. 2020. Dissemination of Unhas Synthetic Maize Products (Sinhas 1) in Fulfilling Seed Needs and Maize Production in Takalar District. *Journal of Devotion Dynamics*. 6(1): 166–178.
- Fellahi ZEA, Hannachi A, Bouzerzour H. 2018. Analisis seleksi dan indeks langsung dan tidak langsung pada gandum roti (Summer grain L.) yang memisahkan keturunan. *Intl J Agron* 2018: 8312857. DOI: 10.1155/2018/8312857.
- Fikri, M., Farid, M., Musa, Y., Anshori, M.F., Padjung, R., and Nur, A. 2023. Multivariate analysis in developing technology packages for corn cultivation by adding fertilizer to compost. *Agricultural Research*. 83(4): 471–483. doi: 10.4067/S0718-58392023000400471.
- Gazal A, Nehvi FA, Lone AA, Dar ZA, Wani MA. 2017. Indeks seleksi Smith hazel untuk perbaikan galur jagung inbrida dalam kondisi cekaman air. *Aplikasi Intl J Pure Biosci* 5 (1): 72-81. DOI: 10.18782/2320-7051.2444.
- Hafsah, S., Bakhtia, M. Rahmawati, Nura, and Firdaus. 2021. Characterization of qualitative and quantitative characters of the hybridized chili (*Capsicum* sp) genotype C 10 x C 2 Characterization of qualitative and quantitative characters of the hybridized chili (*Capsicum* sp) genotype C 10 x C 2. *IOP Conference Series: Earth and Environmental Science*. 644: 1–8. doi: 10.1088/1755-1315/644/1/012059.
- Hakim, M.A.C., and Muchlisoh. S. 2019. Application of The Fay-Herriot Model in The Estimation Of Stunting Level Prevalence In West Nusa Tenggara In 2017. In *Seminar Nasional Official Statistics*. pp. 74–83
- Huang BE, Verbyla KL, Verbyla AP, Raghavan C, Singh VK, Gaur P, Leung H, Varshney RK, Cavanagh CR. 2015. Populasi ajaib pada tanaman: Status saat ini dan prospek masa depan. *Teori Aplikasi Genet* 128 (6): 999-1017. DOI: 10.1007/s00122-015-2506-0.
- Insan, R. R., & Wirnas, D. 2019. Pendugaan Parameter Genetik dan Seleksi Populasi Sorgum (*Sorghum bicolor* (L.) Moench) Hasil Penggaluran dengan Metode Single Seed Descent.
- Jambormias, E. dan J. Riry. 2009. Penyuaian data dan penggunaan informasi kekerabatan untuk mendeteksi segregan transgresif sifat kuantitatif pada tanaman menyerbuk sendiri (suatu pendekatan dalam seleksi). *J. Budidaya Pertanian*. 5(1): 11-18.

- Jambormias, E., S. H. Sutjahjo, A. A. Mattjik. 2015. Transgressive segregation analysis of multiple traits in mungbean (*Vigna radiata* L. Wilczek). *SABRAO Journal of Breeding and Genetics*. 47(2):201-213.
- Jambormias, E., Sutjahjo, S.H., Mattjik, A.A., Wahyu, Y. and Wirnas, D. 2014. Expansion of Phenotype Value Selection Index to Breeding Value Selection Index. *Buletin Agrohorti*. 2(1): 115–124.
- Josia C., Mashingaidze K., Amelework A. B., Kondwakwenda A., Musvosvi C., Sibiya J. 2021. Snp-Based Assessment Of Genetic Purity And Diversity In Maize Hybrid Breeding. *Plos One* 16(8): E0249505. <https://doi.org/10.1371/Journal.Pone.0249505>
- Kassahun BM, Alemaw G, Tesfaye B. 2013. Studi korelasi dan analisis koefisien jalur hasil benih dan komponen hasil pada aksesori ketumbar Ethiopia. *Ilmu Tanaman Afr J* 21: 51-59.
- Kaul, J., Jain, K., and Olakh, D. 2019. An Overview of the Role of Yellow Maize in Food, Feed, and Nutrition Security an Overview of the Role of Yellow Maize in Food, Feed, and Nutrition Security. *International Journal of Current Microbiology and Applied Sciences*. 8(2): 3037–3048. doi: 10.20546/ijcmas.2019.802.356.
- Kuczyńska, A, Surma, M & Adamski, T 2007, 'Methods to predict transgressive segregation in barley and other self-pollinated crops', *J. Appl. Genet.*, Vol.48, no. 4, pp. 321–328.
- Li, R., Zeng, Y., Xu, J., Wang, Q., Wu, F., Cao, M., ... & Lu, Y. 2015. Genetic Variation For Maize Root Architecture In Response To Drought Stress At The Seedling Stage. *Breeding Science*, 65(4), 298-307.
- Makumbi, D., Assanga, S., Diallo, A., Magorokosho, C., Asea, G. Worku, M., and Bänziger, M. 2018. Genetic Analysis of Tropical Midaltitude- Adapted Maize Populations under Stress and Nonstress Conditions. *Crop Science*. 54(7): 1492–1507. doi: 10.2135/cropsci2017.09.0531.
- Malaquias, J. V., Amabile, R. F., Zorzo, F., Melo, J. V. P., and Fagioli, M. 2023. Analysis of variance in augmented block design and Scott-Knott's test in hybrid corn selection studies. *Pesquisa Agropecuária Brasileira*. 58: e03023. doi 10.1590/S1678-3921.pab2022.v57.03023.
- Mardi, C. T., & Wahyu, Y. 2022. Keragaan Dan Keragaman Genetik Genotipe-Genotipe F2: 3 Gandum (*Triticum Aestivum* L.) Di Dataran Tinggi Indonesia. *Indonesian Journal Of Agronomy*, 50(1), 33-40.
- Maryono, M. T., Wirnas, D., and Human, S. 2019. Analisis Genetik dan Seleksi Segregan Transgresif pada Populasi F2 Sorgum Hasil Persilangan B69 × Numbu dan B69 × Kawali Genetic Analisis and Transgressive Segregant Selection of F2 Sorgum Population Derived from B69 × Numbu and B69 × Kawali Crosses. *Agronomi Indonesia*. 47(2): 163–170.
- Masuka B, Magorokosho C, Olsen M dkk. 2017. Kemajuan perbaikan genetik jagung di Afrika Timur dan Selatan: II. Jalur pemuliaan varietas penyerbukan terbuka CIMMYT. *Pangkas Sains* 57 (1): 180-191. DOI: 10.2135/cropsci2016.05.0408.
- Mawikere NL, Sarungallo AS, Aribowo DA, Gultom E. 2015. Keragaman fenotipik delapan genotipe jagung lokal Manokwari hasil galur inbrida generasi pertama. *Agrotek* 4 (7): 1-8. DOI: 10.30862/agrotek.v4i7.128. [Indonesia]
- Mejaya, J. M., Yasin, M., & Ishartati, E. 2017. Perakitan Dan Teknologi Produksi Benih Varietas Unggul Jagung Hibrida.

- Mengesha, W., Menkir, A., Meseke, S., Bossey, B., Afolabi, A., Burgueno, J. and Crossa, J. 2019. Factor analysis to investigate genotype and genotype × environment interaction effects on pro-vitamin A content and yield in maize synthetics. *Euphytica*. 215, 1–15. doi: 10.1007/s10681-019-2505-3
- Ministry of Agriculture Data Center and Information System. 2020. Maize Outlook: Agricultural Commodities in the Food Crop Subsector. Center for Agricultural Data and Information Systems, Secretariat General of the Ministry of Agriculture, Jakarta.
- Moelyohadi, Y., M. U. Harun, Munandar, R. Hayati, dan N. Gofar. 2012. Pemanfaatan berbagai jenis pupuk hayati pada budidaya tanaman jagung (*Zea mays* L.) efisien hara di lahan kering marginal. *J. Lahan Suboptimal*. 1(1): 31-39.
- Musdir, A.Y., Farid, M., Ulfa, F., and Anshori, M.F. 2024. Mapping of qualitative traits and inheritance patterns on Cayenne F 4 lines derived multiple crosses based on frequency and multivariate analysis. *Agricultural Research*. 84(August): 513–526. doi: 10.4067/S0718-58392024000400513.
- Mustafa, M., Syukur, M., Sutjahjo, S.H and Sobir. 2019. Inheritance study for fruit characters of tomato IPBT78 x IPBT73 using joint scaling test. *IOP Conference Series: Earth and Environmental Science*. 382: 012009. doi: 10.1088/1755-1315/382/1/012009.
- Mustikarini, E. D., Prayoga, G. I., Sp, M., & Aprilian, B. (2020). Selection Of F4 Generation For Promising Red Rice Lines With Lodging Resistance. *Agrosainstek: Jurnal Ilmu Dan Teknologi Pertanian*, 4(1), 1-9. 64, Issn 1741-7007. Doi 10.1186/S12915-024-01859-4
- Nataraj V, Shahi JP, Vandana D. 2014. Estimates of variability, heritability and genetic advance in certain inbreeds of maize (*Zea mays* L.). *Intl J Appl Biol Pharm Technol* 5 (1): 205-208.
- Nur, A., N. R. Iriany dan A. M. Takdir. 2013. Variabilitas genetik dan heritabilitas karakter agronomis galur jagung dengan tester MR 14. *Agro Teknos* 3(1): 34–40.
- Padjung, R., Farid, M., Musa, Y., Anshori, M. F., Nur, A., and Masnenong, A. 2021. Drought-adapted maize line based on morphophysiological selection index. *Biodiversitas*. 22(9): 4028–4035. doi: 10.13057/biodiv/d220951.
- Panikkai, S., Nurmalina, R., Mulatsih, S. and Purwati, H. 2017. Analysis of National Corn Availability to Become Self-sufficiency Through Dynamic Model Approach. *Informatika Pertanian*. 26(1): 41–48.
- Pinto, J. F. N., Candido, W. D. S., Pinto, J. F. N., and Reis, E. D. 2019. Adaptability and Stability in Maize Populations. *Agriculture Science*. Vol. 11(14): 23–31. doi: 10.5539/jas.v11n14p23.
- Poehlman, J. M dan D. A. Sleper. 1996. *Breeding Field Crops* (Ed 4). Iowa : Iowa State University Press.
- Priyanto, S. B., Azrai, M., and Syakir, M. 2018. Genetic variance, heritability, and path analysis on single crosses hybrid maize agronomic characters. *Agriculture Food Information*. 27(1): 1–9. doi: 10.21082/ip.v27n1.2018.p1-8.
- Putri, N. E., Wahyu, Y., Sutjahjo, S. H., Trikoesoemaningtyas, T., Nur, A., & Suwarno, W. B. Potensi Segregan Transgresif Berdaya Hasil Tinggi Pada Beberapa Kombinasi Persilangan Gandum. *Jurnal Agroteknologi*, 12(2), 81-90.

- Rahimi, M., and Debnath, S. 2023. Estimating optimum and base selection indices in plant and animal breeding programs by developing new and simple SAS and R codes. *Scientific Reports*. 13: 1–8. doi: 10.1038/s41598-023-46368-6.
- Rahimi, M., and Hernandez, M. V. 2022. A SAS code to estimate phenotypic-genotypic covariance and correlation matrices based on the expected value of statistical designs for plant breeding. *Anais da Academia Brasileira de Ciências*. 94(1): 1–9. Doi: 10.1590/0001-3765202220200001.
- Ramos HCC, Pereira MG, Viana AP, Da Luz LN, Cardoso DL, Ferreguetti GA. 2014. Seleksi gabungan pada populasi persilangan balik tanaman pepaya (*Carica papaya* L.) dengan metodologi model campuran. *Am J Tanaman Sci* 5 (20): 2973-2983. DOI: 10.4236/ajps.2014.520314.
- Rezaeieh, K. A. and A. Eivazi, 2011. Evaluation of morphological characteristics in five Persian maize (*Zea mays* L.) under drought stress. *African Journal of Agricultural Research* 6(18): 4409-4411
- Rotarenco, V., Dicu, G., Mihailov, M., & State, D. (2012). Selection and breeding experiments at the haploid level in maize (*Zea mays* L.). *Journal of Plant Breeding and Crop Science*, 4(5), 72-79.
- Roy, S., Chatterjee, S., Hossain, M. A., Basfore, S., and Karak, C. 2019. Path analysis study and morphological characterization of sweet pepper (*Capsicum annuum* L. var. *grossum*). *Chemical Studies*. 7(1): 1777–1784.
- Sa'adah, F. L., Kusmiyati, F., dan Anwar, S. 2022. Karakterisasi keragaman dan analisis kekerabatan berdasarkan sifat agronomi jagung berwarna (*Zea mays* L.). *Jurnal Ilmiah Pertanian*, 19(2), 126-136.
- Silva MF, Maciel GM, Finzi RR, Peixoto JVM, Rezende WS, Castoldi R. 2020. Indeks seleksi sifat agronomi dan kimia dalam pemilahan populasi jagung manis. *Bra Hortik* 38: 71-77. DOI: 10.1590/S0102-053620200111
- Singh, R. K., and B. D Chaudhary. 1979. *Biometrical methods in quantitative genetic analysis*. New Delhi: Kalyani Publisher. Page: 54.
- Siswati A, Basuki N, Sugiharto AN. 2015. Karakterisasi beberapa galur inbrida pakan jagung (*Zea mays* L.). *Jurnal Produksi Tanaman* 3 (1): 19-26. DOI: 10.21176/protan.v3i1.164. [Indonesia]
- Suarni dan Widowati S. 2005. *Struktur, komposisi dan nutrisi jagung*. Balitpasca, Bogor-ID.
- Sujiprihati, S., Syukur, M., Makkulawu, A. T., & Iriany, R. N. 2012. Perakitan Varietas Hibrida Jagung Manis Berdaya Hasil Tinggi Dan Tahan Terhadap Penyakit Bulai. *Jurnal Ilmu Pertanian Indonesia*, 17(3), 159-165.
- Supriyanta, B., Wicaksono, D., & Suryotomo, A. P. 2020. *Teknik Budidaya Dan Pemuliaan Tanaman Jagung Manis*. Penerbit Lp2km Upn Veteran Yogyakarta.
- Syukur, M., S. Sujiprihati dan R. Yuniarti. 2015. *Teknik Pemuliaan Tanaman Edisi Revisi*. Jakarta : Penebar Swadaya.
- Wicaksana, N., Maulana, H., Yuwariah, Y., Ismail, A., Ruswandi, Y. A. R., and Ruswandi, D. 2022. Selection of High Yield and Stable Maize Hybrids in Mega-Environments of Java Island, Indonesia. *Agronomy*. 12: 1–18. doi: 10.3390/ agronomy12122923 Academic.

- Wolde, L., and Keno², T. 2018. Mega-Environment targeting of maize varieties using ammi and gge bi-plot analysis in ethiopia maize (*Zea mays L.*) is the world's most widely grown cereal and is the primary. *Ethiopian Journal of Agricultural Sciences*. 28(2): 65–84. <https://hdl.handle.net/10883/19947>
- Wulan WPN, Yulianah I, Damanhuri. 2017. Penurunan ketegaran (inbreeding depression) pada generasi F1, S1 dan S2 populasi tanaman jagung (*Zea mays L.*). *Jurnal Produksi Tanaman* 5 (3): 521-530. [Indonesia]
- Yahaya MS, Bello I, Unguwanrimi AY. 2021. Correlation and path-coefficient analysis for grain yield and agronomic traits of maize (*Zea mays L.*). *Science World Journal*, 16(1), 10-13.
- Zahro, J. dan S. Lita, 2019. Keseragaman pada Sembilan Galur Jagung Manis (*Zea mays L. saccharata* Sturt) Generasi S5. *Jurnal Produksi Tanaman*, 7 (4) : 652 - 659.
- Zhang, A., Pérez-Rodríguez, P., San Vicente, F., Palacios-Rojas, N., Dhliwayo, T., Liu, Y., Cui, Z., Guan, Y., Wang, H., Zheng, H., Olsen, M., Prasanna, B. M., Ruan, Y., Crossa, J. and Zhang, X. 2022. Genomic prediction of the performance of hybrids and the combining abilities for line-by-tester trials in maize. *Crop Journal*. 10(1): 109–116. doi: 10.1016/j.cj.2021.04.007.