

- Abdel-Shafy, H., Makki, A., & Mansour, M. (2015). Anaerobic/aerobic treatment of greywater via UASB and MBR for unrestricted reuse. *Water Science and Technology: A Journal of the International Association on Water Pollution Research*, 71, 630-637. <https://doi.org/10.2166/wst.2014.504>
- Afifah, A.S., Suryawan, I.W.K., 2020. Kinetik Penyisihan COD dan Perumbuhan Biomassa pada Aplikasi Lumpur Aktif pada Air Limbah Industri Tahu. *Jurnal Ilmu Alam dan Lingkungan*. 11 (1). 47-56
- Ahmed, H., & Vilko, M. et al. 2024. Activated Sludge Model No. 1 calibration for a paper mill wastewater treatment plant in Finland. *Case Studies in Chemical and Environmental Engineering*, 9, 100610. <https://doi.org/10.1016/j.cscee.2024.100610>
- Arofah, R.U., Muskananfolo, M, R., Jati, O, E., 2018. Hubungan Antara Tekstur Sedimen, Kandungan Bahan Organik dan Kelimpahan Makrozoobenthos di Perairan Muara Banjir Kanal Barat, Semarang. *JOURNAL OF MAQUARES*. 7 (4). 387-396. DOI: <https://doi.org/10.14710/marj.v7i4.22573>
- Atima, W. 2015. BOD dan COD sebagai Parameter Pencemaran Air dan Baku Mutu Air Limbah. *Biologi Sel*. 4 (1). 83-98.
- Baban, Murat Hocoğlu, S., Atasoy Aytış, E., Gunes, Ayaz, S., & Regelsberger, M. 2010. Grey water treatment and reuse by using RBC: A kinetic approach. *Desalination and Water Treatment*, 23, 89-94. <https://doi.org/10.5004/dwt.2010.1955>
- Borah, S. J., Monika, Ram, R., Kumar, V., & Dubey, K. K. et al. 2023. Leakage of surfactants in greywater: Environmental impact, mitigation, and their circular economy. *Journal of Environmental Chemical Engineering*, 11(5), 110715. <https://doi.org/https://doi.org/10.1016/j.jece.2023.110715>
- Butler, J.B., Suyasa, I.W.B., Negara, I.M.S., et al. 2022. Penurunan COD, BOD, TSS, Amonia, dan Koliform Air Limbah Rumah Potong Hewan dengan Biofilter Aerobic Fixed-Bed Reactor dan Klorinasi. *JURNAL KIMIA (JOURNAL OF CHEMISTRY)*. 16 (2). DOI: <https://doi.org/10.24843/JCHEM.2022.v16.i02.p07>
- Comez, F.O. Schacki, A., Vacula, J., Barta, J. Zidkova, L., Lexa, M., Kominkova, D., et al. 2024. Biochar as a Superior MAterial for Enhancing the Performance And Microbial Diversity in Biofilters Treating Greyawter. *Journal of Water Process Engineering*, 59, 105066. <https://doi.org/https://doi.org/10.1016/j.jwpe.2024.105066>
- Collivignarelli, M. C., Abbà, A., Carnevale Miino, M., Arab, H., Bestetti, M., & Franz, S. (2020). Decolorization and biodegradability of a real pharmaceutical wastewater treated by H2O2-assisted photoelectrocatalysis on TiO2 meshes. *Journal of Hazardous Materials*, 387, 121668. <https://doi.org/https://doi.org/10.1016/j.jhazmat.2019.121668>

- Dalahmeh, S.S., Pell, M. Hylander, L.D., Lalander, C. Vinneras, B. Jonsson, H., et al. 2014. Effect of changing hydraulic and organic loading rates on pollutant reduction in bark, charcoal, and sand filters treating greywater. *J. Environ Manage.* 132: 338-45.
- Eriksson, E., Auffarth, K., Henze, M., Ledin, A. et al., 2002. Characteristics of grey wastewater *Urban Water.* 4. 85–104.
- Faradillah, V.N.K. Pujiastuti, P. 2022. Potensi Pencemaran Minyak dan Lemak dari Air Limbah Rumah Makan. *Jurnal Kimia dan Rekayasa.* 3(1). 11-20
- Friedler, E., Hadari, M. 2006. Economic feasibility of on-site greywater reuse in multistorey buildings, *Desalination* 190 (1–3) 221–234, <https://doi.org/10.1016/j.desal.2005.10.007>.
- Ginting, P. 1995. Menengah dan Mengendalikan Pencemaran Industri Perdana Ginting. *Jakarta Pustaka Sinar Harapan.* Jakarta.
- Gulyas, H., Jorge, C.F.L., Reich, M., Otterpohl, R. (2013). Reclaiming Biologically Pretreated Greywater for Reuse by Photocatalytic Oxidation: Qualitative Study on the Removal of Trace Organics. *Journal of Water Resource and Protection.* 5(6). DOI: [10.4236/jwarp.2013.56058](https://doi.org/10.4236/jwarp.2013.56058)
- Gross, J.J. 2015. Emotion regulation: Current status and future prospects. *Psychological Inquiry.* 26(1). 1-26
- Hariyanto, T., Budianto, S. 2018. Analisis Sebaran Total Suspended Solids (Tss) Dampak Bencana Lumpur Sidoarjo Menggunakan Citra Landsat Multi Temporal (Studi Kasus : Sungai Porong, Sidoarjo). *Geoid.* 13(1):130-135. doi:[10.12962/j24423998.v13i1.3627](https://doi.org/10.12962/j24423998.v13i1.3627)
- Handayani, N.I., 2015. Pemanfaatan Konsorsium Mikroba Untuk Meningkatkan Kinerja Sistem Lumpur Aktif. *Jurnal Riset Teknologi Pencegahan Pencemaran Industri.* 6 (1). 17-22
- Heshammuddin, N.A., Al-Gheethi, A., Mohamed, R.M.S.R., Hairul Bin Khamidun, M. et al., 2023. Eliminating xenobiotics organic compounds from greywater through green synthetic nanoparticles. *Environmental Research.* 222. <https://doi.org/10.1016/j.envres.2023.115316>
- Hibban, M., Rezagama, A., Purwono, P., et al. 2016. Studi Penurunan Konsentrasi Amonia dalam Limbah Cair Domestik dengan Teknologi Biofilter Aerobmedia Tubular Plastik pada Awal Pengolahan. *Jurnal Teknik Lingkungan.* 5 (2). 1-9.
- Horikoshi, S., Hidaka, T., Nishimura, F., & Kishimoto, N. et al. 2024. Development of separation and recovery technology of cultured *Euglena gracilis* using activated sludge for anaerobic digestion. *Bioresource Technology Reports,* 25, 101790. <https://doi.org/https://doi.org/10.1016/j.biteb.2024.101790>
- Kementerian Pertanian. 2010. Peraturan Menteri Pertanian Nomor 13/permentan/Ot.140/1/2010 tentang Persyaratan Rumah Potong hewan Ruminansia dan Unit Penanganan Daging (Meat Cutting Plant)

- Jena, G., Dutta, K., & Daverey, A. (2023). Surfactants in water and wastewater (greywater): Environmental toxicity and treatment options. *Chemosphere*, 341, 140082. <https://doi.org/https://doi.org/10.1016/j.chemosphere.2023.140082>
- Kariuki, F.W., Kotut, K., Nganga V.G., et al. 2011. The Potential of a Low COst Technology for The Greywater Treatment. *The Open Environmental Engineering Journal*. 4. 32-29.
- Khanam, K., Patidar S.K. 2022. Greywater Charateristic in Developed and Developing Countries. *Materials Today: Proceedings*. 57 (4). 1494-1499. <https://doi.org/https://doi.org/10.1016/j.matpr.2021.12.022>
- Kholif, M, A. 2020. *Pengolahan Air Limbah Domestik*. Scopindo Media Pustaka: Surabaya
- Khuriyah, F.A., Nabila, A.S., Billah, M., Nandini, A., et al. 2023. Pengolahan Limbah Cair Industri Tahu Secara Aerob Menggunakan Lumpur Aktif. *SEMINAR NASIONAL TEKNIK KIMIA SOEBARDJO BROTOHARDJONO XIX*
- Kiding, A., Khitimah, S., Linda, R, et al. 2015. Karakterisasi dan Kepadatan Bakteri Nitrifikasi pada Tingkat Kematangan Tanah Gambut yang Berbeda di Kawasan Hutan Lindung Gunung Ambawang Kabupaten Kubu Raya. *Protobiont*. 4 (1): 17-21.
- Kuroda, K., Tomita, S., Kurashita, H., Hatamoto, M., Yamaguchi, T., Hori, T., Aoyagi, T., Sato, Y., Inaba, T., Habe, H., Tamaki, H., Hagihara, Y., Tamura, T., & Narihiro, T. et al. 2023. Metabolic implications for predatory and parasitic bacterial lineages in activated sludge wastewater treatment systems. *Water Research X*, 20, 100196. <https://doi.org/https://doi.org/10.1016/j.wroa.2023.100196>
- Lewis, R., Scott, R., Bala, B., Jahan, H., Bartram, J., & Radu, T. et al. 2024. Household water use and greywater management in Khulna city, Bangladesh. *International Journal of Hygiene and Environmental Health*, 259, 114376. <https://doi.org/https://doi.org/10.1016/j.ijheh.2024.114376>
- Li, P., Hu, X., Yuan, J., Sun, F., Li, P., Dong, W., Du, E., & Peng, M. et al. 2024. Life cycle and environmental impact assessment of vegetation-activated sludge process (V-ASP) for decentralized wastewater treatment. *Current Research in Biotechnology*, 7, 100172. <https://doi.org/https://doi.org/10.1016/j.crbiot.2023.100172>
- Lu, J., Lu, Q., Hu, Q., & Qiu, B. et al. 2024. Recovery of organic matters by activated sludge from municipal wastewater: Performance and characterization. *Environmental Research*, 252, 118829. <https://doi.org/https://doi.org/10.1016/j.envres.2024.118829>
- Maimon, A., Arye, G., & Gross, A. et al. 2023. Greywater irrigation and soil quality: An assessment framework adjustment and application. *Soil &*

- Maliga, I., Asdak, C., and Winata, E, Y., 2021. Analisis Keberlanjutan Pengendalian Pencemaran Air Limbah Domestik greywater Menggunakan Teknologi Lahan Basah Buatan. *Jurnal Sumber Daya Air*. 17 (1). 13-24
- Maharani, V.S. 2017. Studi Literatur: Pengolahan Minyak dan Lemak Limbah Industri. Skripsi. Surabaya: Institut Teknologi Sepuluh Nopember.
- Mahida, U.N. 1989. Pencemaran Air dan Pemanfaatan Limbah Industri. *Rajawali*. Jakarta.
- Marshellina, A.R., Oktiawan, W., Wardana, I.W., et al. 2015. Pengolahan Limbah Potong Hewan (RPH) Menjadi Pupuk Cair yang Diperkaya dengan Unsur Magnesium (Mg) yang Berasal dari Limbah Garam (*Bittern*). *Jurnal Teknik Lingkungan*. 4 (3) . 1-10
- Megasari, R., Biyatmoko, D., Ilham, W., and Hadie, J., 2012. Identifikasi Keragaman Jenis Bakteri pada Jenis Proses Pengolahan Limbah Cair Industri Minuman Dengan Lumpur Aktif Limbah Tahu. *EnviroScienceteae*. 8 (2).
- Mukhtar G., Iwan R., Mina N., and Tintin, S.R, 2017. Pemanfaatan Nutrisi Terfermentasi untuk Penurunan Kadar COD/BOD Air Limbah Industri. *Jurnal Industrial Servicess*. 3(1b): 231-234.
- Nazif, S., Naeeni, S., Akbari, Z., Fateri, S., & Moallemi, M. et al. 2023. Development of data-driven models for the optimal design of multilayer sand filters for on-site treatment of greywater. *Journal of Environmental Management*, 348, 119241. <https://doi.org/10.1016/j.jenvman.2023.119241>
- Ngo, P. L., Young, B. R., Brian, K., & Baroutian, S. et al. 2023. Thermal hydrolysis of primary sludge and waste activated sludge mixture: Biogas production and formation of inhibitors. *Journal of Cleaner Production*, 428, 139354. <https://doi.org/https://doi.org/10.1016/j.jclepro.2023.139354>
- Notowinarto, N., Agustina, F. 2015. Pupulasi Bakteri Heterotrof di Perairan Pulau Bulang Batam. *Jurnal Pendidikan Indonesia*. 1 (3): 334-342
- Nourmohammadi, et al. 2013. Nitrogen Removal in a Full-Scale Domestic Wastewater Treatment Plant With Activated Sludge and Trickling Filter. *Journal of Environmental and Public Health*. 2013 (1): 1-6.
- Nuansawan, N., Witthayaphirom, C., Chiemchaisri, C., & Shoda, M. et al. 2023. Removals of emerging contaminants from municipal waste leachate by *Alcaligenes faecalis* no.4 and acclimated activated sludge cultures. *Case Studies in Chemical and Environmental Engineering*. 8. 100524. <https://doi.org/https://doi.org/10.1016/j.csee.2023.100524>
- Pamungkas, M.T. 2016 Oktafeni Atur. Studi Pencemaran Limbah Cair dengan Parameter BOD dan pH di Pasar Ikan Tradisional dan Pasar Modern di

- Kota Semarang. *JURNAL KESEHATAN MASYARAKAT (e-journal)*. 4 (2): 166-175
- Patil, Y., Priya B.S., L., Sonawane, S. H., & Shyam, P. et al. 2023. Comparative performance of Fenton and cavitation assisted Fenton techniques for effective treatment of greywater. *Journal of Environmental Chemical Engineering*, 11(5), 110667. <https://doi.org/https://doi.org/10.1016/j.jece.2023.110667>
- Peraturan Menteri Pertanian Republik Indonesia Nomor 13 / Permentan/OT.140/1/2010 tentang Persyaratan Rumah Potong Hewan Ruminansia dan Unit Penanganan Daging (*Meat Cutting Plant*)
- Pidou, M., Avery, L., Stephenson, T., Jeffrey, P., Parsons S.A., Liu, S., Memon, F.A., Jefferson, B. et al. (2008). Chemical solutions for greywater recycling. *Chemosphere*. 71(1). 147-55.
- Pranoto, K., Widia Rahmawati Pahilda, W.R., Abfertiawan, M.S., Elistyandari, A., Sutikno, A., et al. 2019. Teknologi Lumpur Aktif dalam Pengolahan Air Limbah Pemukiman Karyawan dan Perkantoran PT Kaltim Prima Coal. PROSIDING TPT XXVIII PERHAPI.
- Razi, M.A.M., Al-Gheethi, A., Al-Qaini, A., Yousef, A., et al. Efficiency of activated carbon from palm kernel shell for treatment of greywater. *Arab Journal of Basic and Applied Sciences*. 25 (3). 103-110.
- Ramadani, R., Samsunar, S., & Utami, M. et al. 2021. Analisis Suhu, Derajat Keasaman (pH), Chemical Oxygen Demand (COD), dan Biological Oxygen Demand (BOD) dalam Air Limbah Domestik di Dinas Lingkungan Hidup Sukoharjo. *INDONESIAN JOURNAL OF CHEMICAL RESEARCH*, 6(1), 12–22. <https://doi.org/10.20885/ijcr.vol6.iss1.art2>
- Reynolds, R. Unit Operations and Processes in Environmental Engineering (2nd Edision). USA: International Thompson Publishing. 1996;4(628.162 R333u Ej. 1).<http://repositori.usu.ac.id/handle/123456789/11630>
- Rifaini, I., Noerhayati, E., 2024. Anaerobic baffled reactor (ABR) Pengolahan Air Limbah Komunal pada Pesantren Salafiyah Syafi'iyah di Situbondo. *JYOA Journal of Youth an Outdoor Activities*. 1 (1): 10-19
- Rizaluddin, A.T., Purwati, S., 2018. Potensi Selulase dan Pengaruh Laju Pembebanan pada Efektivitas Pengolahan Air Limbah Kertas Proses Lumpur Aktif. *Jurnal Selulosa*. 8 (2). 61-76
- Said, N. I., Utomo, K., 2007 Pengolahan Air Limbah Domestik dengan Proses Lumpur Aktif yang Diisi dengan Media Bioball. *Jurnal Air Indonesia*. 3 (2). 160-174
- Sabaaturohma, C., Gelgel, K., & Suada, I. et al. 2020. Jumlah Cemarkan Bakteri Coliform dan Non-Coliform pada Air di RPU di Denpasar Melampaui Baku Mutu Nasional. *Indonesia Medicus Veterinus*. 9 (1): 139-147. doi:10.19087/imv.2020.9.1.139

- Saeni, M.S. 1989. Kimia Lingkungan. Pusat Antar Universitas Ilmu Hayati Institut Pertanian Bogor, Bogor.
- Said, N. I., dan Utomo, K., 2007 Pengolahan Air Limbah Domestik dengan Proses Lumpur Aktif yang Diisi dengan Media Bioball Pengolahan Air Limbah Domestik dengan Proses Lumpur Aktif yang Diisi dengan Media Bioball. *Jurnal Air Indonesia*. 3 (2): 160-174.
- Said, N.I., Syabani, M.R. 2014. Penghilang Amonia Di Dalam Air Limbah Domestik Dengan Proses Moving Bed Biofilm Reactor (MBBR). *Jurnal Air Indonesia*. 7 (1): 44-65
- Santoso, A.D. 2018. Keragaan Nilai DO, BOD dan COD di Danau Bekas Tambang Batubara Studi Kasus pada Danau Sangatta North PT. KPC di Kalimantan Timur. *J Teknol Lingkungan*. 19(1):89-96. doi:[10.29122/jtl.v19i1.2511](https://doi.org/10.29122/jtl.v19i1.2511)
- Shankhwar, A., Ramola, S., Mishra, T., & Srivastava, Dr. R. et al. 2016. Grey water pollutant loads in residential colony and its economic management. *Renewables: Wind, Water, and Solar*, 2, 5. <https://doi.org/10.1186/s40807-014-0005-6>
- Situmorang, Manihar. *Kimia Lingkungan*. Depok:Rajawali Pres, 2017.
- Smyk, J., & Ignatowicz, K. 2017. The Influence Of Molasses On Nitrogen Removal In Wastewater Treatment With Activated Sludge. *Journal Ecological EGINEERING*. 18 (4): 199 – 203.
- Soedjono, W. 2018. Physicochemical Characteristic of Municipal Wastewater in Tropical Area: Case Study of Surabaya City, Indonesia. IOP Conf. Series: Earth and Environmental Science 135 (2018) 012018 doi :10.1088/1755-1315/135/1/01201
- Setianingsih, N.I., Hermawan, D.W., Nilawati, et al., 2015. Pengolahan Air Limbah Kadar Garam Tinggi Dengan Sistem Lumpur Aktif. *Jurnal Riset Teknologi Pencegahan Pencemaran Industri*. 6 (2). 45-50
- Sudaryati, N.L.G., Kasa, I.W., Suyasa, I. W. B., et al. 2012. Pemanfaatan Sedimen Perairan Tercemar Sebagai Bahan Lumpur Aktif Dalam Pengolahan Limbah Cair Industri Tahu. *ECOTROPHIC: Jurnal Ilmu Lingkungan (Journal of Environmental Science)*. 3 (1). 21-9
- Sudaryati, N.L.G. 2021 . *Monograf Sedimen Perairan Tercemar Sebagai Bahan Lumpur Aktif Dalam Pengolahan Limbah Cair Industri Tahu*. CV: Media Sains Indonesia.
- Suastuti, N G. A. Adhi, M. D., Simpen, I. N., Ayumi, N., et al. 2015. Efektivitas Penurunan Kadar Sulfaktan Liner Alkil Sulfonat (LAS) dan COD dari Limbah Cair Domestik dengan Metode Lumpur Aktif. *JURNAL KIMIA*. 9 (1). 86-92
- Titiresmi, 2009. Proses Pembenuhan dan Aklimatisasi Mikroorganismen dari Limbah Pabrik Permen untuk Lumpur Aktif. *Jurnal Rekayasa Lingkungan*. Vol 2 (2): 77-184.

- Wang, C., Wang, G., Xie, S., Dong, Z., Zhang, L., Zhang, Z., Song, J., & Deng, Y. et al. 2023. Phosphorus-rich biochar modified with *Alcaligenes faecalis* to promote U(VI) removal from wastewater: Interfacial adsorption behavior and mechanism. *Journal of Hazardous Materials*, 454, 131484. <https://doi.org/https://doi.org/10.1016/j.jhazmat.2023.131484>
- World Health Organization (WHO). Guidelines for the safe use of wastewater, excreta and greywater. Volume 4, excreta and greywater use in agriculture. https://www.who.int/water_sanitation_health/publications/gsuweg4/en/, 2006
- Zevhiana, A.A., Rosariawari, F. 2023. Upaya Pengelolaan dan Pemanfaatan Air Limbah Domestik Pada Industri AMDK dan *Beverages*. *CHEMVIRO: Jurnal Kimia dan Ilmu Lingkungan*. 1 (2). 36-4