

DAFTAR PUSTAKA

- Adhikari, M., Koirala, S., & Anal, A. K. (2023). Edible multilayer coating using electrostatic layer-by-layer deposition of chitosan and pectin enhances shelf life of fresh strawberries. *International Journal of Food Science and Technology*, *58*(2), 871–879. <https://doi.org/10.1111/ijfs.15704>
- Ahsan, M., Ashraf, H., lahtisham-Ul-Haq, Liaquat, A., Nayik, G. A., Ramniwas, S., Alfarraj, S., Ansari, M. J., & Gere, A. (2024). Exploring pectin from ripe and unripe Banana Peel: A novel functional fat replacers in muffins. *Food Chemistry: X*, *23*, 101539. <https://doi.org/https://doi.org/10.1016/j.fochx.2024.101539>
- Akhter, M. J., Sarkar, S., Sharmin, T., & Mondal, S. C. (2024). Extraction of pectin from powdered citrus peels using various acids: An analysis contrasting orange with lime. *Applied Food Research*, *4*(2). <https://doi.org/10.1016/j.afres.2024.100614>
- Alancay, M. M., Lobo, M. O., Quinzio, C. M., & Iturriaga, L. B. (2017). Extraction and physicochemical characterization of pectin from tomato processing waste. *Journal of Food Measurement and Characterization*, *11*(4), 2119–2130. <https://doi.org/10.1007/s11694-017-9596-0>
- Amelia, S. T. W., Adiningsih, S. N., Nurtono, T., Setyawan, H., Ogi, T., Septiani, E. L., & Widiyastuti, W. (2024). Exploring citric acid cross-linking: achieving optimal properties in cellulose–gelatin films for antimicrobial biopolymer applications. *Journal of Materials Science*, *59*(48), 22327–22343. <https://doi.org/10.1007/s10853-024-10481-2>
- Antoniou, J., Liu, F., Majeed, H., Qazi, H. J., & Zhong, F. (2014). Physicochemical and thermomechanical characterization of tara gum edible films: Effect of polyols as plasticizers. *Carbohydrate Polymers*, *111*, 359–365. <https://doi.org/https://doi.org/10.1016/j.carbpol.2014.04.005>
- Arabestani, A., Kadivar, M., Shahedi, M., Goli, S. A. H., & Porta, R. (2013). Properties of a new protein film from bitter vetch (*Vicia ervilia*) and effect of CaCl₂ on its hydrophobicity. *International Journal of Biological Macromolecules*, *57*, 118–123. <https://doi.org/https://doi.org/10.1016/j.ijbiomac.2013.02.020>
- Bahramian, B., Abedi-Firoozjah, R., Kiani-Salmi, N., Azizian, A., Dorud, N., Mohammad Ali Noori, S., Hashemi, M., Assadpour, E., Tavassoli, M., Sadeghi, E., Zhang, F., & Jafari, S. M. (2024). Multifunctional performance of gallic acid in biodegradable food packaging films and coatings: Mechanisms, developments, applications, and horizons. *European Polymer Journal*, *221*(October), 113559. <https://doi.org/10.1016/j.eurpolymj.2024.113559>

- Baraiya, K., Yadav, V. K., Choudhary, N., Ali, D., Raiyani, D., Chowdhary, V. A., Aloopampil, S., Pandya, R. V., Sahoo, D. K., Patel, A., & Tank, J. G. (2023). A Comparative Analysis of the Physico-Chemical Properties of Pectin Isolated from the Peels of Seven Different Citrus Fruits. In *Gels* (Vol. 9, Issue 11). <https://doi.org/10.3390/gels9110908>
- Beck, B. H., Yildirim-Aksoy, M., Shoemaker, C. A., Fuller, S. A., & Peatman, E. (2019). Antimicrobial activity of the biopolymer chitosan against *Streptococcus iniae*. *Journal of Fish Diseases*, 42(3), 371–377. <https://doi.org/https://doi.org/10.1111/jfd.12938>
- Biratu, G., Gonfa, G., Bekele, M., & Woldemariam, H. W. (2024). Extraction and characterization of pectin from coffee (*Coffea arabica* L.) pulp obtained from four different coffee producing regions. *International Journal of Biological Macromolecules*, 274, 133321. <https://doi.org/https://doi.org/10.1016/j.ijbiomac.2024.133321>
- Bocker, R., & Silva, E. K. (2024). Sustainable pectin-based film for carrying phenolic compounds and essential oil from *Citrus sinensis* peel waste. *Food Bioscience*, 61, 104526. <https://doi.org/https://doi.org/10.1016/j.fbio.2024.104526>
- Cabrera-Barjas, G., Albornoz, K., Belchi, M. D. L., Giordano, A., Bravo-Arrepol, G., Moya-Elizondo, E., Martin, J. S., Valdes, O., & Nesic, A. (2024). Influence of chitin nanofibers and gallic acid on physical-chemical and biological performances of chitosan-based films. *International Journal of Biological Macromolecules*, 263, 130159. <https://doi.org/https://doi.org/10.1016/j.ijbiomac.2024.130159>
- Celus, M., Kyomugasho, C., Van Loey, A. M., Grauwet, T., & Hendrickx, M. E. (2018). Influence of Pectin Structural Properties on Interactions with Divalent Cations and Its Associated Functionalities. *Comprehensive Reviews in Food Science and Food Safety*, 17(6), 1576–1594. <https://doi.org/https://doi.org/10.1111/1541-4337.12394>
- Chaichi, M., Badii, F., Mohammadi, A., & Hashemi, M. (2023). Novel Bioactive Composite Films Based on Pectin-Nanocellulose-Synergistic Triple Essential Oils: Development and Characterization. *Food and Bioprocess Technology*. <https://doi.org/10.1007/s11947-023-03036-x>
- Chinnathambi, S., Kumar, P. S., Shuprajhaa, T., Shiva, K. N., & Narayanan, S. (2024). Elucidation of techno-functional, structural and rheological characteristics of pectin extracted from the peel of different banana (*Musa. spp*) varieties. *International Journal of Biological Macromolecules*, 258, 128989. <https://doi.org/https://doi.org/10.1016/j.ijbiomac.2023.128989>
- Costa, E. M., Silva, S., Tavaría, F. K., & Pintado, M. M. (2017). Insights into chitosan antibiofilm activity against methicillin-resistant *Staphylococcus aureus*. *Journal of Applied Microbiology*, 122(6), 1547–1557.

<https://doi.org/10.1111/jam.13457>

- Cotrim, M. A. P., de Ferraz, M. R. F., & Ayres, E. (2024). Pectin Edible Film Obtained from Orange Peel: Characterization and Application to Improve the Quality of Minimally Processed Apples. *Macromolecular Symposia*, 413(6), 2400088.
<https://doi.org/https://doi.org/10.1002/masy.202400088>
- Dash, K. K., Ali, N. A., Das, D., & Mohanta, D. (2019). Thorough evaluation of sweet potato starch and lemon-waste pectin based-edible films with nano-titania inclusions for food packaging applications. *International Journal of Biological Macromolecules*, 139, 449–458.
<https://doi.org/https://doi.org/10.1016/j.ijbiomac.2019.07.193>
- de Oliveira Júnior, S. D., de Araújo, J. S., de Asevedo, E. A., de Medeiros, F. G. M., dos Santos, V. S., de Sousa Júnior, F. C., de Araújo, N. K., & dos Santos, E. S. (2023). Exploiting films based on pectin extracted from yellow mombin (*Spondias mombin* L.) peel for active food packaging. *Biomass Conversion and Biorefinery*, 13(3), 1565–1579.
<https://doi.org/10.1007/s13399-021-01321-3>
- Deshmukh, R. K., Kumar, P., Tanwar, R., & Gaikwad, K. K. (2022). Pectin-Polyvinylpyrrolidone Based Antimicrobial and Antioxidant Nanocomposite Film Impregnated with Titania Nanoparticles and Bael Shell Extract. *Food and Bioprocess Technology*, 15(12), 2839–2853.
<https://doi.org/10.1007/s11947-022-02922-0>
- Dirpan, A., Deliana, Y., Ainani, A. F., Irwan, & Bahmid, N. A. (2024). Exploring the Potential of Pectin as a Source of Biopolymers for Active and Intelligent Packaging: A Review. In *Polymers* (Vol. 16, Issue 19).
<https://doi.org/10.3390/polym16192783>
- Dirpan, A., Djalal, M., & Ainani, A. F. (2022). A Simple Combination of Active and Intelligent Packaging Based on Garlic Extract and Indicator Solution in Extending and Monitoring the Meat Quality Stored at Cold Temperature. *Foods*, 11(10), 1495.
- Dirpan, A., Hidayat, S. H., Djalal, M., Ainani, A. F., Yolanda, D. S., Kasmira, Khosuma, M., Solon, G. T., & Ismayanti, N. (2023). Trends over the last 25 years and future research into smart packaging for food: A review. *Future Foods*, 8, 100252.
<https://doi.org/https://doi.org/10.1016/j.fufo.2023.100252>
- Dridi, W., & Bordenave, N. (2021). Influence of polysaccharide concentration on polyphenol-polysaccharide interactions. *Carbohydrate Polymers*, 274, 118670.
<https://doi.org/https://doi.org/10.1016/j.carbpol.2021.118670>
- Du, Y., Sun, J., Wang, L., Wu, C., Gong, J., Lin, L., Mu, R., & Pang, J. (2019). Development of antimicrobial packaging materials by

incorporation of gallic acid into Ca²⁺ crosslinking konjac glucomannan/gellan gum films. *International Journal of Biological Macromolecules*, 137, 1076–1085.
<https://doi.org/https://doi.org/10.1016/j.ijbiomac.2019.06.079>

- Dubey, P., Tripathi, G., Mir, S. S., & Yousuf, O. (2023). Current scenario and global perspectives of citrus fruit waste as a valuable resource for the development of food packaging film. *Trends in Food Science & Technology*, 141, 104190.
<https://doi.org/https://doi.org/10.1016/j.tifs.2023.104190>
- Eça, K. S., Machado, M. T. C., Hubinger, M. D., & Menegalli, F. C. (2015). Development of Active Films From Pectin and Fruit Extracts: Light Protection, Antioxidant Capacity, and Compounds Stability. *Journal of Food Science*, 80(11), C2389–C2396.
<https://doi.org/https://doi.org/10.1111/1750-3841.13074>
- Ertan, K., Sahin, S., & Sumnu, G. (2024). Gallic acid crosslinked peanut protein-corn starch composite edible films produced at alkaline pH with ultrasound application. *Journal of Applied Polymer Science*, 141(18), e55322. <https://doi.org/https://doi.org/10.1002/app.55322>
- Espitia, P. J. P., Du, W.-X., Avena-Bustillos, R. de J., Soares, N. de F. F., & McHugh, T. H. (2014). Edible films from pectin: Physical-mechanical and antimicrobial properties - A review. *Food Hydrocolloids*, 35, 287–296. <https://doi.org/https://doi.org/10.1016/j.foodhyd.2013.06.005>
- Fang, Z., Lin, D., Warner, R. D., & Ha, M. (2018). Effect of gallic acid/chitosan coating on fresh pork quality in modified atmosphere packaging. *Food Chemistry*, 260, 90–96.
<https://doi.org/https://doi.org/10.1016/j.foodchem.2018.04.005>
- Firdaus, S., Ahmad, F., & Zaidi, S. (2024). Preparation and characterization of biodegradable food packaging films using lemon peel pectin and chitosan incorporated with neem leaf extract and its application on apricot fruit. *International Journal of Biological Macromolecules*, 263, 130358. <https://doi.org/https://doi.org/10.1016/j.ijbiomac.2024.130358>
- Fu, X., Chang, X., Ding, Z., Xu, H., Kong, H., Chen, F., Wang, R., Shan, Y., & Ding, S. (2022). Fabrication and Characterization of Eco-Friendly Polyelectrolyte Bilayer Films Based on Chitosan and Different Types of Edible Citrus Pectin. *Foods*, 11(21).
<https://doi.org/10.3390/foods11213536>
- Fu, X., Chang, X., Xu, S., Xu, H., Ge, S., Xie, Y., Wang, R., Xu, Y., Luo, Z., Shan, Y., & Ding, S. (2024). Development of a chitosan/pectin-based multi-active food packaging with both UV and microbial defense functions for effectively preserving of strawberry. *International Journal of Biological Macromolecules*, 254(P2), 127968.
<https://doi.org/10.1016/j.ijbiomac.2023.127968>

- Gamonpilas, C., Buathongjan, C., Kirdsawasd, T., Rattanaprasert, M., Klomtun, M., Phonsatta, N., & Methacanon, P. (2021). Pomelo pectin and fiber: Some perspectives and applications in food industry. *Food Hydrocolloids*, *120*, 106981. <https://doi.org/https://doi.org/10.1016/j.foodhyd.2021.106981>
- Ganjeh, A. M., Saraiva, J. A., Pinto, C. A., Casal, S., & Gonçalves, I. (2024). Recent advances in nano-reinforced food packaging based on biodegradable polymers using layer-by-layer assembly: A review. *Carbohydrate Polymer Technologies and Applications*, *7*, 100395. <https://doi.org/https://doi.org/10.1016/j.carpta.2023.100395>
- Gao, L., Zhu, T., He, F., Ou, Z., Xu, J., & Ren, L. (2021). Preparation and Characterization of Functional Films Based on Chitosan and Corn Starch Incorporated Tea Polyphenols. In *Coatings* (Vol. 11, Issue 7). <https://doi.org/10.3390/coatings11070817>
- Gao, W., Liu, J., Zhang, P., Zeng, X., Han, Z., & Teng, Y. (2024). Physicochemical, structural and functional properties of pomelo peel pectin extracted by combination of pulsed electric field and cellulase hydrolysis. *International Journal of Biological Macromolecules*, *278*, 134469. <https://doi.org/https://doi.org/10.1016/j.ijbiomac.2024.134469>
- Gawkowska, D., Cieśla, J., Zdunek, A., & Cybulska, J. (2019). Cross-linking of diluted alkali-soluble pectin from apple (*Malus domestica* fruit) in different acid-base conditions. *Food Hydrocolloids*, *92*, 285–292. <https://doi.org/https://doi.org/10.1016/j.foodhyd.2019.02.010>
- Gemechu, B., Keyata, E. O., Geleta, T. E., Gemede, H. F., & Bayata, A. (2024). Optimization of mango peel pectin extraction (*Mangifera indica* L.): For the production of jam and jelly. *Applied Food Research*, *4*(1), 100411. <https://doi.org/https://doi.org/10.1016/j.afres.2024.100411>
- Ghobashy, M. M., Mousa, S. A. S., Siddiq, A., Nasr, H. M. D., Nady, N., & Atalla, A. A. (2023). Optimal the mechanical properties of bioplastic blend based algae-(lactic acid-starch) using gamma irradiation and their possibility to use as compostable and soil conditioner. *Materials Today Communications*, *34*(September 2022). <https://doi.org/10.1016/j.mtcomm.2023.105472>
- Girón-Hernández, J., Tombe, A., Chemban Koyilot, M., Salas-Calderón, K. T., Charlton, A., Wills, C., & Gentile, P. (2024). From cocoa waste to sustainable bioink: valorising pectin for circular economy-driven tissue engineering. *European Polymer Journal*, *210*, 112967. <https://doi.org/https://doi.org/10.1016/j.eurpolymj.2024.112967>
- Goudar, N., Vanjeri, V. N., Dixit, S., Hiremani, V., Sataraddi, S., Gasti, T., Vootla, S. K., Masti, S. P., & Chougale, R. B. (2020). Evaluation of multifunctional properties of gallic acid crosslinked Poly (vinyl alcohol)/Tragacanth Gum blend films for food packaging applications.

- International Journal of Biological Macromolecules*, 158, 139–149.
<https://doi.org/https://doi.org/10.1016/j.ijbiomac.2020.04.223>
- Halász, K., & Csóka, L. (2018). Black chokeberry (*Aronia melanocarpa*) pomace extract immobilized in chitosan for colorimetric pH indicator film application. *Food Packaging and Shelf Life*, 16, 185–193.
<https://doi.org/https://doi.org/10.1016/j.fpsl.2018.03.002>
- Hari, K. D., Garcia, C. V, Shin, G.-H., & Kim, J.-T. (2021). Improvement of the UV Barrier and Antibacterial Properties of Crosslinked Pectin/Zinc Oxide Bionanocomposite Films. In *Polymers* (Vol. 13, Issue 15).
<https://doi.org/10.3390/polym13152403>
- Hasan, M., Gopakumar, D. A., Olaiya, N. G., Zarlaida, F., Alfian, A., Aprinasari, C., Alfatah, T., Rizal, S., & Khalil, H. P. S. A. (2020). Evaluation of the thermomechanical properties and biodegradation of brown rice starch-based chitosan biodegradable composite films. *International Journal of Biological Macromolecules*, 156, 896–905.
<https://doi.org/10.1016/j.ijbiomac.2020.04.039>
- He, C., Sampers, I., & Raes, K. (2021). Isolation of Pectin from Clementine Peel: A New Approach Based on Green Extracting Agents of Citric Acid/Sodium Citrate Solutions. *ACS Sustainable Chemistry & Engineering*, 9(2), 833–843.
<https://doi.org/10.1021/acssuschemeng.0c07422>
- Hoque, M., Sarkar, P., & Ahmed, J. (2022). Preparation and characterization of tamarind kernel powder/ZnO nanoparticle-based food packaging films. *Industrial Crops and Products*, 178, 114670.
<https://doi.org/https://doi.org/10.1016/j.indcrop.2022.114670>
- Hossain, M. M., Ara, R., Yasmin, F., Suchi, M., & Zzaman, W. (2024). Microwave and ultrasound assisted extraction techniques with citric acid of pectin from Pomelo (*Citrus maxima*) peel. *Measurement: Food*, 13, 100135.
<https://doi.org/https://doi.org/10.1016/j.meafoo.2024.100135>
- Hosseini, S. S., Khodaiyan, F., & Yarmand, M. S. (2016). Optimization of microwave assisted extraction of pectin from sour orange peel and its physicochemical properties. *Carbohydrate Polymers*, 140, 59–65.
<https://doi.org/https://doi.org/10.1016/j.carbpol.2015.12.051>
- Huong, T. T., & Y Doan Trang, T. (2024). Optimization and Characterization Pectin Extraction from Rosy-Pulped Pomelo Using Ethanol Precipitation Method. *Ecological Engineering & Environmental Technology*, 25(8), 308–315.
<https://doi.org/10.12912/27197050/190081>
- Ji, R., Zhang, X., Chen, Z., Song, S., Li, Y., Zhang, X., & Zhang, W. (2024). Effect of metal cation crosslinking on the mechanical properties and

shrimp freshness monitoring sensitivity of pectin/carboxymethyl cellulose sodium/anthocyanin intelligent films. *Carbohydrate Polymers*, 340, 122285.

<https://doi.org/https://doi.org/10.1016/j.carbpol.2024.122285>

Jiang, H., Zhang, W., Khan, M. R., Ahmad, N., Rhim, J.-W., Jiang, W., & Roy, S. (2023). Film Properties of Pectin Obtained from Various Fruits' (Lemon, Pomelo, Pitaya) Peels. *Journal of Composites Science*, 7(9). <https://doi.org/10.3390/jcs7090366>

Kannan, A., Dheeptha, M., & Sistla, Y. S. (2023). Development of Pectin and Sodium Alginate Composite Films with Improved Barrier and Mechanical Properties for Food-Packaging Applications. *Engineering Proceedings*, 37(1). <https://doi.org/10.3390/ECP2023-14668>

Karim, R., Nahar, K., Zohora, F. T., Islam, M. M., Bhuiyan, R. H., Jahan, M. S., & Shaikh, M. A. A. (2022). Pectin from lemon and mango peel: Extraction, characterisation and application in biodegradable film. *Carbohydrate Polymer Technologies and Applications*, 4, 100258. <https://doi.org/https://doi.org/10.1016/j.carpta.2022.100258>

Kaur, K., & Kaul, S. (2024). *Pectin and Pectin Derivative-Based Films BT - Polysaccharide Based Films for Food Packaging: Fundamentals, Properties and Applications* (T. Amin, H. R. Naik, S. Z. Hussain, & S. M. Wani (eds.); pp. 219–241). Springer Nature Singapore. https://doi.org/10.1007/978-981-99-4898-7_9

Kiran, K., & Patil, K. N. (2024). Gallic acid inhibits *Staphylococcus aureus* RecA protein functions: Role in countering antibiotic resistance in bacteria. *Journal of Applied Microbiology*, 135(6), lxad227. <https://doi.org/10.1093/jambio/lxad227>

Kocakulak, S., Sumnu, G., & Sahin, S. (2019). Chickpea flour-based biofilms containing gallic acid to be used as active edible films. *Journal of Applied Polymer Science*, 136(26), 47704. <https://doi.org/https://doi.org/10.1002/app.47704>

Koksharov, S. A., Aleeva, S. V., & Lepilova, O. V. (2019). Description of adsorption interactions of lead ions with functional groups of pectin-containing substances. *Journal of Molecular Liquids*, 283, 606–616. <https://doi.org/https://doi.org/10.1016/j.molliq.2019.03.109>

Kumar, R., Park, K., Ahn, K., Ansari, J. R., Sadeghi, K., & Seo, J. (2024). Maleic acid crosslinked starch/polyvinyl alcohol blend films with improved barrier properties for packaging applications. *International Journal of Biological Macromolecules*, 271, 132495. <https://doi.org/https://doi.org/10.1016/j.ijbiomac.2024.132495>

Lan, W., Zhao, J., Sun, Y., Liu, J., & Xie, J. (2022). Chitosan-grafted-phenolic acid copolymers against *Shewanella putrefaciens* by

disrupting the permeability of cell membrane. *World Journal of Microbiology and Biotechnology*, 38(4), 73.
<https://doi.org/10.1007/s11274-022-03261-0>

- Lee, D.-S., & Je, J.-Y. (2013). Gallic acid-grafted-chitosan inhibits foodborne pathogens by a membrane damage mechanism. *Journal of Agricultural and Food Chemistry*, 61(26), 6574–6579.
- Lee, J., Kim, S., Bae, S., Shin, M., Kim, S., Kim, M., Shin, G., Kang, T., Jeong, H., Oh, D. X., & Park, J. (2024). Mimicking real-field degradation of biodegradable plastics in soil and marine environments : From product utility to end-of-life analysis. *Polymer Testing*, 131(October 2023), 108338.
<https://doi.org/10.1016/j.polymertesting.2024.108338>
- Lei, Y., Wu, H., Jiao, C., Jiang, Y., Liu, R., Xiao, D., Lu, J., Zhang, Z., Shen, G., & Li, S. (2019). Investigation of the structural and physical properties, antioxidant and antimicrobial activity of pectin-konjac glucomannan composite edible films incorporated with tea polyphenol. *Food Hydrocolloids*, 94, 128–135.
<https://doi.org/https://doi.org/10.1016/j.foodhyd.2019.03.011>
- Lei, Y., Yao, Q., Jin, Z., & Wang, Y.-C. (2023). Intelligent films based on pectin, sodium alginate, cellulose nanocrystals, and anthocyanins for monitoring food freshness. *Food Chemistry*, 404, 134528.
<https://doi.org/https://doi.org/10.1016/j.foodchem.2022.134528>
- Li, K., Guan, G., Zhu, J., Wu, H., & Sun, Q. (2019). Antibacterial activity and mechanism of a laccase-catalyzed chitosan–gallic acid derivative against *Escherichia coli* and *Staphylococcus aureus*. *Food Control*, 96, 234–243. <https://doi.org/https://doi.org/10.1016/j.foodcont.2018.09.021>
- Li, Q., Xu, J., Zhang, D., Zhong, K., Sun, T., Li, X., & Li, J. (2020). Preparation of a bilayer edible film incorporated with lysozyme and its effect on fish spoilage bacteria. *Journal of Food Safety*, 40(5), e12832.
<https://doi.org/https://doi.org/10.1111/jfs.12832>
- Li, T., Theodosopoulos, G., Lovell, C., Loukodimou, A., Maniam, K. K., & Paul, S. (2024). Progress in Solvent-Based Recycling of Polymers from Multilayer Packaging. In *Polymers* (Vol. 16, Issue 12).
<https://doi.org/10.3390/polym16121670>
- Lin, W., Zhang, Y., Huang, J., & Li, Z. (2024). Fluorescence and pectinase double-triggered chitosan/pectin/calcium propionate/curcumin- β -cyclodextrin complex film for pork freshness monitoring and maintenance. *International Journal of Biological Macromolecules*, 257, 128603. <https://doi.org/https://doi.org/10.1016/j.ijbiomac.2023.128603>
- Lin, X., Chen, S., Wang, R., Li, C., & Wang, L. (2023). Fabrication, characterization and biological properties of pectin and/or chitosan-

based films incorporated with noni (*Morinda citrifolia*) fruit extract. *Food Hydrocolloids*, 134, 108025.

<https://doi.org/https://doi.org/10.1016/j.foodhyd.2022.108025>

- Liu, B., Ye, H., Liang, Q., Jiang, L., Chen, M., & Yang, S. (2023). Development and characterization of pectin and chitosan films incorporated with a new cross-linking agent. *Journal of the Science of Food and Agriculture*, 103(4), 1964–1973. <https://doi.org/https://doi.org/10.1002/jsfa.12395>
- Lu, J., Wang, Z., Ren, M., Huang, G., Fang, B., Bu, X., Liu, Y., & Guan, S. (2016). Antibacterial effect of gallic acid against *Aeromonas hydrophila* and *Aeromonas sobria* through damaging membrane integrity. *Current Pharmaceutical Biotechnology*, 17(13), 1153–1158.
- Luo, D., Xie, Q., Chen, C., Mu, K., Wang, Z., Gu, S., & Xue, W. (2023). Increasing the pressure during high pressure homogenization regulates the starch digestion of the resulting pea starch-gallic acid complexes. *International Journal of Biological Macromolecules*, 235, 123820. <https://doi.org/https://doi.org/10.1016/j.ijbiomac.2023.123820>
- Ma, Y., Luo, J., & Xu, Y. (2019). Co-preparation of pectin and cellulose from apple pomace by a sequential process. *Journal of Food Science and Technology*, 56(9), 4091–4100. <https://doi.org/10.1007/s13197-019-03877-5>
- Mada, T., Duraisamy, R., & Guesh, F. (2022). Optimization and characterization of pectin extracted from banana and papaya mixed peels using response surface methodology. *Food Science and Nutrition*, 10(4), 1222–1238. <https://doi.org/10.1002/fsn3.2754>
- Mahmud, M. M., Belal, M., Ahmed, S., Hoque, M. M., & Zzaman, W. (2021). Microwave-assisted extraction and characterization of pectin from citrus fruit wastes for commercial application. *Food Research*, 5(5), 80–88. [https://doi.org/10.26656/fr.2017.5\(5\).592](https://doi.org/10.26656/fr.2017.5(5).592)
- Masuelli, M. A., & García, M. G. (2022). *Effect of Cross-Linking Agent on Mechanical and Permeation Properties of Criolla Orange Pectin* (M. A. Masuelli (ed.)). IntechOpen. <https://doi.org/10.5772/intechopen.102976>
- Monvisade, P., Jianprasert, A., Sintoppun, T., Yamaguchi, M., & Rukchonlatee, S. (2025). Photocrosslinked Poly(Vinyl Alcohol)–Tung Oil–Natural Rubber Films: A Sustainable Solution for Enhanced Water Resistance and Mechanical Properties in Biodegradable Packaging. *Journal of Applied Polymer Science*, n/a(n/a), e57030. <https://doi.org/https://doi.org/10.1002/app.57030>
- Mulla, M. Z., Ahmed, J., Vahora, A., & Pathania, S. (2023). Effect of pectin incorporation on characteristics of chitosan based edible films. *Journal of Food Measurement and Characterization*, 17(6), 5569–5581.

<https://doi.org/10.1007/s11694-023-02047-8>

- Muniasamy, R., Saravanan, K., Muruganantham, M. K., Thanjavur Kandavel, M., & Rathnasamy, S. (2025). Sustainable microwave-based eutectic mixture assisted purification of low-methoxy pectin and its role as an edible emulsifier in carrot jam preparation. *Food Chemistry*, 470, 142653. <https://doi.org/https://doi.org/10.1016/j.foodchem.2024.142653>
- Murayama, D., Tani, M., Ikeda, S., Palta, J. P., Pelpolage, S. W., Yamauchi, H., & Koaze, H. (2017). Effects of Calcium Concentration in Potato Tuber Cells on the Formation of Cross-Links between Pectin Molecules by Ca²⁺. *American Journal of Potato Research*, 94(5), 524–533. <https://doi.org/10.1007/s12230-017-9589-x>
- Naqash, F., Masoodi, F. A., Gani, A., Nazir, S., & Jhan, F. (2021). Pectin recovery from apple pomace: physico-chemical and functional variation based on methyl-esterification. *International Journal of Food Science & Technology*, 56(9), 4669–4679. <https://doi.org/https://doi.org/10.1111/ijfs.15129>
- Nguyen, C. T. K., Tran, K. Q., Nguyen, A. T. L., Dang, L. L. P., Le, H. N., Do, K. D., Duong, Q. X., Do, H. H., Nguyen, V. D., & Ngo, T. H. A. (2025). Nanoarchitectonics of antibacterial bio-packaging film from grapefruit peel-derived low methoxy Pectin integrated with silver nanoparticles. *Journal of Polymer Research*, 32(3), 90. <https://doi.org/10.1007/s10965-025-04314-2>
- Nguyen, Ho, H. T., Hoang, D., Nguyen, Q. A. P., & Tran, T. Van. (2024). Novel films of pectin extracted from ambarella fruit peel and jackfruit seed slimy sheath: Effect of ionic crosslinking on the properties of pectin film. *Carbohydrate Polymers*, 334, 122043. <https://doi.org/https://doi.org/10.1016/j.carbpol.2024.122043>
- Nguyen, Le, T. Q., Nguyen, T. T. A., Nguyen, L. T. M., Nguyen, D. T. C., & Tran, T. Van. (2022). Characterizations and antibacterial activities of passion fruit peel pectin/chitosan composite films incorporated Piper betle L. leaf extract for preservation of purple eggplants. *Heliyon*, 8(8). <https://doi.org/10.1016/j.heliyon.2022.e10096>
- Nur Zafirah A. Daud Fairuzeta Ja'afar, Hartini M. Yasin, Eny Kusriani, Anwar Usman, B. N. M. S. (2019). pH-Dependent Yield and Physicochemical Properties of Pectin Isolated from Citrus Maxima. *International Journal of Technology*, 10(6), 291–319. <https://doi.org/https://doi.org/10.14716/ijtech.v10i6.3595>
- OECD. (2022). *Global Plastics Outlook: Economic Drivers, Environmental Impacts and Policy Options*. OECD Publishing. <https://doi.org/https://doi.org/10.1787/de747aef-en>
- Paajanen, A., Vaari, J., & Verho, T. (2019). Crystallization of cross-linked

- polyethylene by molecular dynamics simulation. *Polymer*, 171, 80–86.
<https://doi.org/https://doi.org/10.1016/j.polymer.2019.03.040>
- Paudel, S., & Janaswamy, S. (2025). Use of alfalfa cellulose for formulation of strong, biodegradable film to extend the shelf life of strawberries. *International Journal of Biological Macromolecules*, 290, 139004.
<https://doi.org/https://doi.org/10.1016/j.ijbiomac.2024.139004>
- Paudel, S., Regmi, S., & Janaswamy, S. (2023). Effect of glycerol and sorbitol on cellulose-based biodegradable films. *Food Packaging and Shelf Life*, 37(February), 101090.
<https://doi.org/10.1016/j.fpsl.2023.101090>
- Penhasi, A., & Meidan, V. M. (2014). Preparation and characterization of in situ ionic cross-linked pectin films: Unique biodegradable polymers. *Carbohydrate Polymers*, 102, 254–260.
<https://doi.org/https://doi.org/10.1016/j.carbpol.2013.11.042>
- Pinkaew, T., Inthachat, W., Khemthong, C., Kemsawasd, V., On-Nom, N., & Temviriyankul, P. (2024). High Pectin Recovery from Cocoa Husks Using an Autoclave Approach: An Analysis of Its Physicochemical, Structural, and Genotoxicity Properties. In *Foods* (Vol. 13, Issue 5).
<https://doi.org/10.3390/foods13050669>
- Prachayawarakorn, J., & Poomkaew, S. (2020). Property Improvement of Biodegradable High-Methoxy Pectin Film by Different Contents of Dialdehyde Starch. *Journal of Polymers and the Environment*, 28(8), 2227–2235. <https://doi.org/10.1007/s10924-020-01767-y>
- Priyadarshi, R., Kim, S.-M., & Rhim, J.-W. (2021). Pectin/pullulan blend films for food packaging: Effect of blending ratio. *Food Chemistry*, 347, 129022. <https://doi.org/https://doi.org/10.1016/j.foodchem.2021.129022>
- Przybyszewska, A., Barbosa, C. H., Pires, F., Pires, J. R., Rodrigues, C., Galus, S., Souza, V. G., Alves, M. M., Santos, C. F., Coelho, I., & Fernando, A. L. (2023). Packaging of Fresh Poultry Meat with Innovative and Sustainable ZnO/Pectin Bionanocomposite Films—A Contribution to the Bio and Circular Economy. *Coatings*, 13(7).
<https://doi.org/10.3390/coatings13071208>
- Qiang, T., Ren, W., & Chen, L. (2024). Biodegradable, high mechanical strength, and eco-friendly pectin-based plastic film. *Food Hydrocolloids*, 149, 109539.
<https://doi.org/https://doi.org/10.1016/j.foodhyd.2023.109539>
- Qiao, C., Ma, X., Wang, X., & Liu, L. (2021). Structure and properties of chitosan films: Effect of the type of solvent acid. *LWT*, 135, 109984.
<https://doi.org/https://doi.org/10.1016/j.lwt.2020.109984>
- Qin, C., Li, Z., Zhang, J., Meng, H., & Zhu, C. (2024). Preparation, physicochemical properties, antioxidant, and antibacterial activities of

- quaternized hawthorn pectin films incorporated with thyme essential oil. *Food Packaging and Shelf Life*, 41, 101235.
<https://doi.org/https://doi.org/10.1016/j.fpsl.2023.101235>
- Rahman, M. S., Khan, S. S., Ahmed, M. W., Jony, M. E., Das, P. C., & Uddin, M. B. (2023). Extraction of pectin from Elephant Apple and Pomelo fruit peels: Valorization of fruit waste towards circular economy. *Food Chemistry Advances*, 3, 100544.
<https://doi.org/https://doi.org/10.1016/j.focha.2023.100544>
- Raspo, M. A., Gomez, C. G., & Andreatta, A. E. (2025). Thermal Treatment Inducing the Building Up of Tailor-Made Chitosan Films Containing Gallic Acid. *Journal of Polymer Science*, 63(5), 1197–1204.
<https://doi.org/https://doi.org/10.1002/pol.20240764>
- Regmi, S., & Janaswamy, S. (2025). Biodegradable packaging films from the alkali-extracted lignocellulosic residue of soyhulls extend the shelf life of strawberries. *Food Bioscience*, 65, 106016.
<https://doi.org/https://doi.org/10.1016/j.fbio.2025.106016>
- Reichembach, L. H., Guerrero, P., de Oliveira Petkowicz, C. L., & de la Caba, K. (2024). Valorization of pectins from coffee wastes for the development of pectin-chitosan films. *Carbohydrate Polymers*, 334, 122057. <https://doi.org/https://doi.org/10.1016/j.carbpol.2024.122057>
- Riaz, A., Lagnika, C., Luo, H., Dai, Z., Nie, M., Hashim, M. M., Liu, C., Song, J., & Li, D. (2020). Chitosan-based biodegradable active food packaging film containing Chinese chive (*Allium tuberosum*) root extract for food application. *International Journal of Biological Macromolecules*, 150, 595–604.
<https://doi.org/https://doi.org/10.1016/j.ijbiomac.2020.02.078>
- Riyamol, Gada Chengaiyan, J., Rana, S. S., Ahmad, F., Haque, S., & Capanoglu, E. (2023). Recent Advances in the Extraction of Pectin from Various Sources and Industrial Applications. *ACS Omega*, 8(49), 46309–46324. <https://doi.org/10.1021/acsomega.3c04010>
- Rui, L., Xie, M., Hu, B., Zhou, L., Yin, D., & Zeng, X. (2017). A comparative study on chitosan/gelatin composite films with conjugated or incorporated gallic acid. *Carbohydrate Polymers*, 173, 473–481.
<https://doi.org/https://doi.org/10.1016/j.carbpol.2017.05.072>
- Said, N. S., Olawuyi, I. F., Cho, H.-S., & Lee, W.-Y. (2023). Novel edible films fabricated with HG-type pectin extracted from different types of hybrid citrus peels: Effects of pectin composition on film properties. *International Journal of Biological Macromolecules*, 253, 127238.
<https://doi.org/https://doi.org/10.1016/j.ijbiomac.2023.127238>
- Silva, J. R. G., & de Resende, E. D. (2023). Potential of the passion fruit mesocarp flour as a source of pectin and its application as thickener

and gelling agent. *International Journal of Food Science and Technology*, 58(4), 1766–1774. <https://doi.org/10.1111/ijfs.16284>

- Singh, G., Singh, S., Kumar, B., & Gaikwad, K. K. (2021). Active barrier chitosan films containing gallic acid based oxygen scavenger. *Journal of Food Measurement and Characterization*, 15(1), 585–593. <https://doi.org/10.1007/s11694-020-00669-w>
- Souri, M., Ashenai, F., Fasihi, M., & Rajaei, P. (2023). An experimental study on the microstructural, tensile, and fracture properties of biodegradable polylactic acid blended with thermoplastic corn starch filled with halloysite nanotubes. *Industrial Crops & Products*, 201(November 2022), 116922. <https://doi.org/10.1016/j.indcrop.2023.116922>
- Sun, J., Chen, R., Zhang, S., Bai, Y., Zhao, P., Zhou, H., Long, M., Wang, X., Meng, Y. H., & Guo, Y. (2025). Pectin-containing lignocellulosic nanofibers isolated from young apples enhance chitosan preservation film with robust mechanical and barrier properties. *Food Hydrocolloids*, 162, 110978. <https://doi.org/https://doi.org/10.1016/j.foodhyd.2024.110978>
- Sun, X., Wang, Z., Kadouh, H., & Zhou, K. (2014). The antimicrobial, mechanical, physical and structural properties of chitosan–gallic acid films. *LWT - Food Science and Technology*, 57(1), 83–89. <https://doi.org/https://doi.org/10.1016/j.lwt.2013.11.037>
- Tao, Y., Qian, L.-H., & Xie, J. (2011). Effect of chitosan on membrane permeability and cell morphology of *Pseudomonas aeruginosa* and *Staphylococcus aureus*. *Carbohydrate Polymers*, 86(2), 969–974. <https://doi.org/https://doi.org/10.1016/j.carbpol.2011.05.054>
- Tien, N. N. T., Nguyen, H. T., Le, N. L., Khoi, T. T., & Richel, A. (2023). Biodegradable films from dragon fruit (*Hylocereus polyrhizus*) peel pectin and potato starches crosslinked with glutaraldehyde. *Food Packaging and Shelf Life*, 37, 101084. <https://doi.org/https://doi.org/10.1016/j.fpsl.2023.101084>
- Vadalà, R., De Maria, L., De Pasquale, R., Di Salvo, E., Lo Vecchio, G., Di Bella, G., Costa, R., & Cicero, N. (2024). Development of a Chitosan-Based Film from Shellfish Waste for the Preservation of Various Cheese Types during Storage. In *Foods* (Vol. 13, Issue 13). <https://doi.org/10.3390/foods13132055>
- van Bochove, B., & Grijpma, D. W. (2021). Mechanical properties of porous photo-crosslinked poly(trimethylene carbonate) network films. *European Polymer Journal*, 143, 110223. <https://doi.org/https://doi.org/10.1016/j.eurpolymj.2020.110223>
- Van Hung, P., Anh, M. N. T., Hoa, P. N., & Phi, N. T. L. (2021). Extraction

and characterization of high methoxyl pectin from *Citrus maxima* peels using different organic acids. *Journal of Food Measurement and Characterization*, 15(2), 1541–1546. <https://doi.org/10.1007/s11694-020-00748-y>

- Van Rooyen, B., De Wit, M., Osthoff, G., Van Niekerk, J., & Hugo, A. (2023). Microstructural and Mechanical Properties of Calcium-Treated Cactus Pear Mucilage (*Opuntia* spp.), Pectin and Alginate Single-Biopolymer Films. In *Polymers* (Vol. 15, Issue 21). <https://doi.org/10.3390/polym15214295>
- Wan Yahaya, W. A., Azman, N. A. M., Adam, F., Subramaniam, S. D., Abd Hamid, K. H., & Almajano, M. P. (2023). Exploring the Potential of Seaweed Derivatives for the Development of Biodegradable Plastics: A Comparative Study. *Polymers*, 15(13), 1–18. <https://doi.org/10.3390/polym15132884>
- Wang, C., Yu, H., Bu, Q., Wang, Z., Jiang, N., Chen, J., Sun, R., Liu, Q., Xu, J., & Fu, J. (2025). Supramolecular interaction-enhanced green active packaging films: Design and performance of Ca²⁺-crosslinked carboxymethyl chitosan composite films. *International Journal of Biological Macromolecules*, 309, 143002. <https://doi.org/https://doi.org/10.1016/j.ijbiomac.2025.143002>
- Wang, H., Fei, S., Wang, Y., Zan, L., & Zhu, J. (2020). Comparative study on the self-assembly of pectin and alginate molecules regulated by calcium ions investigated by atomic force microscopy. *Carbohydrate Polymers*, 231, 115673. <https://doi.org/https://doi.org/10.1016/j.carbpol.2019.115673>
- Wang, Y., Du, H., Xie, M., Ma, G., Yang, W., Hu, Q., & Pei, F. (2019). Characterization of the physical properties and biological activity of chitosan films grafted with gallic acid and caffeic acid: A comparison study. *Food Packaging and Shelf Life*, 22, 100401. <https://doi.org/https://doi.org/10.1016/j.fpsl.2019.100401>
- Wani, K. M., & Uppaluri, R. V. S. (2023). Characterization of pectin extracted from pomelo peel using pulsed ultrasound assisted extraction and acidic hot water extraction process. *Applied Food Research*, 3(2), 100345. <https://doi.org/https://doi.org/10.1016/j.afres.2023.100345>
- Wani, K. M., & Uppaluri, R. V. S. (2024). Continuous and pulsed ultrasound-assisted extraction of pectin from pomelo fruit peel using citric acid. *Biomass Conversion and Biorefinery*, 14(22), 28603–28618. <https://doi.org/10.1007/s13399-022-03513-x>
- Xiao, Y., Kang, S., Liu, Y., Guo, X., Li, M., & Xu, H. (2021). Effect and mechanism of calcium ions on the gelation properties of cellulose nanocrystals-whey protein isolate composite gels. *Food Hydrocolloids*, 111, 106401.

<https://doi.org/https://doi.org/10.1016/j.foodhyd.2020.106401>

- Xie, H., Sun, J., Khelissa, S., Chihib, N.-E., Cai, M., Wang, Y., Yang, K., Wang, J., & Gharsallaoui, A. (2025). pH-dependent interactions between low-methoxyl pectin and lysozyme: Characterization of soluble complexes and antimicrobial films with enhanced activity. *Food Hydrocolloids*, *164*, 111205. <https://doi.org/https://doi.org/10.1016/j.foodhyd.2025.111205>
- Yi, P., Guo, H., Zhou, Y., Zhong, K., Wu, Y., & Gao, H. (2024). Development of apple pectin/chitosan-based active films integrated with apple polyphenol/hydroxypropyl- β -cyclodextrin inclusion complex for pork preservation. *International Journal of Biological Macromolecules*, *282*(July). <https://doi.org/10.1016/j.ijbiomac.2024.136895>
- Yu, Y., Lu, P., Yang, Y., Ji, H., Zhou, H., Chen, S., Qiu, Y., & Chen, H. (2024). Differences in physicochemical properties of pectin extracted from pomelo peel with different extraction techniques. *Scientific Reports*, *14*(1), 9182. <https://doi.org/10.1038/s41598-024-59760-7>
- Zhang, B., Liu, Y., Wang, H., Liu, W., Cheong, K., & Teng, B. (2021). Characterization of seaweed polysaccharide-based bilayer films containing essential oils with antibacterial activity. *LWT*, *150*, 111961. <https://doi.org/https://doi.org/10.1016/j.lwt.2021.111961>
- Zhao, X., Ye, F., Wu, Z., Zhou, Y., Lei, L., Zhou, S., & Zhao, G. (2024). Sucrose and Ca²⁺ synergistically regulate the rheological properties of apple high-methoxyl pectin. *International Journal of Biological Macromolecules*, *271*, 132397. <https://doi.org/https://doi.org/10.1016/j.ijbiomac.2024.132397>
- Zhu, J., Wu, H., & Sun, Q. (2019). Preparation of crosslinked active bilayer film based on chitosan and alginate for regulating ascorbate-glutathione cycle of postharvest cherry tomato (*Lycopersicon esculentum*). *International Journal of Biological Macromolecules*, *130*, 584–594. <https://doi.org/https://doi.org/10.1016/j.ijbiomac.2019.03.006>
- Zhu, Y., Lin, K., Zhang, X., Ma, H., Yang, L., Wei, L., Yang, L., & Jiang, M. (2024). Antibacterial Effect of Gallic Acid in UV-C Light Treatment Against *Escherichia coli* O157:H7 and the Underlying Mechanism. *Food and Bioprocess Technology*, *17*(8), 2216–2231. <https://doi.org/10.1007/s11947-023-03244-5>