

REFERENSI

- Akter, S., Hasnat, G. T., & Hossain, M. K. (2020). Phenological traits of recalcitrant seed-eating trees in Bangladesh. *Bangladesh Journal of Forest Science*, 36(1), 22–32.
- Activity budget, home range, and habitat use of moor macaques (*Macaca maura*) in the karst forest of South Sulawesi, Indonesia. *Primates*, 61(5), 673–684. <https://doi.org/10.1007/s10329-020-00811-8>
- Amalya, G. R. (2018). *Analisa biodiversitas ekosistem hutan, mangrove menggunakan ekstraksi data satelit penginderaan jauh*. Skripsi. Institut Teknologi Surabaya, Surabaya. <http://repository.its.ac.id/id/eprint/52323>.
- Benkeblia, N. (2021). Physiological and biochemical response of tropical fruits to hypoxia/anoxia. *Frontiers in Plant Science*, 12 (July), 1–11. <https://doi.org/10.3389/fpls.2021.670803>
- Berg, C. C., Corner, E. J. H., & Jarrett, F. M. (2006). Moraceae (Genera Other Than Ficus). *Flora Malesiana, Series 1, Spermatophyta* 17 (1)(1), 1–154. <https://repository.naturalis.nl/pub/579344>
- Bertin, G. B. Z., Aime, V. B. T., & Constant Yves, A. Y. (2018). Chimpanzee's (*Pan troglodytes verus*) activity and feeding patterns in Taï National Park, Côte d'Ivoire. *International Journal of Agriculture & Environmental Science*, 5(3), 107–116. <https://doi.org/10.14445/23942568/ijaes-v5i3p117>
- Brown, C. L., Coe, P. K., Clark, D. A., Wisdom, M. J., Rowland, M. M., Averett, J. P., & Johnson, B. K. (2022). Climate change effects on understory plant phenology: implications for large herbivore forage availability. *Environmental Research: Ecology*, 1(1), 011002. <https://doi.org/10.1088/2752-664x/ac7fb>
- Cleland, E. E., Chuine, I., Menzel, A., Mooney, H. A., & Schwartz, M. D. (2007). Shifting plant phenology in response to global change. *Trends in Ecology and Evolution*, Volume 22 (Issue 7), 357–365. <https://doi.org/https://doi.org/10.1016/j.tree.2007.04.003>
- de la Barrera, E., Pimienta-Barrios, E., & Schondube, J. E. (2009). *Perspectives in Biophysical Plant Ecophysiology: A Tribute to Park S*. Universidad Nacional Autónoma de México.
- DeLuycker, A. M. (2024). Diet and feeding ecology of the critically endangered San Martín Titi Monkey (*Plecturocebus oenanthe*) in Peru. *International Journal of Primatology*, 45(1), 104–126. <https://doi.org/10.1007/s10764-021-00256-w>
- Denny, E. G., Gerst, K. L., Miller-Rushing, A. J., Tierney, G. L., Crimmins, T. M., Enquist, C. A. F., Guertin, P., Rosemartin, A. H., Schwartz, M. D., Thomas, K. A., & Weltzin, J. F. (2014). Standardized phenology monitoring methods to track plant and animal activity for science and resource management applications. *International Journal of Biometeorology*, 58(4), 591–601. <https://doi.org/10.1007/s00484-014-0789-5>

- Gray, R. E. J., & Ewers, R. M. (2021). Monitoring forest phenology in a changing world. *Forests*, 12(3). <https://doi.org/10.3390/f12030297>
- Guadalupe, W. L., & Claudia, A. A. (2016). Vegetative and reproductive tree phenology of ecological groups in a tropical dry forest in central Veracruz, Mexico. *Botanical Sciences*, 94(4), 745–756. <https://doi.org/10.17129/botsci.682>
- Hamzah, A. S. (2015). *Dampak perubahan iklim terhadap fenologi reproduksi beberapa spesies mangga (Mangifera spp.) di kota Makassar*. Tesis. Universitas Hasanuddin, Makassar.
- Hanya, G., & Chapman, C. A. (2013). Linking feeding ecology and population abundance: A review of food resource limitation on primates. *Ecological Research*, 28(2), 183–190. <https://doi.org/10.1007/s11284-012-1012-y>
- Hanya, G., Tsuji, Y., & Grueter, C. C. (2013). Fruiting and flushing phenology in Asian tropical and temperate forests: implications for primate ecology. In *Primates*, 54(2), 101–110. <https://doi.org/10.1007/s10329-012-0341-3>
- Hari, A., Revikumar, K. G., & Divya, D. (2014). Artocarpus: a review of its phytochemistry and pharmacology. *Journal of Pharma Search*, 9(1), 7–12.
- Hart, L. A., Grieve, G. R. H., & Downs, C. T. (2013). Fruiting phenology and implications of fruit availability in the fragmented Ngele Forest Complex, KwaZulu-Natal, South Africa. *South African Journal of Botany*, 88, 296–305. <https://doi.org/10.1016/j.sajb.2013.08.003>
- Joly, M., Tamengge, M., Pfeiffer, J. B., Price, M., Agil, M., & Engelhardt, A. (2023). Climate, temporal abundance of key food sources and home ranges of crested macaques (*Macaca nigra*) in Sulawesi, Indonesia: a longitudinal phenological study. *International Journal of Primatology*, 44(4), 670–695. <https://doi.org/10.1007/s10764-023-00377-4>
- Khotimah, K., Sudiana, E., & Pratiknya, H. (2022). Dampak perubahan iklim terhadap fenologi *Phaseolus vulgaris* L Fakultas Biologi Universitas Jenderal Soedirman. *Bioma : Berkala Ilmiah Biologi*, 24(1), 1–7. <https://doi.org/10.14710/bioma.24.1.1-7>
- Krishnadas, M., Chandrasekhara, K., & Kumar, A. (2011). The response of the frugivorous lion-tailed macaque (*Macaca silenus*) to a period of fruit scarcity. *American Journal of Primatology*, 73(12), 1250–1260. <https://doi.org/10.1002/ajp.20997>
- Lambert, J. E. (2007). *Seasonality, Fallback, and Natural Selection*. In P. S. Ungar (Ed.), *Evolution of the The Human Diet: The Known, the Unknown, and the Unknowable*. Oxford University Press <http://dx.doi.org/10.1093/oso/9780195183474.003.0017>
- Lim, J. Y., Wasserman, M. D., Veen, J., Després-Einspenner, M.-L., & Kissling, W. D. (2021). Ecological and evolutionary significance of primates' most consumed plant

- families. *Proceedings of the Royal Society B: Biological Sciences*, 288(1953), 1–9. <https://doi.org/10.1098/rspb.2021.0737>
- Lüthy, L., Chapman, C. A., Lauer, P., Omeja, P., & Kalbitzer, U. (2025). Solar radiation and atmospheric CO₂ predict young leaf production in a moist evergreen tropical forest: Insights from 23 years. <https://doi.org/10.48550/arXiv.2501.07620>
- Masy'ud, B., Kusuma, I. H., & Rachmandani, Y. (2008). Potensi vegetasi pakan dan efektivitas perbaikan habitat rusa timor di Tanjung Pasir Taman Nasional Bali Barat. *Media Konservasi*, 13(2), 59–64.
- Matsuda, I., Clauss, M., Tuuga, A., Sugau, J., Hanya, G., Yumoto, T., Bernard, H., & Hummel, J. (2017). Factors affecting leaf selection by foregut-fermenting proboscis monkeys: new insight from in vitro digestibility and toughness of leaves. *Scientific Reports*, 7(1), 42774. <https://doi.org/10.1038/srep42774>
- Mema, M., & Kriso, K. (2024). Changes in the photosynthetic apparatus in fruit trees during stressful periods. *Biodiversity Journal*, 15(3), 701–706. <https://doi.org/10.31396/Biodiv.Jour.2024.15.3.701.706>
- Miller-Rushing, A. J., Inouye, D. W., & Primack, R. B. (2008). How well do first flowering dates measure plant responses to climate change? The effects of population size and sampling frequency. *Journal of Ecology*, 96(6), 1289–1296. <https://doi.org/10.1111/j.1365-2745.2008.01436.x>
- Richardson, A. D., Black, T. A., Ciais, P., Delbart, N., Friedl, M. A., Gobron, N., Hollinger, D. Y., Kutsch, W. L., Longdoz, B., Luysaert, S., Migliavacca, M., Montagnani, L., Munger, J. W., Moors, E., Piao, S., Rebmann, C., Reichstein, M., Saigusa, N., Tomelleri, E., Vargas, R., Varlagin, A. (2010). Influence of spring and autumn phenological transitions on forest ecosystem productivity. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 365(1555), 3227–3246. <https://doi.org/10.1098/rstb.2010.0102>
- Richardson, A. D., Keenan, T. F., Migliavacca, M., Ryu, Y., Sonnentag, O., & Toomey, M. (2013). Climate change, phenology, and phenological control of vegetation feedbacks to the climate system. *Agricultural and Forest Meteorology*, Volume 169, 156–173. <https://doi.org/https://doi.org/10.1016/j.agrformet.2012.09.012>
- Riley, E. P., Shafer, C. A., Trinidad, J. S., Morrow, K. S., Sagnotti, C., Carosi, M., & Ngakan, P. O. (2021). Roadside monkeys: anthropogenic effects on moor macaque (*Macaca maura*) ranging behavior in Bantimurung Bulusaraung National Park, Sulawesi, Indonesia. *Primates*, 62(6), 477–489. <https://doi.org/10.1007/s10329-021-00941-7>
- Sagnotti, C. (2013). *Diet preferences and habitat use in relation to reproductive states in females of a wild group of macaca maura inhabiting Karaenta forest, South Sulawesi*. Tesis. Universitas Hasanuddin, Makassar.

- Sainmont, J., Andersen, K. H., Varpe, Ø., & Visser, A. W. (2014). Capital versus income breeding in a seasonal environment. *American Naturalist*, *184*(4), 466–476. <https://doi.org/10.1086/677926>
- Sato, H. (2014). The Roles of Primates as Seed Dispersers: *Primate Research*, *30*(1), 53–78. <https://doi.org/10.2354/psj.30.008>
- Silva, J. de J., Duarte, E. F., Kiill, L. H. P., Gomes, R. A., Dantas, B. F., Pelacani, C. R., & Funch, L. S. (2023). Phenological dynamics of four populations of *Handroanthus spongiosus* in seasonally dry tropical forest in Brazil. *Flora*, *306*, 152371. <https://doi.org/10.1016/j.flora.2023.152371>
- Supriatna, J., & Ramadhan, R. (2016). *Pariwisata Primata Indonesia*. Yayasan Pustaka Obor Indonesia.
- Susiarti, S., Rahayu, M., Kuncari, E. S., & Astuti, I. P. (2020). Utilization of “Benda” (*Artocarpus elasticus* Reinw. ex Blume) in Bogor, West Java, Indonesia: an ethnobotanical case study. *Journal of Tropical Biology & Conservation (JTBC)*, *17*(July), 297–307. <https://doi.org/10.51200/jtbc.v17i.2670>
- Walther, G. R., Post, E., Convey, P., Menzel, A., Parmesan, C., Beebee, T. J. C., Fromentin, J. M., Hoegh-Guldberg, O., & Bairlein, F. (2002). Ecological responses to recent climate change. *Nature*, *416*(6879), 389–395. <https://doi.org/10.1038/416389a>
- Xue, Q., Zeng, X., Du, Y., & Long, W. (2023). Reproductive phenology and climatic drivers of plant species used as food by the hainan gibbon, *Nomascus hainanus* (Primates: Hylobatidae). *Forests*, *14*(9), 1732. <https://doi.org/10.3390/f14091732>
- Zerega, N. J. C., & Gardner, E. M. (2019). Delimitation of the new tribe parartocarpeae (Moraceae) is supported by a 333-gene phylogeny and resolves tribal level moraceae taxonomy. *Phytotaxa*, *388*(4), 253–265. <https://doi.org/10.11646/phytotaxa.388.4.1>
- Zhang, K., Karim, F., Jin, Z., Xiao, H., Yao, Y., Ni, Q., Li, B., Pu-Cuo, W., Huang, Z., & Xu, H. (2022). Diet and feeding behavior of a group of high-altitude rhesus macaques: high adaptation to food shortages and seasonal fluctuations. *Current Zoology*, *69*(3), 304–314. <https://doi.org/10.1093/cz/zoac047>
- Zhang, X. (2012). *Phenology and Climate Change*. InTech.